#### **NAME**

pyFAI-saxs - integration in q-range

# **DESCRIPTION**

usage: pyFAI-saxs [options] -n 1000 -p ponifile file1.edf file2.edf ...

Azimuthal integration for SAXS users.

#### positional arguments:

FILE Files to integrated

#### optional arguments:

#### -h, --help

show this help message and exit

## -v, --version

show program's version number and exit

## -p PONIFILE

PyFAI parameter file (.poni)

#### -n NPT

Number of points in radial dimension

#### -w WAVELENGTH, --wavelength WAVELENGTH

wavelength of the X-Ray beam in Angstrom

## -e ENERGY, --energy ENERGY

energy of the X-Ray beam in keV (hc=12.398419292keV.A)

## -u DUMMY, --dummy DUMMY

dummy value for dead pixels

# -U DELTA\_DUMMY, --delta\_dummy DELTA\_DUMMY

delta dummy value

## -m MASK, --mask MASK

name of the file containing the mask image

## -d DARK, --dark DARK

name of the file containing the dark current

## -f FLAT, --flat FLAT

name of the file containing the flat field

# -P POLARIZATION\_FACTOR, --polarization POLARIZATION\_FACTOR

Polarization factor, from -1 (vertical) to +1 (horizontal), default is None for no correction, synchrotrons are around 0.95

#### --error-model ERROR\_MODEL

Error model to use. Currently on 'poisson' is implemented

#### --unit UNIT

unit for the radial dimension: can be q\_nm^-1, q\_A^-1, 2th\_deg, 2th\_rad or r\_mm

## --ext EXT

extension of the regrouped filename (.dat)

pyFAI-saxs is the SAXS script of pyFAI that allows data reduction (azimuthal integration) for Small Angle Scattering with output axis in q space.