



Prompters

Constructing a Query



Introduction

Queries are commands used to retrieve, modify, or manipulate data in a database. They allow users to interact with stored information efficiently. Constructing queries correctly is crucial for ensuring accurate results, optimizing performance, and preventing errors or unintended data modifications. A well-structured query enhances database efficiency and maintains data integrity.

[Back to Agenda Page](#)

Basic Components of a Query

A. Keywords – SQL commands like SELECT, INSERT, UPDATE, DELETE

B. Tables – The source of data in the database

C. Columns and Fields – Specific data points retrieved or modified

D. Conditions – Filtering data using WHERE, HAVING, etc.

Types of Queries

A. Data Retrieval Queries (SELECT)

- Selecting all columns
- Selecting specific columns

B. Data Modification Queries

1. Inserting Data (INSERT)
2. Updating Records (UPDATE)
3. Deleting Records (DELETE)

Types of Queries

C. Conditional Queries (WHERE Clause)

- Filtering results based on conditions
- Using logical operators (AND, OR, NOT)

D. Sorting and Grouping Queries

- ORDER BY for sorting results
- GROUP BY for aggregating data
- HAVING for filtering grouped data

Types of Queries

IV. Advanced Query Techniques

A. Joins – Combining multiple tables (INNER JOIN, LEFT JOIN, etc.)

B. Subqueries – Using queries inside other queries

C. Aggregate Functions – COUNT(), SUM(), AVG(), etc.

[Back to Agenda Page](#)

Objectives and Scope

- The primary goal of this query is to generate a report that lists active employees along with their key details (EmployeeID, FirstName, LastName, and Department). This report is intended for management review to ensure that only current personnel data is displayed and is organized in a meaningful way.



Queries

DESCRIBE – Displays the structure of a table.

```
MariaDB [reporting]> describe employees;
```

Field	Type	Null	Key	Default	Extra
EmployeeID	int(11)	NO	PRI	NULL	auto_increment
FirstName	varchar(100)	NO		NULL	
LastName	varchar(100)	NO		NULL	
Department	varchar(100)	NO		NULL	
status	enum('active','inactive')	NO		NULL	

```
5 rows in set (0.004 sec)
```

INSERT – Adds new records to a table.

```
MariaDB [reporting]> INSERT INTO employees (FirstName, LastName, Department, status)
-> VALUES
-> ('Alice', 'Smith', 'HR', 'active'),
-> ('Bob', 'Johnson', 'IT', 'inactive'),
-> ('Charlie', 'Brown', 'Finance', 'active');
Query OK, 3 rows affected (0.004 sec)
Records: 3  Duplicates: 0  Warnings: 0
```


Queries

SELECT – Retrieves data from a table.

```
MariaDB [reporting]> SELECT * FROM employees;
```

EmployeeID	FirstName	LastName	Department	status
1	Alice	Smith	HR	active
2	Bob	Johnson	IT	inactive
3	Charlie	Brown	Finance	active

3 rows in set (0.000 sec)

```
MariaDB [reporting]> SELECT * FROM employees WHERE status = 'active';
```

EmployeeID	FirstName	LastName	Department	status
1	Alice	Smith	HR	active
3	Charlie	Brown	Finance	active

2 rows in set (0.000 sec)

Queries

```
MariaDB [reporting]> SELECT * FROM employees WHERE Department = 'HR';
```

EmployeeID	FirstName	LastName	Department	status
1	Alice	Smith	HR	active

```
1 row in set (0.000 sec)
```

```
MariaDB [reporting]> SELECT FirstName, LastName, Department FROM employees;
```

FirstName	LastName	Department
Alice	Smith	HR
Bob	Johnson	IT
Charlie	Brown	Finance

```
3 rows in set (0.000 sec)
```

Queries

```
MariaDB [reporting]> INSERT INTO employees (FirstName, LastName, Department, status)  
-> VALUES ('John', 'Doe', 'IT', 'active');  
Query OK, 1 row affected (0.002 sec)
```

UPDATE – Modifies existing records in a table.

```
MariaDB [reporting]> UPDATE employees SET status = 'inactive' WHERE EmployeeID = 1;  
Query OK, 1 row affected (0.006 sec)  
Rows matched: 1  Changed: 1  Warnings: 0  
  
MariaDB [reporting]> UPDATE employees SET Department = 'Finance' WHERE EmployeeID = 2;  
Query OK, 1 row affected (0.002 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

[Back to Agenda Page](#)

Queries

DELETE – Removes records from a table.

```
MariaDB [reporting]> DELETE FROM employees WHERE EmployeeID = 3;  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [reporting]> SELECT * FROM employees;  
+-----+-----+-----+-----+-----+  
| EmployeeID | FirstName | LastName | Department | status |  
+-----+-----+-----+-----+-----+  
|          1 | Alice    | Smith   | HR         | inactive |  
|          2 | Bob      | Johnson | Finance    | inactive |  
|          4 | John     | Doe     | IT         | active   |  
+-----+-----+-----+-----+-----+  
3 rows in set (0.001 sec)
```

[Back to Agenda Page](#)