Local choices can conflict with common grades

One exact finite belief; all states are tie-free.

ABC: 3/5 | ACB: 3/20 | BAC: 3/20 | CBA: 1/10

Orders descend; $\tau = 1/5$. Risk denominator $M = 3$.

Independent pair choices: infeasible as one report

AB **Withhold** **cost 1/5**	**AC** **A>C** **cost 1/10**	**BC** **Withhold** **cost 1/5**

Relaxed cost = (1/5 + 1/10 + 1/5)/3 = 1/6

If AB and BC share grades, all three must share one grade.

This contradicts issuing A>C.

Both minimize over all 13 ordered partitions

Coherent optimum

{A, B} > {C}

g = (1, 1, 2) in A, B, C order

N = 2; normalized risk = 11/60

Additional direction: B>C
Error 1/4 > τ = 1/5

Coherent optimum

{A} > {B, C}

g = (1, 2, 2) in A, B, C order

N = 2; normalized risk = 11/60

Additional direction: A>B
Error 1/4 > τ = 1/5

Coherence gap: 11/60 − 1/6 = 1/60

Majority order A>B>C is transitive. Report ties withhold directions; they do not assert latent equality.
Author finite construction illustrating KRW Example 1; not its Gaussian reproduction.