Input domains keep their own capabilities

Inspected postrank 0.9.0 snapshots.
No package execution or new release.

Legacy canonical inputs

INPUT → PAIRWISE
Joint/criterion equal-weight draws;
or complete exact law.
Tie-free → weak error e.

FAMILY → SOLVE
Validated weighted/minimax;
cap, exact G or q as supported.
staged or label_mip; legacy fit.

Legacy typed coefficients

INPUT → TYPED COEFFICIENTS
Gaussian / shared-state mixture.
Entities independent given that state;
means and probabilities stay typed.

FAMILY → SOLVE
Weighted at-most-G only.
staged or label_mip; legacy fit.

Separate equality-neutral opt-in

INPUT → STRICT / EQUAL / DISTINCT
Joint equal-weight draws;
or complete exact law.
Equality evidence; separate objects.

FAMILY → SOLVE
Weighted at-most-G only.
Full active-profile guard.
Original units/pairs; label_mip only.
Dedicated tie fit and evaluation.

Not supplied by the opt-in route:

Criterionwise or typed inputs; staged;
exact G, q, minimax; legacy reports,
plots, MC diagnostics, IID/regret
or protection-bound helpers.

Weighted offsets: legacy τ; neutral R0.
Backend explicit; no automatic fallback.
Numerical status is not exact proof.