Input domains keep their own capabilities

Dated postrank 0.9.0 correspondence: original legacy scope and the separately inspected opt-in expansion. No automatic object conversion.

Legacy canonical inputs

INPUT	PAIRWISE	ELIGIBLE FAMILIES	LEGACY SOLVE
Joint or criterionwise equal-weight draws; exact finite law. Tie-free input contract.	postrank_pairwise Weak error event: $e_{ij} = P(\theta_i \le \theta_j)$	Weighted or minimax; cap, exact G, q rows where supported and validated.	staged or label_mip Legacy fit and action evaluation.

Legacy typed coefficients

INPUT	TYPED ARTIFACT	WEIGHTED CAP ONLY	LEGACY SOLVE
Conditional Gaussian or shared-state mixture. Entities independent conditional on state.	postrank_coefficients Means, probabilities and provenance stay together.	At most G; no q, exact G or minimax.	staged or label_mip Legacy fit and action evaluation.

Separate opt-in equality-neutral inputs

INPUT	STRICT / EQUAL / DISTINCT	WEIGHTED + GUARD	DEDICATED TIE SOLVE
Joint equal-weight draws or complete exact finite law; equality evidence.	postrank_tie_pairwise $b_{ij} = P(\theta_i < \theta_j)$ $d_{ij} = P(\theta_i \ne \theta_j)$	At most G; full active-profile guard. Original entities and pair frame retained.	label_mip only Separate tie fit and evaluator.

Not supplied by the opt-in route: criterionwise / typed inputs; staged; exact G, q or minimax; legacy reports/plots, MC diagnostics, uniform IID, regret or protection-bound helpers.

Weighted-loss offsets: legacy τ; equality-neutral R0. Gurobi is the default; HiGHS must be selected explicitly, with no automatic fallback. Source/help inspection is not installed-runtime verification; returned numerical status or a zero gap is not an exact proof.