








Mata Kuliah : Sistem Operasi
Program Studi : D4 – Teknik Informatika
Semester : 2




Kelas : TI 1G
NIM : 254107020036
Nama : Jonathan Abdiel Haryono
Absen : 14


Laporan Proyek Remastering Linux Ubuntu



Praktikum Ke-1 : Persiapan Sistem Dasar

Langkah	Jawaban/Deskripsi
1	Mengunduh file ISO Ubuntu versi LTS terbaru (Ubuntu Desktop versi 26.04 LTS). 
2	Memverifikasi checksum ISO Ubuntu melalui pencocokan checksum dari web dengan deretan kode SHA-256 hasil perintah di command prompt menggunakan alat bernama CertUtil. 

3	Mengatur nama virtual machine dan sistem operasi yang akan digunakan 
4	Membuat user baru dan mengatur passwordnya 
5	Memberi memori (RAM) sebanyak 4800 MB (4.8 GB) dan CPU virtual sebanyak 4 core agar Ubuntu dapat berjalan dengan lancar. 


6	Menspesifikasikan hard disk virtual dengan memberi ruang storage sebanyak 40 GB agar sistem memiliki ruang yang cukup lega. 
7	(Opsional) Mengatur video memory ke 128 mb dan mengaktifkan fitur 3D Acceleration agar beban grafis VM teralihkan ke GPU asli laptop, sehingga animasi desktop environment GNOME Ubuntu berjalan mulus tanpa lag. 
8	Menambahkan folder berisikan file ISO Ubuntu Desktop yang baru saja diunduh dan materi-materi semester 2 ke dalam Shared Folder agar dapat digunakan di dalam Ubuntu Desktop. File ISO Ubuntu Desktop akan dimasukkan ke dalam Cubic untuk dikustomisasi dan file materi akan dimasukkan ke dalam calon ISO yang baru sebagai bahan percobaan. 

9	Mulai masuk ke dalam Ubuntu Desktop 
10	Melakukan persiapan instalasi pada Ubuntu, menjawab seluruh kebutuhan dalam instalasi, dan memulai instalasi. 

13	Memperbarui indeks paket dan mulai mengunduh Cubic <pre> jonathan@RemasteringLinux:~\$ sudo apt update Hit:1 http://security.ubuntu.com/ubuntu resolute-security InRelease Hit:2 http://id.archive.ubuntu.com/ubuntu resolute InRelease Hit:3 http://id.archive.ubuntu.com/ubuntu resolute-updates InRelease Hit:4 http://id.archive.ubuntu.com/ubuntu resolute-backports InRelease Hit:5 https://ppa.launchpadcontent.net/cubic-wizard/release/ubuntu resolute InRelease 18 packages can be upgraded. Run 'apt list --upgradable' to see them. jonathan@RemasteringLinux:~\$ sudo apt install cubic -y The following packages were automatically installed and are no longer required: linux-headers-7.0.0-14 linux-main-modules-zfs-7.0.0-14-generic linux-tools-7.0.0-14-generic linux-headers-7.0.0-14-generic linux-modules-7.0.0-14-generic linux-image-unsigned-7.0.0-14-generic linux-tools-7.0.0-14 Use 'sudo apt autoremove' to remove them. Installing: cubic Installing dependencies: 7zip libmpathcmd0 libslirp0 python3-npmath arj libmpathpersist0 libsm-dev python3-numpy binwalk libmultipath0 libspice-server1 python3-numpy-dev cpu-checker libndctl6 libssh-4 python3-opengl cramfsswap libnss-mymachines libstdc++-15-dev python3-packaging fonts-lyx libopengl-dev libtk8.6 python3-pil.imagetk g++ libopengl0 libtst64 python3-platformdirs g++-15 libpcre2-16-0 libtsan2 python3-pooch g++-x86-64-linux-gnu libpmem1 libtst19t64 python3-pyasyncore g++-x86-64-linux-gnu libpmemobj1 libubsan1 python3-pydbus gcc libpyside6-py3-6.10 libusbredirparser1t64 python3-pyinotify gcc-15 libqhull-r8.0 libvhd1 python3-pyqt5 gcc-15-x86-64-linux-gnu libqt5core5t64 libvirglrenderer1 python3-pyqt5.qtopengl gcc-x86-64-linux-gnu libqt5dbus5t64 libvndk1 python3-pyqt5.sip genisoimage libqt5designer5 libx11-dev python3-pyqt6 gir1.2-gtksource-4 libqt5gui5t64 libxau-dev python3-pyqt6.sip ipxe-qemu libqt5help5 libxcb-cursor0 python3-pyqtgraph ipxe-qemu-256k-compat-efi-roms libqt5network5t64 libxcb-icccm4 python3-scipy isolinux libqt5opengl5t64 libxcb-image0 python3-soupsieve isympy-common libqt5sprintsupport5t64 libxcb-keysyms1 python3-sympy </pre>
14	Menjalankan Cubic dari menu aplikasi Ubuntu dan langsung memilih folder proyek. 
15	Memasukkan file ISO Ubuntu Desktop versi 26.04 untuk dikustomisasi sekaligus mengubah nama file ISO sesuai kebutuhan (pada kasus ini : Ubuntu-Custom-254107020036) untuk hasil akhir. 

Praktikum Ke-2 : Kustomisasi dan Instalasi Aplikasi

Langkah	Jawaban/Deskripsi
1	Sinkronisasi ulang database sistem dan memperbarui daftar paket (repository) Ubuntu di Cubic agar sistem tahu versi aplikasi paling baru dan stabil. <pre> ubuntu@ubuntu:~\$ sudo apt update Ign:1 file:/cdrom/resolute InRelease Get:2 file:/cdrom/resolute Release [664 B] Get:2 file:/cdrom/resolute Release [664 B] Get:4 http://archive.ubuntu.com/ubuntu/resolute InRelease [136 kB] Get:5 http://security.ubuntu.com/ubuntu/resolute-security InRelease [137 kB] Get:6 http://security.ubuntu.com/ubuntu/resolute-security/main amd64 Packages [214 kB] Get:7 http://archive.ubuntu.com/ubuntu/resolute-updates InRelease [137 kB] Get:8 http://security.ubuntu.com/ubuntu/resolute-security/main i386 Packages [184 kB] Get:9 http://security.ubuntu.com/ubuntu/resolute-security/main Translation-en [58.7 kB] Get:10 http://security.ubuntu.com/ubuntu/resolute-security/main amd64 Components [31.2 kB] Get:11 http://security.ubuntu.com/ubuntu/resolute-security/main Icons (48x48) [14.3 kB] Get:12 http://security.ubuntu.com/ubuntu/resolute-security/main Icons (64x64) [28.3 kB] Get:13 http://security.ubuntu.com/ubuntu/resolute-security/main amd64 c-n-f Metadata [3,548 B] Get:14 http://security.ubuntu.com/ubuntu/resolute-security/universe i386 Packages [63.3 kB] Get:15 http://security.ubuntu.com/ubuntu/resolute-security/universe amd64 Packages [122 kB] Get:16 http://security.ubuntu.com/ubuntu/resolute-security/universe Translation-en [37.7 kB] Get:17 http://security.ubuntu.com/ubuntu/resolute-security/universe amd64 Components [43.1 kB] Get:18 http://security.ubuntu.com/ubuntu/resolute-security/universe Icons (48x48) [16.1 kB] Get:19 http://security.ubuntu.com/ubuntu/resolute-security/universe Icons (64x64) [25.3 kB] Get:20 http://security.ubuntu.com/ubuntu/resolute-security/universe amd64 c-n-f Metadata [3,248 B] Get:21 http://security.ubuntu.com/ubuntu/resolute-security/restricted amd64 Packages [201 kB] Get:22 http://security.ubuntu.com/ubuntu/resolute-security/restricted i386 Packages [13.0 kB] Get:23 http://security.ubuntu.com/ubuntu/resolute-security/restricted Translation-en [35.1 kB] Get:24 http://security.ubuntu.com/ubuntu/resolute-security/restricted amd64 c-n-f Metadata [396 B] Hit:25 http://archive.ubuntu.com/ubuntu/resolute-backports InRelease Get:26 http://archive.ubuntu.com/ubuntu/resolute/main amd64 Packages [1,489 kB] Get:27 http://archive.ubuntu.com/ubuntu/resolute/main i386 Packages [1,069 kB] Get:28 http://archive.ubuntu.com/ubuntu/resolute/main amd64 c-n-f Metadata [32.4 kB] Get:29 http://archive.ubuntu.com/ubuntu/resolute/universe i386 Packages [8,511 kB] Get:30 http://archive.ubuntu.com/ubuntu/resolute/universe amd64 Packages [16.0 MB] Get:31 http://archive.ubuntu.com/ubuntu/resolute/universe Translation-en [6,329 kB] Get:32 http://archive.ubuntu.com/ubuntu/resolute/universe amd64 c-n-f Metadata [313 kB] Get:33 http://archive.ubuntu.com/ubuntu/resolute/multiverse i386 Packages [135 kB] Get:34 http://archive.ubuntu.com/ubuntu/resolute/multiverse amd64 Packages [299 kB] Get:35 http://archive.ubuntu.com/ubuntu/resolute/multiverse Translation-en [127 kB] Get:36 http://archive.ubuntu.com/ubuntu/resolute-updates/main i386 Packages [111 kB] Get:37 http://archive.ubuntu.com/ubuntu/resolute-updates/main amd64 Packages [238 kB] Get:38 http://archive.ubuntu.com/ubuntu/resolute-updates/main Translation-en [64.0 kB] Get:39 http://archive.ubuntu.com/ubuntu/resolute-updates/main amd64 Components [49.3 kB] Get:40 http://archive.ubuntu.com/ubuntu/resolute-updates/main Icons (48x48) [19.2 kB] Get:41 http://archive.ubuntu.com/ubuntu/resolute-updates/main Icons (64x64) [26.8 kB] Get:42 http://archive.ubuntu.com/ubuntu/resolute-updates/main amd64 c-n-f Metadata [4,032 B] Get:43 http://archive.ubuntu.com/ubuntu/resolute-updates/universe i386 Packages [67.4 kB] Get:44 http://archive.ubuntu.com/ubuntu/resolute-updates/universe amd64 Packages [138 kB] Get:45 http://archive.ubuntu.com/ubuntu/resolute-updates/universe Translation-en [44.2 kB] Get:46 http://archive.ubuntu.com/ubuntu/resolute-updates/universe amd64 Components [62.2 kB] Get:47 http://archive.ubuntu.com/ubuntu/resolute-updates/universe Icons (48x48) [28.8 kB] Get:48 http://archive.ubuntu.com/ubuntu/resolute-updates/universe Icons (64x64) [41.2 kB] Get:49 http://archive.ubuntu.com/ubuntu/resolute-updates/universe amd64 c-n-f Metadata [3,796 B] Get:50 http://archive.ubuntu.com/ubuntu/resolute-updates/restricted i386 Packages [13.0 kB] Get:51 http://archive.ubuntu.com/ubuntu/resolute-updates/restricted amd64 Packages [201 kB] Get:52 http://archive.ubuntu.com/ubuntu/resolute-updates/restricted Translation-en [35.1 kB] Get:53 http://archive.ubuntu.com/ubuntu/resolute-updates/restricted amd64 c-n-f Metadata [392 B] Get:54 http://archive.ubuntu.com/ubuntu/resolute-updates/multiverse amd64 Packages [3,328 B] Get:55 http://archive.ubuntu.com/ubuntu/resolute-updates/multiverse Translation-en [772 B] Get:56 http://archive.ubuntu.com/ubuntu/resolute-updates/multiverse amd64 c-n-f Metadata [256 B] Fetched 36.8 MB in 10s (3,682 kB/s) 201 packages can be upgraded. Run 'apt list --upgradable' to see them. Notice: Skipping acquire of configured file 'restricted/binary-i386/Packages' as repository 'file:/cdrom/resolute InRelease' doesn't support architecture 'i386' Notice: Skipping acquire of configured file 'main/binary-i386/Packages' as repository 'file:/cdrom/resolute InRelease' doesn't support architecture 'i386' ubuntu@ubuntu:~\$ </pre>
2	Memasang VLC Media Player untuk memutar multimedia <pre> root@cubic:~# apt install vlc vlc is already the newest version (3.0.23-1). The following packages were automatically installed and are no longer required: busybox-initramfs initramfs-tools-bin kexec-tools libklibc crash initramfs-tools-core klibc-utils makedumpfile Use 'apt autoremove' to remove them. Summary: Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 0 root@cubic:~# █ </pre>

3	Memasang GIMP untuk mengedit gambar <pre> root@cubic:~# apt install gimp gimp is already the newest version (3.2.2-1). The following packages were automatically installed and are no longer required: busybox-initramfs initramfs-tools-bin kexec-tools libklibc crash initramfs-tools-core klibc-utils makedumpfile Use 'apt autoremove' to remove them. Summary: Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 0 root@cubic:~# </pre>
4	Memasang Apache2 + PHP (web server lokal) <pre> root@cubic:~# apt install -y apache2 php libapache2-mod-php php-mysql apache2 is already the newest version (2.4.66-2ubuntu2.2). php is already the newest version (2:8.5+99ubuntu1). The following packages were automatically installed and are no longer required: busybox-initramfs initramfs-tools-bin kexec-tools libklibc crash initramfs-tools-core klibc-utils makedumpfile Use 'apt autoremove' to remove them. Installing: libapache2-mod-php php-mysql Installing dependencies: php8.5-mysql Summary: Upgrading: 0, Installing: 3, Removing: 0, Not Upgrading: 0 Download size: 137 kB Space needed: 497 kB / 6697 MB available </pre>
5	Memasang Visual Studio Code (VS Code) <pre> root@cubic:~# apt install -y code code is already the newest version (1.124.2-1781225536). The following packages were automatically installed and are no longer required: busybox-initramfs initramfs-tools-bin kexec-tools libklibc crash initramfs-tools-core klibc-utils makedumpfile Use 'apt autoremove' to remove them. Summary: Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 0 root@cubic:~# </pre>
	Membuat aplikasi kustom buatan sendiri berupa sebuah program sederhana berbasis Bash Script yang berfungsi untuk menampilkan informasi dasar perangkat keras computer. 

Praktikum Ke-3 : Kustomisasi Tampilan (Antarmuka)

Langkah	Jawaban/Deskripsi
1	Mengunduh custom wallpaper, custom theme, custom icon theme, dan custom icon pack serta menambahkannya langsung ke /home melalui beberapa direktori agar tetap terorganisir. <pre> root@cubic:/usr/share/themes# cd /home root@cubic:/home# ls IconThemes IconsPack Themes Wallpapers root@cubic:/home# ls -al IconThemes/ total 20 drwxr-xr-x 5 root root 4096 Jun 18 11:46 . drwxr-xr-x 6 root root 4096 Jun 18 11:44 .. drwxrwxr-x 29 root root 4096 Mar 18 2022 Flattery-master drwxrwxr-x 8 root root 4096 May 28 13:05 Tela-icon-theme-master drwxrwxr-x 7 root root 4096 Jan 11 2023 ketsa-icon-theme-master root@cubic:/home# ls -al IconsPack/ total 64 drwxr-xr-x 2 root root 4096 Jun 17 16:48 . drwxr-xr-x 6 root root 4096 Jun 18 11:44 .. -rw-rw-r-- 1 root root 12975 Jun 14 18:21 settings.png -rw-rw-r-- 1 root root 9241 Jun 14 18:20 terminal.png -rw-rw-r-- 1 root root 26498 Jun 14 18:18 ubuntu.png root@cubic:/home# ls -al Themes/ total 28 drwxr-xr-x 7 root root 4096 Jun 18 11:43 . drwxr-xr-x 6 root root 4096 Jun 18 11:44 .. drwxrwxr-x 16 root root 4096 Mar 24 01:07 Ant-master drwxrwxr-x 13 root root 4096 Jun 13 21:24 Juno-master drwxrwxr-x 14 root root 4096 May 4 22:50 Nordic-master drwxrwxr-x 6 root root 4096 Nov 22 2025 Orchis-theme-master drwxrwxr-x 7 root root 4096 May 25 05:19 WhiteSur-gtk-theme-master root@cubic:/home# ls -al Wallpapers/ total 43436 drwxr-xr-x 2 root root 4096 Jun 18 11:42 . drwxr-xr-x 6 root root 4096 Jun 18 11:44 .. -rw-rw-r-- 1 root root 18058419 Jun 14 16:33 A_Boy.png -rw-rw-r-- 1 root root 3690147 Jun 14 16:34 Fantastic_View.jpg -rw-rw-r-- 1 root root 2697725 Jun 14 16:30 Monkey_D_Luffy1.jpg -rw-rw-r-- 1 root root 15870235 Jun 14 16:36 Monkey_D_Luffy2.png -rw-rw-r-- 1 root root 4146442 Jun 14 16:32 Sasuke_Uchiha.png root@cubic:/home# </pre>
2	Memindahkan themes dan icon themes ke tempat semestinya agar sistem Ubuntu mengenali mereka. <pre> root@cubic:/home# mv Themes/* /usr/share/themes/ root@cubic:/home# root@cubic:/home# mv IconThemes/* /usr/share/icons/ root@cubic:/home# ls /usr/share/themes Adwaita Juno-master Yaru-blue-dark Yaru-magenta-dark Yaru-purple-dark Yaru-wartybrown-dark Adwaita-dark Nordic-master Yaru-dark Yaru-olive Yaru-red Yaru-xhdp Ant-master Orchis-theme-master Yaru-dark-hdpi Yaru-olive-dark Yaru-red-dark Yaru-yellow Default WhiteSur-gtk-theme-master Yaru-dark-xhdp Yaru-prussiangreen Yaru-sage Yaru-yellow-dark Enacs Yaru Yaru-hdpi Yaru-prussiangreen-dark Yaru-sage-dark Yaru-wartybrown HighContrast Yaru-blue Yaru-magenta Yaru-purple root@cubic:/home# ls /usr/share/icons/ Adwaita Yaru-blue Yaru-prussiangreen Yaru-sage-dark gnome-logo-text.svg DMZ-Black Yaru-blue-dark Yaru-prussiangreen-dark Yaru-wartybrown handhelds DMZ-White Yaru-dark Yaru-purple Yaru-wartybrown-dark hicolor Flattery-master Yaru-magenta Yaru-purple-dark Yaru-yellow ketsa-icon-theme-master HighContrast Yaru-magenta-dark Yaru-red Yaru-yellow-dark locolor Tela-icon-theme-master Yaru-olive Yaru-red-dark default redglass Yaru Yaru-olive-dark Yaru-sage gnome-logo-text-dark.svg whiteglass root@cubic:/home# </pre>

3

Mengunduh tema bagi yang memiliki script installer bawaan dari tema itu sendiri.

```

root@cubic:/usr/share/themes# ls
Adwaita      Juno-master      Yaru-blue-dark  Yaru-magenta-dark  Yaru-purple-dark  Yaru-wartybrown-dark
Adwaita-dark Nordic-master     Yaru-dark       Yaru-olive          Yaru-red          Yaru-xdpi
Ant-master   Orchis-theme-master Yaru-dark-hdpi  Yaru-olive-dark     Yaru-red-dark     Yaru-yellow
Default      WhiteSur-gtk-theme-master Yaru-dark-xdpi  Yaru-prussiangreen Yaru-sage         Yaru-yellow-dark
Enacs        Yaru             Yaru-hdpi       Yaru-prussiangreen-dark Yaru-sage-dark    Yaru-wartybrown
HighContrast Yaru-blue        Yaru-magenta    Yaru-purple

root@cubic:/usr/share/themes# ls Ant-master/
Art      LICENSE  assets  gnome-shell  gtk-3.0  gtk-4.0  kde  package-lock.json  src  xfwm4
Gulpfile.js README.md cinnamon gtk-2.0    gtk-3.20 index.theme metacity-1 package.json  unity

root@cubic:/usr/share/themes# ls Juno-master/
Art      LICENSE  assets  gnome-shell  gtk-3.0  index.theme  metacity-1  package.json  xfwm4
Gulpfile.js README.md cinnamon gtk-2.0      gtk-4.0  kde          package-lock.json  src

root@cubic:/usr/share/themes# ls Nordic-master/
Art      Gulpfile.js README.md cinnamon gnome-shell  gtk-3.0  index.theme  metacity-1  package.json  xfwm4
LICENSE  assets      extras      gtk-2.0      gtk-4.0  kde          package-lock.json  src

root@cubic:/usr/share/themes# ls Orchis-theme-master/
COPYING README.md core.sh gtrc.sh images install.sh parse-sass.sh release src wallpaper

root@cubic:/usr/share/themes# cd Orchis-theme-master/
root@cubic:/usr/share/themes/Orchis-theme-master# ./install.sh

GNOME Shell 50.1
Installing '/usr/share/themes/Orchis'...
Installing '/usr/share/themes/Orchis-Compact'...
Installing '/usr/share/themes/Orchis-Light'...
Installing '/usr/share/themes/Orchis-Light-Compact'...
Installing '/usr/share/themes/Orchis-Dark'...
Installing '/usr/share/themes/Orchis-Dark-Compact'...

Done.
root@cubic:/usr/share/themes/Orchis-theme-master#
root@cubic:/usr/share/themes/Orchis-theme-master# cd ..
root@cubic:/usr/share/themes# ls WhiteSur-gtk-theme-master/
.github/  COPYING  clean-git.sh  libs/  other/  release/  tweaks.sh
.gitignore README.md  install.sh    make-release.sh  parse-sass.sh  src/

root@cubic:/usr/share/themes# cd WhiteSur-gtk-theme-master/
root@cubic:/usr/share/themes/WhiteSur-gtk-theme-master# ./instal.sh
-bash: ./instal.sh: No such file or directory
root@cubic:/usr/share/themes/WhiteSur-gtk-theme-master# ./install.sh

```

4

Mengunduh tema icon bagi yang memiliki script installer bawaan dari tema icon itu sendiri.

```

root@cubic:/usr/share/icons# ls
Adwaita      Yaru-blue      Yaru-prussiangreen  Yaru-sage-dark  gnome-logo-text.svg
DMZ-Black    Yaru-blue-dark Yaru-prussiangreen-dark Yaru-wartybrown handhelds
DMZ-White    Yaru-dark      Yaru-purple          Yaru-wartybrown-dark hicolor
Flattery-master Yaru-magenta  Yaru-purple-dark     Yaru-yellow     ketsa-icon-theme-master
HighContrast Yaru-magenta-dark Yaru-red             Yaru-yellow-dark locolor
Tela-icon-theme-master Yaru-olive    Yaru-red-dark        default          redglass
Yaru         Yaru-olive-dark Yaru-sage            gnome-logo-text-dark.svg whiteglass

root@cubic:/usr/share/icons# ls Flattery-master/
Flattery  Flattery-Dark  Flattery-Indigo  Flattery-Orange-Dark  Flattery-Sky  Flattery-Yellow-Dark
Flattery-Black  Flattery-Gray  Flattery-Indigo-Dark  Flattery-Pink  Flattery-Sky-Dark  Flattery-wallpapers
Flattery-Black-Dark  Flattery-Gray-Dark  Flattery-Mint  Flattery-Pink-Dark  Flattery-Teal  README.md
Flattery-Blue  Flattery-Green  Flattery-Mint-Dark  Flattery-Red  Flattery-Teal-Dark  cover.png
Flattery-Blue-Dark  Flattery-Green-Dark  Flattery-Orange  Flattery-Red-Dark  Flattery-Yellow  install.sh

root@cubic:/usr/share/icons# cd Flattery-master/
root@cubic:/usr/share/icons/Flattery-master# ./install.sh
Installing icons into /root/.local/share/icons
Installing variant Black
Installing variant Black-Dark
Installing variant Blue
Installing variant Blue-Dark
Installing variant Dark
Installing variant Gray
Installing variant Gray-Dark
Installing variant Green
Installing variant Green-Dark
Installing variant Indigo
Installing variant Indigo-Dark
Installing variant Mint
Installing variant Mint-Dark
Installing variant Orange
Installing variant Orange-Dark
Installing variant Pink
Installing variant Pink-Dark

root@cubic:/usr/share/icons/Flattery-master# cd ..
root@cubic:/usr/share/icons# ls Tela-icon-theme-master/
AUTHORS  COPYING  README.md  colorscheme elementary install.sh links  release  src  tela-dark.png  tela-light.png


root@cubic:/usr/share/icons# cd Tela-icon-theme-master/
root@cubic:/usr/share/icons/Tela-icon-theme-master# ./install.sh
Installing 'Tela'...
gtk-update-icon-cache: Cache file created successfully.
Installing 'Tela-light'...
gtk-update-icon-cache: Cache file created successfully.
Installing 'Tela-dark'...
gtk-update-icon-cache: Cache file created successfully.
root@cubic:/usr/share/icons/Tela-icon-theme-master# cd ..
root@cubic:/usr/share/icons# ls ketsa-icon-theme-master/
Icons-Individuales LICENSE  apps  devices  index.theme  minetypes  places




```


5	Mengkonfigurasi file override menggunakan nano untuk mengunci tema dan tema ikon secara default sekaligus menyuruh Ubuntu untuk membaca ulang skema agar aktif. <pre> GNU nano 8.7.1 /usr/share/glib-2.0/schemas/99_custom_desktop.gschema.override * [org.gnome.desktop.interface] icon-theme='Tela-dark' gtk-theme='Juno-master' color-scheme='prefer-dark' root@cubic:/usr/share/icons# glib-compile-schemas /usr/share/glib-2.0/schemas/ root@cubic:/usr/share/icons# </pre>
6	Mengkonfigurasi file ubuntu-wallpaper.xml menggunakan nano untuk menambahkan beberapa wallpaper baru agar wallpaper tersebut masuk ke dalam daftar di Settings Ubuntu diakhiri dengan perintah untuk Ubuntu membaca ulang skema agar ter-update. <pre> GNU nano 8.7.1 /usr/share/gnome-background-properties/ubuntu-wallpapers.xml <wallpaper deleted="false"> <name>Wallpaper Monkey D. Luffy 1</name> <filename>/usr/share/backgrounds/Monkey_D_Luffy1.jpg</filename> <options>zoom</options> <pcolor>#000000</pcolor> <scolor>#000000</scolor> <shade>type_solid</shade> </wallpaper> <wallpaper deleted="false"> <name>Wallpaper Monkey D. Luffy 2</name> <filename>/usr/share/backgrounds/Monkey_D_Luffy2.png</filename> <options>zoom</options> <pcolor>#000000</pcolor> <scolor>#000000</scolor> <shade>type_solid</shade> </wallpaper> <wallpaper deleted="false"> <name>Wallpaper A Boy</name> <filename>/usr/share/backgrounds/A_Boy.png</filename> <options>zoom</options> <pcolor>#000000</pcolor> <scolor>#000000</scolor> <shade>type_solid</shade> </wallpaper> <wallpaper deleted="false"> <name>Wallpaper Fantastic View</name> <filename>/usr/share/backgrounds/Fantastic_View.jpg</filename> <options>zoom</options> <pcolor>#000000</pcolor> <scolor>#000000</scolor> <shade>type_solid</shade> </wallpaper> <wallpaper deleted="false"> <name>Wallpaper Sasuke Uchiha</name> <filename>/usr/share/backgrounds/Sasuke_Uchiha.png</filename> <options>zoom</options> <pcolor>#000000</pcolor> <scolor>#000000</scolor> <shade>type_solid</shade> </wallpaper> </wallpapers> root@cubic:/usr/share/icons# glib-compile-schemas /usr/share/glib-2.0/schemas/ root@cubic:/usr/share/icons# </pre>

7	Menambahkan icon pack custom (terminal, settings, dan logo ubuntu) ke dalam direktori letak mereka seharusnya berada sekaligus mengubah file yang sudah ada menjadi ber-extension .svg.bak agar ketika sistem tidak menemukan file .svg, dia langsung menggunakan file yang ber-extension .png <pre> root@cubic:/usr/share/icons/Tela-dark/scalable/apps# cp -f /home/IconsPack/terminal.png /usr/share/icons/Tela-dark/scalable/apps/utilities-terminal.png root@cubic:/usr/share/icons/Tela-dark/scalable/apps# mv /usr/share/icons/Tela-dark/scalable/apps/utilities-terminal.svg /usr/share/icons/Tela-dark/scalable/apps/utilities-terminal.svg.bak 2>/dev/null root@cubic:/usr/share/icons/Tela-dark/scalable/apps# cp -f /home/IconsPack/settings.png /usr/share/icons/Tela-dark/scalable/apps/gnome-control-center.png root@cubic:/usr/share/icons/Tela-dark/scalable/apps# mv gnome-control-center.svg gnome-control-center.svg.bak mv: cannot stat 'gnome-control-center.svg': No such file or directory root@cubic:/usr/share/icons/Tela-dark/scalable/apps# cp -f /home/IconsPack/terminal.png /usr/share/icons/Tela-dark/scalable/apps/utilities-terminal.png root@cubic:/usr/share/icons/Tela-dark/scalable/apps# mv /usr/share/icons/Tela-dark/scalable/apps/utilities-terminal.svg /usr/share/icons/Tela-dark/scalable/apps/utilities-terminal.svg.bak 2>/dev/null root@cubic:/usr/share/icons/Tela-dark/scalable/apps# cp -f /home/IconsPack/settings.png /usr/share/icons/Tela-dark/scalable/apps/gnome-control-center.png root@cubic:/usr/share/icons/Tela-dark/scalable/apps# mv gnome-control-center.svg gnome-control-center.svg.bak 2>/dev/null root@cubic:/usr/share/icons/Tela-dark/scalable/apps# cp -f /home/IconsPack/settings.png /usr/share/icons/Tela-dark/scalable/apps/preferences-system.png root@cubic:/usr/share/icons/Tela-dark/scalable/apps# mv preferences-system.svg preferences-system.svg.bak 2>/dev/null root@cubic:/usr/share/icons/Tela-dark/scalable/apps# root@cubic:/usr/share/icons/Tela-dark/scalable/apps# cp -f /home/IconsPack/ubuntu.png view-app-grid.png root@cubic:/usr/share/icons/Tela-dark/scalable/apps# mv view-app-grid.svg view-app-grid.svg.bak </pre>
8	Langkah terakhir, yakni memberitahu Ubuntu bahwa ada perubahan ikon baru tanpa harus restart computer, memaksa Ubuntu untuk mengunci pengaturan tema, dan membakar semua konfigurasi baru dan susunan ikon kustom melalui 3 perintah ini. <pre> root@cubic:/usr/share/icons/Tela-dark/scalable/apps# gtk-update-icon-cache -f /usr/share/icons/Tela-dark gtk-update-icon-cache: Cache file created successfully. root@cubic:/usr/share/icons/Tela-dark/scalable/apps# glib-compile-schemas /usr/share/glib-2.0/schemas/ root@cubic:/usr/share/icons/Tela-dark/scalable/apps# update-initramfs -u -k all update-initramfs: Generating /boot/initrd.img-7.0.0-22-generic update-initramfs: Generating /boot/initrd.img-7.0.0-14-generic root@cubic:/usr/share/icons/Tela-dark/scalable/apps# </pre>

Praktikum Ke-4 : Pembuatan File ISO Baru


Langkah	Jawaban/Deskripsi
1	Melakukan proses build/generate untuk menghasilkan file ISO baru hasil modifikasi. 

2	Memilih opsi pertama karena merupakan versi kernel terbaru yang terinstall di dalam sistem yang terupdate (update-initramfs). Menggunakan kernel terbaru menjamin semua driver dan paket baru yang dipasang tadi bisa berjalan stabil dan tidak crash saat di-boot di VirtualBox. 
3	Memilih gzip karena merupakan yang paling seimbang antara kecepatan proses kompresi dan ukuran file ISO hasil akhirnya 
4	Memproses ISO akhir hasil modifikasi. 

5	Modifikasi Ubuntu ISO custom sudah selesai. 
---	---

Praktikum Ke-5 : Pengujian dan Dokumentasi

Langkah	Jawaban/Deskripsi
1	Tampilan utama desktop yang sudah berubah visualnya sesuai dengan modifikasi.  Background berubah menjadi background sesuai kustomisasi. Theme berubah menjadi “Orchis Dark” dan icon theme berubah menjadi “Tela-dark”. Icon “Settings” merupakan hasil kustomisasi dari Custom Icon Pack, yakni kustomisasi ikon spesifik, karena itu gayanya terlihat berbeda sendiri.



2

Hasil eksekusi bash script

```
ubuntu@ubuntu:/home$ cd /usr/local/bin
ubuntu@ubuntu:/usr/local/bin$ ls
hardware-info.sh
ubuntu@ubuntu:/usr/local/bin$ ls -al
total 1
drwxr-xr-x 1 root root 39 Jun 18 23:46 .
drwxr-xr-x 1 root root 138 Apr 23 01:15 ..
-rwxr-xr-x 1 root root 888 Jun 18 23:46 hardware-info.sh
ubuntu@ubuntu:/usr/local/bin$ ./hardware-info.sh

=====
          APLIKASI INFORMASI PERANGKAT KERAS
=====

[1] INFORMASI PROSESOR (CPU)
-----
Architecture:           x86_64
CPU op-mode(s):         32-bit, 64-bit
Address sizes:          48 bits physical, 48 bits virtual
Byte Order:             Little Endian
CPU(s):                 2
On-line CPU(s) list:    0,1
Vendor ID:              AuthenticAMD
Model name:             AMD Ryzen 5 7520U with Radeon Graphics
CPU family:             23
Model:                  160

[2] KAPASITAS DAN PENGGUNAAN MEMORI (RAM)
-----
Mem:      total      used      free      shared  buff/cache  available
Swap:      0B         0B         0B         211Mi    2.1Gi      2.3Gi

[3] KAPASITAS RUANG PENYIMPANAN (STORAGE)
-----
Filesystem      Size  Used Avail Use% Mounted on
/cow            2.0G  189M  1.8G  10% /

ubuntu@ubuntu:/usr/local/bin$
```