

SMS VERIFY API Example

API Key

API Key use for authentication.

Application

Application (app_id) determines the PIN Expired and PIN Attempts.

PIN Expiry

PIN Expiry represents how long the PIN will be active after it is generated.

PIN Attempts

PIN attempts represents the number of overall PIN verification requests for one application from one phone number.

Message Template

Message Template (message_id) determines Template, Sender and PIN Length.

Template

Text of a message that will be sent.

Sender

The name that will appear as the sender of the sms message.

PIN Length

PIN code length should be between 4 and 10 characters.

SMS Verify API


Authentication

Example:

Authorization: Bearer Token

UjUGfZPUIGrDNoXyf06Jc2BEFAtMOWPHeBhwe48MAkKAMCHIWF0VbzsxPIYf

Postman example:




Header

Content-Type: application/json

Accept: application/json

Postman example:




Verify Request

URL: <https://otp2.sc4msg.com/api/v1/verify/request>

Parameter: app_id, message_id, and sender (optional)

Postman example:



Response (Success) for message without ref_code

```
1 {
2   "status": 0,
3   "request_id": "ed844925-bdc8-45d8-80e1-05939ef06955",
4   "ref_code": null
5 }
```

Response (Success) for message with ref_code

```
1 {
2   "status": 0,
3   "request_id": "9f1af1bd-3450-4a60-b89e-7528bed73fe9",
4   "ref_code": "SORL"
5 }
```

Response (Error)


```
1 {
2   "status": 5,
3   "error": "Invalid app_id or message_id.",
4   "request_id": null
5 }
```

Verify Check

URL: <https://otp2.sc4msg.com/api/v1/verify/check>

Parameter: request_id and code

Postman example:



Response (Success)

```
{
  "status": 0,
  "request_id": "dab05062-c764-4872-a874-fb56df6a12bc"
}
```

Response (Error)

```
{
  "status": 6,
  "error_text": "Request ID not found or completed verification.",
  "request_id": null
}
```