

SMS VERIFY API

Verify Request

Use Verify request to generate and send a PIN to your user.

1. Create a request to send a verification code to your user.
2. Check the status field in the response to ensure that your request was successful (zero is success).
3. Use the request_id field in the response for the Verify check.

URL: <https://otp2.sc4msg.com/api/v1/verify/request>

Method: POST

Header field	Required	Description
Authorization	Yes	Bearer <api key> (for api key, maxLength: 64)
Content-Type	Yes	application/json
Accept	Yes	application/json

Request Body Parameter

Parameter	Required	Description
app_id	Yes	App ID. (type: string, maxLength: 34)
message_id	Yes	Message ID. (type: string, maxLength: 34)
to	Yes	The mobile number to verify. This number must be in E.164 format. e.g. 66811234000
sender	No	The sender is case-sensitive. (type: string, maxLength: 10)
message	No	The custom message. You can use the placeholder \$(otp) which will be replaced by the otp code and \$(ref_code) which will be replaced by the reference code (4 digits). e.g. Your OTP is: \$(otp) ref(\$(ref_code))

Response Fields (Success)

Parameter	Description
status	A value of 0 indicates that the request was successful. If it is non-zero, check the error_text. (type: string)
request_id	The unique ID of the verify request. You need this request_id for the verify check. This may be blank in an error situation. (type: string, maxLength: 34)
ref_code	The reference code of the verify request. (type: string, maxLength: 6)

Response Fields (Error)

Parameter	Description
status	A value of 0 indicates that the request was successful. If it is non-zero, check the error_text. (type: string)
error_text	If status is non-zero, this explains the error encountered. (type: string, maxLength: 200)
request_id	The unique ID of the verify request. You need this request_id for the verify check. This may be blank in an error situation. (type: string, maxLength: 34)

Verify Check

Use Verify check to confirm that the PIN you received from your user matches the one sent by Mobile Connect in your Verify request.

1. Send the verification code that your user supplied, with the corresponding request_id from the Verify request.
2. Check the status of the response to determine if the code the user supplied matches the one sent by Mobile Connect.

URL: <https://otp2.sc4msg.com/api/v1/verify/check>

Method: POST

Header field	Required	Description
Authorization	Yes	Bearer <api key> (for api key, maxLength: 64)
Content-type	Yes	application/json
Accept	Yes	application/json

Request Body Parameter

Parameter	Required	Description
request_id	Yes	The verify request to check. This is the request_id you received in the response to the verify request.
code	Yes	The verification code entered by your user.

Response Fields (Success)

Parameter	Description
status	A value of 0 indicates that the request was successful. If it is non-zero, check the error_text. (type: string)
request_id	The unique ID of the verify request. You need this request_id for the verify check. This may be blank in an error situation. (type: string, maxLength: 34)

Response Fields (Error)

Parameter	Description
status	A value of 0 indicates that the request was successful. If it is non-zero, check the error_text. (type: string)
error_text	If status is non-zero, this explains the error encountered. (type: string, maxLength: 200)
request_id	The unique ID of the verify request. You need this request_id for the verify check. This may be blank in an error situation. (type: string, maxLength: 34)

Response Status Codes

Status Code	Description
0	A value of 0 indicates that the request was successful. If it is non-zero, check the error_text. (type: string)
1	Invalid API Key.
2	Service error.
3	Missing parameter.
4	Invalid parameter.
5	Invalid app_id or message_id.
6	Request ID not found or completed verification.
7	Incorrect code.
8	Code expired.
9	Max check attempts reached.