# Package 'cffdrs.core'

February 7, 2022

Type Package
Title Canadian Forest Fire Danger Rating System
Version 1.0.0
<b>Date</b> 2021-11-17
Maintainer Jordan Evens < jordan.evens@nrcan-rncan.gc.ca>
<b>Depends</b> $R(>=3.2.2)$
Description This project provides a group of new functions to calculate the outputs of the two main components of the Canadian Forest Fire Danger Rating System (CFFDRS) Van Wagner and Pickett (1985) <a href="https://cfs.nrcan.gc.ca/publications?id=19973">https://cfs.nrcan.gc.ca/publications?id=19973</a> ) at various time scales: the Fire Weather Index (FWI) System Wan Wagner (1985) <a href="https://cfs.nrcan.gc.ca/publications?id=19927">https://cfs.nrcan.gc.ca/publications?id=19927</a> > and the Fire Behaviour Prediction (FBP) System Forestry Canada Fire Danger Group (1992) <a href="https://cfs.nrcan.gc.ca/pubwarehouse/pdfs/10068.pdf">http://cfs.nrcan.gc.ca/pubwarehouse/pdfs/10068.pdf</a> .
License GPL-2
<pre>URL https://r-forge.r-project.org/projects/cffdrs/</pre>
<pre>BugReports     https://r-forge.r-project.org/tracker/?func=browse&amp;group_id=1970&amp;atid=5372 Encoding UTF-8</pre>
LazyData true
Suggests testthat (>= 3.0.0)
Config/testthat/edition 3
RoxygenNote 7.1.2
R topics documented:
cffdrs.core-package       2         BackRateOfSpread       4         BuildupEffect       4         BuildupIndex       5         CriticalSurfaceIntensity       6         CriticalSurfaceRateOfSpread       6         CrownFractionBurned       7         CrownFuelConsumption       8

2 cffdrs.core-package

CrownRateOfSpreadC6	
DistanceAtTime	
DroughtCode	10
DuffMoistureCode	10
FineFuelMoistureCode	. 11
FireBehaviourPrediction	12
FireIntensity	13
FireWeatherIndex	. 13
FlankRateOfSpread	. 14
FoliarMoistureContent	15
gfmc	. 15
hffmc	. 18
InitialSpreadIndex	21
IntermediateSurfaceRateOfSpreadC6	22
LengthToBreadthRatio	22
LengthToBreadthRatioAtTime	23
OverwinterDroughtCode	24
RateOfSpread	26
RateOfSpreadAtTheta	27
RateOfSpreadAtTime	27
RateOfSpreadC6	28
sdmc	29
ShelteredDuffMoistureCode	31
SlopeAdjust	32
SurfaceFuelConsumption	33
SurfaceRateOfSpreadC6	34
TotalFuelConsumption	
ndex	36

cffdrs.core-package Canadian Forest Fire Danger Rating System

# **Description**

The cffdrs.core package allows R users to calculate the outputs of the two main components of the Canadian Forest Fire Danger Rating System (CFFDRS; http://cwfis.cfs.nrcan.gc.ca/background/summary/fdr): the Fire Weather Index (FWI) System (http://cwfis.cfs.nrcan.gc.ca/background/summary/fwi) and the Fire Behaviour Prediction (FBP) System (http://cwfis.cfs.nrcan.gc.ca/background/summary/fbp) along with additional methods created and used Canadian fire modelling. These systems are widely used internationally to assess fire danger (FWI System) and quantify fire behavior (FBP System).

# **Details**

The FWI System (Van Wagner 1987) is based on the moisture content and the effect of wind of three classes of forest fuels on fire behavior. It consists of six components: three fuel moisture codes (Fire Fuel Moisture Code, Duff Moisture Code, Drought Code), and three fire behavior indexes representing rate of spread (Initial Spread Index), fuel consumption (Buildup Index), and fire intensity (Fire Weather Index). The FWI System outputs are determined from daily noon weather observations: temperature, relative humidity, wind speed, and 24-hour rainfall.

cffdrs.core-package 3

The FBP System (Forestry Canada Fire Danger Group 1992; Hirsch 1996) provides a set of primary and secondary measures of fire behavior. The primary outputs consist of estimates of fire spread rate, fuel consumption, fire intensity, and fire description (i.e., surface, intermittent, or crown fire). The secondary outputs, which are not used nearly as often, give estimates of fire area, perimeter, perimeter growth rate, and flank and back fire behavior based on a simple elliptical fire growth model. Unlike the FWI System, which is weather based, the FBP System also requires information on vegetation (hereafter, fuel types) and slope (if any) to calculate its outputs. Sixteen fuel types are included in the FBP System, covering mainly major vegetation types in Canada.

Package: cffdrs.core Type: Package Version: 1.8.16 Date: 2020-05-26 License: GPL-2

#### Author(s)

Xianli Wang, Alan Cantin, Marc-André Parisien, Mike Wotton, Kerry Anderson, Brett Moore, Tom Schiks, Mike Flannigan, and Jordan Evens

Maintainer: Jordan Evens < jordan.evens@nrcan-rncan.gc.ca>

## References

- 1. Van Wagner, C.E. and T.L. Pickett. 1985. Equations and FORTRAN program for the Canadian Forest Fire Weather Index System. Can. For. Serv., Ottawa, Ont. For. Tech. Rep. 33. 18 p.
- 2. Van Wagner, C.E. 1987. Development and structure of the Canadian forest fire weather index system. Forest Technology Report 35. (Canadian Forestry Service: Ottawa).
- 3. Lawson, B.D. and O.B. Armitage. 2008. Weather guide for the Canadian Forest Fire Danger Rating System. Nat. Resour. Can., Can. For. Serv., North. For. Cent., Edmonton, AB.
- 4. Hirsch K.G. 1996. Canadian Forest Fire Behavior Prediction (FBP) System: user's guide. Nat. Resour. Can., Can. For. Serv., Northwest Reg., North. For. Cent., Edmonton, Alberta. Spec. Rep. 7. 122p.
- 5. Forestry Canada Fire Danger Group. 1992. Development and structure of the Canadian Forest Fire Behavior Prediction System. Forestry Canada, Ottawa, Ontario Information Report ST-X-3. 63 p. http://cfs.nrcan.gc.ca/pubwarehouse/pdfs/10068.pdf
- 6. Wotton, B.M., Alexander, M.E., Taylor, S.W. 2009. Updates and revisions to the 1992 Canadian forest fire behavior prediction system. Nat. Resour. Can., Can. For. Serv., Great Lakes For. Cent., Sault Ste. Marie, Ontario, Canada. Information Report GLC-X-10, 45p. http://publications.gc.ca/collections/collection\_2010/nrcan/Fo123-2-10-2009-eng.pdf
- 7. Tymstra, C., Bryce, R.W., Wotton, B.M., Armitage, O.B. 2009. Development and structure of Prometheus: the Canadian wildland fire growth simulation Model. Nat. Resour. Can., Can. For. Serv., North. For. Cent., Edmonton, AB. Inf. Rep. NOR-X-417.

## See Also

fbp, fire Season, fwi, gfmc, hffmc, Sheltered Duff Moisture Code, wDC

4 BuildupEffect

BackRateOfSpread	Back Fire Rate of Spread Calculator
------------------	-------------------------------------

# **Description**

Calculate the Back Fire Spread Rate. All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992).

# Usage

```
BackRateOfSpread(FUELTYPE, FFMC, BUI, WSV, FMC, SFC, PC, PDF, CC, CBH)
```

# Arguments

FUELTYPE	The Fire Behaviour Prediction FuelType
FFMC	Fine Fuel Moisture Code
BUI	Buildup Index
WSV	Wind Speed Vector
FMC	Foliar Moisture Content
SFC	Surface Fuel Consumption
PC	Percent Conifer
PDF	Percent Dead Balsam Fir
CC	Degree of Curing (just "C" in FCFDG 1992)
CBH	Crown Base Height

## Value

BROS: Back Fire Rate of Spread

# References

https://cfs.nrcan.gc.ca/publications/download-pdf/10068 Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

BuildupEffect Build Up Effect Calculator
--

# Description

Computes the Buildup Effect on Fire Spread Rate. All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992).

# Usage

BuildupEffect(FUELTYPE, BUI)

BuildupIndex 5

## Arguments

FUELTYPE The Fire Behaviour Prediction FuelType

BUI The Buildup Index value

#### Value

BE: Build up effect

## References

https://cfs.nrcan.gc.ca/publications/download-pdf/10068 Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

BuildupIndex

Build Up Index Calculator

# **Description**

Buildup Index Calculation. All code is based on a C code library that was written by Canadian Forest Service Employees, which was originally based on the Fortran code listed in the reference below. All equations in this code refer to that document. Equations and FORTRAN program for the Canadian Forest Fire Weather Index System. 1985. Van Wagner, C.E.; Pickett, T.L. Canadian Forestry Service, Petawawa National Forestry Institute, Chalk River, Ontario. Forestry Technical Report 33. 18 p.

# Usage

BuildupIndex(dmc, dc)

# Arguments

dmc Duff Moisture Code

dc Drought Code

## Value

A single Build Up Index value

## References

http://cfs.nrcan.gc.ca/pubwarehouse/pdfs/19927.pdf Development and structure of the Canadian Forest Fire Weather Index System. 1987. Van Wagner, C.E. Canadian Forestry Service, Headquarters, Ottawa. Forestry Technical Report 35. 35 p.

CriticalSurfaceIntensity

Critical Surface Intensity Calculator

# **Description**

Calculate Critical surface intensity (CSI).

## Usage

CriticalSurfaceIntensity(FUELTYPE, FMC, CBH)

# **Arguments**

FMC Foliar Moisture Content
CBH Crown Base Height

# **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

#### Value

CSI

## References

https://cfs.nrcan.gc.ca/publications/download-pdf/10068 Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

CriticalSurfaceRateOfSpread

Critical Surface Rate of Spread Calculator

# **Description**

Calculate Critical Surface fire rate of spread (RSO). The value of each of these equations can be returned to the calling function without unecessary additional calculations.

# Usage

CriticalSurfaceRateOfSpread(CSI, SFC)

# **Arguments**

CSI Critical Surface Intensity
SFC Surface Fuel Consumption

CrownFractionBurned 7

#### **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

# Value

**RSO** 

#### References

https://cfs.nrcan.gc.ca/publications/download-pdf/10068 Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

CrownFractionBurned

Crown Fraction Burned Calculator

## **Description**

Calculate Calculate Crown Fraction Burned.

## Usage

CrownFractionBurned(FUELTYPE, ROS, RSO)

## **Arguments**

ROS Rate of Spread

RSO Critical Surface Rate of Spread

## **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

## Value

**CFB** 

## References

https://cfs.nrcan.gc.ca/publications/download-pdf/10068 Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

CrownFuelConsumption Crown Fuel Consumption calculation

# **Description**

Computes the Crown Fuel Consumption by Fuel Type. All variables names are laid out in the same manner as FCFDG (1992) or Wotton et. al (2009)

# Usage

CrownFuelConsumption(FUELTYPE, CFL, CFB, PC, PDF)

## **Arguments**

FUELTYPE	The Fire Behaviour Prediction FuelType
CFL	Crown Fuel Load (kg/m^2)
CFB	Crown Fraction Burned (0-1)
PC	Percent Conifer (%)
PDF	Percent Dead Balsam Fir (%)

## **Details**

Forestry Canada Fire Danger Group (FCFDG) (1992). "Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

Wotton, B.M., Alexander, M.E., Taylor, S.W. 2009. Updates and revisions to the 1992 Canadian forest fire behavior prediction system. Nat. Resour. Can., Can. For. Serv., Great Lakes For. Cent., Sault Ste. Marie, Ontario, Canada. Information Report GLC-X-10, 45p.

# Value

CFC Crown Fuel Consumption (kg/m^2)

CrownRateOfSpreadC6 C-6 Crown Fire Spread Calculator

# **Description**

Calculate crown rate of spread (RSC).

# Usage

CrownRateOfSpreadC6(ISI, FMC)

## **Arguments**

ISI Initial Spread Index

DistanceAtTime 9

#### **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

## Value

**RSC** 

## References

https://cfs.nrcan.gc.ca/publications/download-pdf/10068 Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

DistanceAtTime

Distance at time t calculator

# **Description**

Calculate the Head fire spread distance at time t. In the documentation this variable is just "D".

# Usage

```
DistanceAtTime(FUELTYPE, ROSeq, HR, CFB)
```

# Arguments

FUELTYPE The Fire Behaviour Prediction FuelType

ROSeq The predicted equilibrium rate of spread (m/min)

HR The elapsed time (min)
CFB Crown Fraction Burned

## **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

## Value

DISTt - Head fire spread distance at time t

10 DuffMoistureCode

DroughtCode	D
Diougnicouc	$\nu$

Drought Code Calculator

## **Description**

Drought Code Calculation. All code is based on a C code library that was written by Canadian Forest Service Employees, which was originally based on the Fortran code listed in the reference below. All equations in this code refer to that document. Equations and FORTRAN program for the Canadian Forest Fire Weather Index System. 1985. Van Wagner, C.E.; Pickett, T.L. Canadian Forestry Service, Petawawa National Forestry Institute, Chalk River, Ontario. Forestry Technical Report 33. 18 p. Additional reference on FWI system Development and structure of the Canadian Forest Fire Weather Index System. 1987. Van Wagner, C.E. Canadian Forestry Service, Headquarters, Ottawa. Forestry Technical Report 35. 35 p.

## Usage

```
DroughtCode(dc_yda, temp, rh, prec, lat, mon, lat.adjust = TRUE)
```

## **Arguments**

dc\_yda The Drought Code from previous iteration

rh Temperature (centigrade)
Relative Humidity (%)

prec Precipitation(mm)

lat Latitude (decimal degrees)

mon Month (1-12)

lat.adjust Latitude adjustment (TRUE, FALSE, default=TRUE)

## Value

A single drought code value

## References

http://cfs.nrcan.gc.ca/pubwarehouse/pdfs/19927.pdf Development and structure of the Canadian Forest Fire Weather Index System. 1987. Van Wagner, C.E. Canadian Forestry Service, Headquarters, Ottawa. Forestry Technical Report 35. 35 p.

 ${\tt DuffMoisture\,Code} \qquad \qquad {\tt Duff\,Moisture\,\,Code\,\,Calculator}$ 

# Description

Duff Moisture Code Calculation. All code is based on a C code library that was written by Canadian Forest Service Employees, which was originally based on the Fortran code listed in the reference below. All equations in this code refer to that document.

FineFuelMoistureCode 11

## Usage

```
DuffMoistureCode(dmc_yda, temp, rh, prec, lat, mon, lat.adjust = TRUE)
```

## **Arguments**

dmc\_yda The Duff Moisture Code from previous iteration

 $\begin{array}{ll} \text{temp} & \quad \text{Temperature (centigrade)} \\ \text{rh} & \quad \text{Relative Humidity (\%)} \end{array}$ 

prec Precipitation(mm)

lat Latitude (decimal degrees)

mon Month (1-12)

lat.adjust Latitude adjustment (TRUE, FALSE, default=TRUE)

## **Details**

Equations and FORTRAN program for the Canadian Forest Fire Weather Index System. 1985. Van Wagner, C.E.; Pickett, T.L. Canadian Forestry Service, Petawawa National Forestry Institute, Chalk River, Ontario. Forestry Technical Report 33. 18 p.

Additional reference on FWI system

Development and structure of the Canadian Forest Fire Weather Index System. 1987. Van Wagner, C.E. Canadian Forestry Service, Headquarters, Ottawa. Forestry Technical Report 35. 35 p.

## Value

A single duff moisture code value

# References

http://cfs.nrcan.gc.ca/pubwarehouse/pdfs/19927.pdf Development and structure of the Canadian Forest Fire Weather Index System. 1987. Van Wagner, C.E. Canadian Forestry Service, Headquarters, Ottawa. Forestry Technical Report 35. 35 p.

FineFuelMoistureCode Fine Fuel Moisture Code Calculation

## **Description**

Fine Fuel Moisture Code Calculation. All code is based on a C code library that was written by Canadian Forest Service Employees, which was originally based on the Fortran code listed in the reference below. All equations in this code refer to that document.

# Usage

FineFuelMoistureCode(ffmc\_yda, temp, rh, ws, prec)

12 FireBehaviourPrediction

## Arguments

ffmc\_yda The Fine Fuel Moisture Code from previous iteration

rh Relative Humidity (%)
ws Wind speed (km/h)
prec Precipitation (mm)

#### **Details**

Equations and FORTRAN program for the Canadian Forest Fire Weather Index System. 1985. Van Wagner, C.E.; Pickett, T.L. Canadian Forestry Service, Petawawa National Forestry Institute, Chalk River, Ontario. Forestry Technical Report 33. 18 p.

Additional reference on FWI system Development and structure of the Canadian Forest Fire Weather Index System. 1987. Van Wagner, C.E. Canadian Forestry Service, Headquarters, Ottawa. Forestry Technical Report 35. 35 p.

## Value

A single fine fuel moisture code value

FireBehaviourPrediction

Fire Behaviour Prediction System Calculation (hidden)

# Description

Fire Behavior Prediction System calculations. This is the primary function for calculating FBP for a single timestep. Not all equations are calculated within this function, but have been broken down further.

## Usage

FireBehaviourPrediction(input = NULL, output = "Primary")

# **Arguments**

input Data frame of required and optional information needed to calculate FBP func-

tion. View the arguments section of the fbp manual (fbp.Rd) under "input" for

the full listing of the required and optional inputs.

output What fbp outputs to return to the user. Options are "Primary", "Secondary" and

"All". \_Default:\_ "Primary"

### Value

output: Either Primary, Secondary, or all FBP outputs in a data.frame

FireIntensity 13

FireIntensity

Fire Intensity Calculator

# Description

Calculate the Predicted Fire Intensity

# Usage

FireIntensity(FC, ROS)

## **Arguments**

FC Fuel Consumption (kg/m^2)
ROS Rate of Spread (m/min)

# **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

# Value

FI: Fire Intensity (kW/m)

FireWeatherIndex

Fire Weather Index Calculation.

# **Description**

All code is based on a C code library that was written by Canadian Forest Service Employees, which was originally based on the Fortran code listed in the reference below. All equations in this code refer to that document.

# Usage

FireWeatherIndex(isi, bui)

# **Arguments**

isi Initial Spread Index

bui Buildup Index

14 FlankRateOfSpread

## **Details**

Equations and FORTRAN program for the Canadian Forest Fire Weather Index System. 1985. Van Wagner, C.E.; Pickett, T.L. Canadian Forestry Service, Petawawa National Forestry Institute, Chalk River, Ontario. Forestry Technical Report 33. 18 p.

Additional reference on FWI system

Development and structure of the Canadian Forest Fire Weather Index System. 1987. Van Wagner, C.E. Canadian Forestry Service, Headquarters, Ottawa. Forestry Technical Report 35. 35 p.

# Value

A single fwi value

FlankRateOfSpread

Flank Fire Rate of Spread Calculator

# **Description**

Calculate the Flank Fire Spread Rate.

# Usage

FlankRateOfSpread(ROS, BROS, LB)

# **Arguments**

ROS Fire Rate of Spread (m/min)

BROS Back Fire Rate of Spread (m/min)

LB Length to breadth ratio

## **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

## Value

FROS Flank Fire Spread Rate (m/min) value

FoliarMoistureContent 15

FoliarMoistureContent Foliar Moisture Content Calculator

# Description

Calculate Foliar Moisture Content on a specified day. All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

# Usage

```
FoliarMoistureContent(LAT, LONG, ELV, DJ, D0)
```

# **Arguments**

LAT	Latitude (decimal degrees)
LONG	Longitude (decimal degrees)
ELV	Elevation (metres)
DJ	Day of year (offeren referred to as julian date)
D0	Date of minimum foliar moisture contentIf D0, date of min FMC, is not known then D0 = NULL.

## Value

FMC: Foliar Moisture Content value

gfmc Grass Fuel Moisture Code

# Description

gfmc calculates both the moisture content of the surface of a fully cured matted grass layer and also an equivalent Grass Fuel Moisture Code (gfmc) (Wotton, 2009) to create a parallel with the hourly ffmc (see the fwi and hffmcfunctions). The calculation is based on hourly (or sub-hourly) weather observations of temperature, relative humidity, wind speed, rainfall, and solar radiation. The user must also estimate an initial value of the gfmc for the layer. This function could be used for either one weather station or multiple weather stations.

# Usage

```
gfmc(
  input,
  GFMCold = 85,
  batch = TRUE,
  time.step = 1,
  roFL = 0.3,
  out = "GFMCandMC"
)
```

16 gfmc

## **Arguments**

input

A dataframe containing input variables of daily noon weather observations. Variable names have to be the same as in the following list, but they are case insensitive. The order in which the input variables are entered is not important.

temp	(required)	Temperature (centigrade)
rh	(required)	Relative humidity (%)
WS	(required)	10-m height wind speed (km/h)
prec	(required)	1-hour rainfall (mm)
isol	(required)	Solar radiation (kW/m^2)
mon	(recommended)	Month of the year (integer' 1-12)
day	(optional)	Day of the month (integer)

**GFMCold** 

Previous value of GFMC (i.e. value calculated at the previous time step)[default is 85 (which corresponds to a moisture content of about 16%)]. On the first calculation this is the estimate of the GFMC value at the start of the time step. The GFMCold argument can accept a single initial value for multiple weather stations, and also accept a vector of initial values for multiple weather stations. NOTE: this input represents the CODE value, not a direct moisture content value. The CODE values in the Canadian FWI System increase within decreasing moisture content. To roughly convert a moisture content value to a CODE value on the FF-scale (used in the FWI Systems FFMC) use GFMCold =101-gmc (where gmc is moisture content in %)

batch

Whether the computation is iterative or single step, default is TRUE. When batch=TRUE, the function will calculate hourly or sub-hourly GFMC for one weather station over a period of time iteratively. If multiple weather stations are processed, an additional "id" column is required in the input to label different stations, and the data needs to be sorted by time sequence and "id". If batch=FALSE, the function calculates only one time step (1 hour) base on either the previous hourly GFMC or the initial start value.

time.step

Time step (hour) [default 1 hour]

roFL

The nominal fuel load of the fine fuel layer, default is 0.3 kg/m<sup>2</sup>

out

Output format, default is "GFMCandMC", which contains both GFMC and moisture content (MC) in a data.frame format. Other choices include: "GFMC", "MC", and "ALL", which include both the input and GFMC and MC.

## **Details**

The Canadian Forest Fire Danger Rating System (CFFDRS) is used throughout Canada, and in a number of countries throughout the world, for estimating fire potential in wildland fuels. This new Grass Fuel Moisture Code (GFMC) is an addition (Wotton 2009) to the CFFDRS and retains the structure of that System's hourly Fine Fuel Moisture Code (HFFMC) (Van Wagner 1977). It tracks moisture content in the top 5 cm of a fully-cured and fully-matted layer of grass and thus is representative of typical after winter conditions in areas that receive snowfall. This new moisture calculation method outputs both the actual moisture content of the layer and also the transformed moisture Code value using the FFMC's FF-scale. In the CFFDRS the moisture codes are in fact relatively simple transformations of actual moisture content such that decreasing moisture content (increasing dryness) is indicated by an increasing Code value. This moisture calculation uses the same input weather observations as the hourly FFMC, but also requires an estimate of solar radiation incident on the fuel.

gfmc 17

#### Value

gfmc returns GFMC and moisture content (MC) values collectively (default) or separately.

### Author(s)

Xianli Wang, Mike Wotton, Alan Cantin, and Mike Flannigan

#### References

Wotton, B.M. 2009. A grass moisture model for the Canadian Forest Fire Danger Rating System. In: Proceedings 8th Fire and Forest Meteorology Symposium, Kalispell, MT Oct 13-15, 2009. Paper 3-2. https://ams.comfex.com/ams/pdfpapers/155930.pdf

Van Wagner, C.E. 1977. A method of computing fine fuel moisture content throughout the diurnal cycle. Environment Canada, Canadian Forestry Service, Petawawa Forest Experiment Station, Chalk River, Ontario. Information Report PS-X-69. http://cfs.nrcan.gc.ca/pubwarehouse/pdfs/25591.pdf

## See Also

fwi, hffmc

# **Examples**

```
library(cffdrs)
#load the test data
data("test_gfmc")
# show the data format:
head(test_gfmc)
     yr mon day hr temp rh ws prec isol
# 1 2006 5 17 10 15.8 54.6 5.0 0 0.340
# 2 2006 5 17 11 16.3 52.9 5.0 0 0.380
# 3 2006 5 17 12 18.8 45.1 5.0 0 0.626
# 4 2006 5 17 13 20.4 40.8 9.5 0 0.656
# 5 2006 5 17 14 20.1 41.7 8.7
                                      0 0.657
# 6 2006 5 17 15 18.6 45.8 13.5
                                     0 0.629
# (1) gfmc default:
# Re-order the data by year, month, day, and hour:
dat<-test_gfmc[with(test_gfmc,order(yr,mon,day,hr)),]</pre>
# Because the test data has 24 hours input variables
# it is possible to calculate the hourly GFMC continuously
# through multiple days(with the default initial GFMCold=85):
dat$gfmc_default<-gfmc(dat)</pre>
# two variables will be added to the input, GFMC and MC
head(dat)
# (2) For multiple weather stations:
# One time step (1 hour) with default initial value:
  foo<-gfmc(dat,batch=FALSE)</pre>
# Chronical hourly GFMC with only one initial
\mbox{\#} value (GFMCold=85), but multiple weather stations.
# Note: data is ordered by date/time and the station id. Subset
# the data by keeping only the first 10 hours of observations
# each day:
dat1<-subset(dat,hr%in%c(0:9))</pre>
#assuming observations were from the same day but with
#9 different weather stations:
```

18 hffmc

```
dat1$day<-NULL
dat1<-dat1[with(dat1,order(yr,mon,hr)),]
dat1$id<-rep(1:8,nrow(dat1)/8)
#check the data:
head(dat1)
# Calculate GFMC for multiple stations:
dat1$gfmc01<-gfmc(dat1,batch=TRUE)
# We can provide multiple initial GFMC (GFMCold) as a vector:
dat1$gfmc02<- gfmc(dat1,GFMCold = sample(70:100,8, replace=TRUE),batch=TRUE)
# (3)output argument
## include all inputs and outputs:
dat0<-dat[with(dat,order(yr,mon,day,hr)),]
foo<-gfmc(dat,out="ALL")
## subhourly time step:
gfmc(dat0,time.step=1.5)</pre>
```

hffmc

Hourly Fine Fuel Moisture Code

# Description

hffmc is used to calculate hourly Fine Fuel Moisture Code (FFMC) and is based on a calculation routine first described in detail by Van Wagner (1977) and which has been updated in minor ways by the Canadian Forest Service to have it agree with the calculation methodology for the daily FFMC (see fwi). In its simplest typical use this current routine calculates a value of FFMC based on a series of uninterrupted hourly weather observations of screen level (~1.4 m) temperature, relative humidity, 10 m wind speed, and 1-hour rainfall. This implementation of the function includes an optional time.step input which is defaulted to one hour, but can be reduced if sub-hourly calculation of the code is needed. The FFMC is in essence a bookkeeping system for moisture content and thus it needs to use the last time.step's value of FFMC in its calculation as well. This function could be used for either one weather station or for multiple weather stations.

# Usage

```
hffmc(
  weatherstream,
  ffmc_old = 85,
  time.step = 1,
  calc.step = FALSE,
  batch = TRUE,
  hourlyFWI = FALSE
)
```

## **Arguments**

 $we ather {\it stream}$ 

A dataframe containing input variables of hourly weather observations. It is important that variable names have to be the same as in the following list, but they are case insensitive. The order in which the input variables are entered is not important.

temp (required) Temperature (centigrade)

hffmc 19

rh	(required)	Relative humidity (%)
WS	(required)	10-m height wind speed (km/h)
prec	(required)	1-hour rainfall (mm)
hr	(optional)	Hourly value to calculate sub-hourly ffmc
bui	(optional)	Daily BUI value for the computation of hourly FWI. It is required when hourlyFWI=TRUE.

Typically this dataframe also contains date and hour fields so outputs can be associated with a specific day and time, however these fields are not used in the calculations. If multiple weather stations are being used, a weather station ID field is typically included as well, though this is simply for bookkeeping purposes and does not affect the calculation.

ffmc\_old

Initial FFMC. At the start of calculations at a particular station there is a need to provide an estimate of the FFMC in the previous timestep; this is because the FFMC is, in essence, a bookkeeping system for moisture. If no estimate of previous hour's FFMC is available the function will use default value, ffmc\_old=85. When using the routine to calculate hourly FFMC at multiple stations the ffmc\_old argument can also accept a vector with the same number of weather stations.

time.step

Is the time (in hours) between the previous value of FFMC and the current time at which we want to calculate a new value of the FFMC. When not specified it will take on a default value of time.step=1.

calc.step

Optional for whether time step between two observations is calculated. Default is FALSE, no calculations. This is used when time intervals are not uniform in the input.

batch

Whether the computation is iterative or single step, default is TRUE. When batch=TRUE, the function will calculate hourly or sub-hourly FFMC for one weather station over a period of time iteratively. If multiple weather stations are processed, an additional "id" column is required in the input weatherstream to label different stations, and the data needs to be sorted by date/time and "id". If batch=FALSE, the function calculates only one time step base on either the previous hourly FFMC or the initial start value.

hourlyFWI

Optional for the computation of hourly ISI, FWI, and DSR. Default is FALSE. While hourlyFWI=TRUE, daily BUI is required for the computation of FWI.

## **Details**

The hourly FFMC is very similar in its structure and calculation to the Canadian Forest Fire Weather Index System's daily FFMC (fwi) but has an altered drying and wetting rate which more realistically reflects the drying and wetting of a pine needle litter layer sitting on a decaying organic layer. This particular implementation of the Canadian Forest Fire Danger Rating System's hourly FFMC provides for a flexible time step; that is, the data need not necessarily be in time increments of one hour. This flexibility has been added for some users who use this method with data sampled more frequently that one hour. We do not recommend using a time step much greater than one hour. An important and implicit assumption in this calculation is that the input weather is constant over the time step of each calculation (e.g., typically over the previous hour). This is a reasonable assumption for an hour; however it can become problematic for longer periods. For brevity we have referred to this routine throughout this description as the hourly FFMC.

Because of the shortened time step, which can lead to more frequent calculations and conversion between moisture content and the code value itself, we have increased the precision of one of the constants in the simple formula that converts litter moisture content to the 'Code' value. This is necessary to avoid a potential bias that gets introduced during extremely dry conditions. This is

20 hffmc

simply a change in the precision at which this constant is used in the equation and is not a change to the standard FFMC conversion between moisture and code value (which is referred to as the FF-scale).

The calculation requires the previous hour's FFMC as an input to the calculation of the current hour's FFMC; this is because the routine can be thought of as a bookkeeping system and needs to know the amount of moisture being held in the fuel prior to any drying or wetting in the current period. After each hour's calculation that newly calculated FFMC simply becomes the starting FFMC in the next hour's calculation. At the beginning of the calculations at a station this previous hours FFMC must be estimated. It is typical to use a value of 85 when this value cannot be estimated more accurately; this code value corresponds to a moisture content of about 16% in typical pine litter fuels.

#### Value

hffmc returns a vector of hourly or sub-hourly FFMC values, which may contain 1 or multiple elements. Optionally when hourlyFWI=TRUE, the function also output a data.frame contains input weatherstream as well as the hourly or sub-hourly FFMC, ISI, FWI, and DSR.

#### Author(s)

Xianli Wang, Mike Wotton, Alan Cantin, Brett Moore, and Mike Flannigan

#### References

Van Wagner, C.E. 1977. A method of computing fine fuel moisture content throughout the diurnal cycle. Environment Canada, Canadian Forestry Service, Petawawa Forest Experiment Station, Chalk River, Ontario. Information Report PS-X-69. http://cfs.nrcan.gc.ca/pubwarehouse/pdfs/25591.pdf

#### See Also

fbp, fwi, hffmcRaster

## **Examples**

```
library(cffdrs)
data("test_hffmc")
# show the data format:
head(test_hffmc)
# (1)hffmc default:
# Re-order the data by year, month, day, and hour:
test_hffmc<-test_hffmc[with(test_hffmc, order(yr,mon,day,hr)),]</pre>
# Because the test data has 24 hours input variables
# it is possible to calculate the hourly FFMC chronically
# through multiple days(with the default initial ffmc_old=85):
test_hffmc$ffmc_default<-hffmc(test_hffmc)</pre>
# (2) Calculate FFMC for multiple stations:
# Calculate hourly FFMC with only one initial
# value (ffmc_old=85), but multiple weather stations.
\# Sort the input by date/time and the station id:
test_hffmc<-test_hffmc[with(test_hffmc,order(yr,mon,hr)),]</pre>
# Add weather station id:
test_hffmc$id<-rep(1:10,nrow(test_hffmc)/10)</pre>
#check the data:
head(test_hffmc)
```

InitialSpreadIndex 21

```
test_hffmc$ffmc01<-hffmc(test_hffmc,batch=TRUE)
# With multiple initial FFMC (ffmc_old) as a vector:
test_hffmc%ffmc02<- hffmc(test_hffmc,ffmc_old = sample(70:100,10, replace=TRUE),batch=TRUE)
# One time step assuming all records are from different
# weather stations:
     foo<-hffmc(test_hffmc,batch=FALSE)</pre>
# (3) output all hourly FWI System variables:
test_hffmc$id<-NULL
test_hffmc<-test_hffmc[with(test_hffmc,</pre>
                                             order(yr,mon,day,hr)),]
foo<-hffmc(test_hffmc,hourlyFWI=TRUE)</pre>
# this will not run: warning message requesting for daily BUI
test_hffmc$bui<-100
foo<-hffmc(test_hffmc,hourlyFWI=TRUE)</pre>
# (4) Calculate time steps in case the time intervals are
# not uniform:
dat0<-test_hffmc[sample(1:30,20),]</pre>
dat0<-dat0[with(dat0,order(yr,mon,day,hr)),]</pre>
# with or without calc.step, hffmc is going to generate
# different FFMC values.
# without calculating time step (default):
hffmc(dat0,time.step=1)
# with calc.step=TRUE, time.step=1 is applied to
# only the first record, the rests would be calculated:
hffmc(dat0, time.step=1, calc.step=TRUE)
```

InitialSpreadIndex

Initial Spread Index Calculator

## **Description**

Computes the Initial Spread Index From the FWI System. Equations are from Van Wagner (1985) as listed below, except for the modification for fbp takene from FCFDG (1992).

# Usage

```
InitialSpreadIndex(ffmc, ws, fbpMod = FALSE)
```

# **Arguments**

ffmc Fine Fuel Moisture Code
ws Wind Speed (km/h)

fbpMod TRUE/FALSE if using the fbp modification at the extreme end

## **Details**

Equations and FORTRAN program for the Canadian Forest Fire Weather Index System. 1985. Van Wagner, C.E.; Pickett, T.L. Canadian Forestry Service, Petawawa National Forestry Institute, Chalk River, Ontario. Forestry Technical Report 33. 18 p.

Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical ReportST-X-3, Forestry Canada, Ottawa, Ontario.

22 LengthToBreadthRatio

# Value

ISI - Initial Spread Index

IntermediateSurfaceRateOfSpreadC6

C-6 Conifer Plantation Intermediate Surface Fire Spread Rate Calculator

# **Description**

Calculate intermediate surface fire rate of spread, before BUI effect is applied (RSI).

# Usage

IntermediateSurfaceRateOfSpreadC6(ISI, FMC)

# **Arguments**

ISI Initial Spread Index
FMC Foliar Moisture Content

#### **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

# Value

RSI

## References

https://cfs.nrcan.gc.ca/publications/download-pdf/10068 Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

LengthToBreadthRatio Length-to-Breadth ratio

# **Description**

Computes the Length to Breadth ratio of an elliptically shaped fire. Equations are from listed FCFDG (1992) except for errata 80 from Wotton et. al. (2009).

## Usage

LengthToBreadthRatio(FUELTYPE, WSV)

#### **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

Wotton, B.M., Alexander, M.E., Taylor, S.W. 2009. Updates and revisions to the 1992 Canadian forest fire behavior prediction system. Nat. Resour. Can., Can. For. Serv., Great Lakes For. Cent., Sault Ste. Marie, Ontario, Canada. Information Report GLC-X-10, 45p.

@param FUELTYPE The Fire Behaviour Prediction FuelType @param WSV The Wind Speed (km/h)

## Value

Length to Breadth ratio value

LengthToBreadthRatioAtTime

Length-to-Breadth ratio at time t

## **Description**

Computes the Length to Breadth ratio of an elliptically shaped fire at elapsed time since ignition. Equations are from listed FCFDG (1992) and Wotton et. al. (2009), and are marked as such.

# Usage

LengthToBreadthRatioAtTime(FUELTYPE, LB, HR, CFB)

# **Arguments**

FUELTYPE The Fire Behaviour Prediction FuelType

LB: Length to Breadth ratio

HR: Time since ignition (hours)

CFB: Crown Fraction Burned

## **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

Wotton, B.M., Alexander, M.E., Taylor, S.W. 2009. Updates and revisions to the 1992 Canadian forest fire behavior prediction system. Nat. Resour. Can., Can. For. Serv., Great Lakes For. Cent., Sault Ste. Marie, Ontario, Canada. Information Report GLC-X-10, 45p.

## Value

Length to Breadth ratio at time since ignition

OverwinterDroughtCode Overwintering Drought Code

## **Description**

OverwinterDroughtCode calculates an initial or season starting Drought Code (DC) value based on a standard method of overwintering the Drought Code (Lawson and Armitage 2008). This method uses the final DC value from previous year, over winter precipitation and estimates of how much over-winter precipitation 'refills' the moisture in this fuel layer. This function could be used for either one weather station or for multiple weather stations.

## Usage

OverwinterDroughtCode(DCf = 100, rw = 200, a = 0.75, b = 0.75)

# **Arguments**

DCf	Final fall DC value from previous year
rw	Winter precipitation (mm)
а	User selected values accounting for carry-over fraction (view table below)
b	User selected values accountain for wetting efficiency fraction (view table below)

## **Details**

Of the three fuel moisture codes (i.e. FFMC, DMC and DC) making up the FWI System, only the DC needs to be considered in terms of its values carrying over from one fire season to the next. In Canada both the FFMC and the DMC are assumed to reach moisture saturation from overwinter precipitation at or before spring melt; this is a reasonable assumption and any error in these assumed starting conditions quickly disappears. If snowfall (or other overwinter precipitation) is not large enough however, the fuel layer tracked by the Drought Code may not fully reach saturation after spring snow melt; because of the long response time in this fuel layer (53 days in standard conditions) a large error in this spring starting condition can affect the DC for a significant portion of the fire season. In areas where overwinter precipitation is 200 mm or more, full moisture recharge occurs and DC overwintering is usually unnecessary. More discussion of overwintering and fuel drying time lag can be found in Lawson and Armitage (2008) and Van Wagner (1985).

#### Value

OverwinterDroughtCode returns either a single value or a vector of wDC values.

## Author(s)

Xianli Wang, Mike Wotton, Alan Cantin, and Mike Flannigan

#### References

Lawson B.D. and Armitage O.B. 2008. Weather Guide for the Canadian Forest Fire Danger Rating System. Natural Resources Canada, Canadian Forest Service, Northern Forestry Centre, Edmonton, Alberta. 84 p. http://cfs.nrcan.gc.ca/pubwarehouse/pdfs/29152.pdf

Van Wagner, C.E. 1985. Drought, timelag and fire danger rating. Pages 178-185 in L.R. Donoghue and R.E. Martin, eds. Proc. 8th Conf. Fire For. Meteorol., 29 Apr.-3 May 1985, Detroit, MI. Soc. Am. For., Bethesda, MD. http://cfs.nrcan.gc.ca/pubwarehouse/pdfs/23550.pdf

#### See Also

```
fwi, fireSeason
```

#### **Examples**

winter\_DC

```
library(cffdrs)
# The standard test data:
data("test_wDC")
# (1) Simple case previous fall's DC was 300, overwinter
# rain 110mm
winter_DC <- wDC(DCf=300,rw=110)</pre>
winter_DC
#(2) modified a and b parameters. Find table values in listed
# reference for Lawson and Armitage, 2008.
winter_DC <- wDC(DCf=300,rw=110,a=1.0,b=0.9)
winter_DC
#(3)with multiple inputs:
winter_DC <- wDC(DCf=c(400,300,250), rw=c(99,110,200),
                    a=c(0.75,1.0,0.75), b=c(0.75,0.9,0.75))
winter_DC
#(4) A realistic example:
#precipitation accumulation and date boundaries
input <- test_wDC</pre>
#order data by ID and date
input <- with(input,input[order(id,yr,mon,day),])</pre>
input$date <- as.Date(as.POSIXlt(paste(input$yr,"-",input$mon,"-",input$day,sep="")))</pre>
#select id value 1
input.2 <- input[input$id==2,]</pre>
#Explicitly defined fire start and end dates.
{\sf data("test\_wDC\_fs")}
print(test_wDC_fs)
#Set date field
test_wDC_fs$date <- as.Date(as.POSIXlt(paste(test_wDC_fs$yr,"-",test_wDC_fs$mon,"-",
                                               test_wDC_fs$day,sep="")))
#match to current id value
input.2.fs <- test_wDC_fs[test_wDC_fs$id==2,]</pre>
#assign start of winter date (or end of fire season date)
winterStartDate <- input.2.fs[2,"date"]</pre>
#assign end of winter date (or start of new fire season date)
winterEndDate <- input.2.fs[3,"date"]</pre>
#Accumulate overwinter precip based on chosen dates
curYr.prec <- sum(input.2[(input.2$date>winterStartDate & input.2$date < winterEndDate),]$prec)</pre>
#Assign a fall DC value
fallDC <- 500
#calculate winter DC
winter_DC <- wDC(DCf=fallDC,rw=curYr.prec)</pre>
```

26 RateOfSpread

```
#Assign a different fall DC value
fallDC <- 250
#calculate winter DC
winter_DC <- wDC(DCf=fallDC,rw=curYr.prec,a=1.0)
winter_DC</pre>
```

RateOfSpread

Rate of Spread Calculation

# **Description**

Computes the Rate of Spread prediction based on fuel type and FWI conditions. Equations are from listed FCFDG (1992) and Wotton et. al. (2009), and are marked as such.

# Usage

```
RateOfSpread(FUELTYPE, ISI, BUI, FMC, SFC, PC, PDF, CC, CBH)
```

## **Arguments**

FUELTYPE	The Fire Behaviour Prediction FuelType
ISI	Intiial Spread Index
BUI	Buildup Index
FMC	Foliar Moisture Content
SFC	Surface Fuel Consumption (kg/m^2)
PC	Percent Conifer (%)
PDF	Percent Dead Balsam Fir (%)
CC	Constant
CBH	Crown to base height(m)

## **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

Wotton, B.M., Alexander, M.E., Taylor, S.W. 2009. Updates and revisions to the 1992 Canadian forest fire behavior prediction system. Nat. Resour. Can., Can. For. Serv., Great Lakes For. Cent., Sault Ste. Marie, Ontario, Canada. Information Report GLC-X-10, 45p.

# Value

ROS - Rate of Spread (m/min) value

RateOfSpreadAtTheta 27

RateOfSpreadAtTheta	Rate of spread at a	point along the	perimeter calculator

# **Description**

Computes the Rate of Spread at any point along the perimeter of an elliptically shaped fire. Equations are from Wotton et. al. (2009).

# Usage

RateOfSpreadAtTheta(ROS, FROS, BROS, THETA)

# **Arguments**

ROS	Rate of S	pread (	(m/min)	)

FROS Flank Fire Rate of Spread (m/min)
BROS Back Fire Rate of Spread (m/min)

THETA

FUELTYPE The Fire Behaviour Prediction FuelType

## **Details**

Wotton, B.M., Alexander, M.E., Taylor, S.W. 2009. Updates and revisions to the 1992 Canadian forest fire behavior prediction system. Nat. Resour. Can., Can. For. Serv., Great Lakes For. Cent., Sault Ste. Marie, Ontario, Canada. Information Report GLC-X-10, 45p.

## Value

ROSTHETA - Rate of spread at point theta(m/min)

RateOfSpreadAtTime	Rate of spread at time t calculation	

# Description

Computes the Rate of Spread prediction based on fuel type and FWI conditions at elapsed time since ignition. Equations are from listed FCFDG (1992).

## Usage

```
RateOfSpreadAtTime(FUELTYPE, ROSeq, HR, CFB)
```

# Arguments

FUELTYPE	The Fire Behaviour Prediction FuelType
ROSeq	Equilibrium Rate of Spread (m/min)

HR Time since ignition (hours)
CFB Crown Fraction Burned

28 RateOfSpreadC6

#### **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

## Value

ROSt - Rate of Spread at time since ignition value

RateOfSpreadC6

C-6 Conifer Plantation Fire Spread Calculator

# Description

Calculate rate of spread (ROS).

## Usage

```
RateOfSpreadC6(RSC, RSS, CFB)
```

# **Arguments**

RSC	Crown Fire Spread Rate (m/min)
RSS	Surface Fire Spread Rate (m/min)
CFB	Crown Fraction Burned

# Details

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

# Value

ROS

# References

https://cfs.nrcan.gc.ca/publications/download-pdf/10068 Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

sdmc 29

sdmc Sheltered Duff Moisture Code

#### **Description**

sdmc is used to calculate sheltered DMC (sDMC, Wotton et al., 2005) based on daily noon weather observations of temperature, relative humidity, wind speed, 24-hour rainfall, and a previous day's calculated or estimated value of sDMC. This function calculates sDMC for either one weather station or for multiple weather stations over the duration of the daily weather data set, typically over a fire season.

# Usage

```
sdmc(input, sdmc_old = NULL, batch = TRUE)
```

## **Arguments**

input

A data frame containing input variables of daily noon weather observations. Variable names have to be the same as in the following list, but they are case insensitive. The order in which the input variables are entered is not important either.

temp	(required)	Temperature (centigrade)
rh	(required)	Relative humidity (%)
WS	(required)	10-m height wind speed (km/h)
prec	(required)	1-hour rainfall (mm)
mon	(recommended)	Month of the observations (integer 1-12)
day	(optional)	Day of the observations (integer)

 $sdmc\_old$ 

Previous day's value of SDMC. At the start of calculations, when there is no calculated previous day's SDMC value to use, the user must specify an estimate of this value. Where sdmc\_old=NULL, the function will calculate the initial SDMC values based on the initial DMC. The sdmc\_old argument can accept a single initial value for multiple weather stations, and also accept a vector of initial values for multiple weather stations.

batch

Whether the computation is iterative or single step, default is TRUE. When batch=TRUE, the function will calculate daily SDMC for one weather station over a period of time iteratively. If multiple weather stations are processed, an additional "id" column is required in the input to label different stations, and the data needs to be sorted by date/time and "id". If batch=FALSE, the function calculates only one time step base on either the previous day's SDMC or the initial start value.

## **Details**

The Duff Moisture Code (DMC) component of the Canadian Forest Fire Weather Index (FWI) System tracks moisture content of the forest floor away from the sheltering influences of overstory trees. This sheltered Duff Moisture Code (sDMC) was developed to track moisture in the upper 5 cm of the organic layer in the rain sheltered areas near (<0.5 m) the boles of overstory trees (Wotton et al. 2005), an area where lightning strikes usually ignite the forest floor when they run

30 sdmc

to ground. The sDMC is very similar in structure (and identical in data requirements) to the DMC. The sDMC, like all the FWI System moisture codes, is a bookkeeping system that tracks gain and loss of moisture from day-to-day; thus an estimate of the previous day's sDMC value is needed to provide a starting point for each day's moisture calculation. Like the other moisture codes in the FWI System the sDMC is converted from a moisture content value to an outputted CODE value which increases in value with decreasing moisture content.

#### Value

sdmc returns either a single value or a vector of SDMC values.

## Author(s)

Xianli Wang, Mike Wotton, Alan Cantin, and Mike Flannigan

#### References

Wotton, B.M., B.J. Stocks, and D.L. Martell. 2005. An index for tracking sheltered forest floor moisture within the Canadian Forest Fire Weather Index System. International Journal of Wildland Fire, 14, 169-182.

#### See Also

fwi

# **Examples**

```
library(cffdrs)
data("test_sdmc")
#order the data:
test_sdmc<-test_sdmc[with(test_sdmc,order(yr,mon,day)),]</pre>
# (1)Default of sdmc, calculate sdmc for a chronical period
# of time.
# Because sdmc_old is better to be calculated, we normally
# ignore this option:
test_sdmc$SDMC<-sdmc(test_sdmc)</pre>
# (2) multiple weather stations:
# Batch process with multiple stations (2 stations) assuming
# they are from the same month:
test_sdmc$mon<-7
test_sdmc$day<-rep(1:24,2)
test_sdmc$id<-rep(1:2,each=24)</pre>
# Sort the data by date and weather station id:
test_sdmc<-test_sdmc[with(test_sdmc,order(yr,mon,day,id)),]</pre>
# Apply the function
test_sdmc$SDMC_mult_stn<-sdmc(test_sdmc,batch=TRUE)</pre>
# Assuming each record is from a different weather station, and
# calculate only one time step:
  foo<-sdmc(test_sdmc,batch=FALSE)</pre>
```

ShelteredDuffMoistureCode

Sheltered Duff Moisture Code

## **Description**

ShelteredDuffMoistureCode is used to calculate sheltered DMC (sDMC, Wotton et al., 2005) based on daily noon weather observations of temperature, relative humidity, 24-hour rainfall, and a previous day's calculated or estimated value of sDMC. This function calculates sDMC for either one weather station or for multiple weather stations over the duration of the daily weather data set, typically over a fire season.

# Usage

ShelteredDuffMoistureCode(temp, prec, rh, dmc, mon, sdmc\_old = NULL)

# **Arguments**

sdmc\_old

Previous day's value of SDMC. At the start of calculations, when there is no calculated previous day's SDMC value to use, the user must specify an estimate of this value. Where sdmc\_old=NULL, the function will calculate the initial SDMC values based on the initial DMC. The sdmc\_old argument can accept a single initial value for multiple weather stations, and also accept a vector of initial values for multiple weather stations.

input

A data frame containing input variables of daily noon weather observations. Variable names have to be the same as in the following list, but they are case insensitive. The order in which the input variables are entered is not important either.

temp (required) Temperature (centigrade)
rh (required) Relative humidity (%)
prec (required) 1-hour rainfall (mm)

mon (recommended) Month of the observations (integer 1-12) day (optional) Day of the observations (integer)

batch

Whether the computation is iterative or single step, default is TRUE. When batch=TRUE, the function will calculate daily SDMC for one weather station over a period of time iteratively. If multiple weather stations are processed, an additional "id" column is required in the input to label different stations, and the data needs to be sorted by date/time and "id". If batch=FALSE, the function calculates only one time step base on either the previous day's SDMC or the initial start value.

## **Details**

The Duff Moisture Code (DMC) component of the Canadian Forest Fire Weather Index (FWI) System tracks moisture content of the forest floor away from the sheltering influences of overstory trees. This sheltered Duff Moisture Code (sDMC) was developed to track moisture in the upper 5 cm of the organic layer in the rain sheltered areas near (<0.5 m) the boles of overstory trees (Wotton et al. 2005), an area where lightning strikes usually ignite the forest floor when they run

32 SlopeAdjust

to ground. The sDMC is very similar in structure (and identical in data requirements) to the DMC. The sDMC, like all the FWI System moisture codes, is a bookkeeping system that tracks gain and loss of moisture from day-to-day; thus an estimate of the previous day's sDMC value is needed to provide a starting point for each day's moisture calculation. Like the other moisture codes in the FWI System the sDMC is converted from a moisture content value to an outputted CODE value which increases in value with decreasing moisture content.

# Value

ShelteredDuffMoistureCode returns either a single value or a vector of SDMC values.

## Author(s)

Xianli Wang, Mike Wotton, Alan Cantin, and Mike Flannigan

### References

Wotton, B.M., B.J. Stocks, and D.L. Martell. 2005. An index for tracking sheltered forest floor moisture within the Canadian Forest Fire Weather Index System. International Journal of Wildland Fire, 14, 169-182.

## See Also

fwi

SlopeAdjust

Slope Adjusted wind speed or slope direction of spread calculation

# Description

Calculate the net effective windspeed (WSV), the net effective wind direction (RAZ) or the wind azimuth (WAZ).

# Usage

```
SlopeAdjust(
  FUELTYPE,
  FFMC,
  BUI,
  WS,
  WAZ,
  GS,
  SAZ,
  FMC,
  SFC,
  PC,
  PDF,
  CC,
  CBH,
  ISI
)
```

## **Arguments**

FUELTYPE	The Fire Behaviour Prediction FuelType
BUI	The Buildup Index value
WS	Windspeed (km/h)
WAZ	Wind Azimuth
GS	Ground Slope (%)
SAZ	Slope Azimuth
FMC	Foliar Moisture Content
SFC	Surface Fuel Consumption (kg/m^2)
PC	Percent Conifer (%)
PDF	Percent Dead Balsam Fir (%)
CC	Constant
СВН	Crown Base Height (m)
ISI	Initial Spread Index
output	Type of variable to output (RAZ/WSV, default=RAZ)

#### **Details**

All variables names are laid out in the same manner as FCFDG (1992) and Wotton (2009).

Forestry Canada Fire Danger Group (FCFDG) (1992). "Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

Wotton, B.M., Alexander, M.E., Taylor, S.W. 2009. Updates and revisions to the 1992 Canadian forest fire behavior prediction system. Nat. Resour. Can., Can. For. Serv., Great Lakes For. Cent., Sault Ste. Marie, Ontario, Canada. Information Report GLC-X-10, 45p.

# Value

list(RAZ, WSV) - Rate of spread azimuth (degrees) and Wind Slope speed (km/hr)

 ${\tt Surface Fuel Consumption}$ 

Surface Fuel Consumption Calculator

# **Description**

Computes the Surface Fuel Consumption by Fuel Type. All variables names are laid out in the same manner as FCFDG (1992) or Wotton et. al (2009)

Forestry Canada Fire Danger Group (FCFDG) (1992). "Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

## Usage

SurfaceFuelConsumption(FUELTYPE, FFMC, BUI, PC, GFL)

## **Arguments**

FUELTYPE The Fire Behaviour Prediction FuelType

FFMC Fine Fuel Moisture Code

BUI Buildup Index

PC Percent Conifer (%)

GFL Grass Fuel Load (kg/m^2)

## **Details**

Wotton, B.M., Alexander, M.E., Taylor, S.W. 2009. Updates and revisions to the 1992 Canadian forest fire behavior prediction system. Nat. Resour. Can., Can. For. Serv., Great Lakes For. Cent., Sault Ste. Marie, Ontario, Canada. Information Report GLC-X-10, 45p.

#### Value

SFC Surface Fuel Consumption (kg/m^2)

SurfaceRateOfSpreadC6 C-6 Conifer Plantation Fire Spread Calculator

# **Description**

Calculate surface fire rate of spread (RSS).

# Usage

SurfaceRateOfSpreadC6(RSI, BUI)

# **Arguments**

RSI Intermediate Surface Fire Rate of Spread

BUI Buildup Index

FUELTYPE The Fire Behaviour Prediction FuelType

## **Details**

All variables names are laid out in the same manner as Forestry Canada Fire Danger Group (FCFDG) (1992). Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

## Value

RSS

## References

https://cfs.nrcan.gc.ca/publications/download-pdf/10068 Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

TotalFuelConsumption Total Fuel Consumption calculation

# **Description**

Computes the Total (Surface + Crown) Fuel Consumption by Fuel Type. All variables names are laid out in the same manner as FCFDG (1992) or Wotton et. al (2009)

Forestry Canada Fire Danger Group (FCFDG) (1992). "Development and Structure of the Canadian Forest Fire Behavior Prediction System." Technical Report ST-X-3, Forestry Canada, Ottawa, Ontario.

# Usage

TotalFuelConsumption(CFC, SFC)

# **Arguments**

CFC	Crown Fuel Consumption (kg/m^2)
SFC	Surface Fuel Consumption (kg/m^2)

# **Details**

Wotton, B.M., Alexander, M.E., Taylor, S.W. 2009. Updates and revisions to the 1992 Canadian forest fire behavior prediction system. Nat. Resour. Can., Can. For. Serv., Great Lakes For. Cent., Sault Ste. Marie, Ontario, Canada. Information Report GLC-X-10, 45p.

## Value

TFC Total (Surface + Crown) Fuel Consumption (kg/m^2)

# Index

* methods	RateOfSpread, 26
gfmc, 15	RateOfSpreadAtTheta, 27
hffmc, 18	RateOfSpreadAtTime, 27
OverwinterDroughtCode, 24	RateOfSpreadC6, 28
sdmc, 29	
* package	sdmc, 29
cffdrs.core-package, 2	ShelteredDuffMoistureCode, $3,31$
	SlopeAdjust, 32
BackRateOfSpread, 4	SurfaceFuelConsumption, 33
BuildupEffect, 4	SurfaceRateOfSpreadC6, 34
BuildupIndex, 5	
-ffd (-ffd) 2	TotalFuelConsumption, 35
cffdrs.core (cffdrs.core-package), 2	00. 2
cffdrs.core-package, 2	wDC, <i>3</i>
CriticalSurfaceIntensity, 6	
CriticalSurfaceRateOfSpread, 6	
CrownFractionBurned, 7	
CrownFuelConsumption, 8	
CrownRateOfSpreadC6, 8	
DistanceAtTime, 9	
DroughtCode, 10	
DuffMoistureCode, 10	
fbp, 3, 20	
FineFuelMoistureCode, 11	
FireBehaviourPrediction, 12	
FireIntensity, 13	
fireSeason, 3, 25	
FireWeatherIndex, 13	
FlankRateOfSpread, 14	
FoliarMoistureContent, 15	
fwi, 3, 15, 17-20, 25, 30, 32	
gfmc, 3, 15	
hffmc, 3, 15, 17, 18	
hffmcRaster, 20	
InitialSpreadIndex, 21	
IntermediateSurfaceRateOfSpreadC6, 22	
223342426341 14361142601 opi 64460, 22	
LengthToBreadthRatio, 22	
LengthToBreadthRatioAtTime, 23	
OverwinterPresidatCode 24	
(Narwinter)rought(ode 7/1	