

VERTEX-3 Phase III Trial — Efficacy and Safety Summary

Intent-to-treat population. PFS: progression-free survival; OS: overall survival; AE: adverse event; ORR: objective response rate; SOC: standard of care.

Endpoint	VX-214 + SOC (N=242)	SOC alone (N=240)	p-value
Primary endpoint response, n (%)	148 (61.2)	97 (40.4)	<0.001
Complete response, n (%)	31 (12.8)	12 (5.0)	0.004
Partial response, n (%)	117 (48.4)	85 (35.4)	0.006
Median PFS, months (95% CI)	11.4 (9.8–13.1)	7.9 (6.4–9.2)	<0.001
Median OS, months (95% CI)	24.7 (21.0–28.9)	18.3 (15.6–21.4)	0.002
Grade ≥3 AEs, n (%)	96 (39.7)	112 (46.7)	0.12
Serious AEs, n (%)	44 (18.2)	51 (21.3)	0.38
Discontinuation due to AE, n (%)	19 (7.9)	31 (12.9)	0.07
Dose reduction required, n (%)	58 (24.0)	77 (32.1)	0.05
Median duration of response, months	14.2	9.6	0.01
ORR in PD-L1 ≥50% subgroup, n/N (%)	62/88 (70.5)	41/85 (48.2)	0.003
ORR in PD-L1 <1% subgroup, n/N (%)	21/54 (38.9)	15/57 (26.3)	0.16
Time to response, median months (range)	2.1 (1.3–8.4)	2.8 (1.4–11.0)	0.44
12-month survival rate, % (95% CI)	78.4 (72.9–83.1)	66.1 (59.9–71.6)	0.002
18-month survival rate, % (95% CI)	63.0 (56.8–68.5)	49.5 (43.1–55.6)	0.001