


# Module 5 Extended Query Formulation with SQL

Lesson 6: Query Formulation Errors



# Lesson Objectives

- Avoid query formulation errors
- Detect query formulation errors
- Correct query formulation errors
- Write statements with reasonable formatting







### Impact of Errors

### Syntax

- No execution
- Sometimes confusing messages

### Redundancy

- Execution with correct rows
- Excessive resource usage

#### Semantic

- Execution with incorrect rows
- Sometimes excessive resource usage





# **Examples of Query Errors**

### Syntax

- Misspelled keyword
- Missing table
- Unqualified column name

#### Redundancy

- Extra table
- Unneeded GROUP BY clause

#### Semantic

- Missing join or row condition
- Missing parentheses





### Missing Join Condition

Example 1: List the student name and offering number in which the student earned a grade greater than 3.7 and took the offering in fall 2019.

#### Statement with a semantic error

```
SELECT StdFirstName, StdLastName, Enrollment.OfferNo
FROM Student, Enrollment, Offering
WHERE Student.StdNo = Enrollment.StdNo
AND OffYear = 2019 AND OffTerm = 'FALL'
AND EnrGrade >= 3.7;
```

#### Corrected statement

```
SELECT StdFirstName, StdLastName, Enrollment.OfferNo
FROM Student, Enrollment, Offering
WHERE Student.StdNo = Enrollment.StdNo
    AND Enrollment.OfferNo = Offering.OfferNo
AND OffYear = 2019 AND OffTerm = 'FALL'
AND EnrGrade >= 3.7;
```





### Unnecessary GROUP BY Clause

Example 2: List the student name and offering number in which the student earned a grade greater than 3.7 and took the offering in fall 2019.

#### Statement with a redundancy error

```
SELECT StdFirstName, StdLastName, Enrollment.OfferNo
FROM Student, Enrollment, Offering
WHERE Student.StdNo = Enrollment.StdNo
AND Offering.OfferNo = Enrollment.OfferNo
AND OffYear = 2019 AND OffTerm = 'FALL' AND EnrGrade >= 3.7
GROUP BY StdFirstName, StdLastName, Enrollment.OfferNo;
```

#### Corrected statement

```
SELECT StdFirstName, StdLastName, Enrollment.OfferNo
FROM Student, Enrollment, Offering
WHERE Student.StdNo = Enrollment.StdNo
AND Offering.OfferNo = Enrollment.OfferNo
AND OffYear = 2019 AND OffTerm = 'FALL' AND EnrGrade >= 3.7;
```





# Missing Parentheses

Example 3: List the offer number, course number, and faculty number for course offerings scheduled in spring or summer of 2019.

#### Statement with a semantic error

```
SELECT OfferNo, CourseNo, FacNo, OffYear, OffTerm
FROM Offering
WHERE OffTerm = 'SPRING' OR OffTerm = 'SUMMER'
AND OffYear = 2019;
```

#### Corrected statements

```
SELECT OfferNo, CourseNo, FacNo, OffYear, OffTerm
FROM Offering
WHERE ( OffTerm = 'SPRING' OR OffTerm = 'SUMMER' )
AND OffYear = 2019;
```

```
SELECT OfferNo, CourseNo, FacNo, OffYear, OffTerm
FROM Offering
WHERE OffTerm IN ('SPRING', 'SUMMER')
AND OffYear = 2019;
```





# **Poor Coding Practices**

Mixed join styles

Incompatible constant

Like operator in a date comparison

Poor clause alignment

Like operator without pattern matching characters





# **Example with Poor Coding Practices**

Example 4: List Bob Norbert's course schedule in spring 2020.

#### Statement with poor coding practices





# Summary

- Reduce frustration by awareness of query formulation errors
- Syntax errors sometimes difficult to fix
- Redundancy errors with excessive resource consumption
- Semantic errors with incorrect results and sometimes excessive resource consumption
- Use good coding practices





# Answers to Opening Questions

- Most serious error: missing join condition
- Most subtle error: semantic error that generates anticipated rows in the result
- Example 3: statement contains a semantic error (missing parentheses), but execution generates expected rows until adding rows in spring 2020



