Module Interface Specification for SE 4G06, TRON 4TB6

Team 26, STRONE
Jordan Bierbrier
Azriel Gingoyon
Taranjit Lotey
Udeep Shah
Abraham Taha

 $January\ 18,\ 2023$

Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

Symbols, Abbreviations and Acronyms

See SRS Documentation at SRS.pdf Document Link. [Also add any additional symbols, abbreviations or acronyms —SS]

Contents

1	Intr	roduction	1
2	Not	tation	1
3	Mo	dule Decomposition	1
4	MIS	S of Login Module	3
	4.1	Module	3
	4.2	Uses	3
	4.3	Syntax	3
		4.3.1 Exported Constants	3
		4.3.2 Exported Access Programs	3
	4.4	Semantics	3
		4.4.1 State Variables	3
		4.4.2 Environment Variables	3
		4.4.3 Assumptions	3
		4.4.4 Access Routine Semantics	3
5	мт	S of Keyword Selection Module	5
J	5.1	Module	5
	$5.1 \\ 5.2$	Uses	5
	5.3	Syntax	5
	0.0	5.3.1 Exported Constants	5
		5.3.2 Exported Access Programs	5
	5.4	Semantics	5
	5.4	5.4.1 State Variables	5
		5.4.2 Environment Variables	5
		5.4.3 Assumptions	5
		5.4.4 Access Routine Semantics	6
		5.4.4 Recess froutine semanties	U
6	MIS	S of Bluetooth Communication Module	7
	6.1	Module	7
	6.2	Uses	7
	6.3	Syntax	7
		6.3.1 Exported Constants	7
		6.3.2 Exported Access Programs	7
	6.4	Semantics	7
		6.4.1 State Variables	7
		6.4.2 Environment Variables	7
		6.4.3 Assumptions	7
		6.4.4 Access Routine Semantics	7

7	MIS	of Mi	crophone Module	Ć
	7.1	Modul	e	Ć
	7.2	Uses		Ć
	7.3	Syntax		į
		7.3.1	Exported Constants	į
		7.3.2	Exported Access Programs	(
	7.4	Seman	tics	į
			State Variables	
		7.4.2	Environment Variables	(
			Assumptions	
		7.4.4	Access Routine Semantics	(
8	App	oendix		10

1 Introduction

The following document details the Module Interface Specifications for Synesthesia Wear, a wearable product that assists users by using signal processing on gathered sounds to provide appropriate feedback (via vibrations) to the user according to inputted sound configuration settings. As a result, this gives the users peace of mind knowing that if their attention is needed (doorbell, ring, name call, etc.), Synesthesia Wear will be able to alert them.

Complementary documents include the System Requirement Specifications and Module Guide. The full documentation and implementation can be found at *Team 26 Capstone GitHub Repository*.

2 Notation

[You should describe your notation. You can use what is below as a starting point. —SS]

The structure of the MIS for modules comes from Hoffman and Strooper (1995), with the addition that template modules have been adapted from Ghezzi et al. (2003). The mathematical notation comes from Chapter 3 of Hoffman and Strooper (1995). For instance, the symbol := is used for a multiple assignment statement and conditional rules follow the form $(c_1 \Rightarrow r_1 | c_2 \Rightarrow r_2 | ... | c_n \Rightarrow r_n)$.

The following table summarizes the primitive data types used by SE 4G06, TRON 4TB6.

Data Type	Notation	Description
character	char	a single symbol or digit
integer	\mathbb{Z}	a number without a fractional component in $(-\infty, \infty)$
natural number	N	a number without a fractional component in $[1, \infty)$
real	\mathbb{R}	any number in $(-\infty, \infty)$

The specification of SE 4G06, TRON 4TB6 uses some derived data types: sequences, strings, and tuples. Sequences are lists filled with elements of the same data type. Strings are sequences of characters. Tuples contain a list of values, potentially of different types. In addition, SE 4G06, TRON 4TB6 uses functions, which are defined by the data types of their inputs and outputs. Local functions are described by giving their type signature followed by their specification.

3 Module Decomposition

The following table is taken directly from the *Module Guide Document* for this project.

Level 1	Level 2
Hardware-Hiding Module	
Behaviour-Hiding Module	Login Module Bluetooth connection Module Keyword Selection Module Output Signal Module Profile Module Battery Status Module
Software Decision Module	Sound Classification Module Bluetooth Communication Module Microphone Module

Table 1: Module Hierarchy

4 MIS of Login Module

4.1 Module

Login Type

4.2 Uses

N/A

4.3 Syntax

4.3.1 Exported Constants

N/A

4.3.2 Exported Access Programs

Name	In	Out	Exceptions
authorize	keyInput	Authorized	
login	keyInput		Not_A_Character
switchCue	keyInput		Not_Cueable

4.4 Semantics

4.4.1 State Variables

Authorized: Authorized is a boolean that is true when the correct credentials are entered and false otherwise.

4.4.2 Environment Variables

keyInput: {key.Enter, key.AlphabetCharacters, key.LeftClick}

4.4.3 Assumptions

The Synesthesia Wear application is successfully installed on the user's device and the login page has loaded onto the screen.

4.4.4 Access Routine Semantics

switchCue(key.LeftClick):

• transition: mouseLocation.navigate()

• output: None

 \bullet exception: Not_Cueable

login(key.AlphabetCharacters):

• transition: username.addCharacter() or password.addCharacter()

• output: None

 \bullet exception: Not_A_Character

authorize(key.Enter):

• transition: login.submit()

• output: Authorized

• exception: None

5 MIS of Keyword Selection Module

5.1 Module

Keyword Selection Type

5.2 Uses

- Profile Module
- Bluetooth Communication Module

5.3 Syntax

5.3.1 Exported Constants

N/A

5.3.2 Exported Access Programs

Name	In	Out	Exceptions
save	keyInput	Saved	Mouse_Not_On_Save_Button
keyword	keyInput		Not_A_Character
switchCue	keyInput		Not_Cueable

5.4 Semantics

5.4.1 State Variables

Saved: Saved is a boolean that is true when the "Save" button has been pressed and false otherwise.

5.4.2 Environment Variables

keyInput: {key.AlphabetCharacters, key.LeftClick}

5.4.3 Assumptions

The Synesthesia Wear application is successfully installed on the user's device, the user was able to log into the app, and the sound configuration settings page is loaded onto the screen.

5.4.4 Access Routine Semantics

switchCue(key.LeftClick):

• transition: mouseLocation.navigate()

• output: None

 \bullet exception: Not_Cueable

keyword(key.AlphabetCharacters):

• transition: keyword.addCharacter()

• output: None

 \bullet exception: Not_A_Character

save(key.LeftClick):

• transition: keyword.save()

• output: Saved

• exception: Mouse_Not_On_Save_Button

6 MIS of Bluetooth Communication Module

6.1 Module

BTComuModule

6.2 Uses

None

6.3 Syntax

6.3.1 Exported Constants

DataTx:{ BT.send()}

6.3.2 Exported Access Programs

Name	In	Out	Exceptions
RecvNewClass	DataRx	-	Class_Full
RmClass	DataRx	-	Class_Empty
UpdatePref	DataRx	-	-
SendBattV	BattV	DataTx	-

6.4 Semantics

6.4.1 State Variables

None

6.4.2 Environment Variables

BattV: {AnalogRead(BatteryVolt)}

DataRx: {BT.recieve(T1),BT.recieve(T2),BT.recieve(T3)}

6.4.3 Assumptions

Connection with the application is already establised. Bluetooth tries to automatically reconnect if the application is disconnected.

6.4.4 Access Routine Semantics

RecvNewClass():

• transition: if(DataRx == T1) then addclass(dataRx)

- output: None
- exception: Class_Full

RmClass():

- transition: if(DataRx == T2) then rmclass(dataRx)
- output: None
- ullet exception: Class_Empty

UpdatePref():

- transition: if(DataRx == T3) then prefchange(DataRx.class,DataRx.pref)
- output: None
- exception: None

SendBattV(BattV):

- transition: None
- \bullet output: DataTx == BattV
- exception:

7 MIS of Microphone Module

7.1 Module

MicroMod

7.2 Uses

None

7.3 Syntax

7.3.1 Exported Constants

None

7.3.2 Exported Access Programs

Name	In	Out	Exceptions
updateData	SoundIN,CLKINT	SoundData	_

7.4 Semantics

7.4.1 State Variables

SoundData - Array of sound inputs recorded at every sample interval

7.4.2 Environment Variables

SoundIN: { Digital.Read(Digital_Microphone) } CLKINT: {clk.interupt(sample time)}

7.4.3 Assumptions

Clock interupt is already set up to issue interupts every 1/(sample frequency)

7.4.4 Access Routine Semantics

updateData(SoundIN,CLKINT):

- transition: None
- $\bullet \ \, output: \ \, if(CLKINT) \ \, then \ \, (SoundData = SoundData \ \, i.i. \ \, 1, \ \, SoundData[new] = SoundIN) \\$
- exception: None

References

Carlo Ghezzi, Mehdi Jazayeri, and Dino Mandrioli. Fundamentals of Software Engineering. Prentice Hall, Upper Saddle River, NJ, USA, 2nd edition, 2003.

Daniel M. Hoffman and Paul A. Strooper. Software Design, Automated Testing, and Maintenance: A Practical Approach. International Thomson Computer Press, New York, NY, USA, 1995. URL http://citeseer.ist.psu.edu/428727.html.

8 Appendix

[Extra information if required —SS]