The Alley Spectrum

RESTAURANT

507 Spectrum Center Dr
Irvine CA, 92618-4955

507 Spectrum Center Dr Irvine CA 92618-4955

The DNJ LLC

PR147288

Routine Inspection

REINSPECTION

10/08/2026

10/15/2026

8. Proper hot and cold holding temperatures - MAJ

Inspector Comments:

The following food items were measured at the temperatures noted below:

1) Creme brulee topping stored at room temperature in the front service area measured 64F. The person in charge stated the item is typically kept cold using ice and confirmed it had been held this way for over four hours. No documentation or evidence of Time as a Public Health Control (TPHC) was available.
Corrective Action (COS): The person in charge voluntarily discarded the item. (Refer to #53)

2) Milk stored in the open-top cooler in the front service area measured 58F. The person in charge confirmed it had been held in this manner for over four hours. No TPHC documentation was available.
Corrective Action (COS): The person in charge voluntarily discarded the item. (Refer to #53)

3) Brown sugar boba held in a warmer in the front service area measured 100F. The person in charge stated it had been held at this temperature for over four hours. No TPHC documentation was available.
Corrective Action (COS): The person in charge voluntarily discarded the item and increased the warmer temperature for the next batch. (Refer to #53)

4) Regular boba stored at room temperature measured 60F. The person in charge confirmed it had been held this way for over four hours. No TPHC documentation was available.
Corrective Action (COS): The person in charge voluntarily discarded the item. (Refer to #53)

Cold potentially hazardous foods must be maintained at 41F or below, and hot potentially hazardous foods must be maintained at 135F or above.

Time as a Public Health Control (TPHC) was explained to the person in charge, and an informational bulletin was provided.
Violation Description: Potentially hazardous foods shall be held at or below 41°F or at or above 135°F. (113996, 113998, 114037)
COS

15. Food contact surfaces: clean and sanitized - MIN

Inspector Comments:

Observed an accumulation of grime and debris on the on the interior surfaces of the ice machine.

Clean and sanitize the ice machine and maintain it in a clean condition.

Violation Description: All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(d), 114097, 114099.1, 114099.4, 114099.6, 114101(b-d), 114105, 114109, 114111, 114113, 114115(a, b ,d), 114117, 114125(b), 114141)

35. Warewashing facilities: installed, maintained, used; test strips - OUT

Inspector Comments:

Observed the facility did not have test strip for the sanitizer that the facility uses (i.e., quaternary ammonium).

Obtain the required test strip.

Violation Description: Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125)

36. Equipment/Utensils - approved; installed; good repair; capacity - OUT

Inspector Comments:

Observed a torn door gasket from the 2-door reach-in cooler next to the ice machine.

Repair the torn gasket.

Violation Description: All utensils and equipment shall be fully operative and in good repair. All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114130.6, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182)

40. Wiping cloths: properly used and stored - OUT

Inspector Comments:
1) Although sanitizer buckets were set up, multi-use wiping cloths were observed stored outside of the bucket. Discontinue holding multi-use wiping cloths outside of the sanitizer solution between uses. Store wiping cloths in an approved sanitizer solution (e.g., 100 ppm chlorine, 200 - 400 ppm quaternary ammonium or 25 ppm iodine) between uses, or provide a clean cloth for each use.

2) Observed all sanitizer buckets in-use did not have minimum of 200 ppm for quaternary ammonia.

Maintain the quaternary ammonia level between 200 and 400 ppm in all sanitizer buckets.

Violation Description: Wiping cloths used to wipe service counters, scales, or other surfaces that may come into contact with food shall be used only once unless kept in clean water with sanitizer; separate sanitizing containers shall be provided for wiping cloths used with raw animal foods. (114135, 114185.1 114185.3 [d-e])

41. Plumbing; proper backflow devices - OUT

Inspector Comments:

Observed inadequate air gaps between the ends of the drain lines and the rims of their respective floor sinks at the following locations:
a) three drain lines under the ice machine
b) drain line of an ice bin in the front area

Maintain the required air gap, which must be twice the diameter of the drain pipe and no less than 1 inch, between the end of each drain pipe and the rim of the floor sink.

Violation Description: The potable water supply shall be protected with a backflow protection device, as required by applicable plumbing codes. All plumbing, plumbing fixtures, and grease interceptors shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (14171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269)

45. Floors, walls and ceilings: built, maintained, and clean - OUT

Inspector Comments:

Observed the following:

1) an accumulation of grime and debris on all floor sinks in the facility.
2) an accumulation of debris on the floor in the back area under all sinks, table and racks.

Remove the accumulation and maintain them in a clean condition.

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, light-colored, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable, and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143(d), 114266, 114268, 114268.1, 114271, 114272)

53. Voluntary Condemnation & Destruction (VC&D) - OUT

Inspector Comments:

Person in charge voluntarily discarded the following items due to violation #8:

1) approximately 3 pounds of creme burlee
2) approximately 0.75 gallons of milk
3) approximately 2 pounds of regular boba
4) approximately 4 pounds of brown sugar boba

Violation Description: Food, equipment, or utensils that are found to be unsanitary or in disrepair may be Voluntarily Condemned and Destroyed by the person in charge. (111890, 111895)

The Alley Spectrum

507 Spectrum Center Dr Irvine CA 92618-4955

10/08/2026

PR147288

The purpose of this visit was to conduct a routine inspection.
Food Safety Manager: J Liu | Exp: 04/21/2030

The Alley Spectrum

10/08/2026

507 Spectrum Center Dr Irvine CA 92618-4955

PR147288

Item:milk and heavy cream **Location:**2-door upright cooler in the back **Fahrenheit:**36

Item:heavy cream **Location:**2-door upright cooler **Fahrenheit:**36

Item:milk **Location:**2-door reach-in cooler at the front area **Fahrenheit:**37

It was agreed that a copy of this report will be sent to the e-mail address provided. The person in charge was directed to call this office if the report is not received within 2 business days. Additional information can be found at http://www.ochealthinfo.com/eh

Name: K Rudkouskaya

Title: Person in charge

Signing for the receipt of the above report is not an admission of the facts of the violation set forth herein.

Inspector:

W. Kang

Environmental Health Specialist III

(714) 433-6000

wkang@ochca.com

REINSPECTION FEES: Fees are assessed for second or greater re-inspections and Notices of Violations. The purpose of these fees is to shift costs away from compliant operators and impose fees on those facilities that fail to readily comply with the applicable laws and regulations. The amount of the fee is to cover all of the cost associated with the service. For the most current fees, please refer to http://ochealthinfo.com/eh/home/fees or call(714) 433-6000.

Did you know that food facilities must provide single-use foodware accessories and standard condiments only upon customer request, per California Assembly Bill 1276?
Please consider donating your excess food/product to a local food bank, pantry, or soup kitchen. For more information, visit ochealthinfo.com or see section 1714.25 of the Civil Code and Sections 114432 to 114434, inclusive, of the Health and Safety Code.

DA10270759