

TRUNCATE Person;

```
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (1, 'Nurse, Technician',
'Tania', 'Nienow', '13374 Wiza Mission Suite 803\nColebu', '1989-07-30',
'305-928-6654x79');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (2, 'Nurse, Technician',
'Norene', 'Crona', '8687 Wilmer Extension Apt. 833\nNick', '1992-03-28',
'02108981009');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (3, 'Nurse, Technician',
'Abdiel', 'Trantow', '1993 Gretchen Glen\nNew Sadie, WY 07', '1997-07-
07', '1-596-105-6095');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (4, 'Nurse, Technician',
'Ezequiel', 'Mueller', '039 Roderick Well Apt. 024\nMantebur', '1982-06-
18', '037-384-0016x26');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (5, 'Nurse, Technician',
'Monique', 'Altenwerth', '6310 Lou Plains\nD\Amoreborough, VT', '1984-
03-21', '947.686.5453x86');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (6, 'Nurse, Volunteer',
'Eva', 'Conn', '71278 Satterfield Spring Apt. 480\nE', '1987-01-23',
'00769408136');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (7, 'Nurse, Volunteer',
'Letitia', 'Schamberger', '3701 Fisher Trail Apt. 323\nRippinpo', '1972-
07-12', '1-761-429-7286x');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (8, 'Nurse, Volunteer',
'Rudy', 'Walker', '43165 Maci Flats\nJoanchester, OH 33', '1964-01-24',
'(861)899-3864x7');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (9, 'Nurse, Volunteer',
'Frida', 'Heaney', '64650 Arvel Mews\nEast Damaris, MO 9', '1972-05-21',
'037-866-3024');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (10, 'Nurse, Volunteer',
'Audrey', 'Jacobs', '086 Rice Trail\nEast Raina, NC 41735', '1980-03-25',
'1-712-039-0718');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (11, 'Nurse', 'Kris',
'Kozey', '000 Renner Greens\nNew Napoleon, KY', '1985-04-15', '(137)893-
0976');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (12, 'Nurse', 'Cordell',
'Cassin', '18391 Hulda Mountain\nGerardhaven, N', '1987-03-10',
'033.131.2250x40');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (13, 'Nurse', 'Emelie',
'Kling', '603 Stiedemann Cliffs Suite 544\nEas', '1973-04-17',
'773.080.7362x44');
```

```

INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (14, 'Nurse', 'Raven',
'Reinger', '46640 Cloyd Tunnel Suite 491\nNew Ka', '1979-06-01', '669-
966-3219');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (15, 'Nurse', 'Geo',
'Pfannerstill', '63548 Franco Ford Apt. 852\nSouth Fr', '1988-11-13',
'597.817.9726x27');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (16, 'Nurse', 'Genesis',
'Frami', '33931 Schmitt Inlet Apt. 862\nFoster', '1995-11-04', '1-632-
116-3225x');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (17, 'Nurse', 'Deangelo',
'Daugherty', '10495 Velda Crest\nWisokyberg, NC 81', '1989-07-28', '469-
552-1708');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (18, 'Nurse', 'Roxanne',
'Labadie', '448 Regan Plains Apt. 597\nPort Joyc', '1971-08-27', '712-
290-8928');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (19, 'Nurse', 'Eliza',
'Kerluke', '48235 Vandervort Fords Apt. 049\nSou', '1989-09-24',
'(280)143-7487x9');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (20, 'Nurse', 'Donato',
'Marks', '88164 Shanel Flats\nCharlottestad, N', '2000-02-17',
'539.014.7331');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (21, 'Nurse', 'Vicky',
'Shanahan', '3002 Lowe Path Apt. 885\nHesselside,', '1993-01-03',
'587.650.6254x58');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (22, 'Nurse', 'Dallas',
'Hilll', '162 Cleo Place\nMargaretechester, WV', '1992-05-26', '(150)646-
3738');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (23, 'Nurse', 'Fannie',
'Willms', '990 Jovani Throughway Suite 019\nSid', '1993-09-07',
'616.303.2994');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (24, 'Nurse', 'Callie',
'McDermott', '84807 Sanford Viaduct Apt. 450\nVlad', '1994-08-21',
'00728365256');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (25, 'Nurse', 'Gisselle',
'Rogahn', '7313 Antwan Port Suite 540\nLamarhav', '2001-03-27',
'+20(5)581667610');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (26, 'Nurse', 'Liliane',
'Bauch', '09486 Heidi Pike\nNew Maureen, VT 63', '1981-10-24', '(554)788-
7822x6');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (27, 'Nurse', 'Edyth',

```

```

'Reichert', '1748 Beahan Meadow Suite 855\nSouth', '1984-10-01', '1-501-632-1698');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (28, 'Nurse', 'Shanie', 'Berge', '87456 Peter Keys\nHermanville, HI 39', '1999-09-18', '+91(4)445885775');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (29, 'Nurse', 'Charles', 'Schamberger', '55066 Richard Plains Apt. 901\nNew M', '1987-06-22', '1-149-268-5066x');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (30, 'Nurse', 'Natalia', 'Spencer', '615 Aniya Pass\nSouth Mikel, MN 1260', '1990-06-06', '01154953077');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (31, 'Patient', 'Iva', 'Gerlach', '632 Davon Centers\nPaucekborough, SC', '1990-08-20', '(060)651-9822');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (32, 'Patient', 'Davon', 'Towne', '66823 Brent Cliffs\nLake Weldonton,', '1987-12-24', '(634)344-3957x5');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (33, 'Patient', 'Miles', 'Nicolas', '6817 Lilliana Port\nWest Carissa, NH', '1989-06-28', '140.234.7527x80');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (34, 'Patient', 'Lue', 'Kilback', '737 Sawayn Street\nSouth Don, NC 935', '1985-10-02', '255-386-8107');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (35, 'Patient', 'Reece', 'Beatty', '269 Romaine Views\nNew Ariborough, T', '1984-10-01', '674-740-4834x60');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (36, 'Patient', 'Jane', 'Jacobi', '7731 Davis Ridges\nLake Gunner, AK 6', '2010-07-18', '+26(3)588297522');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (37, 'Patient', 'Odie', 'Heller', '80772 Walsh Ways Suite 959\nBayleefu', '2004-08-16', '063-562-4423');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (38, 'Patient', 'Trey', 'Powlowski', '01202 Jeremie Inlet\nRitchietown, MS', '2009-12-12', '(934)117-4178x8');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (39, 'Patient', 'Jackeline', 'Armstrong', '12346 McClure Points Apt. 401\nBeula', '1981-10-09', '1-827-898-9314x');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (40, 'Patient', 'Leonor', 'Abernathy', '648 Verda Radial Suite 386\nSchimmel', '1979-07-31', '741.974.0633x98');

```

```

INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (41, 'Patient', 'Lou',
'Schultz', '54027 Efren Mountain Suite 852\nGerl', '1994-03-21',
'01780538490');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (42, 'Patient', 'Lottie',
'Moen', '8885 Abernathy Extensions\nNorth Ame', '1990-02-05',
'03485369158');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (43, 'Patient', 'Annette',
'Watsica', '070 Remington Ports\nEbbaville, IA 1', '2003-02-09', '816-
702-9952x51');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (44, 'Patient', 'Mekhi',
'Donnelly', '99198 Dameon Extension\nNorth Ned, U', '2004-08-17',
'+18(3)871497738');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (45, 'Patient', 'Zion',
'Bogisich', '7435 Denesik Pass Suite 357\nBeattyv', '1988-10-22',
'01561620600');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (46, 'Patient', 'Walter',
'Pouros', '04435 Medhurst Cliffs Suite 010\nEdy', '1987-09-11',
'053.905.7624x07');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (47, 'Patient', 'Evalyn',
'Anderson', '380 Candida Crossroad Suite 649\nRei', '1987-12-30', '221-
196-0241');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (48, 'Patient', 'Ubaldo',
'Rippin', '379 Kemmer Locks\nPort Johnnyside, M', '2004-04-23',
'(364)226-7400x0');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (49, 'Patient', 'Melba',
'Bashirian', '58444 Nader Stream Apt. 991\nWest Di', '1998-01-20', '547-
615-8988x21');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (50, 'Patient', 'Jairo',
'Haag', '84852 Kaia Fort Apt. 355\nNew Gillia', '2001-12-17',
'05423016580');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (51, 'Physician', 'Leanna',
'Purdy', '29295 Prosacco Union Suite 563\nKris', '1980-11-05',
'280.029.5230x44');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (52, 'Physician', 'Damon',
'Beer', '02496 Moore Point Apt. 954\nWest Ryl', '1975-01-28', '861-377-
2612');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (53, 'Physician', 'Melvin',
'Tremblay', '659 Sporer Road\nRaleighville, VA 21', '1972-08-05',
'(920)551-9869x2');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (54, 'Physician', 'Rocky',

```

```

'Hammes', '772 Randal Green\nSamanthaside, UT 7', '1986-03-12', '886-070-5221');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (55, 'Physician', 'Evalyn', 'Zieme', '92956 Eli Isle Suite 192\nRaynorport', '1977-11-17', '1-174-244-2218');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (56, 'Physician', 'Lisette', 'Cummings', '445 Gleichner Hill\nSabrynaland, FL', '1970-08-29', '+99(6)843778064');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (57, 'Physician', 'Taylor', 'Hayes', '16102 Roslyn Way Suite 773\nEast Jer', '1971-03-17', '00202927640');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (58, 'Physician', 'Jolie', 'Upton', '3584 Kuphal Locks\nEzramouth, UT 592', '1998-04-03', '(046)768-7981x7');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (59, 'Physician', 'Lottie', 'Kuhn', '1177 Werner Curve Apt. 158\nPauceksi', '1977-04-22', '835.100.1255');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (60, 'Physician', 'Elvie', 'Schulist', '8276 Hosea Ferry Suite 296\nJaleelbu', '1970-11-21', '264.160.7103x05');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (61, 'Technician', 'Larue', 'Boehm', '1336 Fadel Trail\nKiannahaven, SC 80', '1987-05-11', '860-241-9413x08');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (62, 'Technician', 'Skye', 'Crona', '4116 Quigley Lights\nCronintown, MA', '1975-02-11', '+34(3)503005419');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (63, 'Technician', 'Lavinia', 'Frami', '0990 Kamille Coves\nSouth Marion, UT', '1972-01-02', '(960)858-2729');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (64, 'Technician', 'Seth', 'Bogisich', '136 Ferry Divide\nLindshire, IA 1110', '1999-07-25', '1-830-383-4829x');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (65, 'Technician', 'Melvin', 'Auer', '777 Brekke Wall Apt. 429\nBechtelarb', '1991-07-05', '(798)265-1055x0');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (66, 'Technician', 'Paolo', 'Klocko', '977 Rita Canyon Suite 474\nSouth Ima', '1984-06-05', '836.599.5908x07');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `BirthDay`, `PhoneNumber`) VALUES (67, 'Technician', 'Griffin', 'Dooley', '89559 Rutherford Squares\nVivienhave', '1976-12-26', '1-480-157-4958x');

```

```

INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (68, 'Technician',
'Freddie', 'Rice', '762 Pacocha Flat\nCadetown, NH 59885', '1969-02-13',
'+13(4)726586579');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (69, 'Technician', 'Trudie',
'Schulist', '623 O\'Reilly Walks\nEvabury, MN 7292', '1998-04-04',
'(199)349-6840');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (70, 'Technician', 'Maryse',
'Goldner', '7794 Swift Knolls Apt. 022\nAnnamaet', '1982-09-28',
'(343)042-9541');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (71, 'Technician', 'Bianka',
'Morar', '578 Batz Drives\nLake Jordynview, CT', '1992-02-23', '1-505-
990-4555');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (72, 'Technician',
'Gilberto', 'Stracke', '35969 Lulu Inlet Apt. 986\nEast Amel', '1988-09-
10', '05583330301');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (73, 'Technician', 'Misty',
'Lueilwitz', '65042 Kiehn Tunnel Suite 802\nPort A', '1979-07-02',
'(451)733-7393x5');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (74, 'Technician', 'Kyra',
'O\'Conner', '0605 Predovic Mountains Suite 330\nZ', '1990-05-23',
'602.918.7010x76');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (75, 'Technician',
'Mortimer', 'Fay', '36687 Collier Route Suite 462\nWest', '1980-08-23',
'1-909-536-9844');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (76, 'Technician', 'Elinor',
'Dooley', '761 Dominic Place Suite 092\nPort Al', '1992-02-12',
'017.873.5461x55');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (77, 'Technician', 'Abdul',
'Johns', '045 Spencer Fords\nGailstad, MT 0792', '1972-08-31', '337-286-
8325x82');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (78, 'Technician', 'Dane',
'Douglas', '9005 Hudson Hollow Suite 425\nEstell', '1987-09-30', '855-
182-7880');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (79, 'Technician', 'Janice',
'Hamill', '983 Mitchell Mission\nNorth Era, AL', '1993-04-02',
'349.218.0233');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (80, 'Technician',
'Carmella', 'Mayer', '69609 Jewel Keys\nLubowitzmouth, MO', '1984-01-10',
'643.686.4059');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`,
`Address`, `Birthday`, `PhoneNumber`) VALUES (81, 'Volunteer',

```

```

'Serenity', 'Hudson', '97295 Christina Court Apt. 155\nOkun', '1988-02-10', '06392600656');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `Birthday`, `PhoneNumber`) VALUES (82, 'Volunteer', 'Ross', 'Kovacek', '1348 Shawn Point\nBrownfort, NJ 0821', '1977-01-25', '(321)252-7391x8');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `Birthday`, `PhoneNumber`) VALUES (83, 'Volunteer', 'Delia', 'Murazik', '98815 Wiley Ports\nMcKenziefort, CO', '1983-12-30', '+51(0)180754118');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `Birthday`, `PhoneNumber`) VALUES (84, 'Volunteer', 'Ashly', 'Nolan', '509 Kassulke Rest Suite 756\nSouth A', '1993-10-06', '1-558-988-8030');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `Birthday`, `PhoneNumber`) VALUES (85, 'Volunteer', 'Clyde', 'Bernier', '436 Jannie Wells Suite 721\nPort Can', '1982-07-10', '901-010-2190');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `Birthday`, `PhoneNumber`) VALUES (86, 'Volunteer', 'Virgie', 'Nienow', '96908 Mueller Stream\nNorth Erik, IN', '1967-04-26', '1-055-349-8055');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `Birthday`, `PhoneNumber`) VALUES (87, 'Volunteer', 'Cindy', 'Heller', '011 Lavon Isle\nSatterfieldton, TX 8', '1992-06-09', '(752)195-6226x8');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `Birthday`, `PhoneNumber`) VALUES (88, 'Volunteer', 'Fritz', 'Farrell', '05259 Hahn Estate\nEast Dejah, OR 55', '1987-12-10', '196.420.6357x74');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `Birthday`, `PhoneNumber`) VALUES (89, 'Volunteer', 'Ethel', 'Ward', '86241 Quitzon Trafficway Apt. 449\nN', '1986-10-06', '621.440.7554');
INSERT INTO `Person` (`PersonID`, `PersonRole`, `FirstName`, `LastName`, `Address`, `Birthday`, `PhoneNumber`) VALUES (90, 'Volunteer', 'Magali', 'Lueilwitz', '86072 Ullrich Garden\nLake Agnes, RI', '1978-05-27', '00636075143');

```

```

#
# TABLE STRUCTURE FOR: Item
#

```

```

TRUNCATE Item;

```

```

INSERT INTO `Item` (`ItemID`, `ItemName`, `ItemDescription`, `ItemUnitCost`) VALUES (13000, 'Scalpel', 'Extremely sharp bladed instrument used for surgery', '6.29');
INSERT INTO `Item` (`ItemID`, `ItemName`, `ItemDescription`, `ItemUnitCost`) VALUES (13001, 'Bedpan', 'For patients who are unconscious or too weak to sit up or walk to the toilet to defecate', '7.38');

```

```

INSERT INTO `Item` (`ItemID`, `ItemName`, `ItemDescription`,
`ItemUnitCost`) VALUES (13002, 'Gauze Sponge', 'Absorb blood and other
fluids as well as clean wounds', '1.50');
INSERT INTO `Item` (`ItemID`, `ItemName`, `ItemDescription`,
`ItemUnitCost`) VALUES (13003, 'Tuning Fork', 'To test for deafness and
to categorize it', '4.25');
INSERT INTO `Item` (`ItemID`, `ItemName`, `ItemDescription`,
`ItemUnitCost`) VALUES (13004, 'Endoscope', 'Used to look inside the
gastrointestinal tract, used mainly in surgery or by surgical
consultants', '633.66');
INSERT INTO `Item` (`ItemID`, `ItemName`, `ItemDescription`,
`ItemUnitCost`) VALUES (13005, 'Otoscope', 'to look into the external ear
cavity', '125.20');
INSERT INTO `Item` (`ItemID`, `ItemName`, `ItemDescription`,
`ItemUnitCost`) VALUES (13006, 'Reflex Hammer', 'Test motor reflexes of
the body', '10.10');
INSERT INTO `Item` (`ItemID`, `ItemName`, `ItemDescription`,
`ItemUnitCost`) VALUES (13007, 'Transfusion Kit', 'To transfuse blood and
blood products', '1250.75');
INSERT INTO `Item` (`ItemID`, `ItemName`, `ItemDescription`,
`ItemUnitCost`) VALUES (13008, 'Tongue Depressor', 'For use in oral
examination', '5.55');
INSERT INTO `Item` (`ItemID`, `ItemName`, `ItemDescription`,
`ItemUnitCost`) VALUES (13009, 'Gas Cylinder', 'a supply of oxygen,
nitrous oxide, carbon dioxide, etc.', '199.50');

```

```

#
# TABLE STRUCTURE FOR: CareCenter
#

```

```

TRUNCATE CareCenter;

```

```

INSERT INTO `CareCenter` (`CareCenterID`, `CareCenterName`,
`CareCenterLocation`, `NurseIDInCharge`) VALUES (11000, 'Ward Zero', '221
101st Street, Nanaimo', 7002);
INSERT INTO `CareCenter` (`CareCenterID`, `CareCenterName`,
`CareCenterLocation`, `NurseIDInCharge`) VALUES (11001, 'Newlife Clinic',
'997 Aaron Way, Nanaimo', 7003);
INSERT INTO `CareCenter` (`CareCenterID`, `CareCenterName`,
`CareCenterLocation`, `NurseIDInCharge`) VALUES (11002, 'Ultra Care',
'136 Acacia Avenue, Nanaimo', 7006);
INSERT INTO `CareCenter` (`CareCenterID`, `CareCenterName`,
`CareCenterLocation`, `NurseIDInCharge`) VALUES (11003, 'FowerFlake',
'687 Alder Way', 7007);
INSERT INTO `CareCenter` (`CareCenterID`, `CareCenterName`,
`CareCenterLocation`, `NurseIDInCharge`) VALUES (11004, 'West Valley
Clinic', ' 062 Applecross Road, Nanaimo', 7009);
INSERT INTO `CareCenter` (`CareCenterID`, `CareCenterName`,
`CareCenterLocation`, `NurseIDInCharge`) VALUES (11005, 'East Valley
Clinic', ' 287 Buck Road, Nanaimo', 7017);

```



```

INSERT INTO `CareCenter` (`CareCenterID`, `CareCenterName`,
`CareCenterLocation`, `NurseIDInCharge`) VALUES (11006, 'Hope Peak', '
720 Butternut Drive, Nanaimo', 7019);
INSERT INTO `CareCenter` (`CareCenterID`, `CareCenterName`,
`CareCenterLocation`, `NurseIDInCharge`) VALUES (11007, 'Combination
Register Clinic', ' 247 Botsford Place, Nanaimo', 7026);
INSERT INTO `CareCenter` (`CareCenterID`, `CareCenterName`,
`CareCenterLocation`, `NurseIDInCharge`) VALUES (11008, 'Body Place
Clinic', '300 Early Drive, Nanaimo', 7027);
INSERT INTO `CareCenter` (`CareCenterID`, `CareCenterName`,
`CareCenterLocation`, `NurseIDInCharge`) VALUES (11009, 'Silver Health
Group', '412 Emblem Road, Nanaimo', 7029);

```

```

#
# TABLE STRUCTURE FOR: Bed
#

```

```

TRUNCATE Bed;

```

```

INSERT INTO `Bed` (`BedID`, `BedNumber`, `RoomNumber`, `CareCenterID`,
`PatientID`) VALUES (12000, 702, 359, 11000, 2000);
INSERT INTO `Bed` (`BedID`, `BedNumber`, `RoomNumber`, `CareCenterID`,
`PatientID`) VALUES (12001, 3907, 925, 11001, 2001);
INSERT INTO `Bed` (`BedID`, `BedNumber`, `RoomNumber`, `CareCenterID`,
`PatientID`) VALUES (12002, 7366, 227, 11002, 2002);
INSERT INTO `Bed` (`BedID`, `BedNumber`, `RoomNumber`, `CareCenterID`,
`PatientID`) VALUES (12003, 1525, 837, 11003, 2003);
INSERT INTO `Bed` (`BedID`, `BedNumber`, `RoomNumber`, `CareCenterID`,
`PatientID`) VALUES (12004, 2541, 322, 11004, 2004);
INSERT INTO `Bed` (`BedID`, `BedNumber`, `RoomNumber`, `CareCenterID`,
`PatientID`) VALUES (12005, 26, 224, 11005, 2005);
INSERT INTO `Bed` (`BedID`, `BedNumber`, `RoomNumber`, `CareCenterID`,
`PatientID`) VALUES (12006, 336, 444, 11006, 2006);
INSERT INTO `Bed` (`BedID`, `BedNumber`, `RoomNumber`, `CareCenterID`,
`PatientID`) VALUES (12007, 969, 548, 13007, 2007);
INSERT INTO `Bed` (`BedID`, `BedNumber`, `RoomNumber`, `CareCenterID`,
`PatientID`) VALUES (12008, 62, 275, 11008, 2008);
INSERT INTO `Bed` (`BedID`, `BedNumber`, `RoomNumber`, `CareCenterID`,
`PatientID`) VALUES (12009, 880, 271, 11009, 2009);

```

```

#
# TABLE STRUCTURE FOR: CareCenterNurse
#

```

```

TRUNCATE CareCenterNurse;

```

```

INSERT INTO `CareCenterNurse` (`NurseID`, `CareCenterID`) VALUES (7000,
11000);
INSERT INTO `CareCenterNurse` (`NurseID`, `CareCenterID`) VALUES (7001,
11001);

```

[illegible]

```
INSERT INTO `CareCenterNurse` (`NurseID`, `CareCenterID`) VALUES (7029, 11009);
```

```
#  
# TABLE STRUCTURE FOR: CareCenterPhysician  
#
```

```
TRUNCATE CareCenterPhysician;  
INSERT INTO `CareCenterPhysician` (`PhysicianID`, `CareCenterID`) VALUES (5000, 11000);  
INSERT INTO `CareCenterPhysician` (`PhysicianID`, `CareCenterID`) VALUES (5001, 11001);  
INSERT INTO `CareCenterPhysician` (`PhysicianID`, `CareCenterID`) VALUES (5002, 11002);  
INSERT INTO `CareCenterPhysician` (`PhysicianID`, `CareCenterID`) VALUES (5003, 11003);  
INSERT INTO `CareCenterPhysician` (`PhysicianID`, `CareCenterID`) VALUES (5004, 11004);  
INSERT INTO `CareCenterPhysician` (`PhysicianID`, `CareCenterID`) VALUES (5005, 11005);  
INSERT INTO `CareCenterPhysician` (`PhysicianID`, `CareCenterID`) VALUES (5006, 11006);  
INSERT INTO `CareCenterPhysician` (`PhysicianID`, `CareCenterID`) VALUES (5007, 11007);  
INSERT INTO `CareCenterPhysician` (`PhysicianID`, `CareCenterID`) VALUES (5008, 11008);  
INSERT INTO `CareCenterPhysician` (`PhysicianID`, `CareCenterID`) VALUES (5009, 11009);
```

```
#  
# TABLE STRUCTURE FOR: ClinicRecords  
#
```

```
TRUNCATE clinicrecords;  
  
INSERT INTO `ClinicRecords` (`DateStart`, `DateEnd`, `EmployeeHours`, `EmployeeID`, `CareCenterID`) VALUES ('2018-03-07', '2018-03-24', 82, 6000, 11000);  
INSERT INTO `ClinicRecords` (`DateStart`, `DateEnd`, `EmployeeHours`, `EmployeeID`, `CareCenterID`) VALUES ('2018-03-08', '2018-03-27', 86, 6001, 11001);  
INSERT INTO `ClinicRecords` (`DateStart`, `DateEnd`, `EmployeeHours`, `EmployeeID`, `CareCenterID`) VALUES ('2018-03-09', '2018-03-25', 74, 6002, 11002);  
INSERT INTO `ClinicRecords` (`DateStart`, `DateEnd`, `EmployeeHours`, `EmployeeID`, `CareCenterID`) VALUES ('2018-03-07', '2018-03-15', 43, 6003, 11003);  
INSERT INTO `ClinicRecords` (`DateStart`, `DateEnd`, `EmployeeHours`, `EmployeeID`, `CareCenterID`) VALUES ('2018-03-06', '2018-03-14', 44, 6004, 11004);
```

```

INSERT INTO `ClinicRecords` (`DateStart`, `DateEnd`, `EmployeeHours`,
`EmployeeID`, `CareCenterID`) VALUES ('2018-03-07', '2018-03-22', 79,
6046, 11005);
INSERT INTO `ClinicRecords` (`DateStart`, `DateEnd`, `EmployeeHours`,
`EmployeeID`, `CareCenterID`) VALUES ('2018-03-05', '2018-03-13', 42,
6030, 11006);
INSERT INTO `ClinicRecords` (`DateStart`, `DateEnd`, `EmployeeHours`,
`EmployeeID`, `CareCenterID`) VALUES ('2018-03-02', '2018-03-25', 88,
6031, 11007);
INSERT INTO `ClinicRecords` (`DateStart`, `DateEnd`, `EmployeeHours`,
`EmployeeID`, `CareCenterID`) VALUES ('2018-03-07', '2018-03-15', 47,
6032, 11008);
INSERT INTO `ClinicRecords` (`DateStart`, `DateEnd`, `EmployeeHours`,
`EmployeeID`, `CareCenterID`) VALUES ('2018-03-09', '2018-03-24', 76,
6033, 11009);

```

```

#
# TABLE STRUCTURE FOR: Employee
#

```

```

TRUNCATE Employee;

```

```

INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6000, 'Nurse, Technician', 11003, 1);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6001, 'Nurse, Technician', 11001, 2);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6002, 'Nurse, Technician', 11008, 3);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6003, 'Nurse, Technician', 11000, 4);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6004, 'Nurse, Technician', 11006, 5);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6005, 'Nurse', 11009, 6);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6006, 'Nurse', 11006, 7);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6007, 'Nurse', 11004, 8);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6008, 'Nurse', 11002, 9);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6009, 'Nurse', 11001, 10);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6010, 'Nurse', 11000, 11);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6011, 'Nurse', 11007, 12);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6012, 'Nurse', 11003, 13);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6013, 'Nurse', 11005, 14);

```

```

INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6014, 'Nurse', 11006, 15);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6015, 'Nurse', 11009, 16);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6016, 'Nurse', 11008, 17);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6017, 'Nurse', 11002, 18);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6018, 'Nurse', 11005, 19);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6019, 'Nurse', 11007, 20);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6020, 'Nurse', 11000, 21);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6021, 'Nurse', 11003, 22);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6022, 'Nurse', 11004, 23);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6023, 'Nurse', 11001, 24);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6024, 'Nurse', 11005, 25);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6025, 'Nurse', 11006, 26);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6026, 'Nurse', 11008, 27);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6027, 'Nurse', 11007, 28);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6028, 'Nurse', 11009, 29);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6029, 'Nurse', 11005, 30);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6030, 'Technician', 11000, 61);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6031, 'Technician', 11002, 62);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6032, 'Technician', 11007, 63);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6033, 'Technician', 11004, 64);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6034, 'Technician', 11009, 65);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6035, 'Technician', 11003, 66);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6036, 'Technician', 11006, 67);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6037, 'Technician', 11005, 68);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6038, 'Technician', 11001, 69);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6039, 'Technician', 11008, 70);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6040, 'Technician', 11007, 1);

```

```

INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6041, 'Technician', 11000, 72);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6042, 'Technician', 11003, 73);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6043, 'Technician', 11002, 74);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6044, 'Technician', 11005, 75);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6045, 'Technician', 11009, 76);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6046, 'Technician', 11001, 77);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6047, 'Technician', 11004, 78);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6048, 'Technician', 11006, 79);
INSERT INTO `Employee` (`EmployeeID`, `EmployeeTypes`, `CareCenterID`,
`PersonID`) VALUES (6049, 'Technician', 11009, 80);

```

```

#
# TABLE STRUCTURE FOR: LabTechs
#

```

```

TRUNCATE LabTechs;

```

```

INSERT INTO `LabTechs` (`LaboratoryID`, `TechnicianID`) VALUES (10000,
9000);
INSERT INTO `LabTechs` (`LaboratoryID`, `TechnicianID`) VALUES (10001,
9001);
INSERT INTO `LabTechs` (`LaboratoryID`, `TechnicianID`) VALUES (10002,
9002);
INSERT INTO `LabTechs` (`LaboratoryID`, `TechnicianID`) VALUES (10003,
9003);
INSERT INTO `LabTechs` (`LaboratoryID`, `TechnicianID`) VALUES (10004,
9004);
INSERT INTO `LabTechs` (`LaboratoryID`, `TechnicianID`) VALUES (10005,
9005);
INSERT INTO `LabTechs` (`LaboratoryID`, `TechnicianID`) VALUES (10006,
9006);
INSERT INTO `LabTechs` (`LaboratoryID`, `TechnicianID`) VALUES (10007,
9007);
INSERT INTO `LabTechs` (`LaboratoryID`, `TechnicianID`) VALUES (10008,
9008);
INSERT INTO `LabTechs` (`LaboratoryID`, `TechnicianID`) VALUES (10009,
9009);

```

```

#
# TABLE STRUCTURE FOR: Laboratory
#

```

```

TRUNCATE Laboratory;

```

```

INSERT INTO `Labratory` (`LabratoryID`, `LabratoryName`,
`LabratoryLocation`, `TechnicianID`) VALUES (10000, 'Impedit', '
Parksville', 9000);
INSERT INTO `Labratory` (`LabratoryID`, `LabratoryName`,
`LabratoryLocation`, `TechnicianID`) VALUES (10001, 'Dolor', 'Nanaimo',
9001);
INSERT INTO `Labratory` (`LabratoryID`, `LabratoryName`,
`LabratoryLocation`, `TechnicianID`) VALUES (10002, 'Molestiae', '
Victoria', 9002);
INSERT INTO `Labratory` (`LabratoryID`, `LabratoryName`,
`LabratoryLocation`, `TechnicianID`) VALUES (10003, 'Ex', 'Nanaimo',
9003);
INSERT INTO `Labratory` (`LabratoryID`, `LabratoryName`,
`LabratoryLocation`, `TechnicianID`) VALUES (10004, 'Quo', 'Nanaimo',
9004);
INSERT INTO `Labratory` (`LabratoryID`, `LabratoryName`,
`LabratoryLocation`, `TechnicianID`) VALUES (10005, 'Minus', ' Victoria',
9005);
INSERT INTO `Labratory` (`LabratoryID`, `LabratoryName`,
`LabratoryLocation`, `TechnicianID`) VALUES (10006, 'Molestiae', '
Victoria', 9006);
INSERT INTO `Labratory` (`LabratoryID`, `LabratoryName`,
`LabratoryLocation`, `TechnicianID`) VALUES (10007, 'Sunt', 'Nanaimo',
9007);
INSERT INTO `Labratory` (`LabratoryID`, `LabratoryName`,
`LabratoryLocation`, `TechnicianID`) VALUES (10008, 'Dicta', '
Parksville', 9008);
INSERT INTO `Labratory` (`LabratoryID`, `LabratoryName`,
`LabratoryLocation`, `TechnicianID`) VALUES (10009, 'Nesciunt',
'Nanaimo', 9009);

```

```

#
# TABLE STRUCTURE FOR: Medication
#

```

```

TRUNCATE Medication;

```

```

INSERT INTO `Medication` (`MedID`, `MedName`, `MedDescription`,
`MedUnitCost`) VALUES (14000, 'Viagra', 'Gets the engine started.',
'69.14');
INSERT INTO `Medication` (`MedID`, `MedName`, `MedDescription`,
`MedUnitCost`) VALUES (14001, 'Tylenol', 'When you arent really in pain
but think you are.', '15.99');
INSERT INTO `Medication` (`MedID`, `MedName`, `MedDescription`,
`MedUnitCost`) VALUES (14002, 'Buckleys', 'Great tasting cough syrup for
treating cold symptoms.', '20.18');
INSERT INTO `Medication` (`MedID`, `MedName`, `MedDescription`,
`MedUnitCost`) VALUES (14003, 'Adderall', 'For treating ADHD..',
'22.27');
INSERT INTO `Medication` (`MedID`, `MedName`, `MedDescription`,
`MedUnitCost`) VALUES (14004, 'Muscle Relaxer', 'Relax the muscles.',
'62.58');

```

```

INSERT INTO `Medication` (`MedID`, `MedName`, `MedDescription`,
`MedUnitCost`) VALUES (14005, 'Morphine', 'Extremely Strong Painkiller.',
'299.25');
INSERT INTO `Medication` (`MedID`, `MedName`, `MedDescription`,
`MedUnitCost`) VALUES (14006, 'Benadryl', 'is an antihistamine mainly
used to treat allergies.', '71.21');
INSERT INTO `Medication` (`MedID`, `MedName`, `MedDescription`,
`MedUnitCost`) VALUES (14007, 'Haldol', 'An Anti Psychotic.', '321.99');
INSERT INTO `Medication` (`MedID`, `MedName`, `MedDescription`,
`MedUnitCost`) VALUES (14008, 'Ziprasidone', 'helps restore the balance
of certain natural substances in the brain', '72.99');
INSERT INTO `Medication` (`MedID`, `MedName`, `MedDescription`,
`MedUnitCost`) VALUES (14009, 'Eflornithine', 'Drug used for the skin(can
slow hair growth).', '132.28');

```

```

#
# TABLE STRUCTURE FOR: Nurse
#
TRUNCATE Nurse;

```

```

INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7000, ' no', 6000);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7001, ' no', 6001);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7002, 'yes', 6002);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7003, 'yes', 6003);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7004, ' no', 6004);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7005, ' no', 6005);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7006, 'yes', 6006);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7007, 'yes', 6007);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7008, ' no', 6008);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7009, 'yes', 6009);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7010, 'yes', 6010);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7011, 'yes', 6011);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7012, ' no', 6012);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7013, ' no', 6013);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7014, ' no', 6014);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7015, ' no', 6015);

```



```

INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7016, ' no', 6016);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7017, 'yes', 6017);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7018, ' no', 6018);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7019, 'yes', 6019);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7020, ' no', 6020);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7021, 'yes', 6021);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7022, 'yes', 6022);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7023, ' no', 6023);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7024, ' no', 6024);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7025, ' no', 6025);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7026, 'yes', 6026);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7027, 'yes', 6027);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7028, ' no', 6028);
INSERT INTO `Nurse` (`NurseID`, `Certificate`, `EmployeeID`) VALUES
(7029, 'yes', 6029);

```

```

#
# TABLE STRUCTURE FOR: Outpatient
#

```

```

TRUNCATE Outpatient;
INSERT INTO `Outpatient` (`Outpatient`, `isOutpatient`) VALUES (0, '
no');
INSERT INTO `Outpatient` (`Outpatient`, `isOutpatient`) VALUES (1,
'yes');

```

```

#
# TABLE STRUCTURE FOR: Patient
#

```

```

TRUNCATE Patient;

```

```

INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`,
`AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`,

```

```

`HistoryID`, `CareCenterID`) VALUES (2000, 31, '2003-09-04', '2003-10-12', '2003-11-20', 0, 5000, 4000, 11000);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2001, 32, '2011-11-18', '2011-12-03', '2011-12-30', 1, 5001, 4001, 11001);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2002, 33, '1985-03-01', '1985-04-01', '1985-06-13', 0, 5002, 4002, 11002);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2003, 34, '2012-05-21', '2012-06-15', '2012-08-23', 0, 5003, 4003, 11003);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2004, 35, '1975-12-12', '1976-01-07', '1976-04-20', 1, 5004, 4004, 11004);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2005, 36, '1985-04-19', '1985-05-21', '1985-6-29', 1, 5005, 4005, 11005);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2006, 37, '1992-04-17', '1992-05-09', '1992-07-12', 0, 5006, 4006, 11006);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2007, 38, '1999-07-08', '1999-07-29', '1999-10-18', 1, 5007, 4007, 11007);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2008, 39, '1989-04-18', '1989-05-17', '1989-10-09', 0, 5008, 4008, 11008);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2009, 40, '2016-11-01', '2016-11-22', '2017-02-23', 1, 5009, 4009, 11009);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2010, 41, '2003-10-04', '2003-11-02', '2004-02-16', 0, 5000, 4000, 11000);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2011, 42, '1998-11-18', '1998-12-04', '1999-02-01', 1, 5001, 4001, 11001);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2012, 43, '2017-03-01', '2017-03-24', '2017-06-13', 0, 5002, 4002, 11002);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`, `AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`, `HistoryID`, `CareCenterID`) VALUES (2013, 44, '2012-05-21', '2012-05-29', '2012-10-23', 0, 5003, 4003, 11003);

```

```

INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`,
`AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`,
`HistoryID`, `CareCenterID`) VALUES (2014, 45, '1975-12-12', '1976-01-
07', '1976-04-08', 1, 5004, 4004, 11004);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`,
`AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`,
`HistoryID`, `CareCenterID`) VALUES (2015, 46, '2010-04-19', '2010-05-
10', '2011-02-25', 1, 5005, 4005, 11005);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`,
`AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`,
`HistoryID`, `CareCenterID`) VALUES (2016, 47, '2011-04-17', '2011-05-
03', '2011-06-12', 0, 5006, 4006, 11006);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`,
`AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`,
`HistoryID`, `CareCenterID`) VALUES (2017, 48, '2003-07-08', '2003-07-
17', '2003-08-18', 1, 5007, 4007, 11007);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`,
`AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`,
`HistoryID`, `CareCenterID`) VALUES (2018, 49, '2005-04-18', '2005-04-
25', '2005-06-09', 0, 5008, 4008, 11008);
INSERT INTO `Patient` (`PatientID`, `PersonID`, `ContactDate`,
`AdmittanceDate`, `DischargeDate`, `Outpatient`, `PhysicianID`,
`HistoryID`, `CareCenterID`) VALUES (2019, 50, '2014-09-01', '2014-09-
20', '2014-10-02', 1, 5009, 4009, 11009);

```

```

#
# TABLE STRUCTURE FOR: Physician
#

```

TRUNCATE Physician;

```

INSERT INTO `Physician` (`PhysicianID`, `Specialty`, `PagerNumber`,
`PersonID`) VALUES (5000, 'Internal Medicine', 1901, 51);
INSERT INTO `Physician` (`PhysicianID`, `Specialty`, `PagerNumber`,
`PersonID`) VALUES (5001, 'Pediatrics', 10401, 52);
INSERT INTO `Physician` (`PhysicianID`, `Specialty`, `PagerNumber`,
`PersonID`) VALUES (5002, 'Family Medicine', 8, 53);
INSERT INTO `Physician` (`PhysicianID`, `Specialty`, `PagerNumber`,
`PersonID`) VALUES (5003, 'Cardiology', 2, 54);
INSERT INTO `Physician` (`PhysicianID`, `Specialty`, `PagerNumber`,
`PersonID`) VALUES (5004, 'Neurology', 317, 55);
INSERT INTO `Physician` (`PhysicianID`, `Specialty`, `PagerNumber`,
`PersonID`) VALUES (5005, 'Dermatology', 1, 56);
INSERT INTO `Physician` (`PhysicianID`, `Specialty`, `PagerNumber`,
`PersonID`) VALUES (5006, 'Radiology', 8, 57);
INSERT INTO `Physician` (`PhysicianID`, `Specialty`, `PagerNumber`,
`PersonID`) VALUES (5007, 'Urology', 81337, 58);
INSERT INTO `Physician` (`PhysicianID`, `Specialty`, `PagerNumber`,
`PersonID`) VALUES (5008, 'Ocology', 3988725, 59);
INSERT INTO `Physician` (`PhysicianID`, `Specialty`, `PagerNumber`,
`PersonID`) VALUES (5009, 'General Surgery', 7911627, 60);

```

```

#
# TABLE STRUCTURE FOR: PhysicianPatients

```

#

TRUNCATE PhysicianPatients;

```
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2000, 5000);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2001, 5001);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2002, 5002);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2003, 5003);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2004, 5004);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2005, 5005);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2006, 5006);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2007, 5007);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2008, 5008);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2009, 5009);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2010, 5000);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2011, 5001);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2012, 5002);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2013, 5003);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2014, 5004);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2015, 5005);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2016, 5006);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2017, 5007);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2018, 5008);
INSERT INTO `PhysicianPatients` (`PatientID`, `PhysicianID`) VALUES
(2019, 5009);
```

#

TABLE STRUCTURE FOR: StayHistory

#

TRUNCATE StayHistory;

```
INSERT INTO `StayHistory` (`HistoryID`, `DateIn`, `DateOut`, `PatientID`,
`PhysicianID`) VALUES (4000, '1990-10-25', '2002-05-02', 2000, 5000);
```

```

INSERT INTO `StayHistory` (`HistoryID`, `DateIn`, `DateOut`, `PatientID`,
`PhysicianID`) VALUES (4001, '2008-09-16', '2013-05-26', 2001, 5001);
INSERT INTO `StayHistory` (`HistoryID`, `DateIn`, `DateOut`, `PatientID`,
`PhysicianID`) VALUES (4002, '2002-04-19', '2012-11-24', 2002, 5002);
INSERT INTO `StayHistory` (`HistoryID`, `DateIn`, `DateOut`, `PatientID`,
`PhysicianID`) VALUES (4003, '1999-06-14', '1984-02-26', 2003, 5003);
INSERT INTO `StayHistory` (`HistoryID`, `DateIn`, `DateOut`, `PatientID`,
`PhysicianID`) VALUES (4004, '1977-06-28', '1998-05-17', 2004, 5004);
INSERT INTO `StayHistory` (`HistoryID`, `DateIn`, `DateOut`, `PatientID`,
`PhysicianID`) VALUES (4005, '1995-07-22', '1988-11-19', 2005, 5005);
INSERT INTO `StayHistory` (`HistoryID`, `DateIn`, `DateOut`, `PatientID`,
`PhysicianID`) VALUES (4006, '1970-09-17', '2009-10-08', 2006, 5006);
INSERT INTO `StayHistory` (`HistoryID`, `DateIn`, `DateOut`, `PatientID`,
`PhysicianID`) VALUES (4007, '2013-06-04', '1975-03-27', 2007, 5007);
INSERT INTO `StayHistory` (`HistoryID`, `DateIn`, `DateOut`, `PatientID`,
`PhysicianID`) VALUES (4008, '2013-03-22', '2001-01-19', 2008, 5008);
INSERT INTO `StayHistory` (`HistoryID`, `DateIn`, `DateOut`, `PatientID`,
`PhysicianID`) VALUES (4009, '2014-12-23', '2004-04-03', 2009, 5009);

```

```

#
# TABLE STRUCTURE FOR: Technician
#

```

```

TRUNCATE Technician;

```

```

INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9000, 6030, 'Mathematics');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9001, 6031, 'Biology');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9002, 6032, 'Chemistry');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9003, 6033, 'Physics');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9004, 6034, 'Mathematics');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9005, 6035, 'Mathematics');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9006, 6036, 'Physics');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9007, 6037, 'Chemistry');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9008, 6038, 'Biology');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9009, 6039, 'Chemistry');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9010, 6040, 'Mathematics');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9011, 6041, 'Biology');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9012, 6042, 'Chemistry');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9013, 6043, 'Physics');

```

```

INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9014, 6044, 'Mathematics');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9015, 6045, 'Mathematics');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9016, 6046, 'Physics');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9017, 6047, 'Chemistry');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9018, 6048, 'Biology');
INSERT INTO `Technician` (`TechnicianID`, `EmployeeID`, `Skill`) VALUES
(9019, 6049, 'Chemistry');

```

```

#
# TABLE STRUCTURE FOR: Treatment
#

```

```

TRUNCATE Treatment;

```

```

INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15001, '2003-10-25', '23:47:59',
5000, 2000);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15002, '2011-12-10', '04:57:19',
5003, 2001);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15003, '1994-03-16', '23:20:22',
5002, 2002);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15004, '2008-04-30', '03:23:54',
5003, 2003);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15005, '2010-11-06', '05:27:44',
5004, 2004);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15006, '2009-02-14', '02:10:31',
5005, 2005);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15007, '2014-10-05', '19:35:47',
5004, 2006);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15008, '2011-02-20', '11:49:22',
5007, 2007);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15009, '2012-07-27', '21:38:27',
5007, 2008);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15010, '2015-09-23', '20:49:45',
5009, 2009);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15011, '2013-05-14', '11:38:20',
5007, 2010);

```

```

INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15012, '2008-07-25', '16:20:30',
5009, 2011);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15013, '2009-07-07', '09:52:02',
5007, 2012);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15014, '2012-02-24', '19:02:22',
5009, 2013);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15015, '2010-09-15', '21:45:59',
5007, 2014);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15016, '2017-09-22', '10:00:00',
5009, 2015);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15017, '2013-11-11', '12:10:15',
5007, 2016);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15018, '2000-01-01', '23:35:19',
5009, 2017);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15019, '2013-03-17', '05:30:50',
5007, 2018);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15020, '2015-02-22', '08:40:30',
5007, 2019);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15021, '2017-10-04', '09:22:31',
5003, 2015);
INSERT INTO `Treatment` (`TreatmentID`, `TreatmentDate`, `TreatmentTime`,
`PhysicianID`, `PatientID`) VALUES (15022, '2008-07-29', '08:20:09',
5005, 2011);

```

```

#
# TABLE STRUCTURE FOR: TreatmentItem
#

```

```

TRUNCATE TreatmentItem;

```

```

INSERT INTO `TreatmentItem` (`TreatmentID`, `ItemID`, `quantity`) VALUES
(15000, 13000, 20 );
INSERT INTO `TreatmentItem` (`TreatmentID`, `ItemID`, `quantity`) VALUES
(15001, 13001, 13);
INSERT INTO `TreatmentItem` (`TreatmentID`, `ItemID`, `quantity`) VALUES
(15002, 13002, 92);
INSERT INTO `TreatmentItem` (`TreatmentID`, `ItemID`, `quantity`) VALUES
(15003, 13003, 3);
INSERT INTO `TreatmentItem` (`TreatmentID`, `ItemID`, `quantity`) VALUES
(15004, 13004, 47);

```

```

INSERT INTO `TreatmentItem` (`TreatmentID`, `ItemID`, `quantity`) VALUES
(15005, 13005, 29);
INSERT INTO `TreatmentItem` (`TreatmentID`, `ItemID`, `quantity`) VALUES
(15006, 13006, 24);
INSERT INTO `TreatmentItem` (`TreatmentID`, `ItemID`, `quantity`) VALUES
(15007, 13007, 52);
INSERT INTO `TreatmentItem` (`TreatmentID`, `ItemID`, `quantity`) VALUES
(15008, 13008, 17);
INSERT INTO `TreatmentItem` (`TreatmentID`, `ItemID`, `quantity`) VALUES
(15009, 13009, 61);

```

```

#
# TABLE STRUCTURE FOR: TreatmentMedication
#

```

```

TRUNCATE TreatmentMedication;

```

```

INSERT INTO `TreatmentMedication` (`TreatmentID`, `MedID`, `quantity`)
VALUES (15000, 14000, 23);
INSERT INTO `TreatmentMedication` (`TreatmentID`, `MedID`, `quantity`)
VALUES (15001, 14001, 11);
INSERT INTO `TreatmentMedication` (`TreatmentID`, `MedID`, `quantity`)
VALUES (15002, 14002, 46);
INSERT INTO `TreatmentMedication` (`TreatmentID`, `MedID`, `quantity`)
VALUES (15003, 14003, 73);
INSERT INTO `TreatmentMedication` (`TreatmentID`, `MedID`, `quantity`)
VALUES (15004, 14004, 21);
INSERT INTO `TreatmentMedication` (`TreatmentID`, `MedID`, `quantity`)
VALUES (15005, 14005, 87);
INSERT INTO `TreatmentMedication` (`TreatmentID`, `MedID`, `quantity`)
VALUES (15006, 14006, 53);
INSERT INTO `TreatmentMedication` (`TreatmentID`, `MedID`, `quantity`)
VALUES (15007, 14007, 27);
INSERT INTO `TreatmentMedication` (`TreatmentID`, `MedID`, `quantity`)
VALUES (15008, 14008, 7);
INSERT INTO `TreatmentMedication` (`TreatmentID`, `MedID`, `quantity`)
VALUES (15009, 14009, 34);

```

```

#
# TABLE STRUCTURE FOR: Visit
#

```

```

TRUNCATE Visit;

```

```

INSERT INTO `Visit` (`VisitID`, `Date`, `Comments`, `PatientID`,
`PhysicianID`) VALUES (3000, '1983-08-21', 'ea', 2000, 5000);
INSERT INTO `Visit` (`VisitID`, `Date`, `Comments`, `PatientID`,
`PhysicianID`) VALUES (3001, '1998-11-25', 'delectus', 2001, 5001);
INSERT INTO `Visit` (`VisitID`, `Date`, `Comments`, `PatientID`,
`PhysicianID`) VALUES (3002, '2012-02-19', 'alias', 2002, 5002);
INSERT INTO `Visit` (`VisitID`, `Date`, `Comments`, `PatientID`,
`PhysicianID`) VALUES (3003, '2000-04-03', 'et', 2003, 5003);

```



```

INSERT INTO `Visit` (`VisitID`, `Date`, `Comments`, `PatientID`,
`PhysicianID`) VALUES (3004, '1999-11-08', 'consequatur', 2004, 5004);
INSERT INTO `Visit` (`VisitID`, `Date`, `Comments`, `PatientID`,
`PhysicianID`) VALUES (3005, '1986-03-29', 'vitae', 2005, 5005);
INSERT INTO `Visit` (`VisitID`, `Date`, `Comments`, `PatientID`,
`PhysicianID`) VALUES (3006, '2002-07-09', 'aperiam', 2006, 5006);
INSERT INTO `Visit` (`VisitID`, `Date`, `Comments`, `PatientID`,
`PhysicianID`) VALUES (3007, '1972-04-09', 'exercitationem', 2007, 5007);
INSERT INTO `Visit` (`VisitID`, `Date`, `Comments`, `PatientID`,
`PhysicianID`) VALUES (3008, '2007-12-16', 'et', 2008, 5008);
INSERT INTO `Visit` (`VisitID`, `Date`, `Comments`, `PatientID`,
`PhysicianID`) VALUES (3009, '1972-07-09', 'veniam', 2009, 5009);

```

```

#
# TABLE STRUCTURE FOR: Volunteer
#

```

```

TRUNCATE Volunteer;

```

```

INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1010, 1, 'Patient Advisor');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1011, 2, 'Lab Assistant');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1012, 3, 'Caretaker');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1013, 4, 'Janitor');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1014, 5, 'Lab Assistant');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1000, 81, 'Patient Advisor');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1001, 82, 'Lab Assistant');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1002, 83, 'Caretaker');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1003, 84, 'Janitor');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1004, 85, 'Lab Assistant');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1005, 86, 'Laundry Person');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1006, 87, 'Patient Advisor');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1007, 88, 'Caretaker');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1008, 89, 'Lab Assistant');
INSERT INTO `Volunteer` (`VolunteerID`, `PersonID`, `Skill`) VALUES
(1009, 90, 'Janitor');

```

```

#
# TABLE STRUCTURE FOR: treatmenthistory
#

```

```
TRUNCATE treatmenthistory;
```

```
INSERT INTO `treatmenthistory` (`TreatmentID`, `HistoryID`) VALUES  
(15001, 4000);  
INSERT INTO `treatmenthistory` (`TreatmentID`, `HistoryID`) VALUES  
(15002, 4001);  
INSERT INTO `treatmenthistory` (`TreatmentID`, `HistoryID`) VALUES  
(15003, 4002);  
INSERT INTO `treatmenthistory` (`TreatmentID`, `HistoryID`) VALUES  
(15004, 4003);  
INSERT INTO `treatmenthistory` (`TreatmentID`, `HistoryID`) VALUES  
(15005, 4004);  
INSERT INTO `treatmenthistory` (`TreatmentID`, `HistoryID`) VALUES  
(15006, 4005);  
INSERT INTO `treatmenthistory` (`TreatmentID`, `HistoryID`) VALUES  
(15007, 4006);  
INSERT INTO `treatmenthistory` (`TreatmentID`, `HistoryID`) VALUES  
(15008, 4007);  
INSERT INTO `treatmenthistory` (`TreatmentID`, `HistoryID`) VALUES  
(15009, 4008);  
INSERT INTO `treatmenthistory` (`TreatmentID`, `HistoryID`) VALUES  
(15010, 4009);
```