

SAFE-CSM External Dynamics — Compact Visualization Report

This compact report integrates all visual outputs from the SAFE-CSM external observation model experiment (500,000-step loop). Each figure includes a short caption explaining its analytical role. The purpose is to provide a high-density, publication-ready summary for OSF and GitHub.




Figure — Phase deviation across 500,000 steps. All values remain within the SAFE-CSM safety band (± 0.8), demonstrating long-run stability.




Figure — Value series (1). External theta fluctuations in early steps.




Figure — Value series (2). Phase variation under external noise influence.




Figure — Value series (3). Drift accumulation before nonlinear compression.




Figure — Value series (4). Combined dynamics across initial cycles.




Figure — Theta vs Step — increasing external fluctuation amplitude.




Figure — Theta vs Phase — characteristic SAFE■CSM loose coupling.




Figure — Phase vs Drift — nonlinear breathing■style structure.




Figure — Index vs Step — confirming consistent sampling layout.




Figure — Step distribution (uniform).




Figure — Theta distribution across sampled states.




Figure — Phase distribution inside safety band.




Figure — Index distribution (uniform sampling).




Figure — Time series: drift evolution with intermittent spikes absorbed safely.




Figure — Time series: step counter for reference.




Figure — Time series: theta breathing pattern.




Figure — Time series: phase breathing and recentering behaviour.