

Banding data

► Show the code

► Show the code

Color palette for plots

```
parks_pal <- c("Blue Green" = "#4d9cbc",  
               "Cerulean" = "#326e85",  
               "Honey Bronze" = "#e5b03f",  
               "Goldenrod" = "#d79d1d",  
               "Rosy Copper" = "#dd5e4c",  
               "Burnt Tangerine" = "#ce3b27",  
               "Ocean Mist" = "#6bbaa9",  
               "Seagrass" = "#489987",  
               "Lime Moss" = "#adb449",  
               "Palm Leaf" = "#8b913b")  
  
monochromeR::view_palette(parks_pal)
```



Hawkwatch species counts and diversity

Tree Map to show species diversity from 2020 to 2025

► Show the code

► Show the code


Which birds are seen the most during Hawk Watch?

From 2020 to 2025 a total of 209,550 birds were identified by volunteers spanning 98 different species. The most common bird sighted was the Band-tailed Pigeon, followed by Turkey Vultures and Red Tailed Hawk



Lollipop chart to show counts from 2020 to 2025

- Show the code
- Show the code



Hawkwatch Arrivial of Species

Density plots to compare arrivial of Sharp-shinned hawks

This example looks at the density of sightings of Sharp-shinned hawks over time during Hawk Watch. I chose to compare it to the density of a common species Red-tailed hawk. Is there another species that would be comparable?

Year range of Sharp-shinned hawk obs = 1992 - 2025 Filter to 1995 - 2025 in order to break into groups of 5 years

► Show the code

► Show the code


Picking joint bandwidth of 8.01

Warning: Removed 1 row containing non-finite outside the scale range (``stat_density_ridges()``).

Density of Sightings During Hawk Watch Season

Something about red-tailed seen consistently but sharp-shinned


seen more consistently in September but in more recent years the peak is in October



Banding Data Plots

Stacked bar chart to show sex and counts

► Show the code




Waffle chart

► Show the code

► Show the code


Distribution of Select Banded Raptors From 1983-2025



Donut charts

► Show the code

► Show the code



Could also make a smaller callout donut chart that shows the proportions of the "Other Birds" category

Alternative types of plots [WORK IN PROGRESS]

Heatmap to show distribution of counts

This is code found [in this blog post](#) which outlines how to make a `geom_rtile` function.


► Show the code

► Show the code

Plot

For 2019 only

► Show the code



Facet wrap plot from to 2019 to 2024

► Show the code

► Show the code



► Show the code