

## MultipleObjectsReturned at /subject/subject\_dashboard/1222-040440005-3/

get() returned more than one ActionItem -- it returned 2!

Request Method: GET

Request URL: http://127.0.0.1:9000/subject/subject\_dashboard/1222-040440005-3/

Django Version: 3.1.4

Exception Type: MultipleObjectsReturned

Exception Value: get() returned more than one ActionItem -- it returned 2!

Exception Location: /home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/db/models/query.py, line 433, in get

Python Executable: /home/esr21/.venvs/esr21/bin/python3

Python Version: 3.8.10

Python Path: ['/home/esr21/source/esr21',  
 '/home/esr21/.venvs/esr21/lib/python3.8/site-packages/git/ext/gitdb',  
 '/home/esr21/.venvs/esr21/bin',  
 '/usr/lib/python38.zip',  
 '/usr/lib/python3.8',  
 '/usr/lib/python3.8/lib-dynload',  
 '/home/esr21/.venvs/esr21/lib/python3.8/site-packages',  
 '/home/esr21/.venvs/esr21/lib/python3.8/site-packages/gitdb/ext/smmmap']

Server time: Sat, 11 Sep 2021 17:44:21 +0200

### Traceback [Switch to copy-and-paste view](#)

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_locator/view\_mixins.py, line 45, in get\_subject\_locator\_or\_message

```
45.         obj = self.subject_locator_model_cls.objects.get(
```

► Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/db/models/manager.py, line 85, in manager\_method

```
85.         return getattr(self.get_queryset(), name)(*args, **kwargs)
```

► Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/db/models/query.py, line 429, in get

```
429.         raise self.model.DoesNotExist(
```

► Local vars

**During handling of the above exception (PersonalContactInfo matching query does not exist.), another exception occurred:**

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_locator/view\_mixins.py, line 51, in get\_subject\_locator\_or\_message

```
51.         action_item_model_cls.objects.get(
```

► Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/db/models/manager.py, line 85, in manager\_method

```
85.         return getattr(self.get_queryset(), name)(*args, **kwargs)
```

► Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/db/models/query.py, line 429, in get

```
429.         raise self.model.DoesNotExist(
```

► Local vars

**During handling of the above exception (ActionItem matching query does not exist.), another exception occurred:**

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/core/handlers/exception.py, line 47, in inner

```
47.         response = get_response(request)
```

► Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/core/handlers/base.py, line 179, in \_get\_response

```
179.         response = wrapped_callback(request, *callback_args, **callback_kwargs)
```

► Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/views/generic/base.py, line 70, in view

```
70.         return self.dispatch(request, *args, **kwargs)
```

► Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/contrib/auth/mixins.py, line 52, in dispatch

```
52.         return super().dispatch(request, *args, **kwargs)
```

► Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/views/generic/base.py, line 98, in dispatch

```
98.         return handler(request, *args, **kwargs)
```

► Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/views/generic/base.py, line 159, in get

```
159.         context = self.get_context_data(**kwargs)
```

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/esr21\_dashboard/views/subject/dashboard/dashboard\_view.py, line 49, in get\_context\_data

49. context = super().get\_context\_data(\*\*kwargs) ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_base/view\_mixins/edc\_base\_view\_mixin.py, line 14, in get\_context\_data

14. super().get\_context\_data(\*\*kwargs) ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django\_revision/views.py, line 10, in get\_context\_data

10. context = super().get\_context\_data(\*\*kwargs) ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_metadata/view\_mixins/metadata\_view\_mixin.py, line 28, in get\_context\_data

28. context = super().get\_context\_data(\*\*kwargs) ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_consent/view\_mixins.py, line 21, in get\_context\_data

21. context = super().get\_context\_data(\*\*kwargs) ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_locator/view\_mixins.py, line 38, in get\_context\_data

38. self.get\_subject\_locator\_or\_message() ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_locator/view\_mixins.py, line 55, in get\_subject\_locator\_or\_message

55. action\_cls( ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_action\_item/action/action.py, line 69, in \_\_init\_\_

69. getter = self.action\_item\_getter( ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_action\_item/action/action\_item\_getter.py, line 95, in \_\_init\_\_

95. if not self.action\_item: ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_action\_item/action/action\_item\_getter.py, line 127, in action\_item

127. self.\_action\_item = self.\_get\_by\_subject\_identifier\_with\_options() ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/edc\_action\_item/action/action\_item\_getter.py, line 181, in \_get\_by\_subject\_identifier\_with\_options

181. action\_item = self.action\_item\_model\_cls().objects.get(\*\*opts) ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/db/models/manager.py, line 85, in manager\_method

85. return getattr(self.get\_queryset(), name)(\*args, \*\*kwargs) ...

▶ Local vars

/home/esr21/.venvs/esr21/lib/python3.8/site-packages/django/db/models/query.py, line 433, in get

433. raise self.model.MultipleObjectsReturned( ...

▶ Local vars

Request information

USER

moses

GET

No GET data

POST

No POST data

FILES

No FILES data

COOKIES

Variable	Value
csrftoken	'LzDcBzQjaH0lZiyrhG98SDkYwaKqz1IrhTpI6VBFwswZxaW6QjDjDeJDwpBhHW'
sessionid	'8dkx0apl8assl26s7o576q6sl3yqz0lu'

META

Variable	Value
CSRF_COOKIE	'LzDcBzQjaH0lZiyrhG98SDkYwaKqz1IrhTpI6VBFwswZxaW6QjDjDeJDwpBhHW'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9'
HTTP_ACCEPT_ENCODING	'gzip, deflate, br'

Variable	Value
HTTP_ACCEPT_LANGUAGE	'en-GB,en-US;q=0.9,en;q=0.8'
HTTP_CACHE_CONTROL	'max-age=0'
HTTP_CONNECTION	'close'
HTTP_COOKIE	('csrftoken=LzDcBzQjaH0LziyrhG98SDkYwaKqz1Irhptpi6VBFwsfWzxaW6QjDjDeJDwpBhHW; 'sessionid=8dkx0apl8assl26s7o576q6sl3yqz0lu')
HTTP_DNT	'1'
HTTP_HOST	'127.0.0.1:9000'
HTTP_REFERER	'https://esr21-dev.bhp.org.bw/admin/edc_action_item/actionitem/add/?next=esr21_dashboard:subject_dashboard_url,subject_identifier&subject_identifier=1222-040440005-3&action_type=cfef20b9-d4b7-4272-a074-273db6adfce7'
HTTP_SEC_CH-UA	"Google Chrome";v="93", " Not;A Brand";v="99", "Chromium";v="93"
HTTP_SEC_CH-UA-MOBILE	'?0'
HTTP_SEC_CH-UA-PLATFORM	"macOS"
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'same-origin'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, 'like Gecko) Chrome/93.0.4577.63 Safari/537.36')
PATH_INFO	'/subject/subject_dashboard/1222-040440005-3/'
QUERY_STRING	''
RAW_URI	'/subject/subject_dashboard/1222-040440005-3/'
REMOTE_ADDR	'127.0.0.1'
REMOTE_PORT	'33598'
REQUEST_METHOD	'GET'
SCRIPT_NAME	''
SERVER_NAME	'127.0.0.1'
SERVER_PORT	'9000'
SERVER_PROTOCOL	'HTTP/1.0'
SERVER_SOFTWARE	'unicorn/20.1.0'
unicorn.socket	<socket.socket fd=5, family=AddressFamily.AF_INET, type=SocketKind.SOCK_STREAM, proto=0, laddr=('127.0.0.1', 33598)>
wsgi.errors	<unicorn.http.wsgi.WSGIErrorsWrapper object at 0x7fd8d7a96d60>
wsgi.file_wrapper	<class 'unicorn.http.wsgi.FileWrapper'>
wsgi.input	<unicorn.http.body.Body object at 0x7fd8d7a96520>
wsgi.input_terminated	True
wsgi.multiprocess	True
wsgi.multithread	False
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	['localhost', 'esr21-dev.bhp.org.bw', '127.0.0.1']
APPEND_SLASH	True
APP_NAME	'esr21'
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	['*****']
AUTH_USER_MODEL	'auth.User'
BASE_DIR	PosixPath('/home/esr21/source/esr21')
BOOTSTRAP3	{'include_jquery': True}
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	['*****']
CACHE_MIDDLEWARE_SECONDS	600
CONFIG_FILE	'esr21.ini'
CONFIG_PATH	'/etc/esr21/esr21.ini'
COUNTRY	'botswana'
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	'/'
CSRF_COOKIE_SAMESITE	'Lax'
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	[]
CSRF_USE_SESSIONS	False
DASHBOARD_BASE_TEMPLATES	{'dashboard_base_template': 'esr21/base.html', 'data_manager_listboard_template': 'edc_data_manager/listboard.html', 'export_listboard_template': 'esr21_export/listboard.html', 'listboard_base_template': 'esr21/base.html', 'screening_listboard_template': 'esr21_dashboard/screening/listboard.html', 'subject_dashboard_template': 'esr21_dashboard/subject/dashboard.html', 'subject_listboard_template': 'esr21_dashboard/subject/listboard.html'}

Setting	Value
DASHBOARD_URL_NAMES	{'data_manager_listboard_url': 'edc_data_manager:data_manager_listboard_url', 'export_listboard_url': 'esr21_export:export_listboard_url', 'screening_listboard_url': 'esr21_dashboard:screening_listboard_url', 'subject_dashboard_url': 'esr21_dashboard:subject_dashboard_url', 'subject_listboard_url': 'esr21_dashboard:subject_listboard_url'}
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.sqlite3', 'HOST': '', 'NAME': PosixPath('/home/esr21/source/esr21/db.sqlite3'), 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIGRATE': True, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': ''}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATETIME_FORMAT	'd/M/Y H:i'
DATETIME_INPUT_FORMATS	['%d/%B/%Y %H:%M']
DATE_FORMAT	'd/M/Y'
DATE_INPUT_FORMATS	['%d %B %Y']
DB_NAME	'esr21'
DB_PASSWORD	'*****'
DB_USER	'root'
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	'.'
DEFAULT_CHARSET	'utf-8'
DEFAULT_EXCEPTION_REPORTER	'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE	'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL	'se-dmc'
DEFAULT_HASHING_ALGORITHM	'sha256'
DEFAULT_INDEX_TABLESPACE	''
DEFAULT_TABLESPACE	''
DEVICE_ID	'44'
DEVICE_ROLE	'Client'
DISALLOWED_USER_AGENTS	[]
EDC_SYNC_FILES_REMOTE_HOST	'communityserver'
EDC_SYNC_FILES_USB_VOLUME	'/Volumes/ESR21'
EDC_SYNC_FILES_USER	'django'
EDC_SYNC_SERVER_IP	''
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST	'mail.bhp.org.bw'
EMAIL_HOST_PASSWORD	'*****'
EMAIL_HOST_USER	'se-dmc'
EMAIL_PORT	'25'
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'*****'
EMAIL_SUBJECT_PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	'True'
ETC_DIR	'/etc/esr21'
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	420
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
HOLIDAY_FILE	'/home/esr21/source/esr21/holidays.csv'
HOST	'localhost'
IGNORABLE_404_URLS	[]
INDEX_PAGE	'esr21.bhp.org.bw:8000'

Setting	Value
INSTALLED_APPS	[           'django.contrib.admin',           'django.contrib.auth',           'django.contrib.contenttypes',           'django.contrib.sessions',           'django.contrib.messages',           'django.contrib.staticfiles',           'django.contrib.sites',           'django_extensions',           'django_countries',           'rest_framework',           'rest_framework.authtoken',           'crispy_forms',           'django_crypto_fields.apps.AppConfig',           'edc_action_item.apps.AppConfig',           'edc_calendar.apps.AppConfig',           'edc_consent.apps.AppConfig',           'edc_dashboard.apps.AppConfig',           'edc_identifier.apps.AppConfig',           'edc_lab.apps.AppConfig',           'edc_model_admin.apps.AppConfig',           'edc_navbar.apps.AppConfig',           'edc_prn.apps.AppConfig',           'edc_registration.apps.AppConfig',           'edc_reference.apps.AppConfig',           'edc_subject_dashboard.apps.AppConfig',           'edc_visit_schedule.apps.AppConfig',           'edc_call_manager.apps.AppConfig',           'edc_metadata_rules.apps.AppConfig',           'esr21_export.apps.AppConfig',           'esr21_dashboard.apps.AppConfig',           'esr21_labs.apps.AppConfig',           'esr21_prn.apps.AppConfig',           'esr21_subject.apps.AppConfig',           'esr21_metadata_rules.apps.AppConfig',           'esr21_reference.apps.AppConfig',           'esr21_visit_schedule.apps.AppConfig',           'esr21.apps.EdcAppointmentAppConfig',           'esr21.apps.EdcBaseAppConfig',           'esr21.apps.EdcDataManagerAppConfig',           'esr21.apps.EdcFacilityAppConfig',           'esr21.apps.EdcLocatorAppConfig',           'esr21.apps.EdcMetadataAppConfig',           'esr21.apps.EdcProtocolAppConfig',           'esr21.apps.EdcVisitTrackingAppConfig',           'esr21.apps.EdcTimepointAppConfig',           'esr21.apps.EdcDeviceAppConfig',           'esr21.apps.EdcSyncAppConfig',           'esr21.apps.EdcSyncFilesAppConfig',           'esr21.apps.EdcSenaiteInterfaceAppConfig',           'esr21.apps.AppConfig'         ]
INTERNAL_IPS	[]
LANGUAGES	((           'tn', 'Setswana'         ), (           'en', 'English'         ))
LANGUAGES_BIDI	[           'he', 'ar', 'ar-dz', 'fa', 'ur'         ]
LANGUAGE_CODE	'en-us'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_HTTPONLY	False
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	''
LANGUAGE_COOKIE_SAMESITE	None
LANGUAGE_COOKIE_SECURE	False
LOCALE_PATHS	[]
LOGGING	{}
LOGGING_CONFIG	'logging.config.dictConfig'
LOGIN_REDIRECT_URL	'home_url'
LOGIN_URL	'/accounts/login/'
LOGOUT_REDIRECT_URL	None
MANAGERS	[]
MEDIA_ROOT	'/home/esr21/source/esr21/media'
MEDIA_URL	'/media/'
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	[           'django.middleware.security.SecurityMiddleware',           'django.contrib.sessions.middleware.SessionMiddleware',           'django.contrib.sites.middleware.CurrentSiteMiddleware',           'django.middleware.common.CommonMiddleware',           'django.middleware.csrf.CsrfViewMiddleware',           'django.contrib.auth.middleware.AuthenticationMiddleware',           'django.contrib.messages.middleware.MessageMiddleware',           'django.middleware.clickjacking.XFrameOptionsMiddleware',           'edc_dashboard.middleware.DashboardMiddleware',           'edc_subject_dashboard.middleware.DashboardMiddleware'         ]
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
PARENT_REFERENCE_MODEL1	''
PARENT_REFERENCE_MODEL2	''
PASSWORD_HASHERS	'*****'
PASSWORD_RESET_TIMEOUT	'*****'
PASSWORD_RESET_TIMEOUT_DAYS	'*****'
PORT	'3306'
PREPEND_WWW	False
REVIEWER_SITE_ID	1
ROOT_URLCONF	'esr21.urls'

Setting	Value
SECRET_KEY	'*****'
SECURE_BROWSER_XSS_FILTER	False
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_REFERRER_POLICY	'same-origin'
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'esr21.settings'
SHORT_DATETIME_FORMAT	'd/M/Y H:i'
SHORT_DATE_FORMAT	'd/M/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
SITE_ID	40
STATICFILES_DIRS	[]
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	'/home/esr21/source/esr21/esr21/static'
STATIC_URL	'/static/'
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M']
TIME_ZONE	'Africa/Gaborone'
USE_I18N	True
USE_L10N	False
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'esr21.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.