Matrix Multiplication of Trig. Functions

Jordan Wheeler

Nebraska Wesleyan University Department of Mathematics

February 6, 2017



My group is the following 2x2 matrix under multiplication:

$$\begin{bmatrix} Cos(x) & Sin(x) \\ -Sin(x) & Cos(x) \end{bmatrix}$$

where $x \in \mathbb{R}$

- That this is in fact a group under matrix multiplication.
- That it is commutative, thus its abelian.
- This it is not cyclic

My group is the following 2x2 matrix under multiplication:

$$\begin{bmatrix} Cos(x) & Sin(x) \\ -Sin(x) & Cos(x) \end{bmatrix}$$

where $x \in \mathbb{R}$

- That this is in fact a group under matrix multiplication.
- That it is commutative, thus its abelian.
- This it is not cyclic

My group is the following 2x2 matrix under multiplication:

$$\begin{bmatrix} Cos(x) & Sin(x) \\ -Sin(x) & Cos(x) \end{bmatrix}$$

where $x \in \mathbb{R}$

- That this is in fact a group under matrix multiplication.
- That it is commutative, thus its abelian.
- This it is not cyclic

My group is the following 2x2 matrix under multiplication:

$$\begin{bmatrix} Cos(x) & Sin(x) \\ -Sin(x) & Cos(x) \end{bmatrix}$$

where $x \in \mathbb{R}$

- That this is in fact a group under matrix multiplication.
- That it is commutative, thus its abelian.
- This it is not cyclic.

- The matrix is closed under multiplication.
- The matrix is associative under multiplication.
- The matrix contains the 2x2 identity matrix.
- The matrix multiplied by its inverse gives the identity element.

- The matrix is closed under multiplication.
- The matrix is associative under multiplication.
- The matrix contains the 2x2 identity matrix.
- The matrix multiplied by its inverse gives the identity element

- The matrix is closed under multiplication.
- The matrix is associative under multiplication.
- The matrix contains the 2x2 identity matrix.
- The matrix multiplied by its inverse gives the identity element

- The matrix is closed under multiplication.
- The matrix is associative under multiplication.
- The matrix contains the 2x2 identity matrix.
- The matrix multiplied by its inverse gives the identity element.

Pythagorean Identity: $sin^2(x) + cos^2(x) = 1$

Even-Odd Identity:
$$sin(-x) = -sin(x)$$

Double Angle Formulas:

$$sin(2x) = 2sin(x)cos(x)$$

 $cos(2x) = cos^2(x) - sin^2(x)$

Product to Sum Formulas: sin(x)sin(y) = 1/2(cos(x - y) - cos(x + y)) cos(x)cos(y) = 1/2(cos(x - y) + cos(x + y)) sin(x)cos(y) = 1/2(sin(x + y) + sin(x - y)) cos(x)sin(y) = 1/2(cos(x + y) - sin(x - y))

Pythagorean Identity:
$$sin^2(x) + cos^2(x) = 1$$

Even-Odd Identity: sin(-x) = -sin(x)

Double Angle Formulas:

$$sin(2x) = 2sin(x)cos(x)$$

 $cos(2x) = cos^2(x) - sin^2(x)$

Product to Sum Formulas:

$$sin(x)sin(y) = 1/2(cos(x - y) - cos(x + y))$$

$$cos(x)cos(y) = 1/2(cos(x - y) + cos(x + y))$$

$$sin(x)cos(y) = 1/2(sin(x + y) + sin(x - y))$$

$$cos(x)sin(y) = 1/2(cos(x + y) - sin(x - y))$$

Pythagorean Identity:
$$sin^2(x) + cos^2(x) = 1$$

Even-Odd Identity: sin(-x) = -sin(x)

Double Angle Formulas:

$$sin(2x) = 2sin(x)cos(x)$$

$$cos(2x) = cos^{2}(x) - sin^{2}(x)$$

Product to Sum Formulas:

$$sin(x)sin(y) = 1/2(cos(x - y) - cos(x + y))$$

$$cos(x)cos(y) = 1/2(cos(x - y) + cos(x + y))$$

$$sin(x)cos(y) = 1/2(sin(x + y) + sin(x - y))$$

$$cos(x)sin(y) = 1/2(cos(x + y) - sin(x - y))$$

Pythagorean Identity:

$$\sin^2(x) + \cos^2(x) = 1$$

Even-Odd Identity:

$$sin(-x) = -sin(x)$$

Double Angle Formulas:

$$sin(2x) = 2sin(x)cos(x)$$

$$cos(2x) = cos^{2}(x) - sin^{2}(x)$$

Product to Sum Formulas:

$$sin(x)sin(y) = 1/2(cos(x - y) - cos(x + y))$$

$$cos(x)cos(y) = 1/2(cos(x - y) + cos(x + y))$$

$$sin(x)cos(y) = 1/2(sin(x + y) + sin(x - y))$$

$$cos(x)sin(y) = 1/2(cos(x + y) - sin(x - y))$$

Closure

Let G be the 2x2 matrix defined by

$$\begin{bmatrix} Cos(x) & Sin(x) \\ -Sin(x) & Cos(x) \end{bmatrix}$$

where $x \in \mathbb{R}$

Now, let both a and $b \in \mathbb{R}$ Then we will have two matrices in G:

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix}$$

Closure

Let G be the 2x2 matrix defined by

$$\begin{bmatrix} Cos(x) & Sin(x) \\ -Sin(x) & Cos(x) \end{bmatrix}$$

where $x \in \mathbb{R}$

Now, let both a and $b \in \mathbb{R}$

Then we will have two matrices in G:

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix}$$

To check if it is closed, we will multiple the two matrices.

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} =$$

$$\begin{bmatrix} Cos(a)Cos(b) - Sin(a)Sin(b) & Cos(a)Sin(b) + Sin(a)Cos(b) \\ -Sin(a)Cos(b) - Cos(a)Sin(b) & -Sin(a)Sin(b) + Cos(a)Cos(b) \end{bmatrix} =$$

NOTE*

If we take
$$Cos(a)Cos(b) - Sin(a)Sin(b) = 1/2(Cos(a - b) + Cos(a + b)) - 1/2(Cos(a - b) - Cos(a + b)) = Cos(a + b)$$

$$\begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Thus it is closed under multiplication

To check if it is closed, we will multiple the two matrices.

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} =$$

$$\begin{bmatrix} Cos(a)Cos(b) - Sin(a)Sin(b) & Cos(a)Sin(b) + Sin(a)Cos(b) \\ -Sin(a)Cos(b) - Cos(a)Sin(b) & -Sin(a)Sin(b) + Cos(a)Cos(b) \end{bmatrix} =$$

NOTE*

If we take
$$Cos(a)Cos(b) - Sin(a)Sin(b) = 1/2(Cos(a - b) + Cos(a + b)) - 1/2(Cos(a - b) - Cos(a + b)) = Cos(a + b)$$

$$\begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Thus it is closed under multiplication

To check if it is closed, we will multiple the two matrices.

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} =$$

$$\begin{bmatrix} Cos(a)Cos(b) - Sin(a)Sin(b) & Cos(a)Sin(b) + Sin(a)Cos(b) \\ -Sin(a)Cos(b) - Cos(a)Sin(b) & -Sin(a)Sin(b) + Cos(a)Cos(b) \end{bmatrix} =$$

NOTE*

If we take
$$Cos(a)Cos(b) - Sin(a)Sin(b) = 1/2(Cos(a - b) + Cos(a + b)) - 1/2(Cos(a - b) - Cos(a + b)) = Cos(a + b)$$

$$[Cos(a + b) Sin(a + b)]$$

Thus it is closed under multiplication.

To check if it is closed, we will multiple the two matrices.

$$\begin{bmatrix} \textit{Cos}(\texttt{a}) & \textit{Sin}(\texttt{a}) \\ -\textit{Sin}(\texttt{a}) & \textit{Cos}(\texttt{a}) \end{bmatrix} * \begin{bmatrix} \textit{Cos}(\texttt{b}) & \textit{Sin}(\texttt{b}) \\ -\textit{Sin}(\texttt{b}) & \textit{Cos}(\texttt{b}) \end{bmatrix} =$$

$$\begin{bmatrix} Cos(a)Cos(b) - Sin(a)Sin(b) & Cos(a)Sin(b) + Sin(a)Cos(b) \\ -Sin(a)Cos(b) - Cos(a)Sin(b) & -Sin(a)Sin(b) + Cos(a)Cos(b) \end{bmatrix} =$$

NOTE*

If we take
$$Cos(a)Cos(b) - Sin(a)Sin(b) =$$

$$1/2(Cos(a-b) + Cos(a+b)) - 1/2(Cos(a-b) - Cos(a+b)) =$$

$$Cos(a+b) \qquad Sin(a+b)$$

$$-Sin(a+b) \qquad Cos(a+b)$$

Thus it is closed under multiplication.

To check if it is closed, we will multiple the two matrices.

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} =$$

$$\begin{bmatrix} Cos(a)Cos(b) - Sin(a)Sin(b) & Cos(a)Sin(b) + Sin(a)Cos(b) \\ -Sin(a)Cos(b) - Cos(a)Sin(b) & -Sin(a)Sin(b) + Cos(a)Cos(b) \end{bmatrix} =$$

NOTE*

If we take
$$Cos(a)Cos(b) - Sin(a)Sin(b) =$$

$$1/2(Cos(a-b) + Cos(a+b)) - 1/2(Cos(a-b) - Cos(a+b)) =$$

$$Cos(a+b) \qquad Sin(a+b)$$

$$-Sin(a+b) \qquad Cos(a+b)$$

Thus it is closed under multiplication.

Associativity

Want to show:

$$\begin{pmatrix} \begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} \end{pmatrix} * \begin{bmatrix} Cos(c) & Sin(c) \\ -Sin(c) & Cos(c) \end{bmatrix}$$

=

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * (\begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} * \begin{bmatrix} Cos(c) & Sin(c) \\ -Sin(c) & Cos(c) \end{bmatrix})$$

We know that this is inherited. However, here is a quick outline.

$$\begin{pmatrix} \begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} \end{pmatrix} * \begin{bmatrix} Cos(c) & Sin(c) \\ -Sin(c) & Cos(c) \end{bmatrix} =$$

$$\begin{bmatrix} Cos(a+b+c) & Sin(a+b+c) \\ -Sin(a+b+c) & Cos(a+b+c) \end{bmatrix}$$

Likewise, we know that,

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * (\begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} * \begin{bmatrix} Cos(c) & Sin(c) \\ -Sin(c) & Cos(c) \end{bmatrix}) = \begin{bmatrix} Cos(b+c+a) & Sin(b+c+a) \\ -Sin(b+c+a) & Cos(b+c+a) \end{bmatrix}$$

We know that this is inherited. However, here is a quick outline.

$$\begin{pmatrix} \begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} \end{pmatrix} * \begin{bmatrix} Cos(c) & Sin(c) \\ -Sin(c) & Cos(c) \end{bmatrix} =$$

$$\begin{bmatrix} Cos(a+b+c) & Sin(a+b+c) \\ -Sin(a+b+c) & Cos(a+b+c) \end{bmatrix}$$

Likewise, we know that,

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * (\begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} * \begin{bmatrix} Cos(c) & Sin(c) \\ -Sin(c) & Cos(c) \end{bmatrix}) = \begin{bmatrix} Cos(b+c+a) & Sin(b+c+a) \\ -Sin(b+c+a) & Cos(b+c+a) \end{bmatrix}$$

We can then say, through the commutativity of the reals under addition,

$$\begin{bmatrix} Cos(b+c+a) & Sin(b+c+a) \\ -Sin(b+c+a) & Cos(b+c+a) \end{bmatrix} = \begin{bmatrix} Cos(a+b+c) & Sin(a+b+c) \\ -Sin(a+b+c) & Cos(a+b+c) \end{bmatrix}$$

Thus, showing that it is associative

We can then say, through the commutativity of the reals under addition,

$$\begin{bmatrix} Cos(b+c+a) & Sin(b+c+a) \\ -Sin(b+c+a) & Cos(b+c+a) \end{bmatrix} = \begin{bmatrix} Cos(a+b+c) & Sin(a+b+c) \\ -Sin(a+b+c) & Cos(a+b+c) \end{bmatrix}$$

Thus, showing that it is associative.

The identity element of a 2x2 matrix is:

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

If we let $x = 0 \in \mathbb{R}$, we get the following matrix:

$$\begin{bmatrix} Cos(0) & Sin(0) \\ -Sin(0) & Cos(0) \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

Thus it contains the identity element

The identity element of a 2x2 matrix is:

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

If we let $x = 0 \in \mathbb{R}$, we get the following matrix:

$$\begin{bmatrix} Cos(0) & Sin(0) \\ -Sin(0) & Cos(0) \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

Thus it contains the identity element

The identity element of a 2x2 matrix is:

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

If we let $x = 0 \in \mathbb{R}$, we get the following matrix:

$$\begin{bmatrix} Cos(0) & Sin(0) \\ -Sin(0) & Cos(0) \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

Thus it contains the identity element.

The identity element of a 2x2 matrix is:

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

If we let $x = 0 \in \mathbb{R}$, we get the following matrix:

$$\begin{bmatrix} Cos(0) & Sin(0) \\ -Sin(0) & Cos(0) \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

Thus it contains the identity element.

We have the matrix:

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix}$$

When you take the determinant, you get

$$Cos^{2}(a) - (-Sin^{2}(a)) =$$

 $Cos^{2}(a) + Sin^{2}(a) = 1$

So the inverse matrix is

$$1 * \begin{bmatrix} Cos(a) & -Sin(a) \\ Sin(a) & Cos(a) \end{bmatrix}$$

We have the matrix:

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix}$$

When you take the determinant, you get

$$Cos^{2}(a) - (-Sin^{2}(a)) =$$

 $Cos^{2}(a) + Sin^{2}(a) = 1$

So the inverse matrix is

$$1 * \begin{bmatrix} Cos(a) & -Sin(a) \\ Sin(a) & Cos(a) \end{bmatrix}$$

We have the matrix:

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix}$$

When you take the determinant, you get

$$Cos^{2}(a) - (-Sin^{2}(a)) =$$

 $Cos^{2}(a) + Sin^{2}(a) = 1$

So the inverse matrix is:

$$1*\begin{bmatrix} Cos(a) & -Sin(a) \\ Sin(a) & Cos(a) \end{bmatrix}$$

We have the matrix:

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix}$$

When you take the determinant, you get

$$Cos^{2}(a) - (-Sin^{2}(a)) =$$

 $Cos^{2}(a) + Sin^{2}(a) = 1$

So the inverse matrix is:

$$1 * \begin{bmatrix} Cos(a) & -Sin(a) \\ Sin(a) & Cos(a) \end{bmatrix}$$

Inverse Cont.

When you take a matrix and multiple it by its inverse you get:

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(a) & -Sin(a) \\ Sin(a) & Cos(a) \end{bmatrix}$$

$$\begin{bmatrix} Cos^2(a) + Sin^2(a) & -Cos(a)Sin(a) + Cos(a)Sin(a) \\ -Cos(a)Sin(a) + Cos(a)Sin(a) & Cos^2(a) + Sin^2(a) \end{bmatrix}$$

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

Thus it has an inverse and when you multiple a matrix by its inverse, you get the identity element.

Inverse Cont.

When you take a matrix and multiple it by its inverse you get:

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(a) & -Sin(a) \\ Sin(a) & Cos(a) \end{bmatrix}$$

$$=$$

$$\begin{bmatrix} Cos^{2}(a) + Sin^{2}(a) & -Cos(a)Sin(a) + Cos(a)Sin(a) \\ -Cos(a)Sin(a) + Cos(a)Sin(a) & Cos^{2}(a) + Sin^{2}(a) \end{bmatrix}$$

$$=$$

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

Thus it has an inverse and when you multiple a matrix by its inverse, you get the identity element.

Inverse Cont.

When you take a matrix and multiple it by its inverse you get:

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(a) & -Sin(a) \\ Sin(a) & Cos(a) \end{bmatrix}$$

$$=$$

$$\begin{bmatrix} Cos^{2}(a) + Sin^{2}(a) & -Cos(a)Sin(a) + Cos(a)Sin(a) \\ -Cos(a)Sin(a) + Cos(a)Sin(a) & Cos^{2}(a) + Sin^{2}(a) \end{bmatrix}$$

$$=$$

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

Thus it has an inverse and when you multiple a matrix by its inverse, you get the identity element.

Commutivity

Want to show:

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix}$$
$$\begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} * \begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix}$$

=

We know that (from the closure section),

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Likewise, we know that

$$\begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} * \begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} = \begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix}$$

Through the commutativity of the Reals

$$\begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Thus it is commutative under multiplication

We know that (from the closure section),

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Likewise, we know that

$$\begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} * \begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} = \begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix}$$

Through the commutativity of the Reals

$$\begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Thus it is commutative under multiplication

We know that (from the closure section),

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Likewise, we know that,

$$\begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} * \begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} = \begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix}$$

$$\begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

We know that (from the closure section),

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Likewise, we know that,

$$\begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} * \begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} = \begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix}$$

Through the commutativity of the Reals

$$\begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Thus it is commutative under multiplication

We know that (from the closure section),

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Likewise, we know that,

$$\begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} * \begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} = \begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix}$$

Through the commutativity of the Reals,

$$\begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Thus it is commutative under multiplication

We know that (from the closure section),

$$\begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} * \begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Likewise, we know that,

$$\begin{bmatrix} Cos(b) & Sin(b) \\ -Sin(b) & Cos(b) \end{bmatrix} * \begin{bmatrix} Cos(a) & Sin(a) \\ -Sin(a) & Cos(a) \end{bmatrix} = \begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix}$$

Through the commutativity of the Reals,

$$\begin{bmatrix} Cos(b+a) & Sin(b+a) \\ -Sin(b+a) & Cos(b+a) \end{bmatrix} = \begin{bmatrix} Cos(a+b) & Sin(a+b) \\ -Sin(a+b) & Cos(a+b) \end{bmatrix}$$

Thus it is commutative under multiplication.

Not Cyclic

Since we know from the closure step that:

$$\begin{bmatrix} Cos(x) & Sin(x) \\ -Sin(x) & Cos(x) \end{bmatrix}^n = \begin{bmatrix} Cos(nx) & Sin(nx) \\ -Sin(nx) & Cos(nx) \end{bmatrix}$$

And it is known through the density of the rationals in the reals that for any nx and (n+1)x there exists a $y \in \mathbb{Q}$ such that nx < y < (n+1)x. Therefore, there will be rational holes between any two values.