

# CS5811 Project Proposal: Flight Delay Prediction based on Bayesian Belief Networks

Jordon Dornbos  
Liang Yan  
September 18, 2014

## 1 Project Overview

In this project, We are going to develop an iphone app which could predict a probability that a flight will be delayed or not in a specific future time. Since we do not know how difficult it will be, we first focus on the flight between Chicago and New York, and the prediction time is a day. We will extend the limitation as development continues.

We are motivated to solve this problem because flight delays are a fairly common thing and there seems to be no good source for predicting this. Flight delays are generally only announced about an hour or so before the flight is set to takeoff and they can change unreliably. Our solution can't guarantee 100% accuracy for predicting a delay, but it will attempt to better prepare passengers for any possible delays.

### 1.1 Problem description

I believe almost everyone has a bad experience about being delayed, especially being delayed for something important. According to the U.S. Department of Transportation, over 20 percent of all flights arrive late. It is a major problem for the airplane company and us.

Most of delays are caused by three reasons. First and important, it is weather, actually half of delays is caused by weather. Second, it could be some mechanical problems, which mostly decided by the plane features like the make, the model, the age and so on. Third, it could be caused by the schedule problem, if the last flight is delayed, this flight could be delayed too.

### 1.2 AI techniques

Our main prediction is based on these three reasons above. We plan to use Bayesian Belief Networks to compute the probability of a delay.

### **1.3 State of the Art**

## **2 Tasks**

### **2.1 Platform**

Iphone app, object-c

Database, MySQL

Model training, Matlab or write by our own(python or object-c).

Experiment, check the correctness of the prediction.

### **2.2 Schedule**

Preparation: Two weeks.

GUI design, Jordon.

Data collection, Liang

Main: Both, Four weeks.

Model construction : three weeks

we are still not sure to use MathLab to train model or write our own program to implement it.

Model embedded: one week

Let the model work well in the iphone app.


Integrity test: One week

Including HCI and Function modification.

Verification One Week

Including result analysis and report writing. The experiment is do a prediction based on the history data and check the correctness.

## 2.3 Arrangement



## 3 References