Ref:

RCL-HSE-FM-07.3

Version:

1.2 Rev. Date: June 28, 2021

INCIDENT INVESTIGATION REPORT



Name of Employee	BASHIR AHMED GUL			Badg No.	ge 2328004276						Actual Severity:	3				
Safety Awareness Training Date	19 October,2020			Proof of Training		Who i	Marafiq Induction				Worst Potential Severity:	3				
Name of Line Manager	Ahmed Atif			Badge No.		3848	8483 Profession Designation					r				
Name of Supervisor	Eslam Salah				Badge 39 No.		3962	9628								
Division / Department	Construction Division (CIVIL)				Project Name		Marafiq Canal 01		Project Location		l	Jubail				
Place of the Incident/Injury	Sharo	լ Brid <u>ք</u>	ge				Date of Incident		11/16/2021		Time of Incident			16:30 PM		
Nature of the	Occupational Y Incident/Injury			Yes	X	No		Near	Near Miss			Other, Ple		ease specify : FIRST AID (GOSI)		SI)
Incident/Injury	Road Incide	Traff	ic	Yes		No	Х	Yes		No	Х			- 10-0A		
Brief Description of	Conc near	rete i work	in bucl ing are	ket of ea to g	Skid ive co	loade oncre	r dov te to	wnside Maso	e of n cre	Sharce w for	l Brio r plas	lge a terin	area. 1g of	der with a He stoppe Wall. At t	d loa hat ti	der me
Details of the Injury (Specify affected body	Maso conce Bash and g	on cr rete f ir car get in	ew giv rom bu	ven in icket.l oacksion his a	struct Mr.Itm de of	ions ian O	to oj perat	perato tor tak	r to cen l	mov ittle r	e litt evers	le as	side idden	crete pipes to easily aly at that t partially hi	take ime l	the Mr.
the Incident/Injury Details of the Injury	Maso conce Bash and g	on cr rete f ir car get in	ew giv rom bu me at b jured o	ven in ucket.I oacksio on his a	struct Mr.Itm de of	ions nan O skid l	to oj perat loade	perato tor tak r and	r to cen l rear	mov ittle r	e litt evers of ski	le as	side idden	to easily aly at that t	take ime l	the Mr.
Details of the Injury (Specify affected body parts)	Maso conce Bash and g Left le	on cr rete f ir car get in geg Ank	ew given by the second	ven in ucket.l oacksie on his a t	struct Mr.Itm de of ankle.	ions nan O skid l	to oj perat loade	perato tor tak r and	r to cen l rear Archi	mov ittle r tire o	e littevers of ski	le as	side idden	to easily aly at that t partially hi	take ime l	the Mr.
Details of the Injury (Specify affected body parts) First Aid Given? Name of Hospital where patient was	Maso conce Bash and g Left le	on cr rete f ir car get in geg Ank	ew given by the second	ven in ucket.l oacksio on his a t	struct Mr.Itm de of ankle. Jame of the struct of the stru	ions nan O skid l of Firs	to oj perat loade	perato tor tak r and	er to cen l rear Archi Addr	mov ittle r tire c	e litt evers of ski	le as	side idden ader j	to easily aly at that t partially hi	take ime l	the Mr.
Details of the Injury (Specify affected body parts) First Aid Given? Name of Hospital where patient was treated/transferred Medical leave given by administering Hospital/Clinic or	Maso concr Bash and g Left le Yes	on cr rete f ir car get in eg Ank	ew given by the second	ven in ucket.l oacksio on his a t	struct Mr.Itm de of ankle. Jame of the struct Jumber Days Estima percen	ions nan O skid l of Firs er of ted tage	to opperational op	perato tor taker and	er to ken 1 rear Archi Addr Hosp	mov ittle r tire c	e littevers of ski	on A	side idden ader j	to easily aly at that the partially hi	take ime I t his	the Mr. leg
Details of the Injury (Specify affected body parts) First Aid Given? Name of Hospital where patient was treated/transferred Medical leave given by administering Hospital/Clinic or Doctor	Masc concr Bash and g Left le Yes Al Ma	on crete for carget inget inge	ew given by the second of the	ven in incket. I cacksion his at	struct Mr.Itm de of ankle. Jame of the struct Jumber	ions nan O skid l of Firs er of ted tage	to opperational op	perato tor taker and	er to cen 1 rear Archi Addr Hosp Estin	mov ittle r tire of	e littevers of ski ocation tion Cost of SAR)	of	side idden ader j	to easily ally at that to partially hi	take ime I t his	the Mr. leg
Details of the Injury (Specify affected body parts) First Aid Given? Name of Hospital where patient was treated/transferred Medical leave given by administering Hospital/Clinic or Doctor Property damage	Maso concor Bash and g Left left left left left left left left l	rete fir canget inged inged Andrews	ew given on the state of the st	ven in licket. I	struct Mr.Itm de of s ankle. Jame of Jumbe Days Estima percen of dam	ions nan O skid l of Firs er of ted tage	to opperational op	perato tor taker and	er to ken 1 rear Archi Addr Hosp Estim	mov ittle r tire of	e littevers of ski ocation tion Cost of SAR)	of	side idden ader j	to easily ally at that to partially hi	take ime I t his	the Mr. leg
Details of the Injury (Specify affected body parts) First Aid Given? Name of Hospital where patient was treated/transferred Medical leave given by administering Hospital/Clinic or Doctor	Maso concording to the policy of the policy	on crete fir canget inget inge	ew given on the second of the	ven in licket. I	struct Mr.Itm de of s ankle. Jame of dame of dam N/A	ions nan O skid l of Firs er of ted tage	to opperational op	perato tor taker and	er to ken 1 rear Archi Addr Hosp Estim dama	mov ittle r tire of	e litt evers of ski ocatio ital Cost of SAR)	of	side idden ader j	to easily ally at that to partially hi	take ime I t his	the Mr. leg

Ref:

RCL-HSE-FM-07.3

Version:

1.2

Rev. Date: June 28, 2021

INCIDENT INVESTIGATION REPORT



Was Pre- Task / Toolbox m conducted	eeting	Yes	X	No	Was the person using required Personal Protective Equipment (PPE)					
Specify the Personal Prote	ctive Equipment (P	PE)		Safety Shoes (Gumboots without steel toe), Safety Helmet, Safety Glasses, Safety Gloves						
What was the injured pers the incident?	on/employee doin	g at th	e tim	e of	Shoot Concrete Activity					
What was the machine/equincident?	iipment doing at th	he tim	e of th	ıe	Concrete giving for Plastering on Wall.					
What was the material/s / the incident		at the	time	of	N/A					
Immediate Cause/s of the I		and hi	t on II	P Leg	ankle.					
Root Cause/s of the Incident/injury:	Banksman with He communication ma Process / Procedu concrete operation Equipment: Equip	avy equintain are: Fl a. No ba ament	uipme ed wit agmar arricad was no	ent mo h Oper n was r les we ot okay	pment movement near to him. Foreman not assigned ovement during concreting work. No proper erator during equipment operation. not assigned with heavy equipment movement during ere provided around equipment movement area. ly for the task. r the equipment movement for concreting.					
	Engineering Contr > Know equ	rol: ipmer quipm and si	nt safel ent pi te Sup	ty feat rior to erviso						
Corrective Action to prevent reoccurrence:	 Know your STOP when Ensure to a Keep Prop Ensure clo Ensure to proper bar 	cking r blind n you assign er Cor se sup segreg rricado ning s	whene spots are sig Flagm nmuni ervisigate ec	aroun naled an wit cation on and quipme	ossible. It's the most dangerous movement in working area. nd you during equipment operation. I to or anytime you are in doubt. ith every heavy equipment movement in working area. n with Flagman for safe direction and movement. d Monitoring of equipment movement in working area. nent movement area from other working zone by providing ear understanding and identification of any hazard in the					
	PPE: > Mandatory	y PPE'	S (Gun	ıboots	s with steel toe) should be used at site all time.					

Ref:

RCL-HSE-FM-07.3

Version:

1.2

INCIDENT INVESTIGATION REPORT



Rev. Date: June 28, 2021

Were there any witnesses?	Yes	None	X	Type of witness/s	Employee		N/A	Public	N/A
Witness Details N/A					Badge Number	N/A	Mobile Number	N	/A
Witness Statement: N/A									

Initial Investigation Conducted by:	Noted by:	Date	11/16/2021
MUHAMMAD AMJAD	AHMED ATIF	=	}

Additional Details:

Recommendations:

- > Know equipment safety features and know how they operate and use them properly.
- Inspect equipment prior to use and report any defective part immediately to site Mechanic and site Supervisor.
- Reduce backing whenever possible. It's the most dangerous movement in working area.
- Know your blind spots around you during equipment operation.
- Don't rely on mirrors alone, Turn and look behind you before you backing the equipment.
- Look for people on foot around you.
- Maintain safe operating speed.
- > STOP when you are signaled to or anytime you are in doubt.
- Ensure to assign Flagman with every heavy equipment movement in working area.
- > Keep Proper Communication with Flagman for safe direction and movement.
- Ensure close supervision and Monitoring of equipment movement in working area.
- > Ensure to segregate equipment movement area from other working zone by providing proper barricades.
- Place warning signs for clear understanding and identification of any hazard in the working area.
- All personals working around heavy equipment area must wear high visibility safety vests.

Investigation Report Verified by: MUHAMMAD AMJAD	Noted by: AHMED ATIF	Date	11/16/2021	
--	-----------------------	------	------------	--