

Reporte de Consultas SQL Avanzadas

Nombre: JORGE ANTONIO DOMINGUEZ PORTILLO

Tarea: Gestión de Alojamientos Turísticos

01 | INSERT | Insertar propietario

Descripción: Agrega un nuevo propietario a la base de datos.

SQL

SQL

```
INSERT INTO owners (first_name, last_name, company_name, email,
phone, country)
VALUES ('Carlos', 'Mendoza', 'Inversiones CM',
'cmendoza@example.com', '+503 7000-0000', 'El Salvador');
```

```
1 INSERT INTO owners (first_name, last_name, company_name, email, phone, country)
2 VALUES ('Carlos', 'Mendoza', 'Inversiones CM', 'cmendoza@example.com', '+503 7000-0000', 'El Salvador');
```

[Data Output](#) [Messages](#) [Notifications](#)

Showing rows: 1 to 21 of 1 Page No: 1

	owner_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	company_name character varying (150)	email character varying (150)	phone character varying (30)	tax_id character varying (30)
7	7	Christopher	Baron	[null]	cookdavid@example.com	786.801.1280x59826	wX-1
8	8	Michele	Feliciano	Schneider	alvaroespinoza@example.com	+34886 145 868	MB
9	9	Anunciación	Real	[null]	jmarques@example.org	(629)946-8044x369	Qf-1
10	10	Ignacio	Stafford	Robinson-Brock	jbinner@example.org	927.488.9579x868	Ce-1
11	11	Arnaude	Clark	Pires	wielochchristine@example.com	+33 (0)4 89 46 68 89	QR-1
12	12	Phillippe	Ruiz	[null]	killerhelmut@example.net	001-900-633-0923x271...	bt-2
13	13	Friedericke	Alberola	Gautier	luce72@example.com	849.877.6945x31473	Fn-1
14	14	Ismael	Jacquot	[null]	victoria95@example.com	05685 57444	VE-1
15	15	Audrey	Voisin	Gonzalez	shelley71@example.org	02 21 90 22 94	XH-1
16	16	Stéphane	Hall	Calisto Guillen Lamas S...	silviodrewes@example.net	242-102-4994x71746	Vu-1
17	17	Miguel Ángel	Hodge	Valbuena y Maldonado ...	de-sousaemmanuel@example.c...	+34 921168087	nr-1
18	18	Zacharie	Hethur	[null]	jessica99@example.net	+33 6 08 75 58 86	uV-1
19	19	Cynthia	Benavidez	Maillot	fseip@example.com	0578091343	uY-1
20	20	Rachel	Hervé	Briemer GmbH & Co. KG	feliciana64@example.com	+34872 67 13 69	RX-1
21	21	Carlos	Mendoza	Inversiones CM	cmendoza@example.com	+503 7000-0000	[null]

02 | INSERT | Insertar alojamiento

Descripción: Crea un alojamiento vinculado al propietario recién creado.

SQL

SQL

```
INSERT INTO accommodations (owner_id, accommodation_type_id,
location_id, name, description, max_guests, bedroom_count,
bathroom_count, base_price_per_night, currency_code)
VALUES (
    (SELECT MAX(owner_id) FROM owners),
    1, 1, 'Hotel San Salvador Centro', 'Hotel céntrico con
excelentes vistas.',
    4, 2, 1, 85.50, 'USD'
);
```

1

2

3

4

5

6

7

```
INSERT INTO accommodations (owner_id, accommodation_type_id, location_id, name, description, max_guests, bedroo
VALUES (
    (SELECT MAX(owner_id) FROM owners),
    1, 1, 'Hotel San Salvador Centro', 'Hotel céntrico con excelentes vistas.',
    4, 2, 1, 85.50, 'USD'
);
```

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 21

Page No: 1 of 1

	accommodation_id [PK] bigint	owner_id bigint	accommodation_type_id integer	location_id bigint	name character varying (150)	description text
11		11	15	4	Boutique Stay Ville	Dick kennen heißen Katze Berg dein Haus gerade.
12		12	13	1	Rustic Retreat Ville	Material hit no energy.
13		13	18	8	Panoramic Suite Ville	Acciones términos nuestro están cada. Pp imagen c
14		14	17	3	Luxury Escape de la Montaña	Midi falloir revenir mesure or bas.
15		15	19	1	Luxury Nest Ville	Règle saint autrefois vie patron hôtel. Étendre soudi
16		16	13	3	Boutique Lodge los bajos	Flasche Onkel Milch darauf. Nur Boden Papa nehme
17		17	9	3	Luxury Getaway los altos	Unten Musik trinken Angst aus Pferd. Freude erzähl
18		18	17	1	Charming Stay los bajos	Momento acción cuales tuvo niño mujeres. Naciona
19		19	11	4	Boutique Suite los bajos	Wagen Lehrerin bleiben hinein klein Feuer Name. Ba
20		20	9	3	Rustic Retreat furt	Crime network available mean share evidence writel
21		22	21	1	Hotel San Salvador Centro	Hotel céntrico con excelentes vistas.

Total rows: 21

Query complete 00:00:00.121

LF

Ln 1, Col 1

03 | INSERT | Huésped y reserva

Descripción: Registra un huésped y su reserva para el alojamiento 1.

SQL

SQL

```
INSERT INTO guests (first_name, last_name, email, nationality)
VALUES ('Lucia', 'Ramirez', 'lramirez@example.com', 'Costa Rica');

INSERT INTO bookings (guest_id, accommodation_id, booking_status_id,
check_in_date, check_out_date, adult_count, subtotal_amount,
tax_amount, total_amount, booking_reference)
VALUES (
    (SELECT MAX(guest_id) FROM guests),
    1, 1, '2026-10-01', '2026-10-05', 2, 200.00, 26.00, 226.00,
    'BK-NUEVA2026'
);
```

Query

Query History

1

2

3

4

5

6

7

8

9

10

11

INSERT INTO guests (first_name, last_name, email, nationality)

VALUES ('Lucia', 'Ramirez', 'lramirez@example.com', 'Costa Rica');

INSERT INTO bookings (guest_id, accommodation_id, booking_status_id, check_in_date, check_out_date, adult_count, child_count, total)

VALUES (

(SELECT MAX(guest_id) FROM guests),

1, 1, '2026-10-01', '2026-10-05', 2, 200.00, 26.00, 226.00, 'BK-NUEVA2026'

);

select * from bookings;

Data Output

Messages

Notifications

04 | INSERT | Insertar pago

Descripción: Registra el pago para la reserva recién creada.

SQL

SQL

```
INSERT INTO payments (booking_id, amount, payment_method,
payment_status, transaction_reference)
VALUES (
    (SELECT MAX(booking_id) FROM bookings),
    226.00, 'CreditCard', 'Completed', 'TXN-99887766'
);
```

Query

Query History

1

INSERT INTO payments (booking_id, amount, payment_method, payment_status, transaction_reference)

2

VALUES (

3

(SELECT MAX(booking_id) FROM bookings),

4

226.00, 'CreditCard', 'Completed', 'TXN-99887766'

5

);

6

select * from bookings;

7

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 101

Page No: 1

of 1

	adult_count integer	child_count integer	totalNights integer	subtotalAmount numeric (10,2)	tax_amount numeric (10,2)	discount_amount numeric (10,2)	totalAmount numeric (10,2)	specialRequests text
90	2	1	5	686.44	82.37	130.24	638.57	[null]
91	1	1	10	1921.17	230.54	261.68	1890.03	Libre universidad camino que
92	1	2	8	2861.40	343.37	0.00	3204.77	Nombreux demi dernier cinqu
93	2	0	11	277.36	33.28	0.00	310.64	[null]
94	1	1	3	577.93	69.35	4.09	643.19	[null]
95	4	1	1	2864.53	343.74	0.00	3208.27	Salud conseguir sol aquella a
96	2	3	13	2398.12	287.77	0.00	2685.89	[null]
97	1	3	3	2149.37	257.92	0.00	2407.29	Dabei nennen gestern braun f
98	4	2	4	910.44	109.25	168.62	851.07	[null]
99	3	3	6	2895.67	347.48	0.00	3243.15	[null]
100	3	0	5	817.49	98.10	5.08	910.51	[null]
101	2	0	4	200.00	26.00	0.00	226.00	[null]

Total rows: 101

Query complete 00:00:00.151

LF

Ln 1, Col 1

05 | SELECT | Alojamientos activos

Descripción: Filtra todos los alojamientos que están actualmente activos.

SQL

SQL

```
SELECT accommodation_id, name, base_price_per_night
FROM accommodations
WHERE is_active = true;
```

Query

Query History

1

2

3

4

5

6

SELECT accommodation_id, name, base_price_per_night

FROM accommodations

WHERE is_active = true;

Data Output

Messages

Notifications

<

06 | SELECT | Huéspedes por país

Descripción: Filtra los huéspedes por una nacionalidad específica.

SQL

SQL

```
SELECT guest_id, first_name, last_name, email
FROM guests
WHERE nationality = 'México';
```

Query

Query History

1

2

3

4

5

6

SELECT guest_id, first_name, last_name, email

FROM guests

WHERE nationality = 'México';

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 1

Page No: 1

of 1

guest_id

first_name

last_name

email

[PK] bigint

character varying (100)

character varying (100)

character varying (150)

1

96

Hedi

Chavarría

titocodina@example.net

Total rows: 1

Query complete 00:00:00.131

LF

Ln 1, Col 1

07 | SELECT | Reservas por fechas

Descripción: Muestra reservas usando BETWEEN para un rango de fechas.

SQL

SQL

```
SELECT booking_id, booking_reference, check_in_date, check_out_date
FROM bookings
WHERE check_in_date BETWEEN '2025-06-01' AND '2025-12-31';
```

Query

Query History

1

2

3

4

5

6

SELECT booking_id, booking_reference, check_in_date, check_out_date

FROM bookings

WHERE check_in_date BETWEEN '2025-06-01' AND '2025-12-31';

Data Output

Messages

Notifications

Showing rows: 1 to 51

Page No: 1 of 1

	booking_id [PK] bigint	booking_reference character varying (50)	check_in_date date	check_out_date date
40	77	BK-SPENGWYX	2025-09-17	2025-09-19
41	78	BK-AE38SRYO	2025-11-30	2025-12-10
42	79	BK-Q01TEE13	2025-09-01	2025-09-05
43	80	BK-9QM3P91I	2025-06-05	2025-06-17
44	82	BK-I40FWWNC	2025-06-20	2025-06-24
45	83	BK-0QXMCTHP	2025-09-28	2025-10-08
46	84	BK-BD2QE4PA	2025-12-18	2025-12-31
47	88	BK-DTVV2Y4X	2025-09-22	2025-10-05
48	91	BK-CZ04CDPQ	2025-10-31	2025-11-10
49	92	BK-2ZGE2J51	2025-07-06	2025-07-14
50	94	BK-2ZXII6L3	2025-10-27	2025-10-30
51	98	BK-03LQI7E1	2025-06-19	2025-06-23

Total rows: 51

Query complete 00:00:00.120

LF Ln 1, Col 1

08 | UPDATE | Actualizar precio

Descripción: Modifica el precio base por noche de un alojamiento específico.

SQL

SQL

```
UPDATE accommodations
SET base_price_per_night = base_price_per_night * 1.10
WHERE accommodation_id = 1;
```

Query Query History

```
1 UPDATE accommodations
2 SET base_price_per_night = base_price_per_night * 1.10
3 WHERE accommodation_id = 1;
4
5 select * from accommodations where accommodation_id = 1;
6
```

Data Output Messages Notifications

	accommodation_id [PK] bigint	owner_id bigint	accommodation_type_id integer	location_id bigint	name character varying (150)	description text	max_guests integer	be int
1	1	9	7	19	Rustic Lodge Ville	Asimismo mes principios peso jov...	4	

Total rows: 1 Query complete 00:00:00.130

LF Ln 1, Col 1

09 | UPDATE | Estado reserva

Descripción: Actualiza el estado de una reserva específica a "Confirmed".

SQL

SQL

```
UPDATE bookings
SET booking_status_id = 2
WHERE booking_reference = 'BK-NUEVA2026';
```

Query Query History

```
1 UPDATE bookings
2 SET booking_status_id = 2
3 WHERE booking_reference = 'BK-NUEVA2026';
4
5 select * from bookings where booking_reference = 'BK-NUEVA2026';
6
```

Data Output Messages Notifications

Showing rows: 1 to 1										
Page No: 1 of 1										
	booking_id [PK] bigint	guest_id bigint	accommodation_id bigint	room_id bigint	booking_status_id integer	check_in_date date	check_out_date date	adult_count integer	child_count integer	total_r integers
1	101	101	1	[null]	2	2026-10-01	2026-10-05	2	0	

Total rows: 1 Query complete 00:00:00.117

LF Ln 1, Col 1

10 | DELETE | Eliminar reseña

Descripción: Elimina una reseña específica utilizando su ID de forma segura.

SQL

None

```
DELETE FROM reviews
WHERE review_id = 10;
```

Query Query History

```
1 DELETE FROM reviews
2 WHERE review_id = 10;
3
```

Data Output Messages Notifications

DELETE 1

Query returned successfully in 96 msec.

Total rows: Query complete 00:00:00.096

LF Ln 3, Col 1

11 | JOIN | Reservas + huésped

Descripción: Muestra la información de la reserva junto con los datos del huésped (INNER JOIN).

SQL

SQL

```
SELECT b.booking_reference, b.check_in_date, g.first_name,
g.last_name, g.email
FROM bookings b
INNER JOIN guests g ON b.guest_id = g.guest_id;
```

Query Query History

1 SELECT b.booking_reference, b.check_in_date, g.first_name, g.last_name, g.email

2 FROM bookings b

3 INNER JOIN guests g ON b.guest_id = g.guest_id;

4

Data Output Messages Notifications

Showing rows: 1 to 101

Page No: 1 of 1

	booking_reference character varying (50)	check_in_date date	first_name character varying (100)	last_name character varying (100)	email character varying (150)
1	BK-NVQHW06X	2025-06-11	Ian	Giner	oestrovskyfriedbert@example.c...
2	BK-6LFEWVZN	2025-06-08	Karl-Josef	Louis	bernwardputz@example.com
3	BK-5P50300L	2025-06-11	Irmtraut	Hettner	jordan10@example.com
4	BK-EC8UY057	2025-05-27	Henri	Schmidtke	schneidereric@example.com
5	BK-D4N1U349	2025-07-31	Claude	Miller	mauriciomoliner@example.net
6	BK-A5U0FWB0	2026-04-08	Thomas	Gutiérrez	hurtadocarolina@example.net
7	BK-1BCPPVOH	2026-05-16	Tiburcio	Acuña	mireiagiralt@example.net
8	BK-811KERPE	2025-11-02	Isaac	Cotto	grauseverino@example.com
9	BK-UZPEAL2W	2025-12-05	Orhan	Boutin	brunsophie@example.org
10	BK-MLGSES6M	2026-01-07	Marcela	Figueroa	bertha79@example.net
11	BK-8WQUUY5X	2025-07-01	Claude	Miller	mauriciomoliner@example.net
12	BK-MCQBNKX9	2026-03-03	Benjamin	Hartung	ibarramaria-luisa@example.net
13	BK-802240NV	2026-01-21	Steven	Belmonte	belmonte14@example.com

Total rows: 101 Query complete 00:00:00.083 LF Ln 1, Col 1

12 | JOIN | Alojamiento completo

Descripción: INNER JOIN múltiple uniendo alojamientos, propietarios, tipos y ubicaciones.

SQL

SQL

```
SELECT a.name AS accommodation, t.type_name, o.first_name AS
owner_name, l.city, l.country
FROM accommodations a
INNER JOIN accommodation_types t ON a.accommodation_type_id =
t.accommodation_type_id
INNER JOIN owners o ON a.owner_id = o.owner_id
INNER JOIN locations l ON a.location_id = l.location_id;
```

Query

Query History

1

SELECT a.name AS accommodation, t.type_name, o.first_name AS owner_name, l.city, l.country

2

FROM accommodations a

3

INNER JOIN accommodation_types t ON a.accommodation_type_id = t.accommodation_type_id

4

INNER JOIN owners o ON a.owner_id = o.owner_id

5

INNER JOIN locations l ON a.location_id = l.location_id;

6

7

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 21

Page No: 1 of 1

	accommodation character varying (150)	type_name character varying (50)	owner_name character varying (100)	city character varying (100)	country character varying (100)
1	Rustic Hideaway Ville	Hostel	Ismael	Vallet	Niue
2	Boutique Retreat Ville	Resort	Ignacio	Blanchet	Botsuana
3	Modern Escape Ville	House	Ignacio	Vieja Chipre	Fidschi
4	Panoramic Stay Ville	House	Ignacio	South Angel	República Popular Democrática de Corea
5	Rustic Getaway de la Monta...	Apartment	Zacharie	Augsburg	Frankreich
6	Panoramic Getaway dan	Guesthouse	Miguel Ángel	Almería	Kenya
7	Cozy Lodge Ville	House	Hugo	Leconte	Qatar
8	Boutique Nest boeuf	Guesthouse	Cynthia	North Ryanstad	Timor-Leste
9	Rustic Lodge boeuf	Hostel	Hugo	South Angel	República Popular Democrática de Corea
10	Boutique Stay Ville	House	Audrey	Leconte	Qatar
11	Rustic Retreat Ville	Hotel	Friedericke	Blanchet	Botsuana
12	Panoramic Suite Ville	Guesthouse	Zacharie	Vieja Chipre	Fidschi
13	Luxury Escape de la Montaño	Apartment	Miguel Ángel	South Angel	República Popular Democrática de Corea

Total rows: 21

Query complete 00:00:00.107

LF

Ln 1, Col 1

13 | JOIN | Pagos + reservas

Descripción: JOIN combinado para ver el monto pagado, la reserva y el huésped.

SQL

SQL

```
SELECT p.payment_id, p.amount, p.payment_method,  
b.booking_reference, g.first_name  
FROM payments p  
INNER JOIN bookings b ON p.booking_id = b.booking_id  
INNER JOIN guests g ON b.guest_id = g.guest_id;
```

Query Query History

```
1 SELECT p.payment_id, p.amount, p.payment_method, b.booking_reference, g.first_name  
2 FROM payments p  
3 INNER JOIN bookings b ON p.booking_id = b.booking_id  
4 INNER JOIN guests g ON b.guest_id = g.guest_id;  
5  
6
```

Data Output Messages Notifications

	payment_id bigint	amount numeric (10,2)	payment_method character varying (50)	booking_reference character varying (50)	first_name character varying (100)
1	1	2447.60	CreditCard	BK-NVQHW06X	Ian
2	2	2437.43	CreditCard	BK-6LFEWVZN	Karl-Josef
3	3	199.38	Cash	BK-5P50300L	Irmtraut
4	4	136.97	Crypto	BK-EC8UY057	Henri
5	5	602.10	BankTransfer	BK-D4N1U349	Claude
6	6	775.07	BankTransfer	BK-1BCPPVOH	Tiburcio
7	7	229.89	BankTransfer	BK-811KERPE	Isaac
8	8	2659.72	Cash	BK-UZPEAL2W	Orhan
9	9	2394.80	PayPal	BK-MLGSES6M	Marcela
10	10	1064.90	Cash	BK-8WQUUY5X	Claude
11	11	990.69	DebitCard	BK-MCQBKNX9	Benjamin
12	12	222.84	PayPal	BK-S8Q349DX	
13	13	2822.24	CreditCard	BK-V2XQPVN6	

Showing rows: 1 to 91 Page No: 1 of 1

✓ Successfully run. Total query runtime: 109 msec. 91 rows affected. ✕

Total rows: 91 Query complete 00:00:00.109 LF Ln 1, Col 1

14 | LEFT JOIN | Sin reseñas

Descripción: Muestra todos los alojamientos, incluyendo aquellos que no tienen ninguna reseña.

SQL

SQL

```
SELECT a.accommodation_id, a.name, r.review_id, r.rating
FROM accommodations a
LEFT JOIN reviews r ON a.accommodation_id = r.accommodation_id;
```

Query Query History

```
1 SELECT a.accommodation_id, a.name, r.review_id, r.rating
2 FROM accommodations a
3 LEFT JOIN reviews r ON a.accommodation_id = r.accommodation_id;
4
```

Data Output Messages Notifications

Showing rows: 1 to 60 Page No: 1 of 1

	accommodation_id bigint	name character varying (150)	review_id bigint	rating integer
1	2	Rustic Hideaway Ville	1	1
2	10	Rustic Lodge boeuf	2	3
3	4	Modern Escape Ville	3	1
4	5	Panoramic Stay Ville	4	2
5	15	Luxury Nest Ville	5	5
6	3	Boutique Retreat Ville	6	3
7	4	Modern Escape Ville	7	4
8	9	Boutique Nest boeuf	8	4
9	6	Rustic Getaway de la Monta...	9	1
10	19	Boutique Suite los bajos	11	4
11	15	Luxury Nest Ville	12	2
12	12	Rustic Retreat Ville	13	
13	5	Panoramic Stay Ville	14	

Total rows: 60 Query complete 00:00:00.111

✓ Successfully run. Total query runtime: 111 msec. 60 rows affected. ✕

LF Ln 1, Col 1

15 | LEFT JOIN | Sin reservas

Descripción: Filtra huéspedes registrados en el sistema que NUNCA han hecho una reserva.

SQL

SQL

```
SELECT g.guest_id, g.first_name, g.last_name, g.email
FROM guests g
LEFT JOIN bookings b ON g.guest_id = b.guest_id
WHERE b.booking_id IS NULL;
```

Query Query History

```
1 SELECT g.guest_id, g.first_name, g.last_name, g.email
2 FROM guests g
3 LEFT JOIN bookings b ON g.guest_id = b.guest_id
4 WHERE b.booking_id IS NULL;
```

Data Output Messages Notifications

Showing rows: 1 to 38 Page No: 1 of 1

	guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)
1	82	Louise	Lübs	sibilla57@example.net
2	17	Rosario	Richard	xpons@example.org
3	34	Renata	Pozo	victor43@example.org
4	10	Marcel	Lejeune	blanca28@example.com
5	98	Philippine	Franklin	anais99@example.net
6	64	Thomas	Hartmann	strejo@example.net
7	71	Katalin	Davis	pradoliliana@example.com
8	15	Willibald	Artigas	rachel90@example.org
9	56	Abbas	Conner	romana88@example.org
10	40	Simone	Siering	estherbenavides@example.o...
11	91	Hélène	Bernal	fduran@example.net
12	21	Samuel	Julien	bradley
13	5	Clementine	Döring	walter

Total rows: 38 Query complete 00:00:00.122

LF Ln 1, Col 1

✓ Successfully run. Total query runtime: 122 msec. 38 rows affected. ✕

16 | AGG | Total ingresos

Descripción: Suma el total de dinero recaudado por pagos con estado 'Completed'.

SQL

SQL

```
SELECT SUM(amount) AS total_ingresos_completados
FROM payments
WHERE payment_status = 'Completed';
```

Query Query History

```
1 SELECT SUM(amount) AS total_ingresos_completados
2 FROM payments
3 WHERE payment_status = 'Completed';
```

Data Output Messages Notifications

Showing rows: 1 to 1		Page No: 1 of 1
total_ingresos_completados		
numeric		
1	31819.18	

Total rows: 1 Query complete 00:00:00.105

LF Ln 1, Col 1

17 | AGG | Promedio rating

Descripción: Calcula el promedio de calificación (rating) por cada alojamiento.

SQL

SQL

```
SELECT a.name, ROUND(AVG(r.rating), 2) AS promedio_estrellas
FROM reviews r
INNER JOIN accommodations a ON r.accommodation_id =
a.accommodation_id
GROUP BY a.name;
```

Query Query History

```
1 SELECT a.name, ROUND(AVG(r.rating), 2) AS promedio_estrellas
2 FROM reviews r
3 INNER JOIN accommodations a ON r.accommodation_id = a.accommodation_id
4 GROUP BY a.name;
5
```

Data Output Messages Notifications

Showing rows: 1 to 20 Page No: 1 of 1

	name character varying (150)	promedio_estrellas numeric
1	Panoramic Suite Ville	2.67
2	Rustic Retreat furt	3.25
3	Boutique Suite los bajos	3.33
4	Panoramic Getaway dan	2.00
5	Panoramic Stay Ville	2.75
6	Cozy Lodge Ville	3.00
7	Luxury Getaway los altos	5.00
8	Luxury Nest Ville	2.75
9	Rustic Lodge boeuf	4.00
10	Modern Escape Ville	2.00
11	Boutique Stay Ville	2.00
12	Boutique Retreat Ville	4.00
13	Rustic Hideaway Ville	2.22

✓ Successfully run. Total query runtime: 111 msec. 20 rows affected. ✕

Total rows: 20 Query complete 00:00:00.111 LF Ln 1, Col 1

18 | AGG | Top alojamientos

Descripción: Cuenta el número de reservas por alojamiento y muestra el top 5.

SQL

SQL

```
SELECT a.name, COUNT(b.booking_id) AS cantidad_reservas
FROM bookings b
INNER JOIN accommodations a ON b.accommodation_id =
a.accommodation_id
GROUP BY a.name
ORDER BY cantidad_reservas DESC
LIMIT 5;
```

Query Query History

```
1 SELECT a.name, COUNT(b.booking_id) AS cantidad_reservas
2 FROM bookings b
3 INNER JOIN accommodations a ON b.accommodation_id = a.accommodation_id
4 GROUP BY a.name
5 ORDER BY cantidad_reservas DESC
6 LIMIT 5;
```

Data Output Messages Notifications

	name character varying (150)	cantidad_reservas bigint
1	Charming Stay los bajos	9
2	Panoramic Stay Ville	8
3	Luxury Nest Ville	6
4	Boutique Stay Ville	6
5	Panoramic Suite Ville	5

✓ Successfully run. Total query runtime: 115 msec. 5 rows affected. ✕

Total rows: 5 Query complete 00:00:00.115

LF Ln 1, Col 1

19 | HAVING | Más de 3 reservas

Descripción: Agrupa a los huéspedes y muestra solo a los que tienen más de 3 reservas.

SQL

SQL

```
SELECT g.first_name, g.last_name, COUNT(b.booking_id) AS
total_reservas
FROM bookings b
INNER JOIN guests g ON b.guest_id = g.guest_id
GROUP BY g.first_name, g.last_name
HAVING COUNT(b.booking_id) > 3;
```

Query Query History

```
1 SELECT g.first_name, g.last_name, COUNT(b.booking_id) AS total_reservas
2 FROM bookings b
3 INNER JOIN guests g ON b.guest_id = g.guest_id
4 GROUP BY g.first_name, g.last_name
5 HAVING COUNT(b.booking_id) > 3;
6
```

Data Output Messages Notifications

Showing rows: 1 to 1 of 1			
	first_name character varying (100)	last_name character varying (100)	total_reservas bigint
1	Orhan	Boutin	4

✓ Successfully run. Total query runtime: 117 msec. 1 rows affected. ✕

Total rows: 1 Query complete 00:00:00.117

LF Ln 1, Col 1

20 | Subconsulta | Alojamiento más caro

Descripción: Utiliza una subquery para encontrar el alojamiento con el precio por noche más alto.

SQL

SQL

```
SELECT name, base_price_per_night, currency_code
FROM accommodations
WHERE base_price_per_night = (
    SELECT MAX(base_price_per_night)
    FROM accommodations
);
```

The screenshot shows a SQL IDE interface. At the top, there are tabs for 'Query' and 'Query History'. The 'Query' tab is active, displaying the following SQL query:

```
1 SELECT name, base_price_per_night, currency_code
2 FROM accommodations
3 WHERE base_price_per_night = (
4     SELECT MAX(base_price_per_night)
5     FROM accommodations
6 );
7
```

Below the query editor, there are tabs for 'Data Output', 'Messages', and 'Notifications'. The 'Data Output' tab is active, showing the results of the query in a table format. The table has three columns: 'name', 'base_price_per_night', and 'currency_code'. The first row of data is:

	name character varying (150)	base_price_per_night numeric (10,2)	currency_code character (3)
1	Panoramic Suite Ville	597.44	MXN

At the bottom of the IDE, there is a status bar showing 'Total rows: 1', 'Query complete 00:00:00.121', and 'Ln 1, Col 1'. A green notification box at the bottom right states: '✓ Successfully run. Total query runtime: 121 msec. 1 rows affected. ✕'.