

Intune Policy

Latest Advancements and Future Innovations



Speakers



Mike Danoski

PM @ Microsoft



in/MikeDanoski



Lewis Barry

Principal Security Architect,
Microsoft MVP | inforcer



Can't see our slides? Can't hear? Need to repeat the question? Call us out!

Session Overview

Stay ahead with the latest advancements in Microsoft Intune policy impacting modern device management and security. Explore new policy capabilities, including how Microsoft Copilot for Security simplifies configuration and enhances protection for Windows devices. Hear insights from the product team about current innovations, real-world challenges, and a glimpse into the future of Intune policy.

What you will learn:

Understand the latest enhancements to Intune policy and their impact on device management.


- ◆ Explore how Microsoft Copilot for Security streamlines policy configuration and enforcement.
- ◆ Learn best practices for using policy to improve security posture across Windows devices.
- ◆ Gain insight into upcoming innovations and challenges from the Intune product team.

The History of Policy

- ♦ Why does policy exist?
- ♦ Security and usability
- ♦ Iteration leading to complexity



Policy started life like this



Local Group Policy Editor

File Action View Help

Local Computer Policy

- Computer Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
 - Control Panel
 - Network
 - Printers
 - Server
 - Start Menu and Taskbar
 - System
 - Access-Denied
 - App-V
 - Audit Process Creation
 - Credentials Delegation
 - Device Guard
 - Device Health Attestation
 - Device Installation Restrictions
 - Device Installation Restrictions
 - Disk NV Cache
 - Disk Quotas

Device Installation Restrictions

Apply layered order of evaluation for Allow and Prevent device installation policies across all device match criteria

Edit [policy setting](#)

Requirements:
At least Windows Server 2016, Windows 10 Version 2106

Description:
This policy setting will change the evaluation order in which Allow and Prevent policy settings are applied when more than one install policy setting is applicable for a given device. Enable this policy setting to ensure that

Extended Standard

Setting	State	Comment
Allow administrators to override Device Installation Restriction policies	Not configured	No
Apply layered order of evaluation for Allow and Prevent device installation policies across all device match criteria	Not configured	No
Allow installation of devices using drivers that match these device setup classes	Not configured	No
Prevent installation of devices using drivers that match these device setup classes	Not configured	No
Display a custom message when installation is prevented by a policy setting	Not configured	No
Display a custom message title when device installation is prevented by a policy setting	Not configured	No
Allow installation of devices that match any of these device IDs	Not configured	No
Prevent installation of devices that match any of these device IDs	Not configured	No
Allow installation of devices that match any of these device instance IDs	Not configured	No
Prevent installation of devices that match any of these device instance IDs	Not configured	No
Time (in seconds) to force reboot when required for policy changes to take effect	Not configured	No
Prevent installation of removable devices	Not configured	No
Prevent installation of devices not described by other policy settings	Not configured	No

13 setting(s)

And Baselines were provided like this

	Policy Path	Policy Setting Name	Windows 11
129	Security Options	User Account Control: Admin Approval Mode for the Built-in Administrator account	Enabled
130	Security Options	User Account Control: Allow UIAccess applications to prompt for elevation without using the secure desktop	
131	Security Options	User Account Control: Behavior of the elevation prompt for administrators in Admin / Prompt for consent on the secure desktop	
132	Security Options	User Account Control: Behavior of the elevation prompt for standard users	Automatically deny elevation requests
133	Security Options	User Account Control: Detect application installations and prompt for elevation	Enabled
134	Security Options	User Account Control: Only elevate executables that are signed and validated	
135	Security Options	User Account Control: Only elevate UIAccess applications that are installed in secure	Enabled
136	Security Options	User Account Control: Run all administrators in Admin Approval Mode	Enabled
137	Security Options	User Account Control: Switch to the secure desktop when prompting for elevation	
138	Security Options	User Account Control: Virtualize file and registry write failures to per-user locations	Enabled
139	User Rights Assignments	Access Credential Manager as a trusted caller	No One (Blank)
140	User Rights Assignments	Access this computer from the network	Administrators; Remote Desktop Users
141	User Rights Assignments	Act as part of the operating system	No One (Blank)
142	User Rights Assignments	Add workstations to domain	
143	User Rights Assignments	Adjust memory quotas for a process	
144	User Rights Assignments	Allow log on locally	Administrators; Users
145	User Rights Assignments	Allow log on through Remote Desktop Services	
146	User Rights Assignments	Back up files and directories	Administrators
147	User Rights Assignments	Bypass traverse checking	
148	User Rights Assignments	Change the system time	
149	User Rights Assignments	Change the time zone	
150	User Rights Assignments	Create a pagefile	Administrators
151	User Rights Assignments	Create a token object	No One (Blank)
152	User Rights Assignments	Create global objects	Administrators; LOCAL SERVICE; NETWORK SERVICE;
153	User Rights Assignments	Create permanent shared objects	No One (Blank)
154	User Rights Assignments	Create symbolic links	

Configuration Service Providers

CSPs are the device side mechanism that are targeted by the MDM XML and make changes on the device.



Windows Phone 8.1 CSPs are moving into Windows 10



Windows 10 will light up new MDM scenarios not possible before



Security is no longer optional

- ◆ We aren't only configuring preferences anymore
- ◆ Everyone has laptops; that is the perimeter

Microsoft Secure Score

Overview Recommended actions History Metrics & trends

Actions you can take to improve your Microsoft Secure Score. Score updates may take up to 24 hours.

↓ Export


120 items

Search

Filter Group

Filters: Category: Device X

Rank	Recommended action	Score i...	Points achi...	Status	Regress...	Have license?	Cat...
☐ 1	Block executable files from running unless they meet a prevalence, age, or trusted list criterion	+0.74%	0/9	☐ To address	Yes	Yes	Device
☐ 2	Block use of copied or impersonated system tools	+0.74%	0/9	☐ To address	No	Yes	Device
☐ 3	Block rebooting machine in Safe Mode	+0.74%	0/9	☐ To address	No	Yes	Device
☐ 4	Set User Account Control (UAC) to automatically deny elevation requests	+0.65%	0/8	☐ To address	No	Yes	Device



11% At Risk
11% Non-Compliant

Top Risk Factors

Legacy Auth	High
Unpatched Systems	High
Over-Permissioned Accounts	Medium
MFA Adoption	Low



Keep going. You're improving.



Policy Health



Trust
but
Verify

Logs
don't
lie.

Group Policy
Version 1.0

Don't
override
inheritance

Trust
code
isn't

The vision of policy



Settings catalog

Search, Browse, select any setting



Policy Templates

Scenario based collection of settings




Baseline

Start with Microsoft recommendations



Policy

A customizable unit of settings that can be targeted to users and groups



**Where can I set BitLocker
today?**



Q. Where can I set BitLocker today?

Home > Endpoint security

Endpoint security | Disk encryption ...

Search × << + Create Policy ↻ Refresh ↓ Export

Search by profile name

Policy name	↑↓	Policy type	↑↓	Assigned
Win - OIB - ES - Encryption - D - BitLocker (OS Disk) - v3.0		BitLocker		Yes
Win - OIB - ES - Encryption - U - Personal Data Encryption - v3.4		Personal Data Encry...		No

Overview

All devices

Security baselines

Security tasks

Manage

Antivirus

Disk encryption

Firewall

Q. Where can I set BitLocker today?

Home > Devices | Configuration

Create profile ...

Windows 10 and later - Settings catalog

✓ Basics **2 Configuration settings** ③ Scope tags ④ Assignments ⑤ Review + create

+ Add settings ⓘ

^ BitLocker [Remove category](#)

i 4 of 5 settings in this category are not configured

Require Device Encryption ⓘ ☒ Enabled ⊖

Q. Where can I set BitLocker today?

Home > Devices | Configuration

Create profile ...

Windows 10 and later - Settings catalog

✓ Basics **2 Configuration settings** ③ Scope tags ④ Assignments ⑤ Review + create

+ Add settings ⓘ

^ Administrative Templates

[Remove category](#)

Windows Components > BitLocker Drive Encryption > Operating System Drives

[Remove subcategory](#)

i 24 of 26 settings in this subcategory are not configured

Select the encryption type: (Device) *

Full encryption

Enforce drive encryption type on operating system drives ⓘ

☒ Enabled



Q. Where can I set BitLocker today?

Add Row PREVIEW ✖

More Information <http://go.microsoft.com/fwlink/?LinkID=533457>

* Name ⓘ	Windows 10 - BitLocker - RequireDeviceEncryption ✓
Description ⓘ	<i>Not configured</i>
* OMA-URI ⓘ	./Device/Vendor/MSFT/BitLocker/RequireDeviceEncryp ✓
* Data type ⓘ	Integer ▼
* Value ⓘ	1 ✓

Q. Where can I set BitLocker today?

Home > Devices | Configuration

Endpoint protection

Windows 10 and later

^ Windows Encryption

Windows Settings ⓘ

Encrypt devices ⓘ	Require	Not configured
Encrypt storage card (mobile only) ⓘ	Require	Not configured

BitLocker base settings ⓘ

Warning for other disk encryption ⓘ	Block	Not configured
Allow standard users to enable encryption during Microsoft Entra join ⓘ	Allow	Not configured
Configure encryption methods ⓘ	Enable	Not configured
Encryption for operating system drives ⓘ	XTS-AES 128-bit ▼	
Encryption for fixed data-drives ⓘ	XTS-AES 128-bit ▼	
Encryption for removable data-drives ⓘ	AES-CBC 128-bit ▼	

Types of settings



Built-in CSP (.DDF)



Globally Ingested (.ADMX)



Custom Settings(ADMX)



Built-in MDMv1&2

iOS MacOS

Apps (JSON)



Linux



USP Settings(JSON)
aka.ms/catalogedsettings



Settings Catalog



Templates



Baselines



Device Config and Endpoint Security

◆ Why does Endpoint Security exist?

- ◆ RBAC
- ◆ Co-management
- ◆ Special cases

▼ Manage

-  Antivirus
-  Disk encryption
-  Firewall
-  Endpoint Privilege Management
-  Endpoint detection and response
-  App Control for Business
-  Attack surface reduction
-  Account protection


Who is still using Custom OMA-URI?

- ◆ You should be migrating to Settings Catalog
- ◆ Custom OMA-URI is a legacy, low-level configuration mechanism rooted in Windows Mobile




OMA-URI contd.

- ◆ Settings catalog is Microsoft's modern, curated abstraction over the same CSPs, optimized for scale, performance, validation, and supportability.
- ◆ Reserve OMA-URI for gaps only
- ◆ Microsoft block the creation of new OMA-URI configurations if a Settings Catalog item for it already exists



Policy Conflict – What wins?




- ◆ The first setting could win
- ◆ The second setting could win
- ◆ "The strongest setting wins"
How can Intune determine the stronger setting?
- ◆ "It will self-correct"
- ◆ You resolve conflict by changing assignment



Why is a baseline important?



Endpoint Security Maturity Scale



Industry and Community Frameworks



CIS Recommendation Example: Config Refresh

15.1 (L1) Ensure 'Config refresh' is set to 'Enabled' (Automated)

Profile Applicability:

- Level 1 (L1)

Description:

This policy setting determines whether or not MDM policies are refreshed on the system.

The recommended state for this setting is: **Enabled**.

Rationale:

Policy CSP settings should be set to refresh at regular intervals to ensure constant compliance and to reduce policy drift. This helps to ensure systems stay in compliance.

Impact:

Microsoft's tech community blog confirms that performance testing was done before the feature's release, showing minimal impact on CPU, RAM, and battery even when the refresh cadence is set to 30 minutes.

Audit:

Navigate to the UI Path articulated in the Remediation section and confirm it is set as prescribed. This policy setting is backed by the following registry location with a **REG_DWORD** value of **1**.

```
HKLM\SOFTWARE\Microsoft\Enrollments\{ProviderGUID}\ConfigRefresh:Enabled
```

The **ProviderGUID** can be determined manually or programmatically by inspecting each subkey in **HKLM\SOFTWARE\Microsoft\Enrollments**. The Intune provider will have a ValueName of **ProviderID** with a value of **MS DM Server**. The parent key GUID is the **ProviderGUID** needed for the audit section above.

Remediation:

To establish the recommended configuration via configuration profiles, set the following Settings Catalog path to **Enabled**.

```
Config Refresh\Config refresh
```

Default Value:

Disabled.

Config Refresh: Implementation

Home > Devices | Configuration >

Create profile ...

Windows 10 and later - Settings catalog

✓ Basics **2 Configuration settings** ③ Scope tags ④ Assignments ⑤ Review + create

[+ Add settings](#) ①

^ Config Refresh [Remove category](#)

Config refresh ①	☒ Enabled.	⊖
Refresh cadence * ①	90	⊖

Intune Baselines

Home > Endpoint security

Endpoint security | Security baselines

Search

Use security baselines to apply Microsoft-recommended security configuration settings to your enrolled devices. [Learn more](#)

Refresh Export Columns

Security baselines ↑	Version
Advanced Security Baseline for HoloLens 2	Version 1
Microsoft 365 Apps for Enterprise Security Baseline	Version 2306
Microsoft Defender for Endpoint Security Baseline	Version 24H1
Security Baseline for Microsoft Edge	Version 139
Security Baseline for Windows 10 and later	Version 25H2
Standard Security Baseline for HoloLens 2	Version 1
Windows 365 Security Baseline	Version 24H1

Overview

- Overview
- All devices
- Security baselines**
- Security tasks

Manage

- Antivirus
- Disk encryption
- Firewall
- Endpoint Privilege Management
- Endpoint detection and response
- App Control for Business

OpenIntuneBaseline.com



OpenIntuneBaseline

Home

**Expertly-Crafted
Endpoint Security
for Microsoft
Intune**



Granular settings to deploy & tweak

Policy name  	Policy type
Win - OIB - ES - Encryption - U - Personal Data Encryption - v3.4	Personal Data Encryption
Win - OIB - SC - Device Security - U - Device Guard, Credential Guard and HVCI - v3.5	Settings catalog
Win - OIB - SC - Device Security - U - Power and Device Lock - v3.2	Settings catalog
Win - OIB - SC - Device Security - U - Windows Sandbox - v3.4	Settings catalog
Win - OIB - SC - Device Security - U - Windows Spotlight and Org Messages - v3.0	Settings catalog
Win - OIB - SC - Microsoft Edge - U - Extensions - v3.1	Settings catalog
Win - OIB - SC - Microsoft Edge - U - Password Management - v3.0	Settings catalog
Win - OIB - SC - Microsoft Edge - U - Profiles, Sign-In and Sync - v3.0	Settings catalog
Win - OIB - SC - Microsoft Edge - U - User Experience - v3.4	Settings catalog
Win - OIB - SC - Microsoft Office - U - Config and Experience - v3.6	Settings catalog
Win - OIB - SC - Microsoft Office - U - User Security - v3.6	Settings catalog
Win - OIB - SC - Microsoft OneDrive - U - Configuration - v3.0	Settings catalog
Win - OIB - SC - Microsoft Store - U - Configuration - v3.3	Settings catalog
Win - OIB - SC - Windows User Experience - U - Copilot - v3.6	Settings catalog
Win - OIB - SC - Windows User Experience - U - Start Menu and Taskbar - v3.6	Settings catalog

Intune Policy Journey

Test Configuration

Ensure the Intune setup functions correctly through testing.

4

Ignore Group Policy

Focus on Intune policies by disregarding existing Group Policies.

2

5

Customize (Optional)

Tailor the Intune setup to meet specific customer needs.

3


Implement Baseline

Import the chosen setting/baseline

1

Agree with Customer

Establish a mutual understanding with the customer about moving to Intune.




The Direction of Policy



DEMO

Intunesettings.app


Explore the settings catalog and see change history



What's New to help you stay compliant

Company policies

SOP



Company Standard Policies

Regulations



CIS



STIG



HIPPA



Intune policies




Compliance Audit Document



What's New to help you stay compliant

Company policies

SOP




Company Standard Policies

Instruction and context for Copilot

- Size
 - Regulatory requirements
 - Industry
 - Change history
- >
- What else?

Intune policies



Compliance Audit Document



Policy Configuration Agent

Preview

Translate requirements into policies


- Converts complex or ambiguous compliance standards into actionable Intune policy settings automatically.

Help ensure compliance at scale

- Audits devices against organizational and industry benchmarks, reducing manual checks and gaps.

Reduce manual mapping

- Eliminates time-consuming interpretation of documents like CIS or STIG, accelerating policy deployment.



What's New to vet risky changes

Change control

Approvals



Change management

 Review board

 Multi Admin approval

 Tier 2 - 3 escalation

Governance



 Safe decisions

 Admin approved

 Consistent compliance



Change Review Agent

Preview

Automate risk-based approvals


- Uses AI-driven analysis to evaluate change requests and determine approval based on organizational rules and risk criteria.

Customize reviews to SOPs

- Applies assessment logic aligned with your standard operating procedures, ensuring consistency and compliance.

Improve efficiency and help reduce risk

- Streamlines multi-admin approvals, reducing delays and human error while maintaining security and governance




The future...

What will policy look like?

How will it change to fit what is needed?

How can we ensure safety and security?



The vision of policy



Settings catalog

Search, Browse, select any setting



Policy Templates

Scenario based collection of settings




Baseline

Start with Microsoft recommendations



Policy

A customizable unit of settings that can be targeted to users and groups



Fishing Sessions

Be sure to find Wally and sign up for 1:1 time with a speaker
If you'd like to "catch" us for a session, we are scheduled as follows:

10:00am CDT	 Fishing with Speakers Fish Hole 1 Mike Danoski • Lewis Barry
10:20am CDT	 Fishing with Speakers Fish Hole 1 Mike Danoski • Lewis Barry
10:40am CDT	 Fishing with Speakers Fish Hole 1 Mike Danoski • Lewis Barry

11:00am CDT	 Fishing with Speakers Fish Hole 1 Mike Danoski • Lewis Barry
11:20am CDT	 Fishing with Speakers Fish Hole 1 Mike Danoski • Lewis Barry

Don't forget to leave feedback for your speakers!



SAVE THE DATES

Oct 25-28, 2026



May 2-6, 2027



Oct 10-13, 2027



Extended Q&A



Recast



ninjaOne®



numecent®

