


Shadow AI is the new Shadow IT

Spot it, Stop it, Secure it



Agenda

- ◆ What is Shadow AI
- ◆ The risks you cannot ignore
- ◆ Spotting Shadow AI
- ◆ Stopping Shadow AI
- ◆ Securing your organization
- ◆ Safe adoption of AI tools



Hard truths

- ◆ AI use is happening under the radar.
- ◆ Employees are using ChatGPT, Copilot, and AI extensions/ agents right now.



- ◆ Every prompt could leak sensitive data.
- ◆ Ignoring it doesn't make it go away - it just makes it riskier.

What is shadow AI?

SHADOW AI

A silhouette of a cowboy wearing a hat and holding a lasso, standing in the lower right corner of the slide. The lasso is raised and forms a large loop in the upper right quadrant of the slide. The entire scene is set against a dark blue background with a red horizontal bar across the top.

Any AI tool, model, or agent used without organizational approval, visibility, or controls.

The Risks of Shadow AI

- Data leakage via prompts or uploads
- Sensitive info stored in public models
- Compliance blind spots
- Credential and token exposure
- Reputational risk if AI-generated output leaks externally

This slide is hidden



**You cannot defend what you
cannot see.**



Step 1: SPOT IT

This slide is hidden

Data Security Posture Management (DSPM)

This slide is hidden



DSPM (preview)

- Posture
- Objectives
- AI observability
- Discover
 - Apps and agents
 - Activity explorer
 - Asset explorer
 - Data risk assessments
- Tasks and actions
 - Setup tasks
 - Remediation actions
- Reports



Microsoft 365 Copilot

Monitor AI-related activities, users, and data flows to understand where sensitive or personal data may be at risk. Includes insights into AI tool usage, classified data exposure, and user behavior patterns.

Oversharing AI



Policies with AI workloads

List of one-click policies created via DSPM

Oversharing AI



AI Usage & Risk

Monitor AI-related activities, users, and data flows to understand where sensitive or personal data may be at risk. Includes insights into AI tool usage, classified data exposure, and user behavior patterns.

Oversharing AI



Data risk report for unprotected sensitive data

Understand where sensitive data lacks protection, who's interacting with it, and how AI tools are involved.

Exfiltration



Top risk-related activities on sensitive assets

Review users performing top risk-related activities on unprotected sensitive assets.

Exfiltration



Data security risk insights

View consolidated insights about sensitive data and user risk patterns in your organization

Data discovery



Label distribution and adoption

Understand how sensitivity labels are applied across email, files, and collaboration workloads so you can close adoption gaps before AI experiences surface sensitive data.

Labeling Protection



Auto-labeling policy coverage

Measure how automated labeling policies protect sensitive data, from coverage across workloads to policy state and automation versus manual application.

Labeling Protection



Sensitivity label changes

Understand changes in your organization's label posture caused by users downgrading or removing labels.



Most triggered DLP rules and activities

Summarizes the most frequently triggered DLP rules, related user activity, and actions taken to protect data.



Most triggered DLP policies

Highlights the most frequently triggered DLP policies across data sources and pinpoints where user activity is most sensitive.



Top users triggering DLP policies

Shows which users most often trigger DLP policies and spotlights patterns of repeated activity across data sources.

This slide is hidden

AI observability

Get a centralized view of agent activity across your organization.

Key metrics

Metrics for your organization from the last 30 days.

3,843 total AI apps and agents across your org

Active
1.8K ↘ -1%

Inactive
1.1K ↗ -40%

89 high risk agents

High risk
89 ↘ -1%

Medium risk
49 ↗ -40%

Low risk
49 ↗ -40%

1.2K agents with sensitive interactions

Oversharing
40 ↘ -1%

Exfiltration
49 ↗ -40%

Unethical
32 ↘ -1%

List: Rank: All Rank by: Activity Reset list


Filter: Name: Any Status: Any Agent ID: Any Risk level: Any +3 more Add filter Reset all

Refresh Export

21 items Search by keyword Group list Edit columns

Name	Status	Agent ID	Risk level	Risk types	Risky activity trend	Policy coverage
 Zava Procurement Agent Microsoft	Active	3f2504e0-4f89-11d3-9a0c-0...	High	Oversharing, Exfiltration, Un...		Data security (10)
 Campaign Agent Microsoft	Active	3f2504e0-4f89-11d3-9a0c-0...	Medium	Oversharing, Exfiltration, Un...		Data security (21)
 Travel guide Microsoft	Active	3f2504e0-4f89-11d3-9a0c-0...	High	Oversharing, Exfiltration		Data compliance (26)
 InsightSynth Agent Salesforce	Inactive	3f2504e0-4f89-11d3-9a0c-0...	Medium	Oversharing, Unethical		Data security (25)
 Learning guide Microsoft	Active	3f2504e0-4f89-11d3-9a0c-0...	Low	Exfiltration, Unethical		Data compliance (30)
 Visual Creator Salesforce	Active	3f2504e0-4f89-11d3-9a0c-0...	Medium	Exfiltration, Unethical		Data security (28)
 Supply Chain Agent Salesforce	Inactive	3f2504e0-4f89-11d3-9a0c-0...	High	Overasharing, Exfiltration, U...		Data compliance (34)

This slide is hidden




Copilot Usage

Copilot usage

Track Copilot adoption in your Microsoft 365 Admin Center with usage reports that show:

- Who's using Copilot
- What apps it's used in
- Frequency and intensity of interaction



This slide is hidden

Defender for Cloud Apps (MDA)

Defender for Cloud Apps

Detects unsanctioned apps and shadow AI usage.

It gives you:

- Cloud app discovery
- Risk scoring for each AI app
- Policy-based blocking or sanctioning
- Continuous monitoring for data exfiltration

This slide is hidden

This slide is hidden



MANAGED DEVICES IN MICROSOFT INTUNE



This slide is hidden

**Visibility means nothing
without action - stop
what you can't trust.**

Step 2: STOP IT



Stopping Shadow AI

- Block or sanction unapproved AI tools
- Educate users about safe AI practices
- Leverage Purview, Defender for Cloud Apps, Power Platform, Conditional Access policies
- Monitor continuously - not just once



This slide is hidden

STOP IT

Recommend using the app discovery policy in MDA

Apps matching all of the following  Edit and preview results  Clear all

App tag	equals	Unsanctioned		
Risk score	equals	0-7		
Category	equals	Generative AI		

Governance actions

- ☐ Tag app as sanctioned
- ☒ Tag app as unsanctioned
- ☐ Tag app as monitored
- ☐ Tag app with custom tag

Select app tag 

This slide is hidden

STOP IT


PURVIEW DATA LOSS PREVENTION (DLP)

Specifically, endpoint Data Loss Prevention (eDLP)

Stop uploading sensitive data/ labelled data to select or unapproved Gen AI sites

- ❖ The prerequisite for blocking users from uploading sensitive data to Gen AI sites is to have devices onboarded to Purview & the Microsoft Purview browser extension deployed

STOP IT



Microsoft Purview

Search

Copilot

Home

Solutions

Agents

Learn

Settings

DSPM for AI

Data Catalog

Information Protection

Data Lifecycle Management

Data Loss Prevention

Information Protection

Insider Risk Management

Records Management

Settings

- Account
- Roles and scopes
- Data connectors
- Device onboarding
- Optical character recognition (OCR)

Solution settings

- Communication Compliance
- Compliance Manager
- Data Catalog
- Data Lifecycle Management
- Data Loss Prevention
- eDiscovery
- Information Protection
- Insider Risk Management
- Records Management

Service domains

Control whether sensitive files protected by your policies can be uploaded to specific service cloud domains from Microsoft Edge or Google Chrome (provided the [Microsoft Purview extension](#) is installed on their devices). Choose 'Block' to prevent certain domains from accessing these files or 'Allow' to specify safe domains.

+ Add cloud service domain 4 items

Service domain
domain.sharepoint.com
domain-my.sharepoint.com
portal.office.com
teams.microsoft.com

Sensitive service domain groups

Configure the groups of service domains that contain sensitive data that you want to protect from risky browser activities like Save-as and Add to Collection. Use these groups in a DLP policy to choose the people, service domains, and activities that are affected.

+ Create sensitive service domain group ← Import 2 items Search

Group of sensitive service domains	URLs
Dropbox & We Transfer	2
Generative AI Websites	N/A



This slide is hidden

STOP IT

MICROSOFT INTUNE & DEFENDER FOR ENDPOINT

With Intune and MDE, you can:

- Block access to AI websites via browser on Windows & macOS with network protection
- Uninstall/ Block AI apps on mobile devices (iOS/ iPadOS + Android) using Intune

This slide is hidden

This slide is hidden

This slide is hidden

This slide is hidden

**Secure the data.
Govern the AI.
Protect the business.**

Step 3: SECURE IT



This slide is hidden

Power Platform


This slide is hidden



OBJECT PERMISSIONS & SECURITY AND GOVERNANCE SETTINGS

This slide is hidden

This slide is hidden



MICROSOFT TEAMS

This slide is hidden

MICROSOFT PURVIEW SENSITIVITY LABELS

This slide is hidden




MICROSOFT PURVIEW DATA LOSS PREVENTION

This slide is hidden



RISKY AI USAGE TEMPLATE IN INSIDER RISK MANAGEMENT

This slide is hidden



DETECT MICROSOFT COPILOT INTERACTIONS TEMPLATE IN COMMUNICATION COMPLIANCE


This slide is hidden

A dark blue background with a stylized white line drawing of a person in a boat on water. The person is in the upper right, and the boat is in the lower right. Two thick red horizontal bars are positioned above and below the main text.

POLICIES FOR M365 IN INTUNE

This slide is hidden

SUMMARY



Classify &
protect
sensitive data


Enable
approved AI
tool

Train users to
handle data
responsibly

Set clear
policies for
prompts & data
usage

Audit & update
continuously

FINAL MESSAGE



SAVE THE DATES

Oct 25-28, 2026



May 2-6, 2027



Oct 10-13, 2027



Extended Q&A



Recast



ninjaOne®



numecent®

