

Windows 11 Security Management


Baselines, Keys, and Beyond



PREVIEW

Attention

- ◆ MMS sessions are 60-75 minutes followed by LONG Q&A
- ◆ Please hold detailed questions until that Q&A starts
- ◆ Feel free to ask clarification questions
- ◆ Remind the speakers to use Zoom It when you can't see



Speakers



Maurice Daly

Senior Security Architect



in/MauriceDaly



Carrie Cook

Security Evangelist




in/CarrieCook-18a99b89

Can't see our slides? Can't hear? Need to repeat the question? Call us out!

Agenda

- Help consolidate and focus your thoughts on Windows 11 device security
- Help you to understand security features, and refresh your memory about requirements
- Help you to go from this is fine.. to this is “more” secure!




Why security matters?



Increased Risk

Bad stuff happens to more than just everyone else




The Modern Attack Chain

Gone phishing.. Caught a whale



Security Philosophy

Trust no one



Hardware Security

Security baked in..



Credential Guard

Credential Guard is a feature that leverages Virtualization-Based Security to isolate credentials for use by privileged system software.

- ◆ Benefits

- ◆ Reduce the risk of credential theft through NTLM, stored credentials and Kerberos TGT extraction

- ◆ Considerations

- ◆ 802.1x networks

Windows edition and licensing requirements

The following table lists the Windows editions that support Credential Guard:

[Expand table](#)

Windows Pro	Windows Enterprise	Windows Pro Education/SE	Windows Education
No	Yes	No	Yes

Credential Guard license entitlements are granted by the following licenses:

[Expand table](#)

Windows Pro/Pro Education/SE	Windows Enterprise E3	Windows Enterprise E5	Windows Education A3	Windows Education A5
No	Yes	Yes	Yes	Yes

Note

Devices running Windows 11 Pro/Pro Edu 22H2 or later may have Virtualization-based Security (VBS) and/or Credential Guard automatically enabled if they meet the other requirements for default enablement, and have previously run Credential Guard. For example if Credential Guard was enabled on an Enterprise device that later downgraded to Pro.

To determine whether the Pro device is in this state, check if the following registry key exists:

`Computer\HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Lsa\MSV1_0\IsolatedCredentialsRootSecret`. In this scenario, if you wish to disable VBS and Credential Guard, follow the instructions to [disable Virtualization-based Security](#). If you wish to disable Credential Guard only, without disabling VBS, use the procedures to [disable Credential Guard](#).

Credential Guard

```
PowerShell 7 (x64) X + v
PS C:\> Get-CimInstance -ClassName Win32_DeviceGuard -Namespace root\Microsoft\Windows\DeviceGuard | FL
```

```
AvailableSecurityProperties      : {1, 2, 3, 5...}
CodeIntegrityPolicyEnforcementStatus : 2
InstanceIdentifier              : 4ff40742-2649-41b8-bdd1-e80fad1cce80
RequiredSecurityProperties      : {1, 2}
SecurityFeaturesEnabled         : {0}
SecurityServicesConfigured     : {1, 2, 3}
SecurityServicesRunning        : {1, 2}
SmmIsolationLevel              : 0
UsermodeCodeIntegrityPolicyEnforcementStatus : 0
Version                         : 1.0
VirtualizationBasedSecurityStatus : 2
VirtualMachineIsolation        : False
VirtualMachineIsolationProperties : {0}
PSComputerName                  :
```

```
PSComputerName                  :
VirtualMachineIsolationProperties : {0}
VirtualMachineIsolation        : False
VirtualizationBasedSecurityStatus : 2
```

Credential Guard

Available Security Properties

Value	Description
0	If present, no relevant properties exist on the device.
1	If present, hypervisor support is available.
2	If present, Secure Boot is available.
3	If present, DMA protection is available.
4	If present, Secure Memory Overwrite is available.
5	If present, NX protections are available.
6	If present, SMM mitigations are available.
7	If present, MBEC/GMET is available.
8	If present, APIC virtualization is available.

```
PowerShell 7 (x64)
PS C:\> Get-CimInstance -ClassName Win32_DeviceGuard -Namespace root\Microsoft\Windows\DeviceGuard | FL

AvailableSecurityProperties      : {1, 2, 3, 5}
CodeIntegrityPolicyEnforcementStatus : 2
InstanceIdIdentifier            : 4ff40742-2649-41b8-bdd1-e80fad1cce80
RequiredSecurityProperties      : {1, 2}
SecurityFeaturesEnabled         : {0}
SecurityServicesConfigured     : {1, 2, 3}
SecurityServicesRunning        : {1, 2}
SmmIsolationLevel              : 0
UsermodeCodeIntegrityPolicyEnforcementStatus : 0
Version                        : 1.0
VirtualizationBasedSecurityStatus : 2
VirtualMachineIsolation        : False
VirtualMachineIsolationProperties : {0}
PSComputerName                  :

PS C:\> Get-CimInstance -ClassName Win32_DeviceGuard -Namespace root\Microsoft\Windows\DeviceGuard | Select-Object -ExpandProperty AvailableSecurityProperties
1
2
3
5
6
7
8
PS C:\>
```

Component	Detail
Processor	- Intel 8th generation or later starting with Windows 11, version 22H2 (11th generation Core processors and newer only for Windows 11, version 21H2) - AMD Zen 2 architecture and newer - Qualcomm Snapdragon 8180 and newer
RAM	Minimum 8GB (Only applicable for x64 processors)
Storage	SSD with a minimum size of 64GB
Drivers	Memory integrity-compatible drivers must be installed. See Driver compatibility with memory integrity for more information about drivers.
BIOS	Virtualization must be enabled

Credential Guard – Memory Integrity

Automatic Enablement

Memory integrity is enabled by default once a device meets the minimum hardware feature list.

- ◆ New Windows 11 devices

What about Windows 10 upgraded devices???

Component	Detail
Processor	• Intel 8th generation or later starting with Windows 11, version 22H2 (11th generation Core processors and newer only for Windows 11, version 21H2) • AMD Zen 2 architecture and newer • Qualcomm Snapdragon 8180 and newer
RAM	Minimum 8GB (Only applicable for x64 processors)
Storage	SSD with a minimum size of 64GB
Drivers	Memory integrity-compatible drivers must be installed. See Driver compatibility with memory integrity for more information about drivers.
BIOS	Virtualization must be enabled

ⓘ Note

Auto-enablement pertains only to clean installs, not upgrades of existing devices.

Kernal DMA Protection


A security feature introduced in Windows 10 1803 that helps mitigate malicious direct memory access (DMA) attacks on supported Intel and AMD devices.

Protect Against

- ◆ Thunderbolt device vulnerabilities

Requirements

- ◆ Intel VT-X
- ◆ AMD-v



Sound Device	BIOS Version/Date	American Megatrends Inc. 1.06, 23/05/2025
Display	SMBIOS Version	3.6
Infrared	Embedded Controller Version	1.00
Input	BIOS Mode	UEFI
Modem	BaseBoard Manufacturer	Acer
Network	BaseBoard Product	Predator PO7-655
Ports	BaseBoard Version	1.0
Storage	Platform Role	Desktop
Printing	Secure Boot State	On
Problem Devices	PCR7 Configuration	Elevation Required to View
USB	Windows Directory	C:\WINDOWS
Software Environment	System Directory	C:\WINDOWS\system32
System Drivers	Boot Device	\Device\HarddiskVolume1
Environment Variables	Locale	United Kingdom
Print Jobs	Hardware Abstraction Layer	Version = "10.0.26100.1"
Network Connections	Username	
Running Tasks	Time Zone	GMT Summer Time
Loaded Modules	Installed Physical Memory (RAM)	128 GB
Services	Total Physical Memory	128 GB
Program Groups	Available Physical Memory	82.7 GB
Start-up Programs	Total Virtual Memory	136 GB
OLE Registration	Available Virtual Memory	76.6 GB
Windows Error Reporting	Page File Space	8.00 GB
	Page File	C:\pagefile.sys
	Kernel DMA Protection	On
	Virtualisation-based security	Running
	Virtualisation-based security required security properties	Base Virtualisation Support, Secure Boot
	Virtualisation-based security available security properties	Base Virtualisation Support, Secure Boot, DMA Protection, UEFI Code Readonl...
	Virtualisation-based security services configured	Credential Guard, Hypervisor enforced Code Integrity, Secure Launch
	Virtualisation-based security services running	Credential Guard, Hypervisor enforced Code Integrity
	App Control for Business policy	Enforced
	App Control for Business user mode policy	Off
	Automatic Device Encryption Support	Elevation Required to View
	A hypervisor has been detected. Features required for Hyper-...	

Find what:

Find

Close Find

☐ Search selected category only

☐ Search category names only



Secure Boot

Secure boot is a security standard developed by OEM's, which helps ensure that you are using trusted boot loader signatures from the UEFI BIOS

- ◆ Recommendations

- ◆ Order devices with Secure Boot enabled from the OEM
- ◆ Monitor using a compliance policy (but be careful)
- ◆ Scripted a solution to remediate Secure Boot states, leveraging OEM tools

- ◆ Considerations

- ◆ Devices that do not support PCR7 binding



Secure Boot – June 2026

What happens when you have certificates?

- ◆ They expire..

What happens when your BIOS and Boot loader don't have the same certificate sources?

- ◆ Bad things..



Passwords = Problems

Lets avoid repetition, and weak security



Local Admin Accounts

Local administrative rights can pose a risk to your organization

◆ Things to check

◆ Personally enrolled devices


Out-of-the-box experience provides local admin by default. Block personal enrollment also..

◆ Autopilot configuration

User account type

◆ Rouge admin account additions

Shift+F10.. Good for troubleshooting.. Bad for...



Local Admin Password Solution

Implementing Microsoft LAPS (Local Admin Password Solution) is a good first step

- ◆ Automatically creates a Local Admin account which is managed
- ◆ Passwords are rotated
- ◆ Password can be timelimited



Security Baselines

A bit like bowling guard rails



Security Baselines

Security baselines are a set of predefined hardened values for Microsoft Windows, Edge, Defender and 365 Apps.

◆ Security Compliance Toolkit

This will be familiar to you if you have used GPOs in the past. You can leverage group policy analytics to import the policies, converting them to a settings catalog policy, and make amendments as required.

- ◆ Pro's
The settings contained within the SCT exports are updated frequently
- ◆ Con's
The settings need to be tweaked for each and every update


The image shows two overlapping screenshots. The top screenshot is the Microsoft Security Compliance Toolkit 1.0 interface, which includes a language selection dropdown set to 'English' and a 'Download' button. Below this is a 'Details' section with a list of files, including 'Microsoft 365 Apps for Enterprise 23', 'Windows 11 Security Baseline.zip', and 'Microsoft 365 Apps for Enterprise 24'. The bottom screenshot is the Microsoft Intune admin center, displaying the 'MSFT Microsoft 365 Apps v2306 - Computer' policy. The 'Settings' tab is active, showing a table of settings with columns for 'Setting name', 'Group policy settings', 'MDM support', 'Value', 'Scope', 'Min OS version', and 'CSP name'. The table lists various settings for Microsoft Office 2016, such as 'Add-on Management' and 'Block Flash activation'. The bottom of the screenshot shows pagination: 'Showing 1 to 20 of 185 records'.

Security Baselines

Intune Endpoint Security Baselines

Similar to the values within the SCT, providing a “native Intune” approach to deploying the baseline configurations

- ◆ Pro's
The ability to maintain customizations when moving from older to newer baseline configurations.
- ◆ Con's
The baseline configurations are updated less frequently in some cases. Policies will conflict out of the box.



Security Baselines

CIS Baseline

The CIS Benchmarks are security configuration guidelines created and maintained by the Center for Internet Security.

They provide hardened baseline settings to help you secure your operating system against potential threats.

CIS Controls align with numerous established standards and regulatory frameworks, such as the NIST Cybersecurity Framework (CSF), NIST SP 800-53, the ISO 27000 series, PCI DSS, HIPAA, and more.



[Center for Internet Security \(CIS\) Benchmarks - Microsoft Compliance | Microsoft Learn](#)



Security Baselines

Community Baselines

Community fills the gaps others can't..

- ♦ **James Robinson – Open Intune Baseline**
[GitHub - SkipToTheEndpoint/OpenIntuneBaseline:](#)
[Community-driven baseline to accelerate Intune adoption and learning.](#)
- ♦ **Sandy Zeng – IntuneDiff**
<https://intunediff.com/>

OpenIntuneBaseline

Follow on X Follow on Bsky 875 Read My Blog

Join WinAdmins 2.6k online

About the Project


Project History

The OpenIntuneBaseline (OIB) project was started in early 2021 as a way to provide a "known good" baseline security posture for Windows devices managed by Microsoft Intune, after being disappointed with the admin and user experience of other available baselines.

Security Framework Adherence

When creating the initial Windows frameworks, such as:

- NCSC Device Security
- CIS Windows Benchmark
- ACSC Essential Eight
- Intune Security Baseline
- Microsoft Best Practices



DEMO

Security Baselines

Native, Microsoft imported, Community.. Which is the best?



Windows Hello for Business

- Windows Hello for Business
 - Device bound PIN
 - Best implemented in conjunction with TAP
 - Self-service password reset is a must for unexpected movement of users between devices
- Eliminates
 - Reusable credentials
 - Protects against phishing and token reply attacks

Windows Hello for Business

- Windows Hello for Business Multi-Factor Unlock
 - Combine biometrics with your PIN for additional security
- Kerberos Cloud Trust
 - Use your Windows Hello for Business credentials for on-premises access

DEMO

Windows Hello

Kerberos cloud trust | Windows Hello Multi-Factor Unlock



Attack Surface Reduction

And your shortcuts went poof..



Patching

Err.. Not just Autopatch




Patching


Why are we patching?

- ◆ Getting the latest features out of the OS, products, and the device?
- ◆ Fixing stability issues?
- ◆ Closing security gaps within the OS, products, and firmware?

HINT: It's all of the above



Patching



Third Party Patching

- ◆ Often gets overlooked
- ◆ “Not in budget”

But. The reality is that users often continue to use applications that remain unpatched for years. Providing a back door for vulnerability exploits.

Ransomware

Landscape and trends


Ransomware remains one of the most serious cybersecurity concerns. And for valid reasons.

Among our customers, Microsoft observed a 2.75x increase year over year in human-operated ransomware-linked encounters (defined as having at least one device targeted for a ransomware attack in a network).

Meanwhile, the percentage of attacks reaching actual encryption phase has decreased over the past two years by threefold. Automatic attack disruption contributed to this positive trend in decreasing successful attacks. In more than 90% of cases where attacks progressed to ransom stage, the attacker had leveraged unmanaged devices in the network, either to gain initial access or to remotely encrypt assets at the impact stage.

3x
↓
threefold decrease in ransom attacks reaching encryption stage over the past two years

Top human-operated ransomware groups




The top five ransomware families accounted for 51% of attacks. These families continue to use longstanding techniques, showing their effectiveness even against rising cybersecurity awareness globally.

Source: Microsoft Defender for Endpoint

The most prevalent initial access techniques continue to be social engineering—specifically email phishing, SMS phishing, and voice phishing—identity compromise, and exploiting vulnerabilities in public facing applications or unpatched operating systems. Attackers continue to take advantage of newly identified common vulnerabilities and exposures

Organizations with ransom-linked encounters continues to increase while the percentage of those ransomed is decreasing (July 2022–June 2024)



Although organizations with ransom-linked encounters continues to increase, the percentage that are ultimately ransomed (reaching encryption stage) decreased more than threefold over the past two years.

Source: Microsoft Defender for Endpoint

(CVE) with Common Vulnerability Scoring System (CVSS) scores above 8. Once the attacker is in the network, they tamper with security products or install remote monitoring and management tools (RMMs) to disable or evade detections and persist in the network.

We observed remote encryption in 70% of successful attacks, with 92% originating from unmanaged devices in the network, underscoring the need for organizations to enroll devices into management, or exclude unmanaged devices from the network.

and trends


ne of the most serious
And for valid reasons.

Microsoft observed a
year in human-operated
ounters (defined as having at
ed for a ransomware attack in

age of attacks reaching
e has decreased over the past
Automatic attack disruption
tive trend in decreasing
ore than 90% of cases where
ansom stage, the attacker
ged devices in the network,
ess or to remotely encrypt
ge.

ransom
ryption
o years

Top human-operated ransomware groups




The top five ransomware families accounted for 51% of attacks. These families continue to use longstanding techniques, showing their effectiveness even against rising cybersecurity awareness globally.

Source: Microsoft Defender for Endpoint

The most prevalent initial access techniques continue to be social engineering—specifically email phishing, SMS phishing, and voice phishing—identity compromise, and exploiting vulnerabilities in public facing applications or unpatched operating systems. Attackers continue to take advantage of newly identified common vulnerabilities and exposures

Organizations with ransom-linked encounters continues to increase while the percentage of those ransomed is decreasing (July 2022–June 2024)



Although organizations with ransom-linked encounters continues to increase, the percentage that are ultimately ransomed (reaching encryption stage) decreased more than threefold over the past two years.

Source: Microsoft Defender for Endpoint

(CVE) with Common Vulnerability Scoring System (CVSS) scores above 8. Once the attacker is in the network, they tamper with security products or install remote monitoring and management tools (RMMs) to disable or evade detections and persist in the network.

We observed remote encryption in 70% of successful attacks, with 92% originating from unmanaged devices in the network, underscoring the need for organizations to enroll devices into management, or exclude unmanaged devices from the network.

Misc Recommendations

Everything else..



OEM included applications are often not leveraged, but can themselves be a security risk.

◆ Recommendations

Leveraging Compliance

Compliance policies & notification can help you create a secure environment for your organization.

This is where having separate compliance policies is a good practice.


◆ Recommendations

◆ BitLocker

Help to enforce encryption requirements through compliance policies.
Notify the end user, but add a grace period to cater to the required restart

◆ Defender


Block devices that are deemed a high risk, immediately



Leveraging Platform Scripts

Leverage platform scripts to perform actions during the out-of-the-box/enrolment process, or as part of ongoing maintenance:

- ♦ **BitLocker Key Escrow**
Encrypting the hard disk = Good
Not having the recovery key = BAD
Leverage PowerShell to enforce escrow of the recovery keys, particularly useful in “mature” environments
- ♦ **Defender Updates**
Update the virus definitions to help with compliance state post-enrolment



Defender Security Recommendations

Microsoft Defender provides a wealth of information when devices are onboarded into MDE

- ◆ Leverage Recommendations

Items such as recommended registry configurations, not only for Microsoft software, but also for third parties, are provided through the security portal

- ◆ Leverage Remediations

Think outside of the box, and create remediations based on the recommended values which can't be set through the settings catalog. Think about Azure storage and PowerShell to achieve this

The screenshot displays the 'Security recommendations' dashboard in the Microsoft Defender portal. At the top, there are two notification boxes: '1 discovered devices are not protected' and 'How well are you handling critical vulnerabilities?'. Below these, a table lists various security recommendations. The table has columns for 'Security recommendation', 'OS platform', 'Weakness', 'Exposed critical devices', 'Related component', 'Threats', 'Exposed devices', 'Remediation type', 'Remediation author', and 'Impact'. Two pop-up windows are overlaid on the table, providing detailed remediation steps for specific recommendations.

Security recommendation	OS platform	Weakness	Exposed critical devices	Related component	Threats	Exposed devices	Remediation type	Remediation author	Impact
Attention required: vulnerabilities in OpenSsl	Windows	38	3	OpenSsl	OpenSsl	137 / 138	Software update	0	21.30 0.00
Update Microsoft Windows 11 (OS and built-in applications)	Windows	1317	0	Microsoft Windows 11	Microsoft Windows 11	49 / 155	Software update	0	10.67 0.00
Update Microsoft Teams	Windows	5	1	Microsoft Teams	Microsoft Teams	64 / 128	Software update	0	9.96 0.00
Update Microsoft Edge Chromium-based to version 140.0.3485.66	Windows	508	1	Microsoft Edge Chromium-based	Microsoft Edge Chromium-based	12 / 158	Software update	0	9.94 0.00
Block process creations originating from PSExec and WMI commands	Windows	1	3	Security controls (Attack Surface Reduction)	Security controls (Attack Surface Reduction)	158 / 158	Configuration change	0	6.00 9.00
Block executable files from running unless they meet a prevalence, age, or trusted list criterion	Windows	1	3	Security controls (Attack Surface Reduction)	Security controls (Attack Surface Reduction)	158 / 158	Configuration change	0	6.00 9.00
Update Microsoft Visual Studio 2022	Windows	151	0	Microsoft Visual Studio 2022	Microsoft Visual Studio 2022	28 / 38	Software update	0	1.80 0.00
Update Google Chrome	Windows	1	0	Google Chrome	Google Chrome	1 / 1	Software update	0	1.80 0.00
Update Microsoft Office	Windows	1	0	Microsoft Office	Microsoft Office	1 / 1	Software update	0	1.80 0.00
Update Microsoft Office	Windows	1	0	Microsoft Office	Microsoft Office	1 / 1	Software update	0	1.80 0.00
Update Microsoft Office	Windows	1	0	Microsoft Office	Microsoft Office	1 / 1	Software update	0	1.80 0.00

Disable JavaScript on Adobe DC

- Remediation required

Open software page Report inaccuracy

General Remediation options Exposed devices

Set the following registry value:
HKLM\SOFTWARE\Policies\Adobe\Adobe Acrobat\Content Advisor\Allowed Sites
To the following REG_DWORD value:
1

Enable 'Local Security Authority (LSA) protection'

- Remediation required

Open software page Report inaccuracy

General Remediation options Exposed devices

Set the following registry value:
HKLM\SYSTEM\CurrentControlSet\Control\Lsa\RunAsPPL
To the following REG_DWORD value:
1

Defender Security Recommendations

Microsoft Defender provides a wealth of information when devices are onboarded into MDE

◆ Leverage Recommendations

Items such as recommended registry configurations, not only for Microsoft software, but also for third parties, are provided through the security portal

◆ Leverage Remediations


Think outside of the box, and create remediations based on the recommended values which can't be set through the settings catalog. Think about Azure storage and PowerShell to achieve this

Disable JavaScript on Adobe DC
Remediation required
[Open software page](#) [Report inaccuracy](#)
General **Remediation options** Exposed devices
Set the following registry value:
HKLM\SOFTWARE\Policies\Adobe\Acrobat\DC\FeatureLockDown\bDisableJavaScript
To the following REG_DWORD value:
1

Enable 'Local Security Authority (LSA) protection'
Remediation required
[Open software page](#) [Report inaccuracy](#)
General **Remediation options** Exposed devices
Set the following registry value:
HKLM\SYSTEM\CurrentControlSet\Control\Lsa\RunAsPPL
To the following REG_DWORD value:
1

RegistryConfiguration.csv
Blob
Save Discard Download Refresh Delete
Overview Versions Snapshots **Edit** Generate SAS


	RegKey	Name	Value	Type
2	HKLM:\SOFTWARE\Policies\Adobe\Acrobat Reader\DC\FeatureLockDown	bEnableFlash	0	DWORD
3	HKLM:\SOFTWARE\Policies\Adobe\Acrobat Reader\DC\FeatureLockDown	bDisableJavaScript	1	DWORD
4	HKLM:\SOFTWARE\Policies\Adobe\Acrobat\DC\FeatureLockDown	bDisableJavaScript	1	DWORD
5	HKLM:\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\System	MaxDevicePasswordFailedAttempts	10	DWORD
6	HKLM:\SOFTWARE\Microsoft\Windows\Network Connections	NC_AllowNetBridge_NLA	0	DWORD
7	HKLM:\SOFTWARE\Policies\Microsoft\Windows\Network Connections	NC_StdDomainUserSetLocation	1	DWORD



Browser Extensions

What's the Risk?

- ◆ Extensions that read and modify all of your data. Read that again..
- ◆ Local host permissions
- ◆ How can we detect and control this area of shadow IT?
- ◆ Recommendations:
 - ◆ Monitor Browser Extension usage
 - ◆ Block Known Malicious Extensions
 - ◆ Only allow approved Browser Extensions



Browser Extensions



Graph X-Ray

Extension | Merill

★★★★☆ (7) | 12,000+ Users | Developer tools

C:\Users\MauriceDaly_7wfo4ik\OneDrive - Patch My PC\Documents\SAPIEN\PowerShell Studio\Files> .\Get-BrowserExtensions.ps1

Browser	Profile	Name	Version	APIRisk	HostRisk	HostPermissions
Chrome	Default	1Password - Password Manager	8.10.80.23	Critical	Critical	<all>
Chrome	Default	Microsoft Single Sign On	1.0.11	Critical	Critical	https://*
Edge	Default	1Password - Password Manager	8.10.48.25	Critical	Critical	<all>
Edge	Default	iCloud Passwords	3.0.4	Critical	Critical	*://*
Edge	Default	My Apps Secure Sign-in Extension	8.2.1.196	Critical	Critical	https://*
Edge	Default	Header Editor	4.1.1	Critical	Critical	*://*
Edge	Default	Header Editor	5.2.7	Critical	Critical	*://*
Edge	Default	Loom - Screen Recorder & Screen Capture	5.5.137	Critical	Critical	*://*
Edge	Default	Graph X-Ray	1.0.3	Critical	Critical	https://*
Edge	Default	1Password - Password Manager	8.11.12.27	Critical	Critical	<all>
Edge	Profile 1	Graph X-Ray	1.0.3	Critical	Critical	https://*
Edge	Profile 1	My Apps Secure Sign-in Extension	8.2.1.196	Critical	Critical	https://*
Edge	Profile 1	1Password - Password Manager	8.11.12.27	Critical	Critical	<all>
Edge	Profile 11	My Apps Secure Sign-in Extension	8.2.1.196	Critical	Critical	https://*
Edge	Profile 11	Graph X-Ray	1.0.3	Critical	Critical	https://*
Edge	Profile 11	1Password - Password Manager	8.11.8.40	Critical	Critical	<all>
Edge	Profile 15	1Password - Password Manager	8.11.4.27	Critical	Critical	<all>
Edge	Profile 15	My Apps Secure Sign-in Extension	8.2.1.196	Critical	Critical	https://*
Edge	Profile 16	Graph X-Ray	1.0.3	Critical	Critical	https://*
Edge	Profile 16	My Apps Secure Sign-in Extension	8.2.1.196	Critical	Critical	https://*
Edge	Profile 16	1Password - Password Manager	8.11.8.40	Critical	Critical	<all>
Edge	Profile 17	1Password - Password Manager	8.11.8.40	Critical	Critical	<all>
Edge	Profile 17	My Apps Secure Sign-in Extension	8.2.1.196	Critical	Critical	https://*
Edge	Profile 17	Graph X-Ray	1.0.3	Critical	Critical	https://*
Edge	Profile 18	Graph X-Ray	1.0.3	Critical	Critical	https://*
Edge	Profile 18	My Apps Secure Sign-in Extension	8.2.1.196	Critical	Critical	https://*
Edge	Profile 18	1Password - Password Manager	8.11.12.27	Critical	Critical	<all>
Edge	Profile 2	1Password - Password Manager	8.10.60.30	Critical	Critical	<all>
Edge	Profile 2	My Apps Secure Sign-in Extension	8.2.1.196	Critical	Critical	https://*
Edge	Profile 3	Graph X-Ray	1.0.3	Critical	Critical	https://*
Edge	Profile 3	1Password - Password Manager	8.11.12.27	Critical	Critical	<all>
Edge	Profile 3	My Apps Secure Sign-in Extension	8.2.1.196	Critical	Critical	https://*
Edge	Profile 4	Graph X-Ray	1.0.3	Critical	Critical	https://*
Edge	Profile 4	My Apps Secure Sign-in Extension	8.2.1.196	Critical	Critical	https://*

```
"abcdefghijklmnop": {
  "manifest": {
    "name": "Graph X-Ray",
    "permissions": [
      "storage",
      "tabs",
      "webRequest",
      "clipboardRead",
      "clipboardWrite"
    ],
    "host_permissions": [
      "https://graph.microsoft.com/*",
      "https://*/*"
    ]
  }
}
```

SAVE THE DATES

Oct 25-28, 2026



May 2-6, 2027



Oct 10-13, 2027



Extended Q&A



Recast



ninjaOne®



numecent®

