1.1 ./Platform.Collections/Arrays/ArrayFiller[TElement, TReturnConstant].cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Arrays
{
    public class ArrayFiller<TElement, TReturnConstant> : ArrayFiller<TElement>
    {
        protected readonly TReturnConstant _returnConstant;

        public ArrayFiller(TElement[] array, long offset, TReturnConstant returnConstant) : base(array, offset) => _returnConstant = returnConstant;

        public ArrayFiller(TElement[] array, TReturnConstant returnConstant) : this(array, 0, returnConstant) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TReturnConstant AddAndReturnConstant(TElement element)
        {
            _array[_position++] = element;
            return _returnConstant;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TReturnConstant AddFirstAndReturnConstant(IList<TElement> collection)
        {
            _array[_position++] = collection[0];
            return _returnConstant;
        }
    }
}
```

1.2 ./Platform.Collections/Arrays/ArrayFiller[TElement].cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Arrays
{
    public class ArrayFiller<TElement>
    {
        protected readonly TElement[] _array;
        protected long _position;

        public ArrayFiller(TElement[] array, long offset)
        {
            _array = array;
            _position = offset;
        }

        public ArrayFiller(TElement[] array) : this(array, 0) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Add(TElement element) => _array[_position++] = element;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool AddAndReturnTrue(TElement element)
        {
            _array[_position++] = element;
            return true;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool AddFirstAndReturnTrue(IList<TElement> collection)
        {
            _array[_position++] = collection[0];
            return true;
        }
    }
}
```

1.3 ./Platform.Collections/Arrays/ArrayPool.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

```

```
namespace Platform.Collections.Arrays
{
    public static class ArrayPool
    {
        public static readonly int DefaultSizesAmount = 512;
        public static readonly int DefaultMaxArraysPerSize = 32;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static T[] Allocate<T>(long size) => ArrayPool<T>.ThreadInstance.Allocate(size);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void Free<T>(T[] array) => ArrayPool<T>.ThreadInstance.Free(array);
    }
}
```

1.4 ./Platform.Collections/Arrays/ArrayPool[T].cs

```
using System;
using System.Collections.Generic;
using Platform.Exceptions;
using Platform.Disposables;
using Platform.Ranges;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Arrays
{
    /// <remarks>
    /// Original idea from
    ↪ http://geekswithblogs.net/blackrob/archive/2014/12/18/array-pooling-in-csharp.aspx
    /// </remarks>
    public class ArrayPool<T>
    {
        public static readonly T[] Empty = new T[0];

        // May be use Default class for that later.
        [ThreadStatic]
        internal static ArrayPool<T> _threadInstance;
        internal static ArrayPool<T> ThreadInstance { get => _threadInstance ?? (_threadInstance
        ↪  = new ArrayPool<T>()); }

        private readonly int _maxArraysPerSize;
        private readonly Dictionary<int, Stack<T[]>> _pool = new Dictionary<int,
        ↪  Stack<T[]>>(ArrayPool.DefaultSizesAmount);

        public ArrayPool(int maxArraysPerSize) => _maxArraysPerSize = maxArraysPerSize;

        public ArrayPool() : this(ArrayPool.DefaultMaxArraysPerSize) { }

        public Disposable<T[]> AllocateDisposable(long size) => (Allocate(size), Free);

        public Disposable<T[]> Resize(Disposable<T[]> source, long size)
        {
            var destination = AllocateDisposable(size);
            T[] sourceArray = source;
            T[] destinationArray = destination;
            Array.Copy(sourceArray, destinationArray, size < sourceArray.Length ? (int)size :
            ↪  sourceArray.Length);
            source.Dispose();
            return destination;
        }

        public virtual void Clear() => _pool.Clear();

        public virtual T[] Allocate(long size)
        {
            Ensure.Always.ArgumentInRange(size, (0, int.MaxValue));
            return size == 0 ? Empty : _pool.GetOrDefault((int)size)?.PopOrDefault() ?? new
            ↪  T[size];
        }

        public virtual void Free(T[] array)
        {
            Ensure.Always.ArgumentNotNull(array, nameof(array));
            if (array.Length == 0)
            {
                return;
            }
            var stack = _pool.GetOrAdd(array.Length, size => new Stack<T[]>(_maxArraysPerSize));
            if (stack.Count == _maxArraysPerSize) // Stack is full
```

```
            {
                return;
            }
            stack.Push(array);
        }
    }
}
```

1.5 ./Platform.Collections/Arrays/ArrayString.cs

```
using Platform.Collections.Segments;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Arrays
{
    public class ArrayString<T> : Segment<T>
    {
        public ArrayString(int length) : base(new T[length], 0, length) { }
        public ArrayString(T[] array) : base(array, 0, array.Length) { }
        public ArrayString(T[] array, int length) : base(array, 0, length) { }
    }
}
```

1.6 ./Platform.Collections/Arrays/CharArrayExtensions.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Arrays
{
    public static unsafe class CharArrayExtensions
    {
        /// <remarks>
        /// Based on https://github.com/Microsoft/referencesource/blob/3b1eaf5203992df69de44c783a3eda37d3d4cd10/mscorlib/system/string.cs#L833
        /// </remarks>
        public static int GenerateHashCode(this char[] array, int offset, int length)
        {
            var hashSeed = 5381;
            var hashAccumulator = hashSeed;
            fixed (char* pointer = &array[offset])
            {
                for (char* s = pointer, last = s + length; s < last; s++)
                {
                    hashAccumulator = (hashAccumulator << 5) + hashAccumulator ^ *s;
                }
            }
            return hashAccumulator + (hashSeed * 1566083941);
        }

        /// <remarks>
        /// Based on https://github.com/Microsoft/referencesource/blob/3b1eaf5203992df69de44c783a3eda37d3d4cd10/mscorlib/system/string.cs#L364
        /// </remarks>
        public static bool ContentEqualTo(this char[] left, int leftOffset, int length, char[] right, int rightOffset)
        {
            fixed (char* leftPointer = &left[leftOffset])
            {
                fixed (char* rightPointer = &right[rightOffset])
                {
                    char* leftPointerCopy = leftPointer, rightPointerCopy = rightPointer;
                    if (!CheckArraysMainPartForEquality(ref leftPointerCopy, ref rightPointerCopy, ref length))
                    {
                        return false;
                    }
                    CheckArraysRemainderForEquality(ref leftPointerCopy, ref rightPointerCopy, ref length);
                    return length <= 0;
                }
            }
        }

        private static bool CheckArraysMainPartForEquality(ref char* left, ref char* right, ref int length)
        {
            while (length >= 10)
            {
                if ((*(int*)left != *(int*)right)
```

```
                    || (*(int*)(left + 2) != *(int*)(right + 2))
                    || (*(int*)(left + 4) != *(int*)(right + 4))
                    || (*(int*)(left + 6) != *(int*)(right + 6))
                    || (*(int*)(left + 8) != *(int*)(right + 8)))
                {
                    return false;
                }
                left += 10;
                right += 10;
                length -= 10;
            }
            return true;
        }

        private static void CheckArraysRemainderForEquality(ref char* left, ref char* right, ref int length)
        {
            // This depends on the fact that the String objects are
            // always zero terminated and that the terminating zero is not included
            // in the length. For odd string sizes, the last compare will include
            // the zero terminator.
            while (length > 0)
            {
                if (*(int*)left != *(int*)right)
                {
                    break;
                }
                left += 2;
                right += 2;
                length -= 2;
            }
        }
    }
}
```

1.7 ./Platform.Collections/Arrays/GenericArrayExtensions.cs

```
using System;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Arrays
{
    public static class GenericArrayExtensions
    {
        public static T[] Clone<T>(this T[] array)
        {
            var copy = new T[array.Length];
            Array.Copy(array, 0, copy, 0, array.Length);
            return copy;
        }
    }
}
```

1.8 ./Platform.Collections/BitString.cs

```
using System;
using System.Collections.Concurrent;
using System.Collections.Generic;
using System.Linq;
using System.Numerics;
using System.Runtime.CompilerServices;
using System.Threading.Tasks;
using Platform.Exceptions;
using Platform.Ranges;

// ReSharper disable ForCanBeConvertedToForeach
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections
{
    /// <remarks>
    /// А что если хранить карту значений, где каждый бит будет означать присутствует ли блок в 64 бит в массиве значений.
    /// 64 бита по 0 бит, будут означать отсутствие 64-х блоков по 64 бита. Т.е. упаковка 512 байт в 8 байт.
    /// Подобный принцип можно применять и к 64-ём блокам и т.п. По сути это карта значений. С помощью которой можно быстро
    /// проверять есть ли значения непосредственно далее (ниже по уровню).
    /// Или как таблица виртуальной памяти где номер блока означает его присутствие и адрес.
    /// </remarks>
    public class BitString : IEquatable<BitString>
```

```
    {
        private static readonly byte[][] _bitsSetIn16Bits;
        private long[] _array;
        private long _length;
        private long _minPositiveWord;
        private long _maxPositiveWord;

        public bool this[long index]
        {
            get => Get(index);
            set => Set(index, value);
        }

        public long Length
        {
            get => _length;
            set
            {
                if (_length == value)
                {
                    return;
                }
                Ensure.Always.ArgumentInRange(value, GetValidLengthRange(), nameof(Length));
                // Currently we never shrink the array
                if (value > _length)
                {
                    var words = GetWordsCountFromIndex(value);
                    var oldWords = GetWordsCountFromIndex(_length);
                    if (words > _array.LongLength)
                    {
                        var copy = new long[words];
                        Array.Copy(_array, copy, _array.LongLength);
                        _array = copy;
                    }
                    else
                    {
                        // What is going on here?
                        Array.Clear(_array, (int)oldWords, (int)(words - oldWords));
                    }
                    // What is going on here?
                    var mask = (int)(_length % 64);
                    if (mask > 0)
                    {
                        _array[oldWords - 1] &= (1L << mask) - 1;
                    }
                }
                else
                {
                    // Looks like minimum and maximum positive words are not updated
                    throw new NotImplementedException();
                }
                _length = value;
            }
        }

        #region Constructors

        static BitString()
        {
            _bitsSetIn16Bits = new byte[65536][];
            int i, c, k;
            byte bitIndex;
            for (i = 0; i < 65536; i++)
            {
                // Calculating size of array (number of positive bits)
                for (c = 0, k = 1; k <= 65536; k <<= 1)
                {
                    if ((i & k) == k)
                    {
                        c++;
                    }
                }
                var array = new byte[c];
                // Adding positive bits indices into array
                for (bitIndex = 0, c = 0, k = 1; k <= 65536; k <<= 1)
                {
                    if ((i & k) == k)
                    {
                        array[c++] = bitIndex;
```

```
                }
                bitIndex++;
            }
            _bitsSetIn16Bits[i] = array;
        }
    }

    public BitString(BitString other)
    {
        Ensure.Always.ArgumentNotNull(other, nameof(other));
        _length = other._length;
        _array = new long[GetWordsCountFromIndex(_length)];
        _minPositiveWord = other._minPositiveWord;
        _maxPositiveWord = other._maxPositiveWord;
        Array.Copy(other._array, _array, _array.LongLength);
    }

    public BitString(long length)
    {
        Ensure.Always.ArgumentInRange(length, GetValidLengthRange(), nameof(length));
        _length = length;
        _array = new long[GetWordsCountFromIndex(_length)];
        MarkBordersAsAllBitsReset();
    }

    public BitString(long length, bool defaultValue)
        : this(length)
    {
        if (defaultValue)
        {
            SetAll();
        }
    }

    #endregion

    public BitString Not()
    {
        for (var i = 0; i < _array.Length; i++)
        {
            _array[i] = ~_array[i];
            RefreshBordersByWord(i);
        }
        return this;
    }

    public BitString ParallelNot()
    {
        var processorCount = Environment.ProcessorCount;
        if (processorCount <= 1)
        {
            return Not();
        }
        var partitioner = Partitioner.Create(0, _array.Length, _array.Length /
        ↪  processorCount);
        Parallel.ForEach(partitioner.GetDynamicPartitions(), range =>
        {
            var maximum = range.Item2;
            for (var i = range.Item1; i < maximum; i++)
            {
                _array[i] = ~_array[i];
            }
        });
        MarkBordersAsAllBitsSet();
        TryShrinkBorders();
        return this;
    }

    public BitString VectorNot()
    {
        if (!Vector.IsHardwareAccelerated)
        {
            return Not();
        }
        var step = Vector<long>.Count;
        if (_array.Length < step)
        {
            return Not();
        }
```

```
            VectorNotLoop(_array, step, 0, _array.Length);
            MarkBordersAsAllBitsSet();
            TryShrinkBorders();
            return this;
        }

        public BitString ParallelVectorNot()
        {
            var processorCount = Environment.ProcessorCount;
            if (processorCount <= 1 && Vector.IsHardwareAccelerated)
            {
                return VectorNot();
            }
            if (!Vector.IsHardwareAccelerated)
            {
                return Not();
            }
            var step = Vector<long>.Count;
            if (_array.Length < (step * Environment.ProcessorCount))
            {
                return VectorNot();
            }
            var partitioner = Partitioner.Create(0, _array.Length, _array.Length /
            ↪  processorCount);
            Parallel.ForEach(partitioner.GetDynamicPartitions(), range => VectorNotLoop(_array,
            ↪  step, range.Item1, range.Item2));
            MarkBordersAsAllBitsSet();
            TryShrinkBorders();
            return this;
        }

        static private void VectorNotLoop(long[] array, int step, int start, int maximum)
        {
            var i = start;
            var range = maximum - start - 1;
            var stop = range - (range % step);
            for (; i < stop; i += step)
            {
                var vector = new Vector<long>(array, i);
                (~vector).CopyTo(array, i);
            }
            for (; i < maximum; i++)
            {
                array[i] = ~array[i];
            }
        }

        public BitString And(BitString other)
        {
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonOuterBorders(this, other, out long from, out long to);
            var otherArray = other._array;
            for (var i = from; i <= to; i++)
            {
                _array[i] &= otherArray[i];
                RefreshBordersByWord(i);
            }
            return this;
        }

        public BitString ParallelAnd(BitString other)
        {
            var processorCount = Environment.ProcessorCount;
            if (processorCount <= 1)
            {
                return And(other);
            }
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonOuterBorders(this, other, out long from, out long to);
            var partitioner = Partitioner.Create(from, to + 1, (to - from) / processorCount);
            Parallel.ForEach(partitioner.GetDynamicPartitions(), range =>
            {
                var maximum = range.Item2;
                for (var i = range.Item1; i < maximum; i++)
                {
                    _array[i] &= other._array[i];
                }
            });
            MarkBordersAsAllBitsSet();
```

```
258             TryShrinkBorders();
259             return this;
260         }
261 
262         public BitString VectorAnd(BitString other)
263         {
264             if (!Vector.IsHardwareAccelerated)
265             {
266                 return And(other);
267             }
268             var step = Vector<long>.Count;
269             if (_array.Length < step)
270             {
271                 return And(other);
272             }
273             EnsureBitStringHasTheSameSize(other, nameof(other));
274             GetCommonOuterBorders(this, other, out long from, out long to);
275             VectorAndLoop(_array, other._array, step, (int)from, (int)(to + 1));
276             MarkBordersAsAllBitsSet();
277             TryShrinkBorders();
278             return this;
279         }
280 
281         public BitString ParallelVectorAnd(BitString other)
282         {
283             var processorCount = Environment.ProcessorCount;
284             if (processorCount <= 1 && Vector.IsHardwareAccelerated)
285             {
286                 return VectorAnd(other);
287             }
288             if (!Vector.IsHardwareAccelerated)
289             {
290                 return And(other);
291             }
292             var step = Vector<long>.Count;
293             if (_array.Length < (step * Environment.ProcessorCount))
294             {
295                 return VectorAnd(other);
296             }
297             EnsureBitStringHasTheSameSize(other, nameof(other));
298             GetCommonOuterBorders(this, other, out long from, out long to);
299             var partitioner = Partitioner.Create(from, to + 1, (to - from) / processorCount);
300             Parallel.ForEach(partitioner.GetDynamicPartitions(), range => VectorAndLoop(_array,
                ↪  other._array, step, (int)range.Item1, (int)range.Item2));
301             MarkBordersAsAllBitsSet();
302             TryShrinkBorders();
303             return this;
304         }
305 
306         static private void VectorAndLoop(long[] array, long[] otherArray, int step, int start,
            ↪  int maximum)
307         {
308             var i = start;
309             var range = maximum - start - 1;
310             var stop = range - (range % step);
311             for (; i < stop; i += step)
312             {
313                 var thisVector = new Vector<long>(array, i);
314                 var otherVector = new Vector<long>(otherArray, i);
315                 (thisVector & otherVector).CopyTo(array, i);
316             }
317             for (; i < maximum; i++)
318             {
319                 array[i] &= otherArray[i];
320             }
321         }
322 
323         public BitString Or(BitString other)
324         {
325             EnsureBitStringHasTheSameSize(other, nameof(other));
326             GetCommonOuterBorders(this, other, out long from, out long to);
327             for (var i = from; i <= to; i++)
328             {
329                 _array[i] |= other._array[i];
330                 RefreshBordersByWord(i);
331             }
332             return this;
333         }
334 
```

```
        public BitString ParallelOr(BitString other)
        {
            var processorCount = Environment.ProcessorCount;
            if (processorCount <= 1)
            {
                return Or(other);
            }
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonOuterBorders(this, other, out long from, out long to);
            var partitioner = Partitioner.Create(from, to + 1, (to - from) / processorCount);
            Parallel.ForEach(partitioner.GetDynamicPartitions(), range =>
            {
                var maximum = range.Item2;
                for (var i = range.Item1; i < maximum; i++)
                {
                    _array[i] |= other._array[i];
                }
            });
            MarkBordersAsAllBitsSet();
            TryShrinkBorders();
            return this;
        }

        public BitString VectorOr(BitString other)
        {
            if (!Vector.IsHardwareAccelerated)
            {
                return Or(other);
            }
            var step = Vector<long>.Count;
            if (_array.Length < step)
            {
                return Or(other);
            }
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonOuterBorders(this, other, out long from, out long to);
            VectorOrLoop(_array, other._array, step, (int)from, (int)(to + 1));
            MarkBordersAsAllBitsSet();
            TryShrinkBorders();
            return this;
        }

        public BitString ParallelVectorOr(BitString other)
        {
            var processorCount = Environment.ProcessorCount;
            if (processorCount <= 1 && Vector.IsHardwareAccelerated)
            {
                return VectorOr(other);
            }
            if (!Vector.IsHardwareAccelerated)
            {
                return Or(other);
            }
            var step = Vector<long>.Count;
            if (_array.Length < (step * Environment.ProcessorCount))
            {
                return VectorOr(other);
            }
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonOuterBorders(this, other, out long from, out long to);
            var partitioner = Partitioner.Create(from, to + 1, (to - from) / processorCount);
            Parallel.ForEach(partitioner.GetDynamicPartitions(), range => VectorOrLoop(_array,
            ↪  other._array, step, (int)range.Item1, (int)range.Item2));
            MarkBordersAsAllBitsSet();
            TryShrinkBorders();
            return this;
        }

        static private void VectorOrLoop(long[] array, long[] otherArray, int step, int start,
        ↪  int maximum)
        {
            var i = start;
            var range = maximum - start - 1;
            var stop = range - (range % step);
            for (; i < stop; i += step)
            {
                var thisVector = new Vector<long>(array, i);
                var otherVector = new Vector<long>(otherArray, i);
```

```
                (thisVector | otherVector).CopyTo(array, i);
            }
            for (; i < maximum; i++)
            {
                array[i] |= otherArray[i];
            }
        }

        public BitString Xor(BitString other)
        {
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonOuterBorders(this, other, out long from, out long to);
            for (var i = from; i <= to; i++)
            {
                _array[i] ^= other._array[i];
                RefreshBordersByWord(i);
            }
            return this;
        }

        public BitString ParallelXor(BitString other)
        {
            var processorCount = Environment.ProcessorCount;
            if (processorCount <= 1)
            {
                return Xor(other);
            }
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonOuterBorders(this, other, out long from, out long to);
            var partitioner = Partitioner.Create(from, to + 1, (to - from) / processorCount);
            Parallel.ForEach(partitioner.GetDynamicPartitions(), range =>
            {
                var maximum = range.Item2;
                for (var i = range.Item1; i < maximum; i++)
                {
                    _array[i] ^= other._array[i];
                }
            });
            MarkBordersAsAllBitsSet();
            TryShrinkBorders();
            return this;
        }

        public BitString VectorXor(BitString other)
        {
            if (!Vector.IsHardwareAccelerated)
            {
                return Xor(other);
            }
            var step = Vector<long>.Count;
            if (_array.Length < step)
            {
                return Xor(other);
            }
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonOuterBorders(this, other, out long from, out long to);
            VectorXorLoop(_array, other._array, step, (int)from, (int)(to + 1));
            MarkBordersAsAllBitsSet();
            TryShrinkBorders();
            return this;
        }

        public BitString ParallelVectorXor(BitString other)
        {
            var processorCount = Environment.ProcessorCount;
            if (processorCount <= 1 && Vector.IsHardwareAccelerated)
            {
                return VectorXor(other);
            }
            if (!Vector.IsHardwareAccelerated)
            {
                return Xor(other);
            }
            var step = Vector<long>.Count;
            if (_array.Length < (step * Environment.ProcessorCount))
            {
                return VectorXor(other);
            }
            EnsureBitStringHasTheSameSize(other, nameof(other));
```

```
            GetCommonOuterBorders(this, other, out long from, out long to);
            var partitioner = Partitioner.Create(from, to + 1, (to - from) / processorCount);
            var x = partitioner.GetDynamicPartitions();
            var array = x.ToArray();
            Parallel.ForEach(array, range => VectorXorLoop(_array, other._array, step,
            ↪  (int)range.Item1, (int)range.Item2));
            MarkBordersAsAllBitsSet();
            TryShrinkBorders();
            return this;
        }

        static private void VectorXorLoop(long[] array, long[] otherArray, int step, int start,
        ↪  int maximum)
        {
            var i = start;
            var range = maximum - start - 1;
            var stop = range - (range % step);
            for (; i < stop; i += step)
            {
                var thisVector = new Vector<long>(array, i);
                var otherVector = new Vector<long>(otherArray, i);
                (thisVector ^ otherVector).CopyTo(array, i);
            }
            for (; i < maximum; i++)
            {
                array[i] ^= otherArray[i];
            }
        }

        private void RefreshBordersByWord(long wordIndex)
        {
            if (_array[wordIndex] == 0)
            {
                if (wordIndex == _minPositiveWord && wordIndex != _array.LongLength - 1)
                {
                    _minPositiveWord++;
                }
                if (wordIndex == _maxPositiveWord && wordIndex != 0)
                {
                    _maxPositiveWord--;
                }
            }
            else
            {
                if (wordIndex < _minPositiveWord)
                {
                    _minPositiveWord = wordIndex;
                }
                if (wordIndex > _maxPositiveWord)
                {
                    _maxPositiveWord = wordIndex;
                }
            }
        }

        public bool TryShrinkBorders()
        {
            GetBorders(out long from, out long to);
            while (from <= to && _array[from] == 0)
            {
                from++;
            }
            if (from > to)
            {
                MarkBordersAsAllBitsReset();
                return true;
            }
            while (to >= from && _array[to] == 0)
            {
                to--;
            }
            if (to < from)
            {
                MarkBordersAsAllBitsReset();
                return true;
            }
            var bordersUpdated = from != _minPositiveWord || to != _maxPositiveWord;
            if (bordersUpdated)
            {
```

```
                SetBorders(from, to);
            }
            return bordersUpdated;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Get(long index)
        {
            Ensure.Always.ArgumentInRange(index, GetValidIndexRange(), nameof(index));
            return (_array[GetWordIndexFromIndex(index)] & GetBitMaskFromIndex(index)) != 0;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Set(long index, bool value)
        {
            if (value)
            {
                Set(index);
            }
            else
            {
                Reset(index);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Set(long index)
        {
            Ensure.Always.ArgumentInRange(index, GetValidIndexRange(), nameof(index));
            var wordIndex = GetWordIndexFromIndex(index);
            var mask = GetBitMaskFromIndex(index);
            _array[wordIndex] |= mask;
            RefreshBordersByWord(wordIndex);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Reset(long index)
        {
            Ensure.Always.ArgumentInRange(index, GetValidIndexRange(), nameof(index));
            var wordIndex = GetWordIndexFromIndex(index);
            var mask = GetBitMaskFromIndex(index);
            _array[wordIndex] &= ~mask;
            RefreshBordersByWord(wordIndex);
        }

        public bool Add(long index)
        {
            var wordIndex = GetWordIndexFromIndex(index);
            var mask = GetBitMaskFromIndex(index);
            if ((_array[wordIndex] & mask) == 0)
            {
                _array[wordIndex] |= mask;
                RefreshBordersByWord(wordIndex);
                return true;
            }
            else
            {
                return false;
            }
        }

        public void SetAll(bool value)
        {
            if (value)
            {
                SetAll();
            }
            else
            {
                ResetAll();
            }
        }

        public void SetAll()
        {
            const long fillValue = unchecked((long)0xffffffffffffffff);
            var words = GetWordsCountFromIndex(_length);
            for (var i = 0; i < words; i++)
            {
```

```
                _array[i] = fillValue;
            }
            MarkBordersAsAllBitsSet();
        }

        public void ResetAll()
        {
            const long fillValue = 0;
            GetBorders(out long from, out long to);
            for (var i = from; i <= to; i++)
            {
                _array[i] = fillValue;
            }
            MarkBordersAsAllBitsReset();
        }

        public List<long> GetSetIndices()
        {
            var result = new List<long>();
            GetBorders(out long from, out long to);
            for (var i = from; i <= to; i++)
            {
                var word = _array[i];
                if (word != 0)
                {
                    AppendAllSetBitIndices(result, i, word);
                }
            }
            return result;
        }

        public List<ulong> GetSetUInt64Indices()
        {
            var result = new List<ulong>();
            GetBorders(out ulong from, out ulong to);
            for (var i = from; i <= to; i++)
            {
                var word = _array[i];
                if (word != 0)
                {
                    AppendAllSetBitIndices(result, i, word);
                }
            }
            return result;
        }

        public long GetFirstSetBitIndex()
        {
            var i = _minPositiveWord;
            var word = _array[i];
            if (word != 0)
            {
                return GetFirstSetBitForWord(i, word);
            }
            return -1;
        }

        public long GetLastSetBitIndex()
        {
            var i = _maxPositiveWord;
            var word = _array[i];
            if (word != 0)
            {
                return GetLastSetBitForWord(i, word);
            }
            return -1;
        }

        public long CountSetBits()
        {
            var total = 0L;
            GetBorders(out long from, out long to);
            for (var i = from; i <= to; i++)
            {
                var word = _array[i];
                if (word != 0)
                {
                    total += CountSetBitsForWord(word);
                }
```

```
            }
            return total;
        }

        public bool HaveCommonBits(BitString other)
        {
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonInnerBorders(this, other, out long from, out long to);
            var otherArray = other._array;
            for (var i = from; i <= to; i++)
            {
                var left = _array[i];
                var right = otherArray[i];
                if (left != 0 && right != 0 && (left & right) != 0)
                {
                    return true;
                }
            }
            return false;
        }

        public long CountCommonBits(BitString other)
        {
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonInnerBorders(this, other, out long from, out long to);
            var total = 0L;
            var otherArray = other._array;
            for (var i = from; i <= to; i++)
            {
                var left = _array[i];
                var right = otherArray[i];
                var combined = left & right;
                if (combined != 0)
                {
                    total += CountSetBitsForWord(combined);
                }
            }
            return total;
        }

        public List<long> GetCommonIndices(BitString other)
        {
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonInnerBorders(this, other, out long from, out long to);
            var result = new List<long>();
            var otherArray = other._array;
            for (var i = from; i <= to; i++)
            {
                var left = _array[i];
                var right = otherArray[i];
                var combined = left & right;
                if (combined != 0)
                {
                    AppendAllSetBitIndices(result, i, combined);
                }
            }
            return result;
        }

        public List<ulong> GetCommonUInt64Indices(BitString other)
        {
            EnsureBitStringHasTheSameSize(other, nameof(other));
            GetCommonBorders(this, other, out ulong from, out ulong to);
            var result = new List<ulong>();
            var otherArray = other._array;
            for (var i = from; i <= to; i++)
            {
                var left = _array[i];
                var right = otherArray[i];
                var combined = left & right;
                if (combined != 0)
                {
                    AppendAllSetBitIndices(result, i, combined);
                }
            }
            return result;
        }

        public long GetFirstCommonBitIndex(BitString other)
```

```
804         {
805             EnsureBitStringHasTheSameSize(other, nameof(other));
806             GetCommonInnerBorders(this, other, out long from, out long to);
807             var otherArray = other._array;
808             for (var i = from; i <= to; i++)
809             {
810                 var left = _array[i];
811                 var right = otherArray[i];
812                 var combined = left & right;
813                 if (combined != 0)
814                 {
815                     return GetFirstSetBitForWord(i, combined);
816                 }
817             }
818             return -1;
819         }
820 
821         public long GetLastCommonBitIndex(BitString other)
822         {
823             EnsureBitStringHasTheSameSize(other, nameof(other));
824             GetCommonInnerBorders(this, other, out long from, out long to);
825             var otherArray = other._array;
826             for (var i = to; i >= from; i--)
827             {
828                 var left = _array[i];
829                 var right = otherArray[i];
830                 var combined = left & right;
831                 if (combined != 0)
832                 {
833                     return GetLastSetBitForWord(i, combined);
834                 }
835             }
836             return -1;
837         }
838 
839         public override bool Equals(object obj) => obj is BitString @string ? Equals(@string) :
    ↪  false;
840 
841         public bool Equals(BitString other)
842         {
843             if (_length != other._length)
844             {
845                 return false;
846             }
847             var otherArray = other._array;
848             if (_array.Length != otherArray.Length)
849             {
850                 return false;
851             }
852             if (_minPositiveWord != other._minPositiveWord)
853             {
854                 return false;
855             }
856             if (_maxPositiveWord != other._maxPositiveWord)
857             {
858                 return false;
859             }
860             GetCommonBorders(this, other, out ulong from, out ulong to);
861             for (var i = from; i <= to; i++)
862             {
863                 if (_array[i] != otherArray[i])
864                 {
865                     return false;
866                 }
867             }
868             return true;
869         }
870 
871         [MethodImpl(MethodImplOptions.AggressiveInlining)]
872         private void EnsureBitStringHasTheSameSize(BitString other, string argumentName)
873         {
874             Ensure.Always.ArgumentNotNull(other, argumentName);
875             if (_length != other._length)
876             {
877                 throw new ArgumentException("Bit string must be the same size.", argumentName);
878             }
879         }
880 
881         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
882         private void MarkBordersAsAllBitsReset() => SetBorders(_array.LongLength - 1, 0);
883 
884         [MethodImpl(MethodImplOptions.AggressiveInlining)]
885         private void MarkBordersAsAllBitsSet() => SetBorders(0, _array.LongLength - 1);
886 
887         [MethodImpl(MethodImplOptions.AggressiveInlining)]
888         private void GetBorders(out long from, out long to)
889         {
890             from = _minPositiveWord;
891             to = _maxPositiveWord;
892         }
893 
894         [MethodImpl(MethodImplOptions.AggressiveInlining)]
895         private void GetBorders(out ulong from, out ulong to)
896         {
897             from = (ulong)_minPositiveWord;
898             to = (ulong)_maxPositiveWord;
899         }
900 
901         [MethodImpl(MethodImplOptions.AggressiveInlining)]
902         private void SetBorders(long from, long to)
903         {
904             _minPositiveWord = from;
905             _maxPositiveWord = to;
906         }
907 
908         [MethodImpl(MethodImplOptions.AggressiveInlining)]
909         private Range<long> GetValidIndexRange() => (0, _length - 1);
910 
911         [MethodImpl(MethodImplOptions.AggressiveInlining)]
912         private static Range<long> GetValidLengthRange() => (0, long.MaxValue);
913 
914         [MethodImpl(MethodImplOptions.AggressiveInlining)]
915         private static void AppendAllSetBitIndices(List<ulong> result, ulong wordIndex, long
            ↪ wordValue)
916         {
917             GetBits(wordValue, out byte[] bits00to15, out byte[] bits16to31, out byte[]
                ↪ bits32to47, out byte[] bits48to63);
918             AppendAllSetIndices(result, wordIndex, bits00to15, bits16to31, bits32to47,
                ↪ bits48to63);
919         }
920 
921         [MethodImpl(MethodImplOptions.AggressiveInlining)]
922         private static void AppendAllSetBitIndices(List<long> result, long wordIndex, long
            ↪ wordValue)
923         {
924             GetBits(wordValue, out byte[] bits00to15, out byte[] bits16to31, out byte[]
                ↪ bits32to47, out byte[] bits48to63);
925             AppendAllSetBitIndices(result, wordIndex, bits00to15, bits16to31, bits32to47,
                ↪ bits48to63);
926         }
927 
928         [MethodImpl(MethodImplOptions.AggressiveInlining)]
929         private static long CountSetBitsForWord(long word)
930         {
931             GetBits(word, out byte[] bits00to15, out byte[] bits16to31, out byte[] bits32to47,
                ↪ out byte[] bits48to63);
932             return bits00to15.LongLength + bits16to31.LongLength + bits32to47.LongLength +
                ↪ bits48to63.LongLength;
933         }
934 
935         [MethodImpl(MethodImplOptions.AggressiveInlining)]
936         private static long GetFirstSetBitForWord(long wordIndex, long wordValue)
937         {
938             GetBits(wordValue, out byte[] bits00to15, out byte[] bits16to31, out byte[]
                ↪ bits32to47, out byte[] bits48to63);
939             return GetFirstSetBit(wordIndex, bits00to15, bits16to31, bits32to47, bits48to63);
940         }
941 
942         [MethodImpl(MethodImplOptions.AggressiveInlining)]
943         private static long GetLastSetBitForWord(long wordIndex, long wordValue)
944         {
945             GetBits(wordValue, out byte[] bits00to15, out byte[] bits16to31, out byte[]
                ↪ bits32to47, out byte[] bits48to63);
946             return GetLastSetBit(wordIndex, bits00to15, bits16to31, bits32to47, bits48to63);
947         }
948 
```

```
949             private static void AppendAllSetBitIndices(List<long> result, long i, byte[] bits00to15,
                ↪  byte[] bits16to31, byte[] bits32to47, byte[] bits48to63)
950             {
951                 for (var j = 0; j < bits00to15.Length; j++)
952                 {
953                     result.Add(bits00to15[j] + (i * 64));
954                 }
955                 for (var j = 0; j < bits16to31.Length; j++)
956                 {
957                     result.Add(bits16to31[j] + 16 + (i * 64));
958                 }
959                 for (var j = 0; j < bits32to47.Length; j++)
960                 {
961                     result.Add(bits32to47[j] + 32 + (i * 64));
962                 }
963                 for (var j = 0; j < bits48to63.Length; j++)
964                 {
965                     result.Add(bits48to63[j] + 48 + (i * 64));
966                 }
967             }
968 
969             private static void AppendAllSetIndices(List<ulong> result, ulong i, byte[] bits00to15,
                ↪  byte[] bits16to31, byte[] bits32to47, byte[] bits48to63)
970             {
971                 for (var j = 0; j < bits00to15.Length; j++)
972                 {
973                     result.Add(bits00to15[j] + (i * 64));
974                 }
975                 for (var j = 0; j < bits16to31.Length; j++)
976                 {
977                     result.Add(bits16to31[j] + 16UL + (i * 64));
978                 }
979                 for (var j = 0; j < bits32to47.Length; j++)
980                 {
981                     result.Add(bits32to47[j] + 32UL + (i * 64));
982                 }
983                 for (var j = 0; j < bits48to63.Length; j++)
984                 {
985                     result.Add(bits48to63[j] + 48UL + (i * 64));
986                 }
987             }
988 
989             private static long GetFirstSetBit(long i, byte[] bits00to15, byte[] bits16to31, byte[]
                ↪  bits32to47, byte[] bits48to63)
990             {
991                 if (bits00to15.Length > 0)
992                 {
993                     return bits00to15[0] + (i * 64);
994                 }
995                 if (bits16to31.Length > 0)
996                 {
997                     return bits16to31[0] + 16 + (i * 64);
998                 }
999                 if (bits32to47.Length > 0)
1000                {
1001                    return bits32to47[0] + 32 + (i * 64);
1002                }
1003                return bits48to63[0] + 48 + (i * 64);
1004            }
1005
1006            private static long GetLastSetBit(long i, byte[] bits00to15, byte[] bits16to31, byte[]
                ↪  bits32to47, byte[] bits48to63)
1007            {
1008                if (bits48to63.Length > 0)
1009                {
1010                    return bits48to63[bits48to63.Length - 1] + 48 + (i * 64);
1011                }
1012                if (bits32to47.Length > 0)
1013                {
1014                    return bits32to47[bits32to47.Length - 1] + 32 + (i * 64);
1015                }
1016                if (bits16to31.Length > 0)
1017                {
1018                    return bits16to31[bits16to31.Length - 1] + 16 + (i * 64);
1019                }
1020                return bits00to15[bits00to15.Length - 1] + (i * 64);
1021            }
1022
```

```
1023          private static void GetBits(long word, out byte[] bits00to15, out byte[] bits16to31, out
              ↪  byte[] bits32to47, out byte[] bits48to63)
1024          {
1025              bits00to15 = _bitsSetIn16Bits[word & 0xffffu];
1026              bits16to31 = _bitsSetIn16Bits[(word >> 16) & 0xffffu];
1027              bits32to47 = _bitsSetIn16Bits[(word >> 32) & 0xffffu];
1028              bits48to63 = _bitsSetIn16Bits[(word >> 48) & 0xffffu];
1029          }
1030
1031          [MethodImpl(MethodImplOptions.AggressiveInlining)]
1032          public static void GetCommonInnerBorders(BitString left, BitString right, out long from,
              ↪  out long to)
1033          {
1034              from = Math.Max(left._minPositiveWord, right._minPositiveWord);
1035              to = Math.Min(left._maxPositiveWord, right._maxPositiveWord);
1036          }
1037
1038          [MethodImpl(MethodImplOptions.AggressiveInlining)]
1039          public static void GetCommonOuterBorders(BitString left, BitString right, out long from,
              ↪  out long to)
1040          {
1041              from = Math.Min(left._minPositiveWord, right._minPositiveWord);
1042              to = Math.Max(left._maxPositiveWord, right._maxPositiveWord);
1043          }
1044
1045          [MethodImpl(MethodImplOptions.AggressiveInlining)]
1046          public static void GetCommonBorders(BitString left, BitString right, out ulong from, out
              ↪  ulong to)
1047          {
1048              from = (ulong)Math.Max(left._minPositiveWord, right._minPositiveWord);
1049              to = (ulong)Math.Min(left._maxPositiveWord, right._maxPositiveWord);
1050          }
1051
1052          [MethodImpl(MethodImplOptions.AggressiveInlining)]
1053          public static long GetWordsCountFromIndex(long index) => (index + 63) / 64;
1054
1055          [MethodImpl(MethodImplOptions.AggressiveInlining)]
1056          public static long GetWordIndexFromIndex(long index) => index >> 6;
1057
1058          [MethodImpl(MethodImplOptions.AggressiveInlining)]
1059          public static long GetBitMaskFromIndex(long index) => 1L << (int)(index & 63);
1060
1061          public override int GetHashCode() => base.GetHashCode();
1062
1063          public override string ToString() => base.ToString();
1064      }
1065  }
```

1.9 ./Platform.Collections/BitStringExtensions.cs

```
1   using Platform.Random;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Collections
6   {
7       public static class BitStringExtensions
8       {
9           public static void SetRandomBits(this BitString @string)
10          {
11              for (var i = 0; i < @string.Length; i++)
12              {
13                  var value = RandomHelpers.Default.NextBoolean();
14                  @string.Set(i, value);
15              }
16          }
17      }
18  }
```

1.10 ./Platform.Collections/Concurrent/ConcurrentQueueExtensions.cs

```
1   using System.Collections.Concurrent;
2   using System.Collections.Generic;
3   using System.Runtime.CompilerServices;
4
5   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7   namespace Platform.Collections.Concurrent
8   {
9       public static class ConcurrentQueueExtensions
10      {
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static IEnumerable<T> DequeueAll<T>(this ConcurrentQueue<T> queue)
        {
            while (queue.TryDequeue(out T item))
            {
                yield return item;
            }
        }
    }
}
```

1.11 ./Platform.Collections/Concurrent/ConcurrentStackExtensions.cs

```
using System.Collections.Concurrent;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Concurrent
{
    public static class ConcurrentStackExtensions
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static T PopOrDefault<T>(this ConcurrentStack<T> stack) => stack.TryPop(out T
        ↪  value) ? value : default;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static T PeekOrDefault<T>(this ConcurrentStack<T> stack) => stack.TryPeek(out T
        ↪  value) ? value : default;
    }
}
```

1.12 ./Platform.Collections/EnsureExtensions.cs

```
using System;
using System.Collections.Generic;
using System.Diagnostics;
using System.Runtime.CompilerServices;
using Platform.Exceptions;
using Platform.Exceptions.ExtensionRoots;

#pragma warning disable IDE0060 // Remove unused parameter
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections
{
    public static class EnsureExtensions
    {
        #region Always

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void ArgumentNotEmpty<T>(this EnsureAlwaysExtensionRoot root,
        ↪  ICollection<T> argument, string argumentName, string message)
        {
            if (argument.IsNullOrEmpty())
            {
                throw new ArgumentException(message, argumentName);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void ArgumentNotEmpty<T>(this EnsureAlwaysExtensionRoot root,
        ↪  ICollection<T> argument, string argumentName) => ArgumentNotEmpty(root, argument,
        ↪  argumentName, null);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void ArgumentNotEmpty<T>(this EnsureAlwaysExtensionRoot root,
        ↪  ICollection<T> argument) => ArgumentNotEmpty(root, argument, null, null);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureAlwaysExtensionRoot root,
        ↪  string argument, string argumentName, string message)
        {
            if (string.IsNullOrWhiteSpace(argument))
            {
                throw new ArgumentException(message, argumentName);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
42          public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureAlwaysExtensionRoot root,
            ↪  string argument, string argumentName) => ArgumentNotEmptyAndNotWhiteSpace(root,
            ↪  argument, argumentName, null);
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureAlwaysExtensionRoot root,
            ↪  string argument) => ArgumentNotEmptyAndNotWhiteSpace(root, argument, null, null);
46
47          #endregion
48
49          #region OnDebug
50
51          [Conditional("DEBUG")]
52          public static void ArgumentNotEmpty<T>(this EnsureOnDebugExtensionRoot root,
            ↪  ICollection<T> argument, string argumentName, string message) =>
            ↪  Ensure.Always.ArgumentNotEmpty(argument, argumentName, message);
53
54          [Conditional("DEBUG")]
55          public static void ArgumentNotEmpty<T>(this EnsureOnDebugExtensionRoot root,
            ↪  ICollection<T> argument, string argumentName) =>
            ↪  Ensure.Always.ArgumentNotEmpty(argument, argumentName, null);
56
57          [Conditional("DEBUG")]
58          public static void ArgumentNotEmpty<T>(this EnsureOnDebugExtensionRoot root,
            ↪  ICollection<T> argument) => Ensure.Always.ArgumentNotEmpty(argument, null, null);
59
60          [Conditional("DEBUG")]
61          public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureOnDebugExtensionRoot
            ↪  root, string argument, string argumentName, string message) =>
            ↪  Ensure.Always.ArgumentNotEmptyAndNotWhiteSpace(argument, argumentName, message);
62
63          [Conditional("DEBUG")]
64          public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureOnDebugExtensionRoot
            ↪  root, string argument, string argumentName) =>
            ↪  Ensure.Always.ArgumentNotEmptyAndNotWhiteSpace(argument, argumentName, null);
65
66          [Conditional("DEBUG")]
67          public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureOnDebugExtensionRoot
            ↪  root, string argument) => Ensure.Always.ArgumentNotEmptyAndNotWhiteSpace(argument,
            ↪  null, null);
68
69          #endregion
70      }
71  }
```

1.13 ./Platform.Collections/ICollectionExtensions.cs

```
1   using System.Collections.Generic;
2   using System.Linq;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Collections
7   {
8       public static class ICollectionExtensions
9       {
10          public static bool IsNullOrEmpty<T>(this ICollection<T> collection) => collection ==
            ↪  null || collection.Count == 0;
11
12          public static bool AllEqualToDefault<T>(this ICollection<T> collection)
13          {
14              var equalityComparer = EqualityComparer<T>.Default;
15              return collection.All(item => equalityComparer.Equals(item, default));
16          }
17      }
18  }
```

1.14 ./Platform.Collections/IDictionaryExtensions.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Runtime.CompilerServices;
4
5   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7   namespace Platform.Collections
8   {
9       public static class IDictionaryExtensions
10      {
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        public static TValue GetOrDefault<TKey, TValue>(this IDictionary<TKey, TValue>
        ↪ dictionary, TKey key)
        {
            dictionary.TryGetValue(key, out TValue value);
            return value;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TValue GetOrAdd<TKey, TValue>(this IDictionary<TKey, TValue> dictionary,
        ↪ TKey key, Func<TKey, TValue> valueFactory)
        {
            if (!dictionary.TryGetValue(key, out TValue value))
            {
                value = valueFactory(key);
                dictionary.Add(key, value);
                return value;
            }
            return value;
        }
    }
}
```

1.15 ./Platform.Collections/ISetExtensions.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections
{
    public static class ISetExtensions
    {
        public static void AddAndReturnVoid<T>(this ISet<T> set, T element) => set.Add(element);
        public static void RemoveAndReturnVoid<T>(this ISet<T> set, T element) =>
        ↪ set.Remove(element);
        public static bool DoNotContains<T>(this ISet<T> set, T element) =>
        ↪ !set.Contains(element);
    }
}
```

1.16 ./Platform.Collections/Lists/CharIListExtensions.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Lists
{
    public static class CharIListExtensions
    {
        /// <remarks>
        /// Based on https://github.com/Microsoft/referencesource/blob/3b1eaf5203992df69de44c783
        ↪ a3eda37d3d4cd10/mscorlib/system/string.cs#L833
        /// </remarks>
        public static unsafe int GenerateHashCode(this IList<char> list)
        {
            var hashSeed = 5381;
            var hashAccumulator = hashSeed;
            for (var i = 0; i < list.Count; i++)
            {
                hashAccumulator = (hashAccumulator << 5) + hashAccumulator ^ list[i];
            }
            return hashAccumulator + (hashSeed * 1566083941);
        }

        public static bool EqualTo(this IList<char> left, IList<char> right) =>
        ↪ left.EqualTo(right, ContentEqualTo);

        public static bool ContentEqualTo(this IList<char> left, IList<char> right)
        {
            for (var i = left.Count - 1; i >= 0; --i)
            {
                if (left[i] != right[i])
                {
                    return false;
                }
            }
            return true;
        }
    }
}
```

1.17 ./Platform.Collections/Lists/IListComparer.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Lists
{
    public class IListComparer<T> : IComparer<IList<T>>
    {
        public int Compare(IList<T> left, IList<T> right) => left.CompareTo(right);
    }
}
```

1.18 ./Platform.Collections/Lists/IListEqualityComparer.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Lists
{
    public class IListEqualityComparer<T> : IEqualityComparer<IList<T>>
    {
        public bool Equals(IList<T> left, IList<T> right) => left.EqualTo(right);
        public int GetHashCode(IList<T> list) => list.GenerateHashCode();
    }
}
```

1.19 ./Platform.Collections/Lists/IListExtensions.cs

```
using System;
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Lists
{
    public static class IListExtensions
    {
        public static bool AddAndReturnTrue<T>(this IList<T> list, T element)
        {
            list.Add(element);
            return true;
        }

        public static int GetCountOrZero<T>(this IList<T> list) => list?.Count ?? 0;

        public static bool EqualTo<T>(this IList<T> left, IList<T> right) => EqualTo(left,
        ↪  right, ContentEqualTo);

        public static bool EqualTo<T>(this IList<T> left, IList<T> right, Func<IList<T>,
        ↪  IList<T>, bool> contentEqualityComparer)
        {
            if (ReferenceEquals(left, right))
            {
                return true;
            }
            var leftCount = left.GetCountOrZero();
            var rightCount = right.GetCountOrZero();
            if (leftCount == 0 && rightCount == 0)
            {
                return true;
            }
            if (leftCount == 0 || rightCount == 0 || leftCount != rightCount)
            {
                return false;
            }
            return contentEqualityComparer(left, right);
        }

        public static bool ContentEqualTo<T>(this IList<T> left, IList<T> right)
        {
            var equalityComparer = EqualityComparer<T>.Default;
            for (var i = left.Count - 1; i >= 0; --i)
            {
                if (!equalityComparer.Equals(left[i], right[i]))
                {
                    return false;
                }
            }
            return true;
```

```
50          }
51
52          public static T[] ToArray<T>(this IList<T> list, Func<T, bool> predicate)
53          {
54              if (list == null)
55              {
56                  return null;
57              }
58              var result = new List<T>(list.Count);
59              for (var i = 0; i < list.Count; i++)
60              {
61                  if (predicate(list[i]))
62                  {
63                      result.Add(list[i]);
64                  }
65              }
66              return result.ToArray();
67          }
68
69          public static T[] ToArray<T>(this IList<T> list)
70          {
71              var array = new T[list.Count];
72              list.CopyTo(array, 0);
73              return array;
74          }
75
76          public static void ForEach<T>(this IList<T> list, Action<T> action)
77          {
78              for (var i = 0; i < list.Count; i++)
79              {
80                  action(list[i]);
81              }
82          }
83
84          /// <remarks>
85          /// Based on http://stackoverflow.com/questions/263400/what-is-the-best-algorithm-for-an
            ↪  -overridden-system-object-gethashcode
86          /// </remarks>
87          public static int GenerateHashCode<T>(this IList<T> list)
88          {
89              var result = 17;
90              for (var i = 0; i < list.Count; i++)
91              {
92                  result = unchecked((result * 23) + list[i].GetHashCode());
93              }
94              return result;
95          }
96
97          public static int CompareTo<T>(this IList<T> left, IList<T> right)
98          {
99              var comparer = Comparer<T>.Default;
100             var leftCount = left.GetCountOrZero();
101             var rightCount = right.GetCountOrZero();
102             var intermediateResult = leftCount.CompareTo(rightCount);
103             for (var i = 0; intermediateResult == 0 && i < leftCount; i++)
104             {
105                 intermediateResult = comparer.Compare(left[i], right[i]);
106             }
107             return intermediateResult;
108         }
109     }
110 }
```

1.20 ./Platform.Collections/Segments/CharSegment.cs

```
1  using System.Linq;
2  using System.Collections.Generic;
3  using Platform.Collections.Arrays;
4  using Platform.Collections.Lists;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Collections.Segments
9  {
10     public class CharSegment : Segment<char>
11     {
12         public CharSegment(IList<char> @base, int offset, int length) : base(@base, offset,
           ↪  length) { }
13
14         public override int GetHashCode()
```

```
        {
            // Base can be not an array, but still IList<char>
            if (Base is char[] baseArray)
            {
                return baseArray.GenerateHashCode(Offset, Length);
            }
            else
            {
                return this.GenerateHashCode();
            }
        }

        public override bool Equals(Segment<char> other)
        {
            bool contentEqualityComparer(IList<char> left, IList<char> right)
            {
                // Base can be not an array, but still IList<char>
                if (Base is char[] baseArray && other.Base is char[] otherArray)
                {
                    return baseArray.ContentEqualTo(Offset, Length, otherArray, other.Offset);
                }
                else
                {
                    return left.ContentEqualTo(right);
                }
            }
            return this.EqualTo(other, contentEqualityComparer);
        }

        public static implicit operator string(CharSegment segment)
        {
            if (!(segment.Base is char[] array))
            {
                array = segment.Base.ToArray();
            }
            return new string(array, segment.Offset, segment.Length);
        }

        public override string ToString() => this;
    }
}
```

1.21 ./Platform.Collections/Segments/Segment.cs

```
using System;
using System.Collections;
using System.Collections.Generic;
using Platform.Collections.Lists;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Segments
{
    public class Segment<T> : IEquatable<Segment<T>>, IList<T>
    {
        public IList<T> Base { get; }
        public int Offset { get; }
        public int Length { get; }

        public Segment(IList<T> @base, int offset, int length)
        {
            Base = @base;
            Offset = offset;
            Length = length;
        }

        public override int GetHashCode() => this.GenerateHashCode();

        public virtual bool Equals(Segment<T> other) => this.EqualTo(other);

        public override bool Equals(object obj) => obj is Segment<T> other ? Equals(other) :
        ↪  false;

        #region IList

        public T this[int i]
        {
            get => Base[Offset + i];
            set => Base[Offset + i] = value;
        }

```

```
        public int Count => Length;

        public bool IsReadOnly => true;

        public int IndexOf(T item)
        {
            var index = Base.IndexOf(item);
            if (index >= Offset)
            {
                var actualIndex = index - Offset;
                if (actualIndex < Length)
                {
                    return actualIndex;
                }
            }
            return -1;
        }

        public void Insert(int index, T item) => throw new NotSupportedException();

        public void RemoveAt(int index) => throw new NotSupportedException();

        public void Add(T item) => throw new NotSupportedException();

        public void Clear() => throw new NotSupportedException();

        public bool Contains(T item) => IndexOf(item) >= 0;

        public void CopyTo(T[] array, int arrayIndex)
        {
            for (var i = 0; i < Length; i++)
            {
                array[arrayIndex++] = this[i];
            }
        }

        public bool Remove(T item) => throw new NotSupportedException();

        public IEnumerator<T> GetEnumerator()
        {
            for (var i = 0; i < Length; i++)
            {
                yield return this[i];
            }
        }

        IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();

        #endregion
    }
}
```

1.22 ./Platform.Collections/Segments/Walkers/AllSegmentsWalkerBase.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Segments.Walkers
{
    public abstract class AllSegmentsWalkerBase
    {
        public static readonly int DefaultMinimumStringSegmentLength = 2;
    }
}
```

1.23 ./Platform.Collections/Segments/Walkers/AllSegmentsWalkerBase[T, TSegment].cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Segments.Walkers
{
    public abstract class AllSegmentsWalkerBase<T, TSegment> : AllSegmentsWalkerBase
        where TSegment : Segment<T>
    {
        private readonly int _minimumStringSegmentLength;

        protected AllSegmentsWalkerBase(int minimumStringSegmentLength) =>
        ↪  _minimumStringSegmentLength = minimumStringSegmentLength;

        protected AllSegmentsWalkerBase() : this(DefaultMinimumStringSegmentLength) { }

```

```
        public virtual void WalkAll(IList<T> elements)
        {
            for (int offset = 0, maxOffset = elements.Count - _minimumStringSegmentLength;
            ↪  offset <= maxOffset; offset++)
            {
                for (int length = _minimumStringSegmentLength, maxLength = elements.Count -
                ↪  offset; length <= maxLength; length++)
                {
                    Iteration(CreateSegment(elements, offset, length));
                }
            }
        }

        protected abstract TSegment CreateSegment(IList<T> elements, int offset, int length);

        protected abstract void Iteration(TSegment segment);
    }
}
```

1.24 ./Platform.Collections/Segments/Walkers/AllSegmentsWalkerBase[T].cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Segments.Walkers
{
    public abstract class AllSegmentsWalkerBase<T> : AllSegmentsWalkerBase<T, Segment<T>>
    {
        protected override Segment<T> CreateSegment(IList<T> elements, int offset, int length)
        ↪  => new Segment<T>(elements, offset, length);
    }
}
```

1.25 ./Platform.Collections/Segments/Walkers/AllSegmentsWalkerExtensions.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Segments.Walkers
{
    public static class AllSegmentsWalkerExtensions
    {
        public static void WalkAll(this AllSegmentsWalkerBase<char> walker, string @string) =>
        ↪  walker.WalkAll(@string.ToCharArray());
        public static void WalkAll<TSegment>(this AllSegmentsWalkerBase<char, TSegment> walker,
        ↪  string @string) where TSegment : Segment<char> =>
        ↪  walker.WalkAll(@string.ToCharArray());
    }
}
```

1.26 ./Platform.Collections/Segments/Walkers/DictionaryBasedDuplicateSegmentsWalkerBase[T, Segment].cs

```
using System;
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Segments.Walkers
{
    public abstract class DictionaryBasedDuplicateSegmentsWalkerBase<T, TSegment> :
    ↪  DuplicateSegmentsWalkerBase<T, TSegment>
        where TSegment : Segment<T>
    {
        public static readonly bool DefaultResetDictionaryOnEachWalk;

        private readonly bool _resetDictionaryOnEachWalk;
        protected IDictionary<TSegment, long> Dictionary;

        protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<TSegment, long>
        ↪  dictionary, int minimumStringSegmentLength, bool resetDictionaryOnEachWalk)
            : base(minimumStringSegmentLength)
        {
            Dictionary = dictionary;
            _resetDictionaryOnEachWalk = resetDictionaryOnEachWalk;
        }

        protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<TSegment, long>
        ↪  dictionary, int minimumStringSegmentLength) : this(dictionary,
        ↪  minimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }

```

```
25          protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<TSegment, long>
            ↪ dictionary) : this(dictionary, DefaultMinimumStringSegmentLength,
            ↪ DefaultResetDictionaryOnEachWalk) { }
26
27          protected DictionaryBasedDuplicateSegmentsWalkerBase(int minimumStringSegmentLength,
            ↪ bool resetDictionaryOnEachWalk) : this(resetDictionaryOnEachWalk ? null : new
            ↪ Dictionary<TSegment, long>(), minimumStringSegmentLength, resetDictionaryOnEachWalk)
            ↪ { }
28
29          protected DictionaryBasedDuplicateSegmentsWalkerBase(int minimumStringSegmentLength) :
            ↪ this(minimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
30
31          protected DictionaryBasedDuplicateSegmentsWalkerBase() :
            ↪ this(DefaultMinimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
32
33          public override void WalkAll(IList<T> elements)
34          {
35              if (_resetDictionaryOnEachWalk)
36              {
37                  var capacity = Math.Ceiling(Math.Pow(elements.Count, 2) / 2);
38                  Dictionary = new Dictionary<TSegment, long>((int)capacity);
39              }
40              base.WalkAll(elements);
41          }
42
43          protected override long GetSegmentFrequency(TSegment segment) =>
            ↪ Dictionary.GetOrDefault(segment);
44
45          protected override void SetSegmentFrequency(TSegment segment, long frequency) =>
            ↪ Dictionary[segment] = frequency;
46      }
47  }
```

1.27 ./Platform.Collections/Segments/Walkers/DictionaryBasedDuplicateSegmentsWalkerBase[T].cs

```
1   using System.Collections.Generic;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Collections.Segments.Walkers
6   {
7       public abstract class DictionaryBasedDuplicateSegmentsWalkerBase<T> :
        ↪ DictionaryBasedDuplicateSegmentsWalkerBase<T, Segment<T>>
8       {
9           protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<Segment<T>, long>
            ↪ dictionary, int minimumStringSegmentLength, bool resetDictionaryOnEachWalk) :
            ↪ base(dictionary, minimumStringSegmentLength, resetDictionaryOnEachWalk) { }
10          protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<Segment<T>, long>
            ↪ dictionary, int minimumStringSegmentLength) : base(dictionary,
            ↪ minimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
11          protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<Segment<T>, long>
            ↪ dictionary) : base(dictionary, DefaultMinimumStringSegmentLength,
            ↪ DefaultResetDictionaryOnEachWalk) { }
12          protected DictionaryBasedDuplicateSegmentsWalkerBase(int minimumStringSegmentLength,
            ↪ bool resetDictionaryOnEachWalk) : base(minimumStringSegmentLength,
            ↪ resetDictionaryOnEachWalk) { }
13          protected DictionaryBasedDuplicateSegmentsWalkerBase(int minimumStringSegmentLength) :
            ↪ base(minimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
14          protected DictionaryBasedDuplicateSegmentsWalkerBase() :
            ↪ base(DefaultMinimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
15      }
16  }
```

1.28 ./Platform.Collections/Segments/Walkers/DuplicateSegmentsWalkerBase[T, TSegment].cs

```
1   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3   namespace Platform.Collections.Segments.Walkers
4   {
5       public abstract class DuplicateSegmentsWalkerBase<T, TSegment> : AllSegmentsWalkerBase<T,
        ↪ TSegment>
6           where TSegment : Segment<T>
7       {
8           protected DuplicateSegmentsWalkerBase(int minimumStringSegmentLength) :
            ↪ base(minimumStringSegmentLength) { }
9
10          protected DuplicateSegmentsWalkerBase() : base(DefaultMinimumStringSegmentLength) { }
11
12          protected override void Iteration(TSegment segment)
```

```
        {
            var frequency = GetSegmentFrequency(segment);
            if (frequency == 1)
            {
                OnDublicateFound(segment);
            }
            SetSegmentFrequency(segment, frequency + 1);
        }

        protected abstract void OnDublicateFound(TSegment segment);
        protected abstract long GetSegmentFrequency(TSegment segment);
        protected abstract void SetSegmentFrequency(TSegment segment, long frequency);
    }
}
```

1.29 ./Platform.Collections/Segments/Walkers/DuplicateSegmentsWalkerBase[T].cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Segments.Walkers
{
    public abstract class DuplicateSegmentsWalkerBase<T> : DuplicateSegmentsWalkerBase<T,
    ↪  Segment<T>>
    {
    }
}
```

1.30 ./Platform.Collections/Stacks/DefaultStack.cs

```
using System.Collections.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Stacks
{
    public class DefaultStack<TElement> : Stack<TElement>, IStack<TElement>
    {
        public bool IsEmpty => Count <= 0;
    }
}
```

1.31 ./Platform.Collections/Stacks/IStack.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Stacks
{
    public interface IStack<TElement>
    {
        bool IsEmpty { get; }
        void Push(TElement element);
        TElement Pop();
        TElement Peek();
    }
}
```

1.32 ./Platform.Collections/Stacks/IStackExtensions.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Stacks
{
    public static class IStackExtensions
    {
        public static void Clear<T>(this IStack<T> stack)
        {
            while (!stack.IsEmpty)
            {
                _ = stack.Pop();
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static T PopOrDefault<T>(this IStack<T> stack) => stack.IsEmpty ? default :
        ↪  stack.Pop();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static T PeekOrDefault<T>(this IStack<T> stack) => stack.IsEmpty ? default :
        ↪  stack.Peek();
    }
}
```

1.33 ./Platform.Collections/Stacks/IStackFactory.cs

```
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Stacks
{
    public interface IStackFactory<TElement> : IFactory<IStack<TElement>>
    {
    }
}
```

1.34 ./Platform.Collections/Stacks/StackExtensions.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Stacks
{
    public static class StackExtensions
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static T PopOrDefault<T>(this Stack<T> stack) => stack.Count > 0 ? stack.Pop() :
        ↪  default;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static T PeekOrDefault<T>(this Stack<T> stack) => stack.Count > 0 ? stack.Peek()
        ↪  : default;
    }
}
```

1.35 ./Platform.Collections/StringExtensions.cs

```
using System;
using System.Globalization;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections
{
    public static class StringExtensions
    {
        public static string CapitalizeFirstLetter(this string @string)
        {
            if (string.IsNullOrWhiteSpace(@string))
            {
                return @string;
            }
            var chars = @string.ToCharArray();
            for (var i = 0; i < chars.Length; i++)
            {
                var category = char.GetUnicodeCategory(chars[i]);
                if (category == UnicodeCategory.UppercaseLetter)
                {
                    return @string;
                }
                if (category == UnicodeCategory.LowercaseLetter)
                {
                    chars[i] = char.ToUpper(chars[i]);
                    return new string(chars);
                }
            }
            return @string;
        }

        public static string Truncate(this string @string, int maxLength) =>
        ↪  string.IsNullOrEmpty(@string) ? @string : @string.Substring(0,
        ↪  Math.Min(@string.Length, maxLength));

        public static string TrimSingle(this string @string, char charToTrim)
        {
            if (!string.IsNullOrEmpty(@string))
            {
                if (@string.Length == 1)
                {
                    if (@string[0] == charToTrim)
                    {
                        return "";
                    }
```

```
                    else
                    {
                        return @string;
                    }
                }
                else
                {
                    var left = 0;
                    var right = @string.Length - 1;
                    if (@string[left] == charToTrim)
                    {
                        left++;
                    }
                    if (@string[right] == charToTrim)
                    {
                        right--;
                    }
                    return @string.Substring(left, right - left + 1);
                }
            }
            else
            {
                return @string;
            }
        }
    }
}
```

1.36 ./Platform.Collections/Trees/Node.cs

```
using System.Collections.Generic;

// ReSharper disable ForCanBeConvertedToForeach
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Collections.Trees
{
    public class Node
    {
        private Dictionary<object, Node> _childNodes;

        public object Value { get; set; }

        public Dictionary<object, Node> ChildNodes => _childNodes ?? (_childNodes = new
        ↪  Dictionary<object, Node>());

        public Node this[object key]
        {
            get
            {
                var child = GetChild(key);
                if (child == null)
                {
                    child = AddChild(key);
                }
                return child;
            }
            set => SetChildValue(value, key);
        }

        public Node(object value) => Value = value;

        public Node() : this(null) { }

        public bool ContainsChild(params object[] keys) => GetChild(keys) != null;

        public Node GetChild(params object[] keys)
        {
            var node = this;
            for (var i = 0; i < keys.Length; i++)
            {
                node.ChildNodes.TryGetValue(keys[i], out node);
                if (node == null)
                {
                    return null;
                }
            }
            return node;
        }

        public object GetChildValue(params object[] keys) => GetChild(keys)?.Value;
```

```

        public Node AddChild(object key) => AddChild(key, new Node(null));

        public Node AddChild(object key, object value) => AddChild(key, new Node(value));

        public Node AddChild(object key, Node child)
        {
            ChildNodes.Add(key, child);
            return child;
        }

        public Node SetChild(params object[] keys) => SetChildValue(null, keys);

        public Node SetChild(object key) => SetChildValue(null, key);

        public Node SetChildValue(object value, params object[] keys)
        {
            var node = this;
            for (var i = 0; i < keys.Length; i++)
            {
                node = SetChildValue(value, keys[i]);
            }
            node.Value = value;
            return node;
        }

        public Node SetChildValue(object value, object key)
        {
            if (!ChildNodes.TryGetValue(key, out Node child))
            {
                child = AddChild(key, value);
            }
            child.Value = value;
            return child;
        }
    }
}
```

1.37 ./Platform.Collections.Tests/BitStringTests.cs

```
using System;
using System.Collections;
using Xunit;
using Platform.Random;

namespace Platform.Collections.Tests
{
    public static class BitStringTests
    {
        [Fact]
        public static void BitGetSetTest()
        {
            const int n = 250;
            var bitArray = new BitArray(n);
            var bitString = new BitString(n);
            for (var i = 0; i < n; i++)
            {
                var value = RandomHelpers.Default.NextBoolean();
                bitArray.Set(i, value);
                bitString.Set(i, value);
                Assert.Equal(value, bitArray.Get(i));
                Assert.Equal(value, bitString.Get(i));
            }
        }

        [Fact]
        public static void BitVectorNotTest()
        {
            TestToOperationsWithSameMeaning((x, y, w, v) =>
            {
                x.VectorNot();
                w.Not();
            });
        }

        [Fact]
        public static void BitParallelNotTest()
        {
            TestToOperationsWithSameMeaning((x, y, w, v) =>
            {
                x.ParallelNot();
```

```
            w.Not();
        });
    }

    [Fact]
    public static void BitParallelVectorNotTest()
    {
        TestToOperationsWithSameMeaning((x, y, w, v) =>
        {
            x.ParallelVectorNot();
            w.Not();
        });
    }

    [Fact]
    public static void BitVectorAndTest()
    {
        TestToOperationsWithSameMeaning((x, y, w, v) =>
        {
            x.VectorAnd(y);
            w.And(v);
        });
    }

    [Fact]
    public static void BitParallelAndTest()
    {
        TestToOperationsWithSameMeaning((x, y, w, v) =>
        {
            x.ParallelAnd(y);
            w.And(v);
        });
    }

    [Fact]
    public static void BitParallelVectorAndTest()
    {
        TestToOperationsWithSameMeaning((x, y, w, v) =>
        {
            x.ParallelVectorAnd(y);
            w.And(v);
        });
    }

    [Fact]
    public static void BitVectorOrTest()
    {
        TestToOperationsWithSameMeaning((x, y, w, v) =>
        {
            x.VectorOr(y);
            w.Or(v);
        });
    }

    [Fact]
    public static void BitParallelOrTest()
    {
        TestToOperationsWithSameMeaning((x, y, w, v) =>
        {
            x.ParallelOr(y);
            w.Or(v);
        });
    }

    [Fact]
    public static void BitParallelVectorOrTest()
    {
        TestToOperationsWithSameMeaning((x, y, w, v) =>
        {
            x.ParallelVectorOr(y);
            w.Or(v);
        });
    }

    [Fact]
    public static void BitVectorXorTest()
    {
        TestToOperationsWithSameMeaning((x, y, w, v) =>
```

```
            {
                x.VectorXor(y);
                w.Xor(v);
            });
        }

        [Fact]
        public static void BitParallelXorTest()
        {
            TestToOperationsWithSameMeaning((x, y, w, v) =>
            {
                x.ParallelXor(y);
                w.Xor(v);
            });
        }

        [Fact]
        public static void BitParallelVectorXorTest()
        {
            TestToOperationsWithSameMeaning((x, y, w, v) =>
            {
                x.ParallelVectorXor(y);
                w.Xor(v);
            });
        }

        private static void TestToOperationsWithSameMeaning(Action<BitString, BitString,
        ↪  BitString, BitString> test)
        {
            const int n = 5654;
            var x = new BitString(n);
            var y = new BitString(n);
            while (x.Equals(y))
            {
                x.SetRandomBits();
                y.SetRandomBits();
            }
            var w = new BitString(x);
            var v = new BitString(y);
            Assert.False(x.Equals(y));
            Assert.False(w.Equals(v));
            Assert.True(x.Equals(w));
            Assert.True(y.Equals(v));
            test(x, y, w, v);
            Assert.True(x.Equals(w));
        }
    }
}
```

1.38 ./Platform.Collections.Tests/CharsSegmentTests.cs

```
using Xunit;
using Platform.Collections.Segments;

namespace Platform.Collections.Tests
{
    public static class CharsSegmentTests
    {
        [Fact]
        public static void GetHashCodeEqualsTest()
        {
            const string testString = "test test";
            var testArray = testString.ToCharArray();
            var first = new CharSegment(testArray, 0, 4);
            var firstHashCode = first.GetHashCode();
            var second = new CharSegment(testArray, 5, 4);
            var secondHashCode = second.GetHashCode();
            Assert.Equal(firstHashCode, secondHashCode);
        }

        [Fact]
        public static void EqualsTest()
        {
            const string testString = "test test";
            var testArray = testString.ToCharArray();
            var first = new CharSegment(testArray, 0, 4);
            var second = new CharSegment(testArray, 5, 4);
            Assert.True(first.Equals(second));
        }
```

```
    }
}
```

1.39 ./Platform.Collections.Tests/StringTests.cs

```
using Xunit;

namespace Platform.Collections.Tests
{
    public static class StringTests
    {
        [Fact]
        public static void CapitalizeFirstLetterTest()
        {
            var source1 = "hello";
            var result1 = source1.CapitalizeFirstLetter();
            Assert.Equal("Hello", result1);
            var source2 = "Hello";
            var result2 = source2.CapitalizeFirstLetter();
            Assert.Equal("Hello", result2);
            var source3 = "  hello";
            var result3 = source3.CapitalizeFirstLetter();
            Assert.Equal("  Hello", result3);
        }

        [Fact]
        public static void TrimSingleTest()
        {
            var source1 = "'";
            var result1 = source1.TrimSingle('\'');
            Assert.Equal("", result1);
            var source2 = "''";
            var result2 = source2.TrimSingle('\'');
            Assert.Equal("", result2);
            var source3 = "'hello'";
            var result3 = source3.TrimSingle('\'');
            Assert.Equal("hello", result3);
            var source4 = "hello'";
            var result4 = source4.TrimSingle('\'');
            Assert.Equal("hello", result4);
            var source5 = "'hello";
            var result5 = source5.TrimSingle('\'');
            Assert.Equal("hello", result5);
        }
    }
}
```

Index