

## LinksPlatform's Platform.Collections Class Library

### 1.1 ./csharp/Platform.Collections/Arrays/ArrayFiller[TElement, TReturnConstant].cs

```
1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Arrays
7 {
8     public class ArrayFiller<TElement, TReturnConstant> : ArrayFiller<TElement>
9     {
10         protected readonly TReturnConstant _returnConstant;
11
12         [MethodImpl(MethodImplOptions.AggressiveInlining)]
13         public ArrayFiller(TElement[] array, long offset, TReturnConstant returnConstant) :
14             ↪ base(array, offset) => _returnConstant = returnConstant;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public ArrayFiller(TElement[] array, TReturnConstant returnConstant) : this(array, 0,
18             ↪ returnConstant) { }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         public TReturnConstant AddAndReturnConstant(TElement element) =>
22             ↪ _array.AddAndReturnConstant(ref _position, element, _returnConstant);
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         public TReturnConstant AddFirstAndReturnConstant(ICollection<TElement> elements) =>
26             ↪ _array.AddFirstAndReturnConstant(ref _position, elements, _returnConstant);
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         public TReturnConstant AddAllAndReturnConstant(ICollection<TElement> elements) =>
30             ↪ _array.AddAllAndReturnConstant(ref _position, elements, _returnConstant);
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public TReturnConstant AddSkipFirstAndReturnConstant(ICollection<TElement> elements) =>
34             ↪ _array.AddSkipFirstAndReturnConstant(ref _position, elements, _returnConstant);
35     }
36 }
```

### 1.2 ./csharp/Platform.Collections/Arrays/ArrayFiller[TElement].cs

```
1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Arrays
7 {
8     public class ArrayFiller<TElement>
9     {
10         protected readonly TElement[] _array;
11         protected long _position;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public ArrayFiller(TElement[] array, long offset)
15         {
16             _array = array;
17             _position = offset;
18         }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         public ArrayFiller(TElement[] array) : this(array, 0) { }
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         public void Add(TElement element) => _array[_position++] = element;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         public bool AddAndReturnTrue(TElement element) => _array.AddAndReturnConstant(ref
28             ↪ _position, element, true);
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         public bool AddFirstAndReturnTrue(ICollection<TElement> elements) =>
32             ↪ _array.AddFirstAndReturnConstant(ref _position, elements, true);
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         public bool AddAllAndReturnTrue(ICollection<TElement> elements) =>
36             ↪ _array.AddAllAndReturnConstant(ref _position, elements, true);
37
38         [MethodImpl(MethodImplOptions.AggressiveInlining)]
39         public bool AddSkipFirstAndReturnTrue(ICollection<TElement> elements) =>
40             ↪ _array.AddSkipFirstAndReturnConstant(ref _position, elements, true);
41     }
42 }
```

```

36         public bool AddSkipFirstAndReturnTrue(ICollection<TElement> elements) =>
           ↪ _array.AddSkipFirstAndReturnConstant(ref _position, elements, true);
37     }
38 }

```

### 1.3 ./csharp/Platform.Collections/Arrays/ArrayPool.cs

```

1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Collections.Arrays
6  {
7      public static class ArrayPool
8      {
9          public static readonly int DefaultSizesAmount = 512;
10         public static readonly int DefaultMaxArraysPerSize = 32;
11
12         [MethodImpl(MethodImplOptions.AggressiveInlining)]
13         public static T[] Allocate<T>(long size) => ArrayPool<T>.ThreadInstance.Allocate(size);
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         public static void Free<T>(T[] array) => ArrayPool<T>.ThreadInstance.Free(array);
17     }
18 }

```

### 1.4 ./csharp/Platform.Collections/Arrays/ArrayPool[T].cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Disposables;
5  using Platform.Collections.Stacks;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Collections.Arrays
10 {
11     /// <remarks>
12     /// Original idea from
13     ↪ http://geekswithblogs.net/blackrob/archive/2014/12/18/array-pooling-in-csharp.aspx
14     /// </remarks>
15     public class ArrayPool<T>
16     {
17         // May be use Default class for that later.
18         [ThreadStatic]
19         private static ArrayPool<T> _threadInstance;
20         internal static ArrayPool<T> ThreadInstance => _threadInstance ?? (_threadInstance = new
           ↪ ArrayPool<T>());
21
22         private readonly int _maxArraysPerSize;
23         private readonly Dictionary<long, Stack<T[]>> _pool = new Dictionary<long,
           ↪ Stack<T[]>>(ArrayPool.DefaultSizesAmount);
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         public ArrayPool(int maxArraysPerSize) => _maxArraysPerSize = maxArraysPerSize;
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         public ArrayPool() : this(ArrayPool.DefaultMaxArraysPerSize) { }
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         public Disposable<T[]> AllocateDisposable(long size) => (Allocate(size), Free);
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         public Disposable<T[]> Resize(Disposable<T[]> source, long size)
36         {
37             var destination = AllocateDisposable(size);
38             T[] sourceArray = source;
39             if (!sourceArray.IsNullOrEmpty())
40             {
41                 T[] destinationArray = destination;
42                 Array.Copy(sourceArray, destinationArray, size < sourceArray.LongLength ? size :
                   ↪ sourceArray.LongLength);
43                 source.Dispose();
44             }
45             return destination;
46         }
47
48         [MethodImpl(MethodImplOptions.AggressiveInlining)]
49         public virtual void Clear() => _pool.Clear();
50     }
51 }

```

```

50     [MethodImpl(MethodImplOptions.AggressiveInlining)]
51     public virtual T[] Allocate(long size) => size <= 0L ? Array.Empty<T>() :
    ↪     _pool.GetOrDefault(size)?.PopOrDefault() ?? new T[size];
52
53     [MethodImpl(MethodImplOptions.AggressiveInlining)]
54     public virtual void Free(T[] array)
55     {
56         if (array.IsNullOrEmpty())
57         {
58             return;
59         }
60         var stack = _pool.GetOrAdd(array.LongLength, size => new
    ↪         Stack<T[]>(_maxArraysPerSize));
61         if (stack.Count == _maxArraysPerSize) // Stack is full
62         {
63             return;
64         }
65         stack.Push(array);
66     }
67 }
68 }

```

### 1.5 ./csharp/Platform.Collections/Arrays/ArrayString.cs

```

1  using System.Runtime.CompilerServices;
2  using Platform.Collections.Segments;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Collections.Arrays
7  {
8      public class ArrayString<T> : Segment<T>
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public ArrayString(int length) : base(new T[length], 0, length) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public ArrayString(T[] array) : base(array, 0, array.Length) { }
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public ArrayString(T[] array, int length) : base(array, 0, length) { }
18     }
19 }

```

### 1.6 ./csharp/Platform.Collections/Arrays/CharArrayExtensions.cs

```

1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Collections.Arrays
6  {
7      public static unsafe class CharArrayExtensions
8      {
9          /// <remarks>
10         /// Based on https://github.com/Microsoft/referencesource/blob/3b1eaf5203992df69de44c783\_a3eda37d3d4cd10/mscorlib/system/string.cs#L833
11         ↪     ↪ a3eda37d3d4cd10/mscorlib/system/string.cs#L833
12         /// </remarks>
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public static int GenerateHashCode(this char[] array, int offset, int length)
15         {
16             var hashSeed = 5381;
17             var hashAccumulator = hashSeed;
18             fixed (char* arrayPointer = &array[offset])
19             {
20                 for (char* charPointer = arrayPointer, last = charPointer + length; charPointer
21                     ↪     ↪ < last; charPointer++)
22                 {
23                     hashAccumulator = (hashAccumulator << 5) + hashAccumulator ^ *charPointer;
24                 }
25             }
26             return hashAccumulator + (hashSeed * 1566083941);
27         }
28
29         /// <remarks>
30         /// Based on https://github.com/Microsoft/referencesource/blob/3b1eaf5203992df69de44c783\_a3eda37d3d4cd10/mscorlib/system/string.cs#L364
31         ↪     ↪ a3eda37d3d4cd10/mscorlib/system/string.cs#L364
32         /// </remarks>
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         public static bool ContentEqualTo(this char[] left, int leftOffset, int length, char[]
35             ↪     ↪ right, int rightOffset)

```

```

32 {
33     fixed (char* leftPointer = &left[leftOffset])
34     {
35         fixed (char* rightPointer = &right[rightOffset])
36         {
37             char* leftPointerCopy = leftPointer, rightPointerCopy = rightPointer;
38             if (!CheckArraysMainPartForEquality(ref leftPointerCopy, ref
39                 ↪ rightPointerCopy, ref length))
40             {
41                 return false;
42             }
43             CheckArraysRemainderForEquality(ref leftPointerCopy, ref rightPointerCopy,
44                 ↪ ref length);
45             return length <= 0;
46         }
47     }
48 }
49
50 [MethodImpl(MethodImplOptions.AggressiveInlining)]
51 private static bool CheckArraysMainPartForEquality(ref char* left, ref char* right, ref
52     ↪ int length)
53 {
54     while (length >= 10)
55     {
56         if ((* (int*)left != *(int*)right)
57             || (*(int*)(left + 2) != *(int*)(right + 2))
58             || (*(int*)(left + 4) != *(int*)(right + 4))
59             || (*(int*)(left + 6) != *(int*)(right + 6))
60             || (*(int*)(left + 8) != *(int*)(right + 8)))
61         {
62             return false;
63         }
64         left += 10;
65         right += 10;
66         length -= 10;
67     }
68     return true;
69 }
70
71 [MethodImpl(MethodImplOptions.AggressiveInlining)]
72 private static void CheckArraysRemainderForEquality(ref char* left, ref char* right, ref
73     ↪ int length)
74 {
75     // This depends on the fact that the String objects are
76     // always zero terminated and that the terminating zero is not included
77     // in the length. For odd string sizes, the last compare will include
78     // the zero terminator.
79     while (length > 0)
80     {
81         if ((* (int*)left != *(int*)right)
82             {
83             break;
84         }
85         left += 2;
86         right += 2;
87         length -= 2;
88     }
89 }
90 }

```

## 1.7 ./csharp/Platform.Collections/Arrays/GenericArrayExtensions.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Collections.Arrays
8 {
9     public static class GenericArrayExtensions
10     {
11         /// <summary>
12         /// <para>Checks if an array exists, if so, checks the array length using the index
13         ↪ variable type int, and if the array length is greater than the index - return
14         ↪ array[index], otherwise - default value.</para>
15         /// <para>Проверяется, существует ли массив, если да - идет проверка длины массива с
16         ↪ помощью переменной index, и если длина массива больше индекса - возвращается
17         ↪ array[index], иначе - значение по умолчанию.</para>

```

```

14  /// </summary>
15  /// <typeparam name="T"><para>Array variable type.</para><para>Тип переменной
    → массива.</para></typeparam>
16  /// <param name="array"><para>Array that will participate in
    → verification.</para><para>Массив который будет участвовать в
    → проверке.</para></param>
17  /// <param name="index"><para>Number type int to compare.</para><para>Число типа int для
    → сравнения.</para></param>
18  /// <returns><para>Array element or default value.</para><para>Элемент массива или же
    → значение по умолчанию.</para></returns>
19  [MethodImpl(MethodImplOptions.AggressiveInlining)]
20  public static T GetElementOrDefault<T>(this T[] array, int index) => array != null &&
    → array.Length > index ? array[index] : default;
21
22  /// <summary>
23  /// <para>Checks whether the array exists, if so, checks the array length using the
    → index variable type long, and if the array length is greater than the index - return
    → array[index], otherwise - default value.</para>
24  /// <para>Проверяется, существует ли массив, если да - идет проверка длины массива с
    → помощью переменной index, и если длина массива больше индекса - возвращается
    → array[index], иначе - значение по умолчанию.</para>
25  /// </summary>
26  /// <typeparam name="T"><para>Array variable type.</para><para>Тип переменной
    → массива.</para></typeparam>
27  /// <param name="array"><para>Array that will participate in
    → verification.</para><para>Массив который будет участвовать в
    → проверке.</para></param>
28  /// <param name="index"><para>Number type long to compare.</para><para>Число типа long
    → для сравнения.</para></param>
29  /// <returns><para>Array element or default value.</para><para>Элемент массива или же
    → значение по умолчанию.</para></returns>
30  [MethodImpl(MethodImplOptions.AggressiveInlining)]
31  public static T GetElementOrDefault<T>(this T[] array, long index) => array != null &&
    → array.LongLength > index ? array[index] : default;
32
33  /// <summary>
34  /// <para>Checks whether the array exist, if so, checks the array length using the index
    → variable type int, and if the array length is greater than the index, set the element
    → variable to array[index] and return true.</para>
35  /// <para>Проверяется, существует ли массив, если да, то идет проверка длины массива с
    → помощью переменной index типа int, и если длина массива больше значения index,
    → устанавливается значение переменной element - array[index] и возвращается
    → true.</para>
36  /// </summary>
37  /// <typeparam name="T"><para>Array variable type.</para><para>Тип переменной
    → массива.</para></typeparam>
38  /// <param name="array"><para>Array that will participate in
    → verification.</para><para>Массив который будет участвовать в
    → проверке.</para></param>
39  /// <param name="index"><para>Number type int to compare.</para><para>Число типа int для
    → сравнения.</para></param>
40  /// <param name="element"><para>Passing the argument by reference, if successful, it
    → will take the value array[index] otherwise default value.</para><para>Передается
    → аргумент по ссылке, в случае успеха он примет значение array[index] в противном
    → случае значение по умолчанию.</para></param>
41  /// <returns><para>True if successful otherwise false.</para><para>True в случае успеха,
    → в противном случае false.</para></returns>
42  [MethodImpl(MethodImplOptions.AggressiveInlining)]
43  public static bool TryGetElement<T>(this T[] array, int index, out T element)
44  {
45      if (array != null && array.Length > index)
46      {
47          element = array[index];
48          return true;
49      }
50      else
51      {
52          element = default;
53          return false;
54      }
55  }
56
57  /// <summary>
58  /// <para>Checks whether the array exist, if so, checks the array length using the
    → index variable type long, and if the array length is greater than the index, set the
    → element variable to array[index] and return true.</para>

```

```

59  /// <para>Проверяется, существует ли массив, если да, то идет проверка длины массива с
    ↳ помощью переменной index типа long, и если длина массива больше значения index,
    ↳ устанавливается значение переменной element - array[index] и возвращается
    ↳ true.</para>
60  /// </summary>
61  /// <typeparam name="T"><para>Array variable type.</para><para>Тип переменной
    ↳ массива.</para></typeparam>
62  /// <param name="array"><para>Array that will participate in
    ↳ verification.</para><para>Массив который будет участвовать в
    ↳ проверке.</para></param>
63  /// <param name="index"><para>Number type long to compare.</para><para>Число типа long
    ↳ для сравнения.</para></param>
64  /// <param name="element"><para>Passing the argument by reference, if successful, it
    ↳ will take the value array[index] otherwise default value.</para><para>Передаём
    ↳ аргумент по ссылке, в случае успеха он примет значение array[index] в противном
    ↳ случае значение по умолчанию.</para></param>
65  /// <returns><para>True if successful otherwise false.</para><para>True в случае успеха,
    ↳ в противном случае false</para></returns>
66  [MethodImpl(MethodImplOptions.AggressiveInlining)]
67  public static bool TryGetElement<T>(this T[] array, long index, out T element)
68  {
69      if (array != null && array.LongLength > index)
70      {
71          element = array[index];
72          return true;
73      }
74      else
75      {
76          element = default;
77          return false;
78      }
79  }
80
81  /// <summary>
82  /// <para>Copying of elements from one array to another array.</para>
83  /// <para>Копируется элементы из одного массива в другой массив.</para>
84  /// </summary>
85  /// <typeparam name="T"><para>Array variable type.</para><para>Тип переменной
    ↳ массива.</para></typeparam>
86  /// <param name="array"><para>The array to copy.</para><para>Массив который необходимо
    ↳ скопировать.</para></param>
87  /// <returns><para>Copy of the array.</para><para>Копию массива.</para></returns>
88  [MethodImpl(MethodImplOptions.AggressiveInlining)]
89  public static T[] Clone<T>(this T[] array)
90  {
91      var copy = new T[array.LongLength];
92      Array.Copy(array, 0L, copy, 0L, array.LongLength);
93      return copy;
94  }
95
96  [MethodImpl(MethodImplOptions.AggressiveInlining)]
97  public static IList<T> ShiftRight<T>(this T[] array) => array.ShiftRight(1L);
98
99  /// <summary>
100  /// <para>Extending the array boundaries to shift elements and then copying it, but with
    ↳ the condition that shift > 0. If shift == 0, the extension will not occur, but
    ↳ cloning will still be applied. If shift < 0, a NotImplementedException is
    ↳ thrown.</para>
101  /// <para>Расширение границ массива на shift элементов и последующее его копирование, но
    ↳ с условием что shift > 0. Если же shift == 0 - расширение не произойдет, но
    ↳ клонирование все равно применится. Если shift < 0, выбросится исключение
    ↳ NotImplementedException.</para>
102  /// </summary>
103  /// <typeparam name="T"><para>Array variable type.</para><para>Тип переменной
    ↳ массива.</para></typeparam>
104  /// <param name="array"><para>Array to expand Elements.</para><para>Массив для
    ↳ расширения элементов.</para></param>
105  /// <param name="shift"><para>The number to expand the array</para><para>Число на
    ↳ которое необходимо расширить массив.</para></param>
106  /// <returns>
107  /// <para>If the value of the shift variable is < 0, it returns a
    ↳ NotImplementedException exception. If shift == 0, the array is cloned, but the
    ↳ extension will not be applied. Otherwise, if the value shift > 0, the length of the
    ↳ array is increased by the shift elements and the array is cloned.</para>

```

```

108  /// <para>Если значение переменной shift < 0, возвращается исключение
    → NotImplementedException. Если shift == 0, то массив копируется, но расширение не
    → применяется. В противном случае, если значение shift > 0, длина массива
    → увеличивается на shift элементов и массив копируется.</para>
109  /// </returns>
110  [MethodImpl(MethodImplOptions.AggressiveInlining)]
111  public static IList<T> ShiftRight<T>(this T[] array, long shift)
112  {
113      if (shift < 0)
114      {
115          throw new NotImplementedException();
116      }
117      if (shift == 0)
118      {
119          return array.Clone<T>();
120      }
121      else
122      {
123          var restrictions = new T[array.LongLength + shift];
124          Array.Copy(array, 0L, restrictions, shift, array.LongLength);
125          return restrictions;
126      }
127  }
128
129  /// <summary>
130  /// <para>One of the array values with index on variable position++ type int is passed
    → to the element variable.</para>
131  /// <para>Одно из значений массива с индексом переменной position++ типа int назначается
    → в переменную element.</para>
132  /// </summary>
133  /// <param name="array"><para>An array whose specific value will be assigned to the
    → element variable.</para><para>Массив, определенное значение которого присваивается
    → переменной element</para></param>
134  /// <param name="position"><para>Reference to a position in an array of int
    → type.</para><para>Ссылка на позицию в массиве типа int.</para></param>
135  /// <param name="element"><para>The variable which needs to be assigned a specific value
    → from the array.</para><para>Переменная, которой нужно присвоить определенное
    → значение из массива.</para></param>
136  /// <typeparam name="T"><para>Array variable type.</para>Тип переменной
    → массива.</para></typeparam>
137  [MethodImpl(MethodImplOptions.AggressiveInlining)]
138  public static void Add<T>(this T[] array, ref int position, T element) =>
    → array[position++] = element;
139
140  /// <summary>
141  /// <para>One of the array values with index on variable position++ type long is passed
    → to the element variable.</para>
142  /// <para>Одно из значений массива с индексом переменной position++ типа long
    → назначается в переменную element.</para>
143  /// </summary>
144  /// <param name="array"><para>An array whose specific value will be assigned to the
    → element variable.</para><para>Массив, определенное значение которого присваивается
    → переменной element</para></param>
145  /// <param name="position"><para>Reference to a position in an array of long
    → type.</para><para>Ссылка на позицию в массиве типа long.</para></param>
146  /// <param name="element"><para>The variable which needs to be assigned a specific value
    → from the array.</para><para>Переменная, которой нужно присвоить определенное
    → значение из массива.</para></param>
147  /// <typeparam name="T"><para>Array variable type.</para>Тип переменной
    → массива.</para></typeparam>
148  [MethodImpl(MethodImplOptions.AggressiveInlining)]
149  public static void Add<T>(this T[] array, ref long position, T element) =>
    → array[position++] = element;
150
151  [MethodImpl(MethodImplOptions.AggressiveInlining)]
152  public static TReturnConstant AddAndReturnConstant<TElement, TReturnConstant>(this
    → TElement[] array, ref long position, TElement element, TReturnConstant
    → returnConstant)
153  {
154      array.Add(ref position, element);
155      return returnConstant;
156  }
157
158  [MethodImpl(MethodImplOptions.AggressiveInlining)]
159  public static void AddFirst<T>(this T[] array, ref long position, IList<T> elements) =>
    → array[position++] = elements[0];

```

```

160 [MethodImpl(MethodImplOptions.AggressiveInlining)]
161 public static TReturnConstant AddFirstAndReturnConstant<TElement, TReturnConstant>(this
162     ↪ TElement[] array, ref long position, IList<TElement> elements, TReturnConstant
163     ↪ returnConstant)
164 {
165     array.AddFirst(ref position, elements);
166     return returnConstant;
167 }
168 [MethodImpl(MethodImplOptions.AggressiveInlining)]
169 public static TReturnConstant AddAllAndReturnConstant<TElement, TReturnConstant>(this
170     ↪ TElement[] array, ref long position, IList<TElement> elements, TReturnConstant
171     ↪ returnConstant)
172 {
173     array.AddAll(ref position, elements);
174     return returnConstant;
175 }
176 /// <summary>
177 /// <para>Adding a collection of elements starting from a specific position.</para>
178 /// <para>Добавление коллекции элементов начиная с определенной позиции.</para>
179 /// </summary>
180 /// <param name="array"><para>An array to which the collection of elements will be
181     ↪ added.</para><para>Массив в который будет добавлена коллекция
182     ↪ элементов.</para></param>
183 /// <param name="position"><para>The position from which to start adding
184     ↪ elements.</para><para>Позиция с которой начнется добавление элементов.</para></param>
185 /// <param name="elements"><para>Added all collection of elements to
186     ↪ array.</para><para>Добавляется вся коллекция элементов в массив. </para></param>
187 /// <typeparam name="T"><para>Array variables type.</para><para>Тип переменной
188     ↪ массива.</para></typeparam>
189 [MethodImpl(MethodImplOptions.AggressiveInlining)]
190 public static void AddAll<T>(this T[] array, ref long position, IList<T> elements)
191 {
192     for (var i = 0; i < elements.Count; i++)
193     {
194         array.Add(ref position, elements[i]);
195     }
196 }
197 [MethodImpl(MethodImplOptions.AggressiveInlining)]
198 public static TReturnConstant AddSkipFirstAndReturnConstant<TElement,
199     ↪ TReturnConstant>(this TElement[] array, ref long position, IList<TElement> elements,
200     ↪ TReturnConstant returnConstant)
201 {
202     array.AddSkipFirst(ref position, elements);
203     return returnConstant;
204 }
205 [MethodImpl(MethodImplOptions.AggressiveInlining)]
206 public static void AddSkipFirst<T>(this T[] array, ref long position, IList<T> elements)
207     ↪ => array.AddSkipFirst(ref position, elements, 1);
208 [MethodImpl(MethodImplOptions.AggressiveInlining)]
209 public static void AddSkipFirst<T>(this T[] array, ref long position, IList<T> elements,
210     ↪ int skip)
211 {
212     for (var i = skip; i < elements.Count; i++)
213     {
214         array.Add(ref position, elements[i]);
215     }
216 }
217 }
218 }

```

## 1.8 ./csharp/Platform.Collections/BitString.cs

```

1 using System;
2 using System.Collections.Concurrent;
3 using System.Collections.Generic;
4 using System.Numerics;
5 using System.Runtime.CompilerServices;
6 using System.Threading.Tasks;
7 using Platform.Exceptions;
8 using Platform.Ranges;
9
10 // ReSharper disable ForCanBeConvertedToForeach
11 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

```



```

12
13 namespace Platform.Collections
14 {
15     /// <remarks>
16     /// А что если хранить карту значений, где каждый бит будет означать присутствует ли блок в
17     ///   ↳ 64 бит в массиве значений.
18     /// 64 бита по 0 бит, будут означать отсутствие 64-х блоков по 64 бита. Т.е. упаковка 512
19     ///   ↳ байт в 8 байт.
20     /// Подобный принцип можно применять и к 64-ём блокам и т.п. По сути это карта значений. С
21     ///   ↳ помощью которой можно быстро
22     /// проверять есть ли значения непосредственно далее (ниже по уровню).
23     /// Или как таблица виртуальной памяти где номер блока означает его присутствие и адрес.
24     /// </remarks>
25     public class BitString : IEquatable<BitString>
26     {
27         private static readonly byte[][] _bitsSetIn16Bits;
28         private long[] _array;
29         private long _length;
30         private long _minPositiveWord;
31         private long _maxPositiveWord;
32
33         public bool this[long index]
34         {
35             [MethodImpl(MethodImplOptions.AggressiveInlining)]
36             get => Get(index);
37             [MethodImpl(MethodImplOptions.AggressiveInlining)]
38             set => Set(index, value);
39         }
40
41         public long Length
42         {
43             [MethodImpl(MethodImplOptions.AggressiveInlining)]
44             get => _length;
45             [MethodImpl(MethodImplOptions.AggressiveInlining)]
46             set
47             {
48                 if (_length == value)
49                 {
50                     return;
51                 }
52                 Ensure.Always.ArgumentInRange(value, GetValidLengthRange(), nameof(Length));
53                 // Currently we never shrink the array
54                 if (value > _length)
55                 {
56                     var words = GetWordsCountFromIndex(value);
57                     var oldWords = GetWordsCountFromIndex(_length);
58                     if (words > _array.LongLength)
59                     {
60                         var copy = new long[words];
61                         Array.Copy(_array, copy, _array.LongLength);
62                         _array = copy;
63                     }
64                     else
65                     {
66                         // What is going on here?
67                         Array.Clear(_array, (int)oldWords, (int)(words - oldWords));
68                     }
69                     // What is going on here?
70                     var mask = (int)(_length % 64);
71                     if (mask > 0)
72                     {
73                         _array[oldWords - 1] &= (1L << mask) - 1;
74                     }
75                 }
76                 else
77                 {
78                     // Looks like minimum and maximum positive words are not updated
79                     throw new NotImplementedException();
80                 }
81                 _length = value;
82             }
83         }
84
85         #region Constructors
86
87         [MethodImpl(MethodImplOptions.AggressiveInlining)]
88         static BitString()
89         {
90             _bitsSetIn16Bits = new byte[65536][];
91         }
92     }
93 }

```

```

88     int i, c, k;
89     byte bitIndex;
90     for (i = 0; i < 65536; i++)
91     {
92         // Calculating size of array (number of positive bits)
93         for (c = 0, k = 1; k <= 65536; k <= 1)
94         {
95             if ((i & k) == k)
96             {
97                 c++;
98             }
99         }
100         var array = new byte[c];
101         // Adding positive bits indices into array
102         for (bitIndex = 0, c = 0, k = 1; k <= 65536; k <= 1)
103         {
104             if ((i & k) == k)
105             {
106                 array[c++] = bitIndex;
107             }
108             bitIndex++;
109         }
110         _bitsSetIn16Bits[i] = array;
111     }
112 }
113
114 [MethodImpl(MethodImplOptions.AggressiveInlining)]
115 public BitString(BitString other)
116 {
117     Ensure.Always.ArgumentNotNull(other, nameof(other));
118     _length = other._length;
119     _array = new long[GetWordsCountFromIndex(_length)];
120     _minPositiveWord = other._minPositiveWord;
121     _maxPositiveWord = other._maxPositiveWord;
122     Array.Copy(other._array, _array, _array.LongLength);
123 }
124
125 [MethodImpl(MethodImplOptions.AggressiveInlining)]
126 public BitString(long length)
127 {
128     Ensure.Always.ArgumentInRange(length, GetValidLengthRange(), nameof(length));
129     _length = length;
130     _array = new long[GetWordsCountFromIndex(_length)];
131     MarkBordersAsAllBitsReset();
132 }
133
134 [MethodImpl(MethodImplOptions.AggressiveInlining)]
135 public BitString(long length, bool defaultValue)
136     : this(length)
137 {
138     if (defaultValue)
139     {
140         SetAll();
141     }
142 }
143
144 #endregion
145
146 [MethodImpl(MethodImplOptions.AggressiveInlining)]
147 public BitString Not()
148 {
149     for (var i = 0L; i < _array.LongLength; i++)
150     {
151         _array[i] = ~_array[i];
152         RefreshBordersByWord(i);
153     }
154     return this;
155 }
156
157 [MethodImpl(MethodImplOptions.AggressiveInlining)]
158 public BitString ParallelNot()
159 {
160     var threads = Environment.ProcessorCount / 2;
161     if (threads <= 1)
162     {
163         return Not();
164     }
165     var partitioner = Partitioner.Create(0L, _array.LongLength, _array.LongLength /
        ↪ threads);

```

```

166 Parallel.ForEach(partitioner.GetDynamicPartitions(), new ParallelOptions {
167     ↪ MaxDegreeOfParallelism = threads }, range =>
168 {
169     var maximum = range.Item2;
170     for (var i = range.Item1; i < maximum; i++)
171     {
172         _array[i] = ~_array[i];
173     }
174 });
175 MarkBordersAsAllBitsSet();
176 TryShrinkBorders();
177 return this;
178 }
179 [MethodImpl(MethodImplOptions.AggressiveInlining)]
180 public BitString VectorNot()
181 {
182     if (!Vector.IsHardwareAccelerated || _array.LongLength >= int.MaxValue)
183     {
184         return Not();
185     }
186     var step = Vector<long>.Count;
187     if (_array.Length < step)
188     {
189         return Not();
190     }
191     VectorNotLoop(_array, step, 0, _array.Length);
192     MarkBordersAsAllBitsSet();
193     TryShrinkBorders();
194     return this;
195 }
196 [MethodImpl(MethodImplOptions.AggressiveInlining)]
197 public BitString ParallelVectorNot()
198 {
199     var threads = Environment.ProcessorCount / 2;
200     if (threads <= 1)
201     {
202         return VectorNot();
203     }
204     if (!Vector.IsHardwareAccelerated)
205     {
206         return ParallelNot();
207     }
208     var step = Vector<long>.Count;
209     if (_array.Length < (step * threads))
210     {
211         return VectorNot();
212     }
213     var partitioner = Partitioner.Create(0, _array.Length, _array.Length / threads);
214     Parallel.ForEach(partitioner.GetDynamicPartitions(), new ParallelOptions {
215         ↪ MaxDegreeOfParallelism = threads }, range => VectorNotLoop(_array, step,
216         ↪ range.Item1, range.Item2));
217     MarkBordersAsAllBitsSet();
218     TryShrinkBorders();
219     return this;
220 }
221 [MethodImpl(MethodImplOptions.AggressiveInlining)]
222 static private void VectorNotLoop(long[] array, int step, int start, int maximum)
223 {
224     var i = start;
225     var range = maximum - start - 1;
226     var stop = range - (range % step);
227     for (; i < stop; i += step)
228     {
229         (~new Vector<long>(array, i)).CopyTo(array, i);
230     }
231     for (; i < maximum; i++)
232     {
233         array[i] = ~array[i];
234     }
235 }
236 [MethodImpl(MethodImplOptions.AggressiveInlining)]
237 public BitString And(BitString other)
238 {
239     EnsureBitStringHasTheSameSize(other, nameof(other));
240

```

```

241     GetCommonOuterBorders(this, other, out long from, out long to);
242     var otherArray = other._array;
243     for (var i = from; i <= to; i++)
244     {
245         _array[i] &= otherArray[i];
246         RefreshBordersByWord(i);
247     }
248     return this;
249 }
250
251 [MethodImpl(MethodImplOptions.AggressiveInlining)]
252 public BitString ParallelAnd(BitString other)
253 {
254     var threads = Environment.ProcessorCount / 2;
255     if (threads <= 1)
256     {
257         return And(other);
258     }
259     EnsureBitStringHasTheSameSize(other, nameof(other));
260     GetCommonOuterBorders(this, other, out long from, out long to);
261     var partitioner = Partitioner.Create(from, to + 1, (to - from) / threads);
262     Parallel.ForEach(partitioner.GetDynamicPartitions(), new ParallelOptions {
263         ↪ MaxDegreeOfParallelism = threads }, range =>
264     {
265         var maximum = range.Item2;
266         for (var i = range.Item1; i < maximum; i++)
267         {
268             _array[i] &= other._array[i];
269         }
270     });
271     MarkBordersAsAllBitsSet();
272     TryShrinkBorders();
273     return this;
274 }
275
276 [MethodImpl(MethodImplOptions.AggressiveInlining)]
277 public BitString VectorAnd(BitString other)
278 {
279     if (!Vector.IsHardwareAccelerated || _array.LongLength >= int.MaxValue)
280     {
281         return And(other);
282     }
283     var step = Vector<long>.Count;
284     if (_array.Length < step)
285     {
286         return And(other);
287     }
288     EnsureBitStringHasTheSameSize(other, nameof(other));
289     GetCommonOuterBorders(this, other, out int from, out int to);
290     VectorAndLoop(_array, other._array, step, from, to + 1);
291     MarkBordersAsAllBitsSet();
292     TryShrinkBorders();
293     return this;
294 }
295
296 [MethodImpl(MethodImplOptions.AggressiveInlining)]
297 public BitString ParallelVectorAnd(BitString other)
298 {
299     var threads = Environment.ProcessorCount / 2;
300     if (threads <= 1)
301     {
302         return VectorAnd(other);
303     }
304     if (!Vector.IsHardwareAccelerated)
305     {
306         return ParallelAnd(other);
307     }
308     var step = Vector<long>.Count;
309     if (_array.Length < (step * threads))
310     {
311         return VectorAnd(other);
312     }
313     EnsureBitStringHasTheSameSize(other, nameof(other));
314     GetCommonOuterBorders(this, other, out int from, out int to);
315     var partitioner = Partitioner.Create(from, to + 1, (to - from) / threads);
316     Parallel.ForEach(partitioner.GetDynamicPartitions(), new ParallelOptions {
317         ↪ MaxDegreeOfParallelism = threads }, range => VectorAndLoop(_array, other._array,
318         ↪ step, range.Item1, range.Item2));

```

```

316         MarkBordersAsAllBitsSet();
317         TryShrinkBorders();
318         return this;
319     }
320
321     [MethodImpl(MethodImplOptions.AggressiveInlining)]
322     static private void VectorAndLoop(long[] array, long[] otherArray, int step, int start,
    ↪ int maximum)
323     {
324         var i = start;
325         var range = maximum - start - 1;
326         var stop = range - (range % step);
327         for (; i < stop; i += step)
328         {
329             (new Vector<long>(array, i) & new Vector<long>(otherArray, i)).CopyTo(array, i);
330         }
331         for (; i < maximum; i++)
332         {
333             array[i] &= otherArray[i];
334         }
335     }
336
337     [MethodImpl(MethodImplOptions.AggressiveInlining)]
338     public BitString Or(BitString other)
339     {
340         EnsureBitStringHasTheSameSize(other, nameof(other));
341         GetCommonOuterBorders(this, other, out long from, out long to);
342         for (var i = from; i <= to; i++)
343         {
344             _array[i] |= other._array[i];
345             RefreshBordersByWord(i);
346         }
347         return this;
348     }
349
350     [MethodImpl(MethodImplOptions.AggressiveInlining)]
351     public BitString ParallelOr(BitString other)
352     {
353         var threads = Environment.ProcessorCount / 2;
354         if (threads <= 1)
355         {
356             return Or(other);
357         }
358         EnsureBitStringHasTheSameSize(other, nameof(other));
359         GetCommonOuterBorders(this, other, out long from, out long to);
360         var partitioner = Partitioner.Create(from, to + 1, (to - from) / threads);
361         Parallel.ForEach(partitioner.GetDynamicPartitions(), new ParallelOptions {
    ↪ MaxDegreeOfParallelism = threads }, range =>
362         {
363             var maximum = range.Item2;
364             for (var i = range.Item1; i < maximum; i++)
365             {
366                 _array[i] |= other._array[i];
367             }
368         });
369         MarkBordersAsAllBitsSet();
370         TryShrinkBorders();
371         return this;
372     }
373
374     [MethodImpl(MethodImplOptions.AggressiveInlining)]
375     public BitString VectorOr(BitString other)
376     {
377         if (!Vector.IsHardwareAccelerated || _array.LongLength >= int.MaxValue)
378         {
379             return Or(other);
380         }
381         var step = Vector<long>.Count;
382         if (_array.Length < step)
383         {
384             return Or(other);
385         }
386         EnsureBitStringHasTheSameSize(other, nameof(other));
387         GetCommonOuterBorders(this, other, out int from, out int to);
388         VectorOrLoop(_array, other._array, step, from, to + 1);
389         MarkBordersAsAllBitsSet();
390         TryShrinkBorders();
391         return this;

```

```

392 }
393
394 [MethodImpl(MethodImplOptions.AggressiveInlining)]
395 public BitString ParallelVectorOr(BitString other)
396 {
397     var threads = Environment.ProcessorCount / 2;
398     if (threads <= 1)
399     {
400         return VectorOr(other);
401     }
402     if (!Vector.IsHardwareAccelerated)
403     {
404         return ParallelOr(other);
405     }
406     var step = Vector<long>.Count;
407     if (_array.Length < (step * threads))
408     {
409         return VectorOr(other);
410     }
411     EnsureBitStringHasTheSameSize(other, nameof(other));
412     GetCommonOuterBorders(this, other, out int from, out int to);
413     var partitioner = Partitioner.Create(from, to + 1, (to - from) / threads);
414     Parallel.ForEach(partitioner.GetDynamicPartitions(), new ParallelOptions {
415         ↪ MaxDegreeOfParallelism = threads }, range => VectorOrLoop(_array, other._array,
416         ↪ step, range.Item1, range.Item2));
417     MarkBordersAsAllBitsSet();
418     TryShrinkBorders();
419     return this;
420 }
421
422 [MethodImpl(MethodImplOptions.AggressiveInlining)]
423 static private void VectorOrLoop(long[] array, long[] otherArray, int step, int start,
424 ↪ int maximum)
425 {
426     var i = start;
427     var range = maximum - start - 1;
428     var stop = range - (range % step);
429     for (; i < stop; i += step)
430     {
431         (new Vector<long>(array, i) | new Vector<long>(otherArray, i)).CopyTo(array, i);
432     }
433     for (; i < maximum; i++)
434     {
435         array[i] |= otherArray[i];
436     }
437 }
438
439 [MethodImpl(MethodImplOptions.AggressiveInlining)]
440 public BitString Xor(BitString other)
441 {
442     EnsureBitStringHasTheSameSize(other, nameof(other));
443     GetCommonOuterBorders(this, other, out long from, out long to);
444     for (var i = from; i <= to; i++)
445     {
446         _array[i] ^= other._array[i];
447         RefreshBordersByWord(i);
448     }
449     return this;
450 }
451
452 [MethodImpl(MethodImplOptions.AggressiveInlining)]
453 public BitString ParallelXor(BitString other)
454 {
455     var threads = Environment.ProcessorCount / 2;
456     if (threads <= 1)
457     {
458         return Xor(other);
459     }
460     EnsureBitStringHasTheSameSize(other, nameof(other));
461     GetCommonOuterBorders(this, other, out long from, out long to);
462     var partitioner = Partitioner.Create(from, to + 1, (to - from) / threads);
463     Parallel.ForEach(partitioner.GetDynamicPartitions(), new ParallelOptions {
464         ↪ MaxDegreeOfParallelism = threads }, range =>
465     {
466         var maximum = range.Item2;
467         for (var i = range.Item1; i < maximum; i++)
468         {
469             _array[i] ^= other._array[i];
470         }
471     });
472     MarkBordersAsAllBitsSet();
473     TryShrinkBorders();
474     return this;
475 }

```

```

466     }
467 });
468 MarkBordersAsAllBitsSet();
469 TryShrinkBorders();
470 return this;
471 }
472
473 [MethodImpl(MethodImplOptions.AggressiveInlining)]
474 public BitString VectorXor(BitString other)
475 {
476     if (!Vector.IsHardwareAccelerated || _array.LongLength >= int.MaxValue)
477     {
478         return Xor(other);
479     }
480     var step = Vector<long>.Count;
481     if (_array.Length < step)
482     {
483         return Xor(other);
484     }
485     EnsureBitStringHasTheSameSize(other, nameof(other));
486     GetCommonOuterBorders(this, other, out int from, out int to);
487     VectorXorLoop(_array, other._array, step, from, to + 1);
488     MarkBordersAsAllBitsSet();
489     TryShrinkBorders();
490     return this;
491 }
492
493 [MethodImpl(MethodImplOptions.AggressiveInlining)]
494 public BitString ParallelVectorXor(BitString other)
495 {
496     var threads = Environment.ProcessorCount / 2;
497     if (threads <= 1)
498     {
499         return VectorXor(other);
500     }
501     if (!Vector.IsHardwareAccelerated)
502     {
503         return ParallelXor(other);
504     }
505     var step = Vector<long>.Count;
506     if (_array.Length < (step * threads))
507     {
508         return VectorXor(other);
509     }
510     EnsureBitStringHasTheSameSize(other, nameof(other));
511     GetCommonOuterBorders(this, other, out int from, out int to);
512     var partitioner = Partitioner.Create(from, to + 1, (to - from) / threads);
513     Parallel.ForEach(partitioner.GetDynamicPartitions(), new ParallelOptions {
514         ↪ MaxDegreeOfParallelism = threads }, range => VectorXorLoop(_array, other._array,
515         ↪ step, range.Item1, range.Item2));
516     MarkBordersAsAllBitsSet();
517     TryShrinkBorders();
518     return this;
519 }
520
521 [MethodImpl(MethodImplOptions.AggressiveInlining)]
522 static private void VectorXorLoop(long[] array, long[] otherArray, int step, int start,
523     ↪ int maximum)
524 {
525     var i = start;
526     var range = maximum - start - 1;
527     var stop = range - (range % step);
528     for (; i < stop; i += step)
529     {
530         (new Vector<long>(array, i) ^ new Vector<long>(otherArray, i)).CopyTo(array, i);
531     }
532     for (; i < maximum; i++)
533     {
534         array[i] ^= otherArray[i];
535     }
536 }
537
538 [MethodImpl(MethodImplOptions.AggressiveInlining)]
539 private void RefreshBordersByWord(long wordIndex)
540 {
541     if (_array[wordIndex] == 0)
542     {
543         if (wordIndex == _minPositiveWord && wordIndex != _array.LongLength - 1)

```

```

541         {
542             _minPositiveWord++;
543         }
544         if (wordIndex == _maxPositiveWord && wordIndex != 0)
545         {
546             _maxPositiveWord--;
547         }
548     }
549     else
550     {
551         if (wordIndex < _minPositiveWord)
552         {
553             _minPositiveWord = wordIndex;
554         }
555         if (wordIndex > _maxPositiveWord)
556         {
557             _maxPositiveWord = wordIndex;
558         }
559     }
560 }
561
562 [MethodImpl(MethodImplOptions.AggressiveInlining)]
563 public bool TryShrinkBorders()
564 {
565     GetBorders(out long from, out long to);
566     while (from <= to && _array[from] == 0)
567     {
568         from++;
569     }
570     if (from > to)
571     {
572         MarkBordersAsAllBitsReset();
573         return true;
574     }
575     while (to >= from && _array[to] == 0)
576     {
577         to--;
578     }
579     if (to < from)
580     {
581         MarkBordersAsAllBitsReset();
582         return true;
583     }
584     var bordersUpdated = from != _minPositiveWord || to != _maxPositiveWord;
585     if (bordersUpdated)
586     {
587         SetBorders(from, to);
588     }
589     return bordersUpdated;
590 }
591
592 [MethodImpl(MethodImplOptions.AggressiveInlining)]
593 public bool Get(long index)
594 {
595     Ensure.Always.ArgumentInRange(index, GetValidIndexRange(), nameof(index));
596     return (_array[GetWordIndexFromIndex(index)] & GetBitMaskFromIndex(index)) != 0;
597 }
598
599 [MethodImpl(MethodImplOptions.AggressiveInlining)]
600 public void Set(long index, bool value)
601 {
602     if (value)
603     {
604         Set(index);
605     }
606     else
607     {
608         Reset(index);
609     }
610 }
611
612 [MethodImpl(MethodImplOptions.AggressiveInlining)]
613 public void Set(long index)
614 {
615     Ensure.Always.ArgumentInRange(index, GetValidIndexRange(), nameof(index));
616     var wordIndex = GetWordIndexFromIndex(index);
617     var mask = GetBitMaskFromIndex(index);
618     _array[wordIndex] |= mask;
619     RefreshBordersByWord(wordIndex);

```



```

620     }
621
622     [MethodImpl(MethodImplOptions.AggressiveInlining)]
623     public void Reset(long index)
624     {
625         Ensure.Always.ArgumentInRange(index, GetValidIndexRange(), nameof(index));
626         var wordIndex = GetWordIndexFromIndex(index);
627         var mask = GetBitMaskFromIndex(index);
628         _array[wordIndex] &= ~mask;
629         RefreshBordersByWord(wordIndex);
630     }
631
632     [MethodImpl(MethodImplOptions.AggressiveInlining)]
633     public bool Add(long index)
634     {
635         var wordIndex = GetWordIndexFromIndex(index);
636         var mask = GetBitMaskFromIndex(index);
637         if ((_array[wordIndex] & mask) == 0)
638         {
639             _array[wordIndex] |= mask;
640             RefreshBordersByWord(wordIndex);
641             return true;
642         }
643         else
644         {
645             return false;
646         }
647     }
648
649     [MethodImpl(MethodImplOptions.AggressiveInlining)]
650     public void SetAll(bool value)
651     {
652         if (value)
653         {
654             SetAll();
655         }
656         else
657         {
658             ResetAll();
659         }
660     }
661
662     [MethodImpl(MethodImplOptions.AggressiveInlining)]
663     public void SetAll()
664     {
665         const long fillValue = unchecked((long)0xffffffffffffffff);
666         var words = GetWordsCountFromIndex(_length);
667         for (var i = 0; i < words; i++)
668         {
669             _array[i] = fillValue;
670         }
671         MarkBordersAsAllBitsSet();
672     }
673
674     [MethodImpl(MethodImplOptions.AggressiveInlining)]
675     public void ResetAll()
676     {
677         const long fillValue = 0;
678         GetBorders(out long from, out long to);
679         for (var i = from; i <= to; i++)
680         {
681             _array[i] = fillValue;
682         }
683         MarkBordersAsAllBitsReset();
684     }
685
686     [MethodImpl(MethodImplOptions.AggressiveInlining)]
687     public List<long> GetSetIndices()
688     {
689         var result = new List<long>();
690         GetBorders(out long from, out long to);
691         for (var i = from; i <= to; i++)
692         {
693             var word = _array[i];
694             if (word != 0)
695             {
696                 AppendAllSetBitIndices(result, i, word);
697             }
698         }

```

```

699     return result;
700 }
701
702 [MethodImpl(MethodImplOptions.AggressiveInlining)]
703 public List<ulong> GetSetUInt64Indices()
704 {
705     var result = new List<ulong>();
706     GetBorders(out ulong from, out ulong to);
707     for (var i = from; i <= to; i++)
708     {
709         var word = _array[i];
710         if (word != 0)
711         {
712             AppendAllSetBitIndices(result, i, word);
713         }
714     }
715     return result;
716 }
717
718 [MethodImpl(MethodImplOptions.AggressiveInlining)]
719 public long GetFirstSetBitIndex()
720 {
721     var i = _minPositiveWord;
722     var word = _array[i];
723     if (word != 0)
724     {
725         return GetFirstSetBitForWord(i, word);
726     }
727     return -1;
728 }
729
730 [MethodImpl(MethodImplOptions.AggressiveInlining)]
731 public long GetLastSetBitIndex()
732 {
733     var i = _maxPositiveWord;
734     var word = _array[i];
735     if (word != 0)
736     {
737         return GetLastSetBitForWord(i, word);
738     }
739     return -1;
740 }
741
742 [MethodImpl(MethodImplOptions.AggressiveInlining)]
743 public long CountSetBits()
744 {
745     var total = 0L;
746     GetBorders(out long from, out long to);
747     for (var i = from; i <= to; i++)
748     {
749         var word = _array[i];
750         if (word != 0)
751         {
752             total += CountSetBitsForWord(word);
753         }
754     }
755     return total;
756 }
757
758 [MethodImpl(MethodImplOptions.AggressiveInlining)]
759 public bool HaveCommonBits(BitString other)
760 {
761     EnsureBitStringHasTheSameSize(other, nameof(other));
762     GetCommonInnerBorders(this, other, out long from, out long to);
763     var otherArray = other._array;
764     for (var i = from; i <= to; i++)
765     {
766         var left = _array[i];
767         var right = otherArray[i];
768         if (left != 0 && right != 0 && (left & right) != 0)
769         {
770             return true;
771         }
772     }
773     return false;
774 }
775
776 [MethodImpl(MethodImplOptions.AggressiveInlining)]
777 public long CountCommonBits(BitString other)

```

```

778 {
779     EnsureBitStringHasTheSameSize(other, nameof(other));
780     GetCommonInnerBorders(this, other, out long from, out long to);
781     var total = 0L;
782     var otherArray = other._array;
783     for (var i = from; i <= to; i++)
784     {
785         var left = _array[i];
786         var right = otherArray[i];
787         var combined = left & right;
788         if (combined != 0)
789         {
790             total += CountSetBitsForWord(combined);
791         }
792     }
793     return total;
794 }
795
796 [MethodImpl(MethodImplOptions.AggressiveInlining)]
797 public List<long> GetCommonIndices(BitString other)
798 {
799     EnsureBitStringHasTheSameSize(other, nameof(other));
800     GetCommonInnerBorders(this, other, out long from, out long to);
801     var result = new List<long>();
802     var otherArray = other._array;
803     for (var i = from; i <= to; i++)
804     {
805         var left = _array[i];
806         var right = otherArray[i];
807         var combined = left & right;
808         if (combined != 0)
809         {
810             AppendAllSetBitIndices(result, i, combined);
811         }
812     }
813     return result;
814 }
815
816 [MethodImpl(MethodImplOptions.AggressiveInlining)]
817 public List<ulong> GetCommonUInt64Indices(BitString other)
818 {
819     EnsureBitStringHasTheSameSize(other, nameof(other));
820     GetCommonBorders(this, other, out ulong from, out ulong to);
821     var result = new List<ulong>();
822     var otherArray = other._array;
823     for (var i = from; i <= to; i++)
824     {
825         var left = _array[i];
826         var right = otherArray[i];
827         var combined = left & right;
828         if (combined != 0)
829         {
830             AppendAllSetBitIndices(result, i, combined);
831         }
832     }
833     return result;
834 }
835
836 [MethodImpl(MethodImplOptions.AggressiveInlining)]
837 public long GetFirstCommonBitIndex(BitString other)
838 {
839     EnsureBitStringHasTheSameSize(other, nameof(other));
840     GetCommonInnerBorders(this, other, out long from, out long to);
841     var otherArray = other._array;
842     for (var i = from; i <= to; i++)
843     {
844         var left = _array[i];
845         var right = otherArray[i];
846         var combined = left & right;
847         if (combined != 0)
848         {
849             return GetFirstSetBitForWord(i, combined);
850         }
851     }
852     return -1;
853 }
854
855 [MethodImpl(MethodImplOptions.AggressiveInlining)]
856 public long GetLastCommonBitIndex(BitString other)

```

```

857 {
858     EnsureBitStringHasTheSameSize(other, nameof(other));
859     GetCommonInnerBorders(this, other, out long from, out long to);
860     var otherArray = other._array;
861     for (var i = to; i >= from; i--)
862     {
863         var left = _array[i];
864         var right = otherArray[i];
865         var combined = left & right;
866         if (combined != 0)
867         {
868             return GetLastSetBitForWord(i, combined);
869         }
870     }
871     return -1;
872 }
873
874 [MethodImpl(MethodImplOptions.AggressiveInlining)]
875 public override bool Equals(object obj) => obj is BitString @string ? Equals(@string) :
    ↪ false;
876
877 [MethodImpl(MethodImplOptions.AggressiveInlining)]
878 public bool Equals(BitString other)
879 {
880     if (_length != other._length)
881     {
882         return false;
883     }
884     var otherArray = other._array;
885     if (_array.Length != otherArray.Length)
886     {
887         return false;
888     }
889     if (_minPositiveWord != other._minPositiveWord)
890     {
891         return false;
892     }
893     if (_maxPositiveWord != other._maxPositiveWord)
894     {
895         return false;
896     }
897     GetCommonBorders(this, other, out ulong from, out ulong to);
898     for (var i = from; i <= to; i++)
899     {
900         if (_array[i] != otherArray[i])
901         {
902             return false;
903         }
904     }
905     return true;
906 }
907
908 [MethodImpl(MethodImplOptions.AggressiveInlining)]
909 private void EnsureBitStringHasTheSameSize(BitString other, string argumentName)
910 {
911     Ensure.Always.ArgumentNotNull(other, argumentName);
912     if (_length != other._length)
913     {
914         throw new ArgumentException("Bit string must be the same size.", argumentName);
915     }
916 }
917
918 [MethodImpl(MethodImplOptions.AggressiveInlining)]
919 private void MarkBordersAsAllBitsReset() => SetBorders(_array.LongLength - 1, 0);
920
921 [MethodImpl(MethodImplOptions.AggressiveInlining)]
922 private void MarkBordersAsAllBitsSet() => SetBorders(0, _array.LongLength - 1);
923
924 [MethodImpl(MethodImplOptions.AggressiveInlining)]
925 private void GetBorders(out long from, out long to)
926 {
927     from = _minPositiveWord;
928     to = _maxPositiveWord;
929 }
930
931 [MethodImpl(MethodImplOptions.AggressiveInlining)]
932 private void GetBorders(out ulong from, out ulong to)
933 {
934     from = (ulong)_minPositiveWord;

```

```

935         to = (ulong)_maxPositiveWord;
936     }
937
938     [MethodImpl(MethodImplOptions.AggressiveInlining)]
939     private void SetBorders(long from, long to)
940     {
941         _minPositiveWord = from;
942         _maxPositiveWord = to;
943     }
944
945     [MethodImpl(MethodImplOptions.AggressiveInlining)]
946     private Range<long> GetValidIndexRange() => (0, _length - 1);
947
948     [MethodImpl(MethodImplOptions.AggressiveInlining)]
949     private static Range<long> GetValidLengthRange() => (0, long.MaxValue);
950
951     [MethodImpl(MethodImplOptions.AggressiveInlining)]
952     private static void AppendAllSetBitIndices(List<ulong> result, ulong wordIndex, long
    ↪ wordValue)
953     {
954         GetBits(wordValue, out byte[] bits00to15, out byte[] bits16to31, out byte[]
    ↪ bits32to47, out byte[] bits48to63);
955         AppendAllSetIndices(result, wordIndex, bits00to15, bits16to31, bits32to47,
    ↪ bits48to63);
956     }
957
958     [MethodImpl(MethodImplOptions.AggressiveInlining)]
959     private static void AppendAllSetBitIndices(List<long> result, long wordIndex, long
    ↪ wordValue)
960     {
961         GetBits(wordValue, out byte[] bits00to15, out byte[] bits16to31, out byte[]
    ↪ bits32to47, out byte[] bits48to63);
962         AppendAllSetBitIndices(result, wordIndex, bits00to15, bits16to31, bits32to47,
    ↪ bits48to63);
963     }
964
965     [MethodImpl(MethodImplOptions.AggressiveInlining)]
966     private static long CountSetBitsForWord(long word)
967     {
968         GetBits(word, out byte[] bits00to15, out byte[] bits16to31, out byte[] bits32to47,
    ↪ out byte[] bits48to63);
969         return bits00to15.LongLength + bits16to31.LongLength + bits32to47.LongLength +
    ↪ bits48to63.LongLength;
970     }
971
972     [MethodImpl(MethodImplOptions.AggressiveInlining)]
973     private static long GetFirstSetBitForWord(long wordIndex, long wordValue)
974     {
975         GetBits(wordValue, out byte[] bits00to15, out byte[] bits16to31, out byte[]
    ↪ bits32to47, out byte[] bits48to63);
976         return GetFirstSetBit(wordIndex, bits00to15, bits16to31, bits32to47, bits48to63);
977     }
978
979     [MethodImpl(MethodImplOptions.AggressiveInlining)]
980     private static long GetLastSetBitForWord(long wordIndex, long wordValue)
981     {
982         GetBits(wordValue, out byte[] bits00to15, out byte[] bits16to31, out byte[]
    ↪ bits32to47, out byte[] bits48to63);
983         return GetLastSetBit(wordIndex, bits00to15, bits16to31, bits32to47, bits48to63);
984     }
985
986     [MethodImpl(MethodImplOptions.AggressiveInlining)]
987     private static void AppendAllSetBitIndices(List<long> result, long i, byte[] bits00to15,
    ↪ byte[] bits16to31, byte[] bits32to47, byte[] bits48to63)
988     {
989         for (var j = 0; j < bits00to15.Length; j++)
990         {
991             result.Add(bits00to15[j] + (i * 64));
992         }
993         for (var j = 0; j < bits16to31.Length; j++)
994         {
995             result.Add(bits16to31[j] + 16 + (i * 64));
996         }
997         for (var j = 0; j < bits32to47.Length; j++)
998         {
999             result.Add(bits32to47[j] + 32 + (i * 64));
1000         }
1001         for (var j = 0; j < bits48to63.Length; j++)

```

```

1002     {
1003         result.Add(bits48to63[j] + 48 + (i * 64));
1004     }
1005 }
1006
1007 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1008 private static void AppendAllSetIndices(List<ulong> result, ulong i, byte[] bits00to15,
1009 → byte[] bits16to31, byte[] bits32to47, byte[] bits48to63)
1010 {
1011     for (var j = 0; j < bits00to15.Length; j++)
1012     {
1013         result.Add(bits00to15[j] + (i * 64));
1014     }
1015     for (var j = 0; j < bits16to31.Length; j++)
1016     {
1017         result.Add(bits16to31[j] + 16UL + (i * 64));
1018     }
1019     for (var j = 0; j < bits32to47.Length; j++)
1020     {
1021         result.Add(bits32to47[j] + 32UL + (i * 64));
1022     }
1023     for (var j = 0; j < bits48to63.Length; j++)
1024     {
1025         result.Add(bits48to63[j] + 48UL + (i * 64));
1026     }
1027 }
1028
1029 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1030 private static long GetFirstSetBit(long i, byte[] bits00to15, byte[] bits16to31, byte[]
1031 → bits32to47, byte[] bits48to63)
1032 {
1033     if (bits00to15.Length > 0)
1034     {
1035         return bits00to15[0] + (i * 64);
1036     }
1037     if (bits16to31.Length > 0)
1038     {
1039         return bits16to31[0] + 16 + (i * 64);
1040     }
1041     if (bits32to47.Length > 0)
1042     {
1043         return bits32to47[0] + 32 + (i * 64);
1044     }
1045     return bits48to63[0] + 48 + (i * 64);
1046 }
1047
1048 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1049 private static long GetLastSetBit(long i, byte[] bits00to15, byte[] bits16to31, byte[]
1050 → bits32to47, byte[] bits48to63)
1051 {
1052     if (bits48to63.Length > 0)
1053     {
1054         return bits48to63[bits48to63.Length - 1] + 48 + (i * 64);
1055     }
1056     if (bits32to47.Length > 0)
1057     {
1058         return bits32to47[bits32to47.Length - 1] + 32 + (i * 64);
1059     }
1060     if (bits16to31.Length > 0)
1061     {
1062         return bits16to31[bits16to31.Length - 1] + 16 + (i * 64);
1063     }
1064     return bits00to15[bits00to15.Length - 1] + (i * 64);
1065 }
1066
1067 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1068 private static void GetBits(long word, out byte[] bits00to15, out byte[] bits16to31, out
1069 → byte[] bits32to47, out byte[] bits48to63)
1070 {
1071     bits00to15 = _bitsSetIn16Bits[word & 0xffffu];
1072     bits16to31 = _bitsSetIn16Bits[(word >> 16) & 0xffffu];
1073     bits32to47 = _bitsSetIn16Bits[(word >> 32) & 0xffffu];
1074     bits48to63 = _bitsSetIn16Bits[(word >> 48) & 0xffffu];
1075 }
1076
1077 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1078 public static void GetCommonInnerBorders(BitString left, BitString right, out long from,
1079 → out long to)

```

```

1075     {
1076         from = Math.Max(left._minPositiveWord, right._minPositiveWord);
1077         to = Math.Min(left._maxPositiveWord, right._maxPositiveWord);
1078     }
1079
1080     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1081     public static void GetCommonOuterBorders(BitString left, BitString right, out long from,
1082         ↪ out long to)
1083     {
1084         from = Math.Min(left._minPositiveWord, right._minPositiveWord);
1085         to = Math.Max(left._maxPositiveWord, right._maxPositiveWord);
1086     }
1087
1088     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1089     public static void GetCommonOuterBorders(BitString left, BitString right, out int from,
1090         ↪ out int to)
1091     {
1092         from = (int)Math.Min(left._minPositiveWord, right._minPositiveWord);
1093         to = (int)Math.Max(left._maxPositiveWord, right._maxPositiveWord);
1094     }
1095
1096     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1097     public static void GetCommonBorders(BitString left, BitString right, out ulong from, out
1098         ↪ ulong to)
1099     {
1100         from = (ulong)Math.Max(left._minPositiveWord, right._minPositiveWord);
1101         to = (ulong)Math.Min(left._maxPositiveWord, right._maxPositiveWord);
1102     }
1103
1104     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1105     public static long GetWordsCountFromIndex(long index) => (index + 63) / 64;
1106
1107     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1108     public static long GetWordIndexFromIndex(long index) => index >> 6;
1109
1110     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1111     public static long GetBitMaskFromIndex(long index) => 1L << (int)(index & 63);
1112
1113     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1114     public override int GetHashCode() => base.GetHashCode();
1115
1116     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1117     public override string ToString() => base.ToString();
1118 }
1119 }

```

## 1.9 ./csharp/Platform.Collections/BitStringExtensions.cs

```

1  using System.Runtime.CompilerServices;
2  using Platform.Random;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Collections
7  {
8      public static class BitStringExtensions
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public static void SetRandomBits(this BitString @string)
12         {
13             for (var i = 0; i < @string.Length; i++)
14             {
15                 var value = RandomHelpers.Default.NextBoolean();
16                 @string.Set(i, value);
17             }
18         }
19     }
20 }

```

## 1.10 ./csharp/Platform.Collections/Concurrent/ConcurrentQueueExtensions.cs

```

1  using System.Collections.Concurrent;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Collections.Concurrent
8  {
9      public static class ConcurrentQueueExtensions
10     {

```

```

11     [MethodImpl(MethodImplOptions.AggressiveInlining)]
12     public static IEnumerable<T> DequeueAll<T>(<this ConcurrentQueue<T> queue)
13     {
14         while (queue.TryDequeue(out T item))
15         {
16             yield return item;
17         }
18     }
19 }
20 }

```

### 1.11 ./csharp/Platform.Collections/Concurrent/ConcurrentStackExtensions.cs

```

1 using System.Collections.Concurrent;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Concurrent
7 {
8     public static class ConcurrentStackExtensions
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public static T PopOrDefault<T>(<this ConcurrentStack<T> stack) => stack.TryPop(out T
            ↪ value) ? value : default;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public static T PeekOrDefault<T>(<this ConcurrentStack<T> stack) => stack.TryPeek(out T
            ↪ value) ? value : default;
15     }
16 }

```

### 1.12 ./csharp/Platform.Collections/EnsureExtensions.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Diagnostics;
4 using System.Runtime.CompilerServices;
5 using Platform.Exceptions;
6 using Platform.Exceptions.ExtensionRoots;
7
8 #pragma warning disable IDE0060 // Remove unused parameter
9 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Collections
12 {
13     public static class EnsureExtensions
14     {
15         #region Always
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         public static void ArgumentNotEmpty<T>(<this EnsureAlwaysExtensionRoot root,
            ↪ ICollection<T> argument, string argumentName, string message)
19         {
20             if (argument.IsNullOrEmpty())
21             {
22                 throw new ArgumentException(message, argumentName);
23             }
24         }
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         public static void ArgumentNotEmpty<T>(<this EnsureAlwaysExtensionRoot root,
            ↪ ICollection<T> argument, string argumentName) => ArgumentNotEmpty(root, argument,
            ↪ argumentName, null);
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         public static void ArgumentNotEmpty<T>(<this EnsureAlwaysExtensionRoot root,
            ↪ ICollection<T> argument) => ArgumentNotEmpty(root, argument, null, null);
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public static void ArgumentNotEmptyAndNotWhiteSpace(<this EnsureAlwaysExtensionRoot root,
            ↪ string argument, string argumentName, string message)
34         {
35             if (string.IsNullOrEmpty(argument))
36             {
37                 throw new ArgumentException(message, argumentName);
38             }
39         }
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```



```

42     public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureAlwaysExtensionRoot root,
43         ↪ string argument, string argumentName) => ArgumentNotEmptyAndNotWhiteSpace(root,
44         ↪ argument, argumentName, null);
45
46     [MethodImpl(MethodImplOptions.AggressiveInlining)]
47     public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureAlwaysExtensionRoot root,
48         ↪ string argument) => ArgumentNotEmptyAndNotWhiteSpace(root, argument, null, null);
49
50     #endregion
51
52     #region OnDebug
53
54     [Conditional("DEBUG")]
55     public static void ArgumentNotEmpty<T>(this EnsureOnDebugExtensionRoot root,
56         ↪ ICollection<T> argument, string argumentName, string message) =>
57         ↪ Ensure.Always.ArgumentNotEmpty(argument, argumentName, message);
58
59     [Conditional("DEBUG")]
60     public static void ArgumentNotEmpty<T>(this EnsureOnDebugExtensionRoot root,
61         ↪ ICollection<T> argument, string argumentName) =>
62         ↪ Ensure.Always.ArgumentNotEmpty(argument, argumentName, null);
63
64     [Conditional("DEBUG")]
65     public static void ArgumentNotEmpty<T>(this EnsureOnDebugExtensionRoot root,
66         ↪ ICollection<T> argument) => Ensure.Always.ArgumentNotEmpty(argument, null, null);
67
68     [Conditional("DEBUG")]
69     public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureOnDebugExtensionRoot
70         ↪ root, string argument, string argumentName, string message) =>
71         ↪ Ensure.Always.ArgumentNotEmptyAndNotWhiteSpace(argument, argumentName, message);
72
73     [Conditional("DEBUG")]
74     public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureOnDebugExtensionRoot
75         ↪ root, string argument, string argumentName) =>
76         ↪ Ensure.Always.ArgumentNotEmptyAndNotWhiteSpace(argument, argumentName, null);
77
78     [Conditional("DEBUG")]
79     public static void ArgumentNotEmptyAndNotWhiteSpace(this EnsureOnDebugExtensionRoot
80         ↪ root, string argument) => Ensure.Always.ArgumentNotEmptyAndNotWhiteSpace(argument,
81         ↪ null, null);
82
83     #endregion
84 }
85 }

```

### 1.13 ./csharp/Platform.Collections/ICollectionExtensions.cs

```

1  using System.Collections.Generic;
2  using System.Linq;
3  using System.Runtime.CompilerServices;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Collections
8  {
9      public static class ICollectionExtensions
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public static bool IsNullOrEmpty<T>(this ICollection<T> collection) => collection ==
13             ↪ null || collection.Count == 0;
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         public static bool AllEqualToDefault<T>(this ICollection<T> collection)
17         {
18             var equalityComparer = EqualityComparer<T>.Default;
19             return collection.All(item => equalityComparer.Equals(item, default));
20         }
21     }
22 }

```

### 1.14 ./csharp/Platform.Collections/IDictionaryExtensions.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Collections
8  {
9      public static class IDictionaryExtensions

```

```

10 {
11     [MethodImpl(MethodImplOptions.AggressiveInlining)]
12     public static TValue GetOrDefault<TKey, TValue>(this IDictionary<TKey, TValue>
    ↪ dictionary, TKey key)
13     {
14         dictionary.TryGetValue(key, out TValue value);
15         return value;
16     }
17
18     [MethodImpl(MethodImplOptions.AggressiveInlining)]
19     public static TValue GetOrAdd<TKey, TValue>(this IDictionary<TKey, TValue> dictionary,
    ↪ TKey key, Func<TKey, TValue> valueFactory)
20     {
21         if (!dictionary.TryGetValue(key, out TValue value))
22         {
23             value = valueFactory(key);
24             dictionary.Add(key, value);
25             return value;
26         }
27         return value;
28     }
29 }
30 }

```

### 1.15 ./csharp/Platform.Collections/Lists/CharListExtensions.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Lists
7 {
8     public static class CharListExtensions
9     {
10         /// <remarks>
11         /// Based on https://github.com/Microsoft/referencesource/blob/3b1eaf5203992df69de44c783\_
    ↪ a3eda37d3d4cd10/mscorlib/system/string.cs#L833
12         /// </remarks>
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public static int GenerateHashCode(this IList<char> list)
15         {
16             var hashSeed = 5381;
17             var hashAccumulator = hashSeed;
18             for (var i = 0; i < list.Count; i++)
19             {
20                 hashAccumulator = (hashAccumulator << 5) + hashAccumulator ^ list[i];
21             }
22             return hashAccumulator + (hashSeed * 1566083941);
23         }
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         public static bool EqualTo(this IList<char> left, IList<char> right) =>
    ↪ left.EqualTo(right, ContentEqualTo);
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         public static bool ContentEqualTo(this IList<char> left, IList<char> right)
30         {
31             for (var i = left.Count - 1; i >= 0; --i)
32             {
33                 if (left[i] != right[i])
34                 {
35                     return false;
36                 }
37             }
38             return true;
39         }
40     }
41 }

```

### 1.16 ./csharp/Platform.Collections/Lists/IListComparer.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Lists
7 {
8     public class IListComparer<T> : IComparer<IList<T>>
9     {

```

```

10     [MethodImpl(MethodImplOptions.AggressiveInlining)]
11     public int Compare(ICollection<T> left, ICollection<T> right) => left.CompareTo(right);
12 }
13 }

```

### 1.17 ./csharp/Platform.Collections/Lists/ICollectionEqualityComparer.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Lists
7 {
8     public class ICollectionEqualityComparer<T> : IEqualityComparer<ICollection<T>>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public bool Equals(ICollection<T> left, ICollection<T> right) => left.Equals(right);
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public int GetHashCode(ICollection<T> list) => list.GetHashCode();
15     }
16 }

```

### 1.18 ./csharp/Platform.Collections/Lists/ICollectionExtensions.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Collections.Lists
8 {
9     public static class ICollectionExtensions
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public static T GetElementOrDefault<T>(this ICollection<T> list, int index) => list != null &&
13             ↪ list.Count > index ? list[index] : default;
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         public static bool TryGetElement<T>(this ICollection<T> list, int index, out T element)
17         {
18             if (list != null && list.Count > index)
19             {
20                 element = list[index];
21                 return true;
22             }
23             else
24             {
25                 element = default;
26                 return false;
27             }
28         }
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         public static bool AddAndReturnTrue<T>(this ICollection<T> list, T element)
32         {
33             list.Add(element);
34             return true;
35         }
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         public static bool AddFirstAndReturnTrue<T>(this ICollection<T> list, ICollection<T> elements)
39         {
40             list.AddFirst(elements);
41             return true;
42         }
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         public static void AddFirst<T>(this ICollection<T> list, ICollection<T> elements) =>
46             ↪ list.Add(elements[0]);
47
48         [MethodImpl(MethodImplOptions.AggressiveInlining)]
49         public static bool AddAllAndReturnTrue<T>(this ICollection<T> list, ICollection<T> elements)
50         {
51             list.AddAll(elements);
52             return true;
53         }
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

54 public static void AddAll<T>(this IList<T> list, IList<T> elements)
55 {
56     for (var i = 0; i < elements.Count; i++)
57     {
58         list.Add(elements[i]);
59     }
60 }
61
62 [MethodImpl(MethodImplOptions.AggressiveInlining)]
63 public static bool AddSkipFirstAndReturnTrue<T>(this IList<T> list, IList<T> elements)
64 {
65     list.AddSkipFirst(elements);
66     return true;
67 }
68
69 [MethodImpl(MethodImplOptions.AggressiveInlining)]
70 public static void AddSkipFirst<T>(this IList<T> list, IList<T> elements) =>
    ↪ list.AddSkipFirst(elements, 1);
71
72 [MethodImpl(MethodImplOptions.AggressiveInlining)]
73 public static void AddSkipFirst<T>(this IList<T> list, IList<T> elements, int skip)
74 {
75     for (var i = skip; i < elements.Count; i++)
76     {
77         list.Add(elements[i]);
78     }
79 }
80
81 [MethodImpl(MethodImplOptions.AggressiveInlining)]
82 public static int GetCountOrZero<T>(this IList<T> list) => list?.Count ?? 0;
83
84 [MethodImpl(MethodImplOptions.AggressiveInlining)]
85 public static bool EqualTo<T>(this IList<T> left, IList<T> right) => EqualTo(left,
    ↪ right, ContentEqualTo);
86
87 [MethodImpl(MethodImplOptions.AggressiveInlining)]
88 public static bool EqualTo<T>(this IList<T> left, IList<T> right, Func<IList<T>,
    ↪ IList<T>, bool> contentEqualityComparer)
89 {
90     if (ReferenceEquals(left, right))
91     {
92         return true;
93     }
94     var leftCount = left.GetCountOrZero();
95     var rightCount = right.GetCountOrZero();
96     if (leftCount == 0 && rightCount == 0)
97     {
98         return true;
99     }
100     if (leftCount == 0 || rightCount == 0 || leftCount != rightCount)
101     {
102         return false;
103     }
104     return contentEqualityComparer(left, right);
105 }
106
107 [MethodImpl(MethodImplOptions.AggressiveInlining)]
108 public static bool ContentEqualTo<T>(this IList<T> left, IList<T> right)
109 {
110     var equalityComparer = EqualityComparer<T>.Default;
111     for (var i = left.Count - 1; i >= 0; --i)
112     {
113         if (!equalityComparer.Equals(left[i], right[i]))
114         {
115             return false;
116         }
117     }
118     return true;
119 }
120
121 [MethodImpl(MethodImplOptions.AggressiveInlining)]
122 public static T[] ToArray<T>(this IList<T> list, Func<T, bool> predicate)
123 {
124     if (list == null)
125     {
126         return null;
127     }
128     var result = new List<T>(list.Count);
129     for (var i = 0; i < list.Count; i++)

```

```

130     {
131         if (predicate(list[i]))
132         {
133             result.Add(list[i]);
134         }
135     }
136     return result.ToArray();
137 }
138
139 [MethodImpl(MethodImplOptions.AggressiveInlining)]
140 public static T[] ToArray<T>(this IList<T> list)
141 {
142     var array = new T[list.Count];
143     list.CopyTo(array, 0);
144     return array;
145 }
146
147 [MethodImpl(MethodImplOptions.AggressiveInlining)]
148 public static void ForEach<T>(this IList<T> list, Action<T> action)
149 {
150     for (var i = 0; i < list.Count; i++)
151     {
152         action(list[i]);
153     }
154 }
155
156 /// <remarks>
157 /// Based on http://stackoverflow.com/questions/263400/what-is-the-best-algorithm-for-an
158 /// ↪ -overridden-system-object-gethashcode
159 /// </remarks>
160 [MethodImpl(MethodImplOptions.AggressiveInlining)]
161 public static int GenerateHashCode<T>(this IList<T> list)
162 {
163     var hashAccumulator = 17;
164     for (var i = 0; i < list.Count; i++)
165     {
166         hashAccumulator = unchecked((hashAccumulator * 23) + list[i].GetHashCode());
167     }
168     return hashAccumulator;
169 }
170
171 [MethodImpl(MethodImplOptions.AggressiveInlining)]
172 public static int CompareTo<T>(this IList<T> left, IList<T> right)
173 {
174     var comparer = Comparer<T>.Default;
175     var leftCount = left.GetCountOrZero();
176     var rightCount = right.GetCountOrZero();
177     var intermediateResult = leftCount.CompareTo(rightCount);
178     for (var i = 0; intermediateResult == 0 && i < leftCount; i++)
179     {
180         intermediateResult = comparer.Compare(left[i], right[i]);
181     }
182     return intermediateResult;
183 }
184
185 [MethodImpl(MethodImplOptions.AggressiveInlining)]
186 public static T[] SkipFirst<T>(this IList<T> list) => list.SkipFirst(1);
187
188 [MethodImpl(MethodImplOptions.AggressiveInlining)]
189 public static T[] SkipFirst<T>(this IList<T> list, int skip)
190 {
191     if (list.IsNullOrEmpty() || list.Count <= skip)
192     {
193         return Array.Empty<T>();
194     }
195     var result = new T[list.Count - skip];
196     for (int r = skip, w = 0; r < list.Count; r++, w++)
197     {
198         result[w] = list[r];
199     }
200     return result;
201 }
202
203 [MethodImpl(MethodImplOptions.AggressiveInlining)]
204 public static IList<T> ShiftRight<T>(this IList<T> list) => list.ShiftRight(1);
205
206 [MethodImpl(MethodImplOptions.AggressiveInlining)]
207 public static IList<T> ShiftRight<T>(this IList<T> list, int shift)
208 {

```

```

208         if (shift < 0)
209         {
210             throw new NotImplementedException();
211         }
212         if (shift == 0)
213         {
214             return list.ToArray();
215         }
216         else
217         {
218             var result = new T[list.Count + shift];
219             for (int r = 0, w = shift; r < list.Count; r++, w++)
220             {
221                 result[w] = list[r];
222             }
223             return result;
224         }
225     }
226 }
227 }

```

### 1.19 ./csharp/Platform.Collections/Lists/ListFiller.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Collections.Lists
7  {
8      public class ListFiller<TElement, TReturnConstant>
9      {
10         protected readonly List<TElement> _list;
11         protected readonly TReturnConstant _returnConstant;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public ListFiller(List<TElement> list, TReturnConstant returnConstant)
15         {
16             _list = list;
17             _returnConstant = returnConstant;
18         }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         public ListFiller(List<TElement> list) : this(list, default) { }
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         public void Add(TElement element) => _list.Add(element);
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         public bool AddAndReturnTrue(TElement element) => _list.AddAndReturnTrue(element);
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         public bool AddFirstAndReturnTrue(ICollection<TElement> elements) =>
31             ↪ _list.AddFirstAndReturnTrue(elements);
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         public bool AddAllAndReturnTrue(ICollection<TElement> elements) =>
35             ↪ _list.AddAllAndReturnTrue(elements);
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         public bool AddSkipFirstAndReturnTrue(ICollection<TElement> elements) =>
39             ↪ _list.AddSkipFirstAndReturnTrue(elements);
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]
42         public TReturnConstant AddAndReturnConstant(TElement element)
43         {
44             _list.Add(element);
45             return _returnConstant;
46         }
47
48         [MethodImpl(MethodImplOptions.AggressiveInlining)]
49         public TReturnConstant AddFirstAndReturnConstant(ICollection<TElement> elements)
50         {
51             _list.AddFirst(elements);
52             return _returnConstant;
53         }
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]
56         public TReturnConstant AddAllAndReturnConstant(ICollection<TElement> elements)
57         {
58             _list.AddAll(elements);
59             return _returnConstant;
60         }
61
62         [MethodImpl(MethodImplOptions.AggressiveInlining)]
63         public TReturnConstant AddSkipFirstAndReturnConstant(ICollection<TElement> elements)
64         {
65             _list.AddSkipFirst(elements);
66             return _returnConstant;
67         }
68     }
69 }

```

```

55     _list.AddAll(elements);
56     return _returnConstant;
57 }
58
59 [MethodImpl(MethodImplOptions.AggressiveInlining)]
60 public TReturnConstant AddSkipFirstAndReturnConstant(ICollection<TElement> elements)
61 {
62     _list.AddSkipFirst(elements);
63     return _returnConstant;
64 }
65 }
66 }

```

## 1.20 ./csharp/Platform.Collections.Segments/CharSegment.cs

```

1  using System.Linq;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Collections.Arrays;
5  using Platform.Collections.Lists;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Collections.Segments
10 {
11     public class CharSegment : Segment<char>
12     {
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public CharSegment(ICollection<char> @base, int offset, int length) : base(@base, offset,
15             ↪ length) { }
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         public override int GetHashCode()
19         {
20             // Base can be not an array, but still ICollection<char>
21             if (Base is char[] baseArray)
22             {
23                 return baseArray.GenerateHashCode(Offset, Length);
24             }
25             else
26             {
27                 return this.GenerateHashCode();
28             }
29         }
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         public override bool Equals(Segment<char> other)
33         {
34             bool contentEqualityComparer(ICollection<char> left, ICollection<char> right)
35             {
36                 // Base can be not an array, but still ICollection<char>
37                 if (Base is char[] baseArray && other.Base is char[] otherArray)
38                 {
39                     return baseArray.ContentEqualTo(Offset, Length, otherArray, other.Offset);
40                 }
41                 else
42                 {
43                     return left.ContentEqualTo(right);
44                 }
45             }
46             return this.EqualTo(other, contentEqualityComparer);
47         }
48
49         public override bool Equals(object obj) => obj is Segment<char> charSegment ?
50             ↪ Equals(charSegment) : false;
51
52         [MethodImpl(MethodImplOptions.AggressiveInlining)]
53         public static implicit operator string(CharSegment segment)
54         {
55             if (!(segment.Base is char[] array))
56             {
57                 array = segment.Base.ToArray();
58             }
59             return new string(array, segment.Offset, segment.Length);
60         }
61
62         [MethodImpl(MethodImplOptions.AggressiveInlining)]
63         public override string ToString() => this;
64     }
65 }

```

## 1.21 ./csharp/Platform.Collections/Segments/Segment.cs

```

1  using System;
2  using System.Collections;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5  using Platform.Collections.Arrays;
6  using Platform.Collections.Lists;
7
8  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Collections.Segments
11 {
12     public class Segment<T> : IEquatable<Segment<T>>, IList<T>
13     {
14         public IList<T> Base
15         {
16             [MethodImpl(MethodImplOptions.AggressiveInlining)]
17             get;
18         }
19         public int Offset
20         {
21             [MethodImpl(MethodImplOptions.AggressiveInlining)]
22             get;
23         }
24         public int Length
25         {
26             [MethodImpl(MethodImplOptions.AggressiveInlining)]
27             get;
28         }
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         public Segment(IList<T> @base, int offset, int length)
32         {
33             Base = @base;
34             Offset = offset;
35             Length = length;
36         }
37
38         [MethodImpl(MethodImplOptions.AggressiveInlining)]
39         public override int GetHashCode() => this.GenerateHashCode();
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]
42         public virtual bool Equals(Segment<T> other) => this.EqualTo(other);
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         public override bool Equals(object obj) => obj is Segment<T> other ? Equals(other) :
46             ↪ false;
47
48         #region IList
49         public T this[int i]
50         {
51             [MethodImpl(MethodImplOptions.AggressiveInlining)]
52             get => Base[Offset + i];
53             [MethodImpl(MethodImplOptions.AggressiveInlining)]
54             set => Base[Offset + i] = value;
55         }
56
57         public int Count
58         {
59             [MethodImpl(MethodImplOptions.AggressiveInlining)]
60             get => Length;
61         }
62
63         public bool IsReadOnly
64         {
65             [MethodImpl(MethodImplOptions.AggressiveInlining)]
66             get => true;
67         }
68
69         [MethodImpl(MethodImplOptions.AggressiveInlining)]
70         public int IndexOf(T item)
71         {
72             var index = Base.IndexOf(item);
73             if (index >= Offset)
74             {
75                 var actualIndex = index - Offset;
76                 if (actualIndex < Length)
77                 {
78                     return actualIndex;
79                 }

```



```

80     }
81     return -1;
82 }
83
84 [MethodImpl(MethodImplOptions.AggressiveInlining)]
85 public void Insert(int index, T item) => throw new NotSupportedException();
86
87 [MethodImpl(MethodImplOptions.AggressiveInlining)]
88 public void RemoveAt(int index) => throw new NotSupportedException();
89
90 [MethodImpl(MethodImplOptions.AggressiveInlining)]
91 public void Add(T item) => throw new NotSupportedException();
92
93 [MethodImpl(MethodImplOptions.AggressiveInlining)]
94 public void Clear() => throw new NotSupportedException();
95
96 [MethodImpl(MethodImplOptions.AggressiveInlining)]
97 public bool Contains(T item) => IndexOf(item) >= 0;
98
99 [MethodImpl(MethodImplOptions.AggressiveInlining)]
100 public void CopyTo(T[] array, int arrayIndex)
101 {
102     for (var i = 0; i < Length; i++)
103     {
104         array.Add(ref arrayIndex, this[i]);
105     }
106 }
107
108 [MethodImpl(MethodImplOptions.AggressiveInlining)]
109 public bool Remove(T item) => throw new NotSupportedException();
110
111 [MethodImpl(MethodImplOptions.AggressiveInlining)]
112 public IEnumerator<T> GetEnumerator()
113 {
114     for (var i = 0; i < Length; i++)
115     {
116         yield return this[i];
117     }
118 }
119
120 [MethodImpl(MethodImplOptions.AggressiveInlining)]
121 IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();
122
123 #endregion
124 }
125 }

```

## 1.22 ./csharp/Platform.Collections.Segments.Walkers.AllSegmentsWalkerBase.cs

```

1  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3  namespace Platform.Collections.Segments.Walkers
4  {
5      public abstract class AllSegmentsWalkerBase
6      {
7          public static readonly int DefaultMinimumStringSegmentLength = 2;
8      }
9  }

```

## 1.23 ./csharp/Platform.Collections.Segments.Walkers.AllSegmentsWalkerBase[T, TSegment].cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Collections.Segments.Walkers
7  {
8      public abstract class AllSegmentsWalkerBase<T, TSegment> : AllSegmentsWalkerBase
9          where TSegment : Segment<T>
10     {
11         private readonly int _minimumStringSegmentLength;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         protected AllSegmentsWalkerBase(int minimumStringSegmentLength) =>
15             ↪ _minimumStringSegmentLength = minimumStringSegmentLength;
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         protected AllSegmentsWalkerBase() : this(DefaultMinimumStringSegmentLength) { }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         public virtual void WalkAll(ICollection<T> elements)

```

```

21     {
22         for (int offset = 0, maxOffset = elements.Count - _minimumStringSegmentLength;
23             ↪ offset <= maxOffset; offset++)
24         {
25             for (int length = _minimumStringSegmentLength, maxLength = elements.Count -
26                 ↪ offset; length <= maxLength; length++)
27             {
28                 Iteration(CreateSegment(elements, offset, length));
29             }
30         }
31     }
32     [MethodImpl(MethodImplOptions.AggressiveInlining)]
33     protected abstract TSegment CreateSegment(ICollection<T> elements, int offset, int length);
34     [MethodImpl(MethodImplOptions.AggressiveInlining)]
35     protected abstract void Iteration(TSegment segment);
36 }
37 }

```

#### 1.24 ./csharp/Platform.Collections.Segments.Walkers.AllSegmentsWalkerBase[T].cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Segments.Walkers
7 {
8     public abstract class AllSegmentsWalkerBase<T> : AllSegmentsWalkerBase<T, Segment<T>>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         protected override Segment<T> CreateSegment(ICollection<T> elements, int offset, int length)
12             ↪ => new Segment<T>(elements, offset, length);
13     }
14 }

```

#### 1.25 ./csharp/Platform.Collections.Segments.Walkers.AllSegmentsWalkerExtensions.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Collections.Segments.Walkers
6 {
7     public static class AllSegmentsWalkerExtensions
8     {
9         [MethodImpl(MethodImplOptions.AggressiveInlining)]
10         public static void WalkAll(this AllSegmentsWalkerBase<char> walker, string @string) =>
11             ↪ walker.WalkAll(@string.ToCharArray());
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public static void WalkAll<TSegment>(this AllSegmentsWalkerBase<char> walker, TSegment segment,
15             ↪ string @string) where TSegment : Segment<char> =>
16             ↪ walker.WalkAll(@string.ToCharArray(), segment);
17     }
18 }

```

#### 1.26 ./csharp/Platform.Collections.Segments.Walkers.DictionaryBasedDuplicateSegmentsWalkerBase[T, TSegment].cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Collections.Segments.Walkers
8 {
9     public abstract class DictionaryBasedDuplicateSegmentsWalkerBase<T, TSegment> :
10         ↪ DuplicateSegmentsWalkerBase<T, TSegment>
11         where TSegment : Segment<T>
12     {
13         public static readonly bool DefaultResetDictionaryOnEachWalk;
14
15         private readonly bool _resetDictionaryOnEachWalk;
16         protected IDictionary<TSegment, long> Dictionary;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<TSegment, long>
20             ↪ dictionary, int minimumStringSegmentLength, bool resetDictionaryOnEachWalk)
21             : base(minimumStringSegmentLength)
22         {
23         }
24     }
25 }

```

```

21     Dictionary = dictionary;
22     _resetDictionaryOnEachWalk = resetDictionaryOnEachWalk;
23 }
24
25 [MethodImpl(MethodImplOptions.AggressiveInlining)]
26 protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<TSegment, long>
    ↪ dictionary, int minimumStringSegmentLength) : this(dictionary,
    ↪ minimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
27
28 [MethodImpl(MethodImplOptions.AggressiveInlining)]
29 protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<TSegment, long>
    ↪ dictionary) : this(dictionary, DefaultMinimumStringSegmentLength,
    ↪ DefaultResetDictionaryOnEachWalk) { }
30
31 [MethodImpl(MethodImplOptions.AggressiveInlining)]
32 protected DictionaryBasedDuplicateSegmentsWalkerBase(int minimumStringSegmentLength,
    ↪ bool resetDictionaryOnEachWalk) : this(resetDictionaryOnEachWalk ? null : new
    ↪ Dictionary<TSegment, long>(), minimumStringSegmentLength, resetDictionaryOnEachWalk)
    ↪ { }
33
34 [MethodImpl(MethodImplOptions.AggressiveInlining)]
35 protected DictionaryBasedDuplicateSegmentsWalkerBase(int minimumStringSegmentLength) :
    ↪ this(minimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
36
37 [MethodImpl(MethodImplOptions.AggressiveInlining)]
38 protected DictionaryBasedDuplicateSegmentsWalkerBase() :
    ↪ this(DefaultMinimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
39
40 [MethodImpl(MethodImplOptions.AggressiveInlining)]
41 public override void WalkAll(ICollection<T> elements)
42 {
43     if(_resetDictionaryOnEachWalk)
44     {
45         var capacity = Math.Ceiling(Math.Pow(elements.Count, 2) / 2);
46         Dictionary = new Dictionary<TSegment, long>((int)capacity);
47     }
48     base.WalkAll(elements);
49 }
50
51 [MethodImpl(MethodImplOptions.AggressiveInlining)]
52 protected override long GetSegmentFrequency(TSegment segment) =>
    ↪ Dictionary.GetOrDefault(segment);
53
54 [MethodImpl(MethodImplOptions.AggressiveInlining)]
55 protected override void SetSegmentFrequency(TSegment segment, long frequency) =>
    ↪ Dictionary[segment] = frequency;
56 }
57 }

```

## 1.27 ./csharp/Platform.Collections.Segments.Walkers/DictionaryBasedDuplicateSegmentsWalkerBase[T].cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Segments.Walkers
7 {
8     public abstract class DictionaryBasedDuplicateSegmentsWalkerBase<T> :
9     ↪ DictionaryBasedDuplicateSegmentsWalkerBase<T, Segment<T>>
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<Segment<T>, long>
13             ↪ dictionary, int minimumStringSegmentLength, bool resetDictionaryOnEachWalk) :
14             ↪ base(dictionary, minimumStringSegmentLength, resetDictionaryOnEachWalk) { }
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<Segment<T>, long>
18             ↪ dictionary, int minimumStringSegmentLength) : base(dictionary,
19             ↪ minimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         protected DictionaryBasedDuplicateSegmentsWalkerBase(IDictionary<Segment<T>, long>
23             ↪ dictionary) : base(dictionary, DefaultMinimumStringSegmentLength,
24             ↪ DefaultResetDictionaryOnEachWalk) { }
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected DictionaryBasedDuplicateSegmentsWalkerBase(int minimumStringSegmentLength,
28             ↪ bool resetDictionaryOnEachWalk) : base(resetDictionaryOnEachWalk ? null : new
29             ↪ Dictionary<Segment<T>, long>(), minimumStringSegmentLength, resetDictionaryOnEachWalk)
30             ↪ { }
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected DictionaryBasedDuplicateSegmentsWalkerBase(int minimumStringSegmentLength) :
34             ↪ this(minimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected DictionaryBasedDuplicateSegmentsWalkerBase() :
38             ↪ this(DefaultMinimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         public override void WalkAll(ICollection<T> elements)
42         {
43             if(_resetDictionaryOnEachWalk)
44             {
45                 var capacity = Math.Ceiling(Math.Pow(elements.Count, 2) / 2);
46                 Dictionary = new Dictionary<Segment<T>, long>((int)capacity);
47             }
48             base.WalkAll(elements);
49         }
50
51         [MethodImpl(MethodImplOptions.AggressiveInlining)]
52         protected override long GetSegmentFrequency(Segment<T> segment) =>
53             ↪ Dictionary.GetOrDefault(segment);
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]
56         protected override void SetSegmentFrequency(Segment<T> segment, long frequency) =>
57             ↪ Dictionary[segment] = frequency;
58     }
59 }

```

```

20     protected DictionaryBasedDuplicateSegmentsWalkerBase(int minimumStringSegmentLength,
    ↪     bool resetDictionaryOnEachWalk) : base(minimumStringSegmentLength,
    ↪     resetDictionaryOnEachWalk) { }
21
22     [MethodImpl(MethodImplOptions.AggressiveInlining)]
23     protected DictionaryBasedDuplicateSegmentsWalkerBase(int minimumStringSegmentLength) :
    ↪     base(minimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
24
25     [MethodImpl(MethodImplOptions.AggressiveInlining)]
26     protected DictionaryBasedDuplicateSegmentsWalkerBase() :
    ↪     base(DefaultMinimumStringSegmentLength, DefaultResetDictionaryOnEachWalk) { }
27 }
28 }

```

## 1.28 ./csharp/Platform.Collections.Segments.Walkers/DuplicateSegmentsWalkerBase[T, TSegment].cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Collections.Segments.Walkers
6 {
7     public abstract class DuplicateSegmentsWalkerBase<T, TSegment> : AllSegmentsWalkerBase<T,
    ↪     TSegment>
8     where TSegment : Segment<T>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         protected DuplicateSegmentsWalkerBase(int minimumStringSegmentLength) :
    ↪     base(minimumStringSegmentLength) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         protected DuplicateSegmentsWalkerBase() : base(DefaultMinimumStringSegmentLength) { }
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         protected override void Iteration(TSegment segment)
18         {
19             var frequency = GetSegmentFrequency(segment);
20             if (frequency == 1)
21             {
22                 OnDuplicateFound(segment);
23             }
24             SetSegmentFrequency(segment, frequency + 1);
25         }
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         protected abstract void OnDuplicateFound(TSegment segment);
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         protected abstract long GetSegmentFrequency(TSegment segment);
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         protected abstract void SetSegmentFrequency(TSegment segment, long frequency);
35     }
36 }

```

## 1.29 ./csharp/Platform.Collections.Segments.Walkers/DuplicateSegmentsWalkerBase[T].cs

```

1 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3 namespace Platform.Collections.Segments.Walkers
4 {
5     public abstract class DuplicateSegmentsWalkerBase<T> : DuplicateSegmentsWalkerBase<T,
    ↪     Segment<T>>
6     {
7     }
8 }

```

## 1.30 ./csharp/Platform.Collections.Sets/ISetExtensions.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Sets
7 {
8     public static class ISetExtensions
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public static void AddAndReturnVoid<T>(this ISet<T> set, T element) => set.Add(element);
12

```

```

13     [MethodImpl(MethodImplOptions.AggressiveInlining)]
14     public static void RemoveAndReturnVoid<T>(this ISet<T> set, T element) =>
        ↪ set.Remove(element);
15
16     [MethodImpl(MethodImplOptions.AggressiveInlining)]
17     public static bool AddAndReturnTrue<T>(this ISet<T> set, T element)
18     {
19         set.Add(element);
20         return true;
21     }
22
23     [MethodImpl(MethodImplOptions.AggressiveInlining)]
24     public static bool AddFirstAndReturnTrue<T>(this ISet<T> set, IList<T> elements)
25     {
26         AddFirst(set, elements);
27         return true;
28     }
29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     public static void AddFirst<T>(this ISet<T> set, IList<T> elements) =>
        ↪ set.Add(elements[0]);
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     public static bool AddAllAndReturnTrue<T>(this ISet<T> set, IList<T> elements)
35     {
36         set.AddAll(elements);
37         return true;
38     }
39
40     [MethodImpl(MethodImplOptions.AggressiveInlining)]
41     public static void AddAll<T>(this ISet<T> set, IList<T> elements)
42     {
43         for (var i = 0; i < elements.Count; i++)
44         {
45             set.Add(elements[i]);
46         }
47     }
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     public static bool AddSkipFirstAndReturnTrue<T>(this ISet<T> set, IList<T> elements)
51     {
52         set.AddSkipFirst(elements);
53         return true;
54     }
55
56     [MethodImpl(MethodImplOptions.AggressiveInlining)]
57     public static void AddSkipFirst<T>(this ISet<T> set, IList<T> elements) =>
        ↪ set.AddSkipFirst(elements, 1);
58
59     [MethodImpl(MethodImplOptions.AggressiveInlining)]
60     public static void AddSkipFirst<T>(this ISet<T> set, IList<T> elements, int skip)
61     {
62         for (var i = skip; i < elements.Count; i++)
63         {
64             set.Add(elements[i]);
65         }
66     }
67
68     [MethodImpl(MethodImplOptions.AggressiveInlining)]
69     public static bool DoNotContains<T>(this ISet<T> set, T element) =>
        ↪ !set.Contains(element);
70 }
71 }

```

### 1.31 ./csharp/Platform.Collections/Sets/SetFiller.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Sets
7 {
8     public class SetFiller<TElement, TReturnConstant>
9     {
10         protected readonly ISet<TElement> _set;
11         protected readonly TReturnConstant _returnConstant;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public SetFiller(ISet<TElement> set, TReturnConstant returnConstant)

```

```

15     {
16         _set = set;
17         _returnConstant = returnConstant;
18     }
19
20     [MethodImpl(MethodImplOptions.AggressiveInlining)]
21     public SetFiller(ISet<TElement> set) : this(set, default) { }
22
23     [MethodImpl(MethodImplOptions.AggressiveInlining)]
24     public void Add(TElement element) => _set.Add(element);
25
26     [MethodImpl(MethodImplOptions.AggressiveInlining)]
27     public bool AddAndReturnTrue(TElement element) => _set.AddAndReturnTrue(element);
28
29     [MethodImpl(MethodImplOptions.AggressiveInlining)]
30     public bool AddFirstAndReturnTrue(IList<TElement> elements) =>
31         ↪ _set.AddFirstAndReturnTrue(elements);
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     public bool AddAllAndReturnTrue(IList<TElement> elements) =>
35         ↪ _set.AddAllAndReturnTrue(elements);
36
37     [MethodImpl(MethodImplOptions.AggressiveInlining)]
38     public bool AddSkipFirstAndReturnTrue(IList<TElement> elements) =>
39         ↪ _set.AddSkipFirstAndReturnTrue(elements);
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     public TReturnConstant AddAndReturnConstant(TElement element)
43     {
44         _set.Add(element);
45         return _returnConstant;
46     }
47
48     [MethodImpl(MethodImplOptions.AggressiveInlining)]
49     public TReturnConstant AddFirstAndReturnConstant(IList<TElement> elements)
50     {
51         _set.AddFirst(elements);
52         return _returnConstant;
53     }
54
55     [MethodImpl(MethodImplOptions.AggressiveInlining)]
56     public TReturnConstant AddAllAndReturnConstant(IList<TElement> elements)
57     {
58         _set.AddAll(elements);
59         return _returnConstant;
60     }
61
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     public TReturnConstant AddSkipFirstAndReturnConstant(IList<TElement> elements)
64     {
65         _set.AddSkipFirst(elements);
66         return _returnConstant;
67     }
68 }

```

### 1.32 ./csharp/Platform.Collections/Stacks/DefaultStack.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Stacks
7 {
8     public class DefaultStack<TElement> : Stack<TElement>, IStack<TElement>
9     {
10         public bool IsEmpty
11         {
12             [MethodImpl(MethodImplOptions.AggressiveInlining)]
13             get => Count <= 0;
14         }
15     }
16 }

```

### 1.33 ./csharp/Platform.Collections/Stacks/IStack.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4

```

```

5 namespace Platform.Collections.Stacks
6 {
7     public interface IStack<TElement>
8     {
9         bool IsEmpty
10         {
11             [MethodImpl(MethodImplOptions.AggressiveInlining)]
12             get;
13         }
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         void Push(TElement element);
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         TElement Pop();
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         TElement Peek();
23     }
24 }

```

#### 1.34 ./csharp/Platform.Collections.Stacks/IStackExtensions.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Collections.Stacks
6 {
7     public static class IStackExtensions
8     {
9         [MethodImpl(MethodImplOptions.AggressiveInlining)]
10        public static void Clear<T>(this IStack<T> stack)
11        {
12            while (!stack.IsEmpty)
13            {
14                _ = stack.Pop();
15            }
16        }
17
18        [MethodImpl(MethodImplOptions.AggressiveInlining)]
19        public static T PopOrDefault<T>(this IStack<T> stack) => stack.IsEmpty ? default :
20        ↪ stack.Pop();
21
22        [MethodImpl(MethodImplOptions.AggressiveInlining)]
23        public static T PeekOrDefault<T>(this IStack<T> stack) => stack.IsEmpty ? default :
24        ↪ stack.Peek();
25    }
26 }

```

#### 1.35 ./csharp/Platform.Collections.Stacks/IStackFactory.cs

```

1 using Platform.Interfaces;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Collections.Stacks
6 {
7     public interface IStackFactory<TElement> : IFactory<IStack<TElement>>
8     {
9     }
10 }

```

#### 1.36 ./csharp/Platform.Collections.Stacks/StackExtensions.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Collections.Stacks
7 {
8     public static class StackExtensions
9     {
10        [MethodImpl(MethodImplOptions.AggressiveInlining)]
11        public static T PopOrDefault<T>(this Stack<T> stack) => stack.Count > 0 ? stack.Pop() :
12        ↪ default;
13
14        [MethodImpl(MethodImplOptions.AggressiveInlining)]
15        public static T PeekOrDefault<T>(this Stack<T> stack) => stack.Count > 0 ? stack.Peek()
16        ↪ : default;
17    }
18 }

```

## 1.37 ./csharp/Platform.Collections/StringExtensions.cs

```

1  using System;
2  using System.Globalization;
3  using System.Runtime.CompilerServices;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Collections
8  {
9      public static class StringExtensions
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public static string CapitalizeFirstLetter(this string @string)
13         {
14             if (@string.IsNullOrEmpty(@string))
15             {
16                 return @string;
17             }
18             var chars = @string.ToCharArray();
19             for (var i = 0; i < chars.Length; i++)
20             {
21                 var category = char.GetUnicodeCategory(chars[i]);
22                 if (category == UnicodeCategory.UppercaseLetter)
23                 {
24                     return @string;
25                 }
26                 if (category == UnicodeCategory.LowercaseLetter)
27                 {
28                     chars[i] = char.ToUpper(chars[i]);
29                     return new string(chars);
30                 }
31             }
32             return @string;
33         }
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         public static string Truncate(this string @string, int maxLength) =>
37             ↪ @string.IsNullOrEmpty(@string) ? @string : @string.Substring(0,
38             ↪ Math.Min(@string.Length, maxLength));
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         public static string TrimSingle(this string @string, char charToTrim)
42         {
43             if (!@string.IsNullOrEmpty(@string))
44             {
45                 if (@string.Length == 1)
46                 {
47                     if (@string[0] == charToTrim)
48                     {
49                         return "";
50                     }
51                     else
52                     {
53                         return @string;
54                     }
55                 }
56                 else
57                 {
58                     var left = 0;
59                     var right = @string.Length - 1;
60                     if (@string[left] == charToTrim)
61                     {
62                         left++;
63                     }
64                     if (@string[right] == charToTrim)
65                     {
66                         right--;
67                     }
68                     return @string.Substring(left, right - left + 1);
69                 }
70             }
71             else
72             {
73                 return @string;
74             }
75         }
76     }
77 }

```



## 1.38 ./csharp/Platform.Collections/Trees/Node.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  // ReSharper disable ForCanBeConvertedToForeach
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Collections.Trees
8  {
9      public class Node
10     {
11         private Dictionary<object, Node> _childNodes;
12
13         public object Value
14         {
15             [MethodImpl(MethodImplOptions.AggressiveInlining)]
16             get;
17             [MethodImpl(MethodImplOptions.AggressiveInlining)]
18             set;
19         }
20
21         public Dictionary<object, Node> ChildNodes
22         {
23             [MethodImpl(MethodImplOptions.AggressiveInlining)]
24             get => _childNodes ?? (_childNodes = new Dictionary<object, Node>());
25         }
26
27         public Node this[object key]
28         {
29             [MethodImpl(MethodImplOptions.AggressiveInlining)]
30             get => GetChild(key) ?? AddChild(key);
31             [MethodImpl(MethodImplOptions.AggressiveInlining)]
32             set => SetChildValue(value, key);
33         }
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         public Node(object value) => Value = value;
37
38         [MethodImpl(MethodImplOptions.AggressiveInlining)]
39         public Node() : this(null) { }
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]
42         public bool ContainsChild(params object[] keys) => GetChild(keys) != null;
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         public Node GetChild(params object[] keys)
46         {
47             var node = this;
48             for (var i = 0; i < keys.Length; i++)
49             {
50                 node.ChildNodes.TryGetValue(keys[i], out node);
51                 if (node == null)
52                 {
53                     return null;
54                 }
55             }
56             return node;
57         }
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]
60         public object GetChildValue(params object[] keys) => GetChild(keys)?.Value;
61
62         [MethodImpl(MethodImplOptions.AggressiveInlining)]
63         public Node AddChild(object key) => AddChild(key, new Node(null));
64
65         [MethodImpl(MethodImplOptions.AggressiveInlining)]
66         public Node AddChild(object key, object value) => AddChild(key, new Node(value));
67
68         [MethodImpl(MethodImplOptions.AggressiveInlining)]
69         public Node AddChild(object key, Node child)
70         {
71             ChildNodes.Add(key, child);
72             return child;
73         }
74
75         [MethodImpl(MethodImplOptions.AggressiveInlining)]
76         public Node SetChild(params object[] keys) => SetChildValue(null, keys);
77
78         [MethodImpl(MethodImplOptions.AggressiveInlining)]
79         public Node SetChild(object key) => SetChildValue(null, key);

```

```

80
81     [MethodImpl(MethodImplOptions.AggressiveInlining)]
82     public Node SetChildValue(object value, params object[] keys)
83     {
84         var node = this;
85         for (var i = 0; i < keys.Length; i++)
86         {
87             node = SetChildValue(value, keys[i]);
88         }
89         node.Value = value;
90         return node;
91     }
92
93     [MethodImpl(MethodImplOptions.AggressiveInlining)]
94     public Node SetChildValue(object value, object key)
95     {
96         if (!ChildNodes.TryGetValue(key, out Node child))
97         {
98             child = AddChild(key, value);
99         }
100         child.Value = value;
101         return child;
102     }
103 }
104 }

```

### 1.39 ./csharp/Platform.Collections.Tests/ArrayTests.cs

```

1  using Xunit;
2  using Platform.Collections.Arrays;
3
4  namespace Platform.Collections.Tests
5  {
6      public class ArrayTests
7      {
8          [Fact]
9          public void GetElementTest()
10         {
11             var nullArray = (int[])null;
12             Assert.Equal(0, nullArray.GetElementOrDefault(1));
13             Assert.False(nullArray.TryGetElement(1, out int element));
14             Assert.Equal(0, element);
15             var array = new int[] { 1, 2, 3 };
16             Assert.Equal(3, array.GetElementOrDefault(2));
17             Assert.True(array.TryGetElement(2, out element));
18             Assert.Equal(3, element);
19             Assert.Equal(0, array.GetElementOrDefault(10));
20             Assert.False(array.TryGetElement(10, out element));
21             Assert.Equal(0, element);
22         }
23     }
24 }

```

### 1.40 ./csharp/Platform.Collections.Tests/BitStringTests.cs

```

1  using System;
2  using System.Collections;
3  using Xunit;
4  using Platform.Random;
5
6  namespace Platform.Collections.Tests
7  {
8      public static class BitStringTests
9      {
10         [Fact]
11         public static void BitGetSetTest()
12         {
13             const int n = 250;
14             var bitArray = new BitArray(n);
15             var bitString = new BitString(n);
16             for (var i = 0; i < n; i++)
17             {
18                 var value = RandomHelpers.Default.NextBoolean();
19                 bitArray.Set(i, value);
20                 bitString.Set(i, value);
21                 Assert.Equal(value, bitArray.Get(i));
22                 Assert.Equal(value, bitString.Get(i));
23             }
24         }
25
26         [Fact]

```

```

27 public static void BitVectorNotTest()
28 {
29     TestToOperationsWithSameMeaning((x, y, w, v) =>
30     {
31         x.VectorNot();
32         w.Not();
33     });
34 }
35
36 [Fact]
37 public static void BitParallelNotTest()
38 {
39     TestToOperationsWithSameMeaning((x, y, w, v) =>
40     {
41         x.ParallelNot();
42         w.Not();
43     });
44 }
45
46 [Fact]
47 public static void BitParallelVectorNotTest()
48 {
49     TestToOperationsWithSameMeaning((x, y, w, v) =>
50     {
51         x.ParallelVectorNot();
52         w.Not();
53     });
54 }
55
56 [Fact]
57 public static void BitVectorAndTest()
58 {
59     TestToOperationsWithSameMeaning((x, y, w, v) =>
60     {
61         x.VectorAnd(y);
62         w.And(v);
63     });
64 }
65
66 [Fact]
67 public static void BitParallelAndTest()
68 {
69     TestToOperationsWithSameMeaning((x, y, w, v) =>
70     {
71         x.ParallelAnd(y);
72         w.And(v);
73     });
74 }
75
76 [Fact]
77 public static void BitParallelVectorAndTest()
78 {
79     TestToOperationsWithSameMeaning((x, y, w, v) =>
80     {
81         x.ParallelVectorAnd(y);
82         w.And(v);
83     });
84 }
85
86 [Fact]
87 public static void BitVectorOrTest()
88 {
89     TestToOperationsWithSameMeaning((x, y, w, v) =>
90     {
91         x.VectorOr(y);
92         w.Or(v);
93     });
94 }
95
96 [Fact]
97 public static void BitParallelOrTest()
98 {
99     TestToOperationsWithSameMeaning((x, y, w, v) =>
100    {
101        x.ParallelOr(y);
102        w.Or(v);
103    });
104 }

```

```

105 [Fact]
106 public static void BitParallelVectorOrTest()
107 {
108     TestToOperationsWithSameMeaning((x, y, w, v) =>
109     {
110         x.ParallelVectorOr(y);
111         w.Or(v);
112     });
113 }
114
115 [Fact]
116 public static void BitVectorXorTest()
117 {
118     TestToOperationsWithSameMeaning((x, y, w, v) =>
119     {
120         x.VectorXor(y);
121         w.Xor(v);
122     });
123 }
124
125 [Fact]
126 public static void BitParallelXorTest()
127 {
128     TestToOperationsWithSameMeaning((x, y, w, v) =>
129     {
130         x.ParallelXor(y);
131         w.Xor(v);
132     });
133 }
134
135 [Fact]
136 public static void BitParallelVectorXorTest()
137 {
138     TestToOperationsWithSameMeaning((x, y, w, v) =>
139     {
140         x.ParallelVectorXor(y);
141         w.Xor(v);
142     });
143 }
144
145 private static void TestToOperationsWithSameMeaning(Action<BitString, BitString,
146 ↪ BitString, BitString> test)
147 {
148     const int n = 5654;
149     var x = new BitString(n);
150     var y = new BitString(n);
151     while (x.Equals(y))
152     {
153         x.SetRandomBits();
154         y.SetRandomBits();
155     }
156     var w = new BitString(x);
157     var v = new BitString(y);
158     Assert.False(x.Equals(y));
159     Assert.False(w.Equals(v));
160     Assert.True(x.Equals(w));
161     Assert.True(y.Equals(v));
162     test(x, y, w, v);
163     Assert.True(x.Equals(w));
164 }
165 }
166 }

```

#### 1.41 ./csharp/Platform.Collections.Tests/CharsSegmentTests.cs

```

1 using Xunit;
2 using Platform.Collections.Segments;
3
4 namespace Platform.Collections.Tests
5 {
6     public static class CharsSegmentTests
7     {
8         [Fact]
9         public static void GetHashCodeEqualsTest()
10        {
11            const string testString = "test test";
12            var testArray = testString.ToCharArray();
13            var firstHashCode = new CharSegment(testArray, 0, 4).GetHashCode();
14            var secondHashCode = new CharSegment(testArray, 5, 4).GetHashCode();

```

```

15         Assert.Equal(firstHashCode, secondHashCode);
16     }
17
18     [Fact]
19     public static void EqualsTest()
20     {
21         const string testString = "test test";
22         var testArray = testString.ToCharArray();
23         var first = new CharSegment(testArray, 0, 4);
24         var second = new CharSegment(testArray, 5, 4);
25         Assert.True(first.Equals(second));
26     }
27 }
28 }

```

#### 1.42 ./csharp/Platform.Collections.Tests/ListTests.cs

```

1  using System.Collections.Generic;
2  using Xunit;
3  using Platform.Collections.Lists;
4
5
6  namespace Platform.Collections.Tests
7  {
8      public class ListTests
9      {
10         [Fact]
11         public void GetElementTest()
12         {
13             var nullList = (IList<int>)null;
14             Assert.Equal(0, nullList.GetElementOrDefault(1));
15             Assert.False(nullList.TryGetElement(1, out int element));
16             Assert.Equal(0, element);
17             var list = new List<int>() { 1, 2, 3 };
18             Assert.Equal(3, list.GetElementOrDefault(2));
19             Assert.True(list.TryGetElement(2, out element));
20             Assert.Equal(3, element);
21             Assert.Equal(0, list.GetElementOrDefault(10));
22             Assert.False(list.TryGetElement(10, out element));
23             Assert.Equal(0, element);
24         }
25     }
26 }

```

#### 1.43 ./csharp/Platform.Collections.Tests/StringTests.cs

```

1  using Xunit;
2
3  namespace Platform.Collections.Tests
4  {
5      public static class StringTests
6      {
7         [Fact]
8         public static void CapitalizeFirstLetterTest()
9         {
10             Assert.Equal("Hello", "hello".CapitalizeFirstLetter());
11             Assert.Equal("Hello", "Hello".CapitalizeFirstLetter());
12             Assert.Equal(" Hello", " hello".CapitalizeFirstLetter());
13         }
14
15         [Fact]
16         public static void TrimSingleTest()
17         {
18             Assert.Equal("", "".TrimSingle('\'));
19             Assert.Equal("", "''.TrimSingle('\'));
20             Assert.Equal("hello", "'hello'".TrimSingle('\'));
21             Assert.Equal("hello", "hello'".TrimSingle('\'));
22             Assert.Equal("hello", "'hello".TrimSingle('\'));
23         }
24     }
25 }

```

## Index

- ./csharp/Platform.Collections.Tests/ArrayTests.cs, 42
- ./csharp/Platform.Collections.Tests/BitStringTests.cs, 42
- ./csharp/Platform.Collections.Tests/CharsSegmentTests.cs, 44
- ./csharp/Platform.Collections.Tests/ListTests.cs, 45
- ./csharp/Platform.Collections.Tests/StringTests.cs, 45
- ./csharp/Platform.Collections/Arrays/ArrayFiller[TElement, TReturnConstant].cs, 1
- ./csharp/Platform.Collections/Arrays/ArrayFiller[TElement].cs, 1
- ./csharp/Platform.Collections/Arrays/ArrayPool.cs, 2
- ./csharp/Platform.Collections/Arrays/ArrayPool[T].cs, 2
- ./csharp/Platform.Collections/Arrays/ArrayString.cs, 3
- ./csharp/Platform.Collections/Arrays/CharArrayExtensions.cs, 3
- ./csharp/Platform.Collections/Arrays/GenericArrayExtensions.cs, 4
- ./csharp/Platform.Collections/BitString.cs, 8
- ./csharp/Platform.Collections/BitStringExtensions.cs, 23
- ./csharp/Platform.Collections/Concurrent/ConcurrentQueueExtensions.cs, 23
- ./csharp/Platform.Collections/Concurrent/ConcurrentStackExtensions.cs, 24
- ./csharp/Platform.Collections/EnsureExtensions.cs, 24
- ./csharp/Platform.Collections/ICollectionExtensions.cs, 25
- ./csharp/Platform.Collections/IDictionaryExtensions.cs, 25
- ./csharp/Platform.Collections/Lists/CharIListExtensions.cs, 26
- ./csharp/Platform.Collections/Lists/IListComparer.cs, 26
- ./csharp/Platform.Collections/Lists/IListEqualityComparer.cs, 27
- ./csharp/Platform.Collections/Lists/IListExtensions.cs, 27
- ./csharp/Platform.Collections/Lists/ListFiller.cs, 30
- ./csharp/Platform.Collections/Segments/CharSegment.cs, 31
- ./csharp/Platform.Collections/Segments/Segment.cs, 32
- ./csharp/Platform.Collections/Segments/Walkers/AllSegmentsWalkerBase.cs, 33
- ./csharp/Platform.Collections/Segments/Walkers/AllSegmentsWalkerBase[T, TSegment].cs, 33
- ./csharp/Platform.Collections/Segments/Walkers/AllSegmentsWalkerBase[T].cs, 34
- ./csharp/Platform.Collections/Segments/Walkers/AllSegmentsWalkerExtensions.cs, 34
- ./csharp/Platform.Collections/Segments/Walkers/DictionaryBasedDuplicateSegmentsWalkerBase[T, Segment].cs, 34
- ./csharp/Platform.Collections/Segments/Walkers/DictionaryBasedDuplicateSegmentsWalkerBase[T].cs, 35
- ./csharp/Platform.Collections/Segments/Walkers/DuplicateSegmentsWalkerBase[T, TSegment].cs, 36
- ./csharp/Platform.Collections/Segments/Walkers/DuplicateSegmentsWalkerBase[T].cs, 36
- ./csharp/Platform.Collections/Sets/ISetExtensions.cs, 36
- ./csharp/Platform.Collections/Sets/SetFiller.cs, 37
- ./csharp/Platform.Collections/Stacks/DefaultStack.cs, 38
- ./csharp/Platform.Collections/Stacks/IStack.cs, 38
- ./csharp/Platform.Collections/Stacks/IStackExtensions.cs, 39
- ./csharp/Platform.Collections/Stacks/IStackFactory.cs, 39
- ./csharp/Platform.Collections/Stacks/StackExtensions.cs, 39
- ./csharp/Platform.Collections/StringExtensions.cs, 40
- ./csharp/Platform.Collections/Trees/Node.cs, 40