autogluon each location

October 6, 2023

```
[126]: import pandas as pd
       import numpy as np
       import warnings
       warnings.filterwarnings("ignore")
       def fix_datetime(X, name):
           # Convert 'date_forecast' to datetime format and replace original columnu
        with 'ds'
           X['ds'] = pd.to_datetime(X['date_forecast'])
           X.drop(columns=['date_forecast'], inplace=True, errors='ignore')
           X.sort_values(by='ds', inplace=True)
           X.set_index('ds', inplace=True)
           # Drop rows where the minute part of the time is not 0
           X = X[X.index.minute == 0]
           return X
       def convert to datetime(X_train observed, X_train_estimated, X_test, y_train):
           X_train_observed = fix_datetime(X_train_observed, "X_train_observed")
           X train_estimated = fix_datetime(X_train_estimated, "X_train_estimated")
           X_test = fix_datetime(X_test, "X_test")
           X_train_observed["estimated_diff_hours"] = 0
           X_train_estimated["estimated_diff_hours"] = (X_train_estimated.index - pd.
        sto_datetime(X_train_estimated["date_calc"])).dt.total_seconds() / 3600
           X_test["estimated_diff_hours"] = (X_test.index - pd.
        sto_datetime(X_test["date_calc"])).dt.total_seconds() / 3600
           X_train_estimated["estimated_diff_hours"] = 

¬X_train_estimated["estimated_diff_hours"].astype('int64')

           # the filled once will get dropped later anyways, when we drop y nans
```

```
X_test["estimated_diff_hours"] = X_test["estimated_diff_hours"].fillna(-50).

¬astype('int64')
    X_train_estimated.drop(columns=['date_calc'], inplace=True)
    X test.drop(columns=['date calc'], inplace=True)
    y train['ds'] = pd.to datetime(y train['time'])
    y_train.drop(columns=['time'], inplace=True)
    y_train.sort_values(by='ds', inplace=True)
    y_train.set_index('ds', inplace=True)
    return X_train_observed, X_train_estimated, X_test, y_train
def preprocess_data(X_train_observed, X_train_estimated, X_test, y_train,_
 →location):
    # convert to datetime
    X_train_observed, X_train_estimated, X_test, y_train =_
 →convert_to_datetime(X_train_observed, X_train_estimated, X_test, y_train)
    y_train["y"] = y_train["pv_measurement"].astype('float64')
    y_train.drop(columns=['pv_measurement'], inplace=True)
    X_train = pd.concat([X_train_observed, X_train_estimated])
    # clip all y values to 0 if negative
    y_train["y"] = y_train["y"].clip(lower=0)
    X_train = pd.merge(X_train, y_train, how="outer", left_index=True, __
 →right_index=True)
    X train["location"] = location
    X_test["location"] = location
    return X_train, X_test
# Define locations
locations = ['A', 'B', 'C']
X_trains = []
X_{\text{tests}} = []
# Loop through locations
for loc in locations:
    print(f"Processing location {loc}...")
    # Read target training data
```

Processing location A... Processing location B... Processing location C...

1 Feature enginering

```
[127]: # temporary
X_train["hour"] = X_train.index.hour
X_train["weekday"] = X_train.index.weekday
X_train["month"] = X_train.index.month
X_train["year"] = X_train.index.year

X_test["hour"] = X_test.index.hour
X_test["weekday"] = X_test.index.weekday
X_test["month"] = X_test.index.month
X_test["year"] = X_test.index.year

to_drop = ["snow_drift:idx", "snow_density:kgm3"]

X_train.drop(columns=to_drop, inplace=True)
X_test.drop(columns=to_drop, inplace=True)

X_train.dropna(subset=['y'], inplace=True)
X_train.to_csv('X_train_raw.csv', index=True)
```

```
X_test.to_csv('X_test_raw.csv', index=True)
```

${\tt train_data} \ {\tt dataset} \ {\tt summary}$

	count	unique	top	freq	mean	\
absolute_humidity_2m:gm3	92951	165			6.017608	
air_density_2m:kgm3	92951	293			1.255435	
ceiling_height_agl:m	72276	40993			2802.588135	
clear_sky_energy_1h:J	92951	48602			515154.09375	
clear_sky_rad:W	92951	7815			143.101379	
cloud_base_agl:m	84404	34862			1692.934692	
dew_or_rime:idx	92951	3			0.007025	
dew_point_2m:K	92951	436			275.237762	
diffuse_rad:W	92951	2870			39.495815	
diffuse_rad_1h:J	92951	48553			142180.03125	
direct_rad:W	92951	5296			50.205021	
direct_rad_1h:J	92951	41885			180740.1875	
effective_cloud_cover:p	92951	1001			67.013519	
elevation:m	92951	3			11.401738	
estimated_diff_hours	92951	26			3.143516	
fresh_snow_12h:cm	92951	125			0.116175	
fresh_snow_1h:cm	92951	39			0.00963	
fresh_snow_24h:cm	92951	161			0.229894	
fresh_snow_3h:cm	92951	70			0.029001	
fresh_snow_6h:cm	92951	96			0.058069	
hour	93024	24			11.501462	
is_day:idx	92951	2			0.483341	
is_in_shadow:idx	92951	2			0.565384	
location	93024	3	Α	34085		
month	93024	12			6.290484	
msl_pressure:hPa	92951	874			1009.502563	
<pre>precip_5min:mm</pre>	92951	64			0.005674	
<pre>precip_type_5min:idx</pre>	92951	7			0.083259	
pressure_100m:hPa	92951	888			995.81897	
pressure_50m:hPa	92951	897			1001.949646	
<pre>prob_rime:p</pre>	92951	700			0.756834	
rain_water:kgm2	92951	11			0.009677	
relative_humidity_1000hPa:p	92951	788			73.669556	
sfc_pressure:hPa	92951	902			1008.107849	
snow_depth:cm	92951	165			0.193203	
snow_melt_10min:mm	92951	19			0.000275	
snow_water:kgm2	92951	42			0.090324	
sun_azimuth:d	92951	69692			182.386337	
sun_elevation:d	92951	49376			-1.207574	

<pre>super_cooled_liquid_water:kgm2 t_1000hPa:K total_cloud_cover:p visibility:m weekday wind_speed_10m:ms wind_speed_u_10m:ms wind_speed_v_10m:ms wind_speed_v_10m:ms y year</pre>	92951 92951 92951 92951 93024 92951 92951 92951 93024 93024	15 447 1001 85686 7 119 188 167 3 12430 6		0.056944 279.431061 73.604263 33027.933594 3.00215 3.037911 0.662565 0.6824 -0.000016 287.019652 2020.69495	
		std	min	25%	\
absolute_humidity_2m:gm3	2.	714546	0.5	4.0	
air_density_2m:kgm3	0.	036608	1.139	1.23	
ceiling_height_agl:m	2521.	408447	27.799999	1037.099976	
clear_sky_energy_1h:J		0525.5	0.0	0.0	
clear_sky_rad:W		507324	0.0	0.0	
cloud_base_agl:m		963745	27.4	572.200012	
dew_or_rime:idx		246032	-1.0	0.0	
dew_point_2m:K		.83461	247.300003	270.700012	
diffuse_rad:W		647518	0.0	0.0	
diffuse_rad_1h:J	215907		0.0	0.0	
direct_rad:W		946068	0.0	0.0	
direct_rad_1h:J	401735		0.0	0.0	
effective_cloud_cover:p		044811	0.0	41.299999 6.0	
elevation:m		877236 935328	6.0 0.0	0.0	
<pre>estimated_diff_hours fresh_snow_12h:cm</pre>		935326 780374	0.0	0.0	
fresh_snow_12n.cm		112621	0.0	0.0	
fresh_snow_24h:cm		218249	0.0	0.0	
fresh_snow_3h:cm		.28067	0.0	0.0	
fresh_snow_6h:cm		481389	0.0	0.0	
hour		.92022	0.0	6.0	
is_day:idx		499725	0.0	0.0	
is_in_shadow:idx		495709	0.0	0.0	
location					
month	3.	587269	1.0	3.0	
msl_pressure:hPa	13.	089046	944.299988	1001.400024	
precip_5min:mm	0.	033511	0.0	0.0	
<pre>precip_type_5min:idx</pre>	0.	384904	0.0	0.0	
pressure_100m:hPa	13.	008334	929.799988	987.799988	
pressure_50m:hPa	13.	067102	935.599976	993.900024	
<pre>prob_rime:p</pre>		434649	0.0	0.0	
rain_water:kgm2		042968	0.0	0.0	
relative_humidity_1000hPa:p		328553	19.5	64.199997	
sfc_pressure:hPa		128181	941.400024	1000.0	
snow_depth:cm	1.	254293	0.0	0.0	

<pre>snow_melt_10min:mm</pre>	0.004312	-0.0	-0.0	
snow_water:kgm2	0.250991	0.0	0.0	
sun_azimuth:d	102.913605	0.008	92.794006	
sun_elevation:d	24.010485	-49.979	-18.511	
<pre>super_cooled_liquid_water:kgm2</pre>	0.111482	0.0	0.0	
t_1000hPa:K	6.520342	257.899994	274.899994	
total_cloud_cover:p	34.993042	0.0	51.700001	
visibility:m	18319.150391	130.600006	15798.950195	
weekday	2.000961	0.0	1.0	
wind_speed_10m:ms	1.778505	0.0	1.7	
wind_speed_u_10m:ms	2.808995	-7.3	-1.4	
wind_speed_v_10m:ms	1.896996	-9.3	-0.6	
wind_speed_w_1000hPa:ms	0.006502	-0.1	0.0	
у	766.407785	-0.0	0.0	
year	1.187172	2018.0	2020.0	
	50%	75%	″ max	\
absolute_humidity_2m:gm3	5.4	7.8	17.5	
air_density_2m:kgm3	1.255	1.279	1.441	
ceiling_height_agl:m	1803.25	3814.824951	12431.299805	
clear_sky_energy_1h:J	4544.899902	778247.25	3006697.25	
clear_sky_rad:W	0.0	220.949997	835.299988	
cloud_base_agl:m	1128.550049	2016.699951	11688.900391	
dew_or_rime:idx	0.0	0.0	1.0	
dew_point_2m:K	275.0	280.5	293.799988	
diffuse_rad:W	0.0	66.0	340.100006	
diffuse_rad_1h:J	9951.700195	236502.75	1182265.375	
direct_rad:W	0.0	29.0	684.299988	
direct_rad_1h:J	0.0	113366.25	2445897.0	
effective_cloud_cover:p	80.800003	99.300003	100.0	
elevation:m	7.0	24.0	24.0	
estimated_diff_hours	0.0	0.0	39.0	
fresh_snow_12h:cm	0.0	0.0	37.400002	
fresh_snow_1h:cm	0.0	0.0	7.1	
fresh_snow_24h:cm	0.0	0.0	37.400002	
fresh_snow_3h:cm	0.0	0.0	20.6	
fresh_snow_6h:cm	0.0	0.0	34.0	
hour	12.0	17.0	23.0	
is_day:idx	0.0	1.0	1.0	
is_in_shadow:idx	1.0	1.0	1.0	
location				
month	6.0	10.0	12.0	
msl_pressure:hPa	1010.299988	1018.599976	1044.099976	
<pre>precip_5min:mm</pre>	0.0	0.0	1.38	
<pre>precip_type_5min:idx</pre>	0.0	0.0		
pressure_100m:hPa	996.799988	1004.900024	1030.900024	
pressure_50m:hPa	1002.900024	1011.099976	1037.300049	
<pre>prob_rime:p</pre>	0.0	0.0	97.199997	

rain_water:kgm2	0.0	0.0		1.4
relative_humidity_1000hPa:p	76.0	85.099998		00.0
sfc_pressure:hPa	1009.0	1017.200012	1043.800	
snow_depth:cm	0.0	0.0	18.299	
snow_melt_10min:mm	0.0	-0.0	(0.18
snow_water:kgm2	0.0	0.1		6.9
sun_azimuth:d	179.526001	271.503479	359.99	
sun_elevation:d	-0.99	15.538	49.91	
<pre>super_cooled_liquid_water:kgm2</pre>	0.0	0.1		1.4
t_1000hPa:K	278.700012	283.899994	303.299	
total_cloud_cover:p	94.800003	100.0	10	0.00
visibility:m	37350.300781	48679.550781	76737.796	
weekday	3.0	5.0		6.0
wind_speed_10m:ms	2.7	4.1		15.2
wind_speed_u_10m:ms	0.3	2.5	-	12.2
wind_speed_v_10m:ms	0.7	1.9		9.0
wind_speed_w_1000hPa:ms	0.0	0.0		0.1
у	0.0	172.92	5733	3.42
year	2021.0	2022.0	202	23.0
	dtypes missi	ng_count miss:	ing_ratio 1	raw_type
absolute_humidity_2m:gm3	float32	73	0.000785	float
air_density_2m:kgm3	float32	73	0.000785	float
ceiling_height_agl:m	float32	20748	0.223039	float
clear_sky_energy_1h:J	float32	73	0.000785	float
clear_sky_rad:W	float32	73	0.000785	float
cloud_base_agl:m	float32	8620	0.092664	float
dew_or_rime:idx	float32	73	0.000785	float
dew_point_2m:K	float32	73	0.000785	float
diffuse_rad:W	float32	73	0.000785	float
diffuse_rad_1h:J	float32	73	0.000785	float
direct_rad:W	float32	73	0.000785	float
<pre>direct_rad_1h:J</pre>	float32	73	0.000785	float
effective_cloud_cover:p	float32	73	0.000785	float
elevation:m	float32	73	0.000785	float
estimated_diff_hours	float64	73	0.000785	float
fresh_snow_12h:cm	float32	73	0.000785	float
fresh_snow_1h:cm	float32	73	0.000785	float
fresh_snow_24h:cm	float32	73	0.000785	float
fresh_snow_3h:cm	float32	73	0.000785	float
fresh_snow_6h:cm	float32	73	0.000785	float
hour	int64			int
is_day:idx	float32	73	0.000785	float
is_in_shadow:idx	float32	73	0.000785	float
location	object			object
month	int64			int
msl_pressure:hPa	float32	73	0.000785	float
precip_5min:mm	float32	73	0.000785	float
r		. •	3 1 2 0 0 . 00	

<pre>precip_type_5min:idx</pre>	float32	73	0.000785	float
pressure_100m:hPa	float32	73	0.000785	float
pressure_50m:hPa	float32	73	0.000785	float
<pre>prob_rime:p</pre>	float32	73	0.000785	float
rain_water:kgm2	float32	73	0.000785	float
relative_humidity_1000hPa:p	float32	73	0.000785	float
sfc_pressure:hPa	float32	73	0.000785	float
<pre>snow_depth:cm</pre>	float32	73	0.000785	float
<pre>snow_melt_10min:mm</pre>	float32	73	0.000785	float
snow_water:kgm2	float32	73	0.000785	float
sun_azimuth:d	float32	73	0.000785	float
sun_elevation:d	float32	73	0.000785	float
<pre>super_cooled_liquid_water:kgm2</pre>	float32	73	0.000785	float
t_1000hPa:K	float32	73	0.000785	float
total_cloud_cover:p	float32	73	0.000785	float
visibility:m	float32	73	0.000785	float
weekday	int64			int
wind_speed_10m:ms	float32	73	0.000785	float
wind_speed_u_10m:ms	float32	73	0.000785	float
wind_speed_v_10m:ms	float32	73	0.000785	float
wind_speed_w_1000hPa:ms	float32	73	0.000785	float
у	float64			float
year	int64			int

variable_type special_types

absolute_humidity_2m:gm3	numeric
air_density_2m:kgm3	numeric
ceiling_height_agl:m	numeric
clear_sky_energy_1h:J	numeric
clear_sky_rad:W	numeric
cloud_base_agl:m	numeric
dew_or_rime:idx	category
dew_point_2m:K	numeric
diffuse_rad:W	numeric
diffuse_rad_1h:J	numeric
direct_rad:W	numeric
direct_rad_1h:J	numeric
effective_cloud_cover:p	numeric
elevation:m	category
estimated_diff_hours	numeric
fresh_snow_12h:cm	numeric
fresh_snow_1h:cm	numeric
fresh_snow_24h:cm	numeric
fresh_snow_3h:cm	numeric
fresh_snow_6h:cm	numeric
hour	numeric
is_day:idx	category
is_in_shadow:idx	category

location	category
month	category
msl_pressure:hPa	numeric
precip_5min:mm	numeric
<pre>precip_type_5min:idx</pre>	category
pressure_100m:hPa	numeric
pressure_50m:hPa	numeric
<pre>prob_rime:p</pre>	numeric
rain_water:kgm2	category
relative_humidity_1000hPa:p	numeric
sfc_pressure:hPa	numeric
<pre>snow_depth:cm</pre>	numeric
<pre>snow_melt_10min:mm</pre>	category
snow_water:kgm2	numeric
sun_azimuth:d	numeric
sun_elevation:d	numeric
<pre>super_cooled_liquid_water:kgm2</pre>	category
t_1000hPa:K	numeric
total_cloud_cover:p	numeric
visibility:m	numeric
weekday	category
wind_speed_10m:ms	numeric
wind_speed_u_10m:ms	numeric
wind_speed_v_10m:ms	numeric
wind_speed_w_1000hPa:ms	category
У	numeric
year	category

${\tt test_data} \ dataset \ summary$

	count	unique	top freq	mean	\
absolute_humidity_2m:gm3	2160	106		8.206482	
air_density_2m:kgm3	2160	153		1.232807	
<pre>ceiling_height_agl:m</pre>	1473	1391		2938.389648	
<pre>clear_sky_energy_1h:J</pre>	2160	1807		1227746.75	
clear_sky_rad:W	2160	1044		341.056641	
cloud_base_agl:m	1879	1771		1797.160156	
dew_or_rime:idx	2160	3		0.040741	
dew_point_2m:K	2160	202		280.783203	
diffuse_rad:W	2160	985		84.915688	
diffuse_rad_1h:J	2160	1806		305696.5	
direct_rad:W	2160	916		114.279816	
direct_rad_1h:J	2160	1634		411408.875	
effective_cloud_cover:p	2160	590		64.113792	
elevation:m	2160	3		12.333333	
estimated_diff_hours	2160	24		27.5	
fresh_snow_12h:cm	2160	2		0.000185	
fresh_snow_1h:cm	2160	2		0.000185	
fresh_snow_24h:cm	2160	2		0.000185	

fresh_snow_3h:cm	2160	2			0.000185	
fresh_snow_6h:cm	2160	2			0.000185	
hour	2160	24			11.5	
is_day:idx	2160	2			0.795833	
is_in_shadow:idx	2160	2			0.24537	
location	2160	3	Α	720		
month	2160	3			5.666667	
msl_pressure:hPa	2160	321			1016.805786	
precip_5min:mm	2160	27			0.00775	
<pre>precip_type_5min:idx</pre>	2160	3			0.065741	
pressure_100m:hPa	2160	359			1002.970825	
pressure_50m:hPa	2160	356			1009.007202	
<pre>prob_rime:p</pre>	2160	3			0.01588	
rain_water:kgm2	2160	8			0.013056	
relative_humidity_1000hPa:p	2160	538			70.920792	
sfc_pressure:hPa	2160	363			1015.070374	
snow_depth:cm	2160	1			0.0	
<pre>snow_melt_10min:mm</pre>	2160	1			0.0	
snow_water:kgm2	2160	16			0.060972	
sun_azimuth:d	2160	1830			183.166199	
sun_elevation:d	2160	1623			20.292332	
<pre>super_cooled_liquid_water:kgm2</pre>	2160	7			0.065463	
t_1000hPa:K	2160	254			284.737732	
total_cloud_cover:p	2160	553			69.298981	
visibility:m	2160	2155		3	3304.636719	
weekday	2160	7			3.233333	
wind_speed_10m:ms	2160	83			2.946759	
wind_speed_u_10m:ms	2160	123			1.650694	
wind_speed_v_10m:ms	2160	80			-0.187176	
wind_speed_w_1000hPa:ms	2160	2			0.000324	
year	2160	1			2023.0	
		std		min	25%	\
absolute_humidity_2m:gm3		201396		3.2	6.6	
air_density_2m:kgm3		032116		1.142	1.209	
ceiling_height_agl:m		541113		30.6	891.799988	
clear_sky_energy_1h:J		88.625		0.0	64338.124023	
clear_sky_rad:W		729095		0.0	13.65	
cloud_base_agl:m		394409	29.	799999	486.899994	
dew_or_rime:idx		202365		-1.0	0.0	
dew_point_2m:K		378817		268.0	277.899994	
diffuse_rad:W		122508		0.0	6.925	
diffuse_rad_1h:J		146.25		0.0	36756.901367	
direct_rad:W		338226		0.0	0.0	
direct_rad_1h:J		30.125		0.0	86.575001	
effective_cloud_cover:p		947498		0.0	30.700001	
elevation:m		261587		6.0	6.0	
estimated_diff_hours	6.9	923789		16.0	21.75	

fresh_snow_12h:cm	0.008607	0.0	0.0	
fresh_snow_1h:cm	0.008607	0.0	0.0	
fresh_snow_24h:cm	0.008607	0.0	0.0	
fresh_snow_3h:cm	0.008607	0.0	0.0	
fresh_snow_6h:cm	0.008607	0.0	0.0	
hour	6.923789	0.0	5.75	
is_day:idx	0.403185	0.0	1.0	
is_in_shadow:idx	0.430406	0.0	0.0	
location				
month	0.596423	5.0	5.0	
msl_pressure:hPa	9.728754	986.099976	1011.5	
precip_5min:mm	0.033776	0.0	0.0	
<pre>precip_type_5min:idx</pre>	0.249747	0.0	0.0	
pressure_100m:hPa	9.644145	971.799988	997.799988	
pressure_50m:hPa	9.74076	977.700012	1003.799988	
prob_rime:p	0.551282	0.0	0.0	
rain_water:kgm2	0.055256	0.0	0.0	
relative_humidity_1000hPa:p	15.725973	23.9	60.275	
sfc_pressure:hPa	9.840412	983.5	1009.799988	
snow_depth:cm	0.0	0.0	0.0	
snow_melt_10min:mm	0.0	-0.0	-0.0	
snow_water:kgm2	0.219562	0.0	0.0	
sun_azimuth:d	109.193207	8.27	85.359253	
sun_elevation:d	18.681047	-11.617	1.96475	
<pre>super_cooled_liquid_water:kgm2</pre>	0.115824	0.0	0.0	
t_1000hPa:K	5.839595	273.700012	279.799988	
total_cloud_cover:p	38.41222	0.0	32.799999	
visibility:m	15624.633789	874.400024	19635.100098	
weekday	2.186573	0.0	1.0	
wind_speed_10m:ms	1.733865	0.0	1.5	
wind_speed_u_10m:ms	2.578466	-4.3	-0.2	
wind_speed_v_10m:ms	1.50826	-4.4	-1.3	
wind_speed_w_1000hPa:ms	0.005685	-0.0	0.0	
year	0.0	2023.0	2023.0	
	50%		5% max	\
absolute_humidity_2m:gm3	8.0		.0 14.2	
air_density_2m:kgm3	1.238		26 1.301	
ceiling_height_agl:m	1553.900024	4021.3000		
clear_sky_energy_1h:J	1056303.125	2372037		
clear_sky_rad:W	273.849991	646.8749	85 835.099976	
cloud_base_agl:m	997.799988	2298.3000	49 11467.799805	
dew_or_rime:idx	0.0		1.0	
dew_point_2m:K	281.0	284.2999		
diffuse_rad:W	73.700001	135.6000		
diffuse_rad_1h:J	272526.046875	488256.031		
direct_rad:W	16.200001	180.3999		
direct_rad_1h:J	60416.199219	686746.8593	75 2403444.25	

effective_cloud_cover:p	77.75	100.0	100.0	
elevation:m	7.0	24.0	24.0	
estimated_diff_hours	27.5	33.25	39.0	
fresh_snow_12h:cm	0.0	0.0	0.4	
fresh_snow_1h:cm	0.0	0.0	0.4	
fresh_snow_24h:cm	0.0	0.0	0.4	
fresh_snow_3h:cm	0.0	0.0	0.4	
fresh_snow_6h:cm	0.0	0.0	0.4	
hour	11.5	17.25	23.0	
is_day:idx	1.0	1.0	1.0	
is_in_shadow:idx	0.0	0.0	1.0	
location				
month	6.0	6.0	7.0	
msl_pressure:hPa	1020.599976	1023.799988	1029.599976	
<pre>precip_5min:mm</pre>	0.0	0.0	0.34	
<pre>precip_type_5min:idx</pre>	0.0	0.0	2.0	
pressure_100m:hPa	1006.25	1010.099976	1016.400024	
pressure_50m:hPa	1012.299988	1016.200012	1022.5	
<pre>prob_rime:p</pre>	0.0	0.0	23.0	
rain_water:kgm2	0.0	0.0	0.7	
relative_humidity_1000hPa:p	73.900002	83.699997	98.900002	
sfc_pressure:hPa	1018.299988	1022.299988	1028.699951	
snow_depth:cm	0.0	0.0	0.0	
snow_melt_10min:mm	0.0	0.0	0.0	
snow_water:kgm2	0.0	0.0	3.4	
sun_azimuth:d	184.236	279.576248	356.984009	
sun_elevation:d	18.54	38.102499	49.902	
<pre>super_cooled_liquid_water:kgm2</pre>	0.0	0.1	0.6	
t_1000hPa:K	284.799988	288.299988	302.200012	
total_cloud_cover:p	95.300003	100.0	100.0	
visibility:m	37623.050781	45378.099609		
weekday	3.0	5.0	6.0	
wind_speed_10m:ms	2.7	4.0	8.8	
wind_speed_u_10m:ms	1.6	3.525	8.8	
wind_speed_v_10m:ms	-0.3	0.8	4.0	
wind_speed_w_1000hPa:ms	0.0	0.0	0.1	
year	2023.0	2023.0	2023.0	
				,
		g_count missing	_ratio raw_type	
absolute_humidity_2m:gm3	float32		float	
air_density_2m:kgm3	float32		float	
ceiling_height_agl:m	float32	687 0.	318056 float	
clear_sky_energy_1h:J	float32		float	
clear_sky_rad:W	float32	204	float	
cloud_base_agl:m	float32	281 0.	130093 float	
dew_or_rime:idx	float32		float	
dew_point_2m:K	float32		float	
diffuse_rad:W	float32		float	

diffuse_rad_1h:J	float32	float
direct_rad:W	float32	float
direct_rad_1h:J	float32	float
effective_cloud_cover:p	float32	float
elevation:m	float32	float
estimated_diff_hours	int64	int
fresh_snow_12h:cm	float32	float
fresh_snow_1h:cm	float32	float
fresh_snow_24h:cm	float32	float
fresh_snow_3h:cm	float32	float
fresh_snow_6h:cm	float32	float
hour	int64	int
is_day:idx	float32	float
is_in_shadow:idx	float32	float
location	object	object
month	int64	int
msl_pressure:hPa	float32	float
<pre>precip_5min:mm</pre>	float32	float
<pre>precip_type_5min:idx</pre>	float32	float
pressure_100m:hPa	float32	float
pressure_50m:hPa	float32	float
<pre>prob_rime:p</pre>	float32	float
rain_water:kgm2	float32	float
relative_humidity_1000hPa:p	float32	float
sfc_pressure:hPa	float32	float
<pre>snow_depth:cm</pre>	float32	float
snow_melt_10min:mm	float32	float
snow_water:kgm2	float32	float
sun_azimuth:d	float32	float
sun_elevation:d	float32	float
<pre>super_cooled_liquid_water:kgm2</pre>	float32	float
t_1000hPa:K	float32	float
total_cloud_cover:p	float32	float
visibility:m	float32	float
weekday	int64	int
wind_speed_10m:ms	float32	float
wind_speed_u_10m:ms	float32	float
wind_speed_v_10m:ms	float32	float
wind_speed_w_1000hPa:ms	float32	float
year	int64	int

${\tt variable_type\ special_types}$

absolute_humidity_2m:gm3	numeric
air_density_2m:kgm3	numeric
ceiling_height_agl:m	numeric
clear_sky_energy_1h:J	numeric
clear_sky_rad:W	numeric
cloud_base_agl:m	numeric

dew_or_rime:idx category dew_point_2m:K numeric diffuse_rad:W numeric diffuse_rad_1h:J numeric direct rad:W numeric direct_rad_1h:J numeric effective_cloud_cover:p numeric elevation:m category estimated_diff_hours numeric fresh_snow_12h:cm category fresh_snow_1h:cm category fresh_snow_24h:cm category fresh_snow_3h:cm category fresh_snow_6h:cm category hour numeric is_day:idx category is_in_shadow:idx category location category month category msl pressure:hPa numeric precip_5min:mm numeric precip_type_5min:idx category pressure_100m:hPa numeric pressure_50m:hPa numeric prob_rime:p category rain_water:kgm2 category relative_humidity_1000hPa:p numeric sfc_pressure:hPa numeric snow_depth:cm category snow_melt_10min:mm category snow_water:kgm2 category sun_azimuth:d numeric sun_elevation:d numeric super_cooled_liquid_water:kgm2 category t 1000hPa:K numeric total_cloud_cover:p numeric visibility:m numeric weekday category wind_speed_10m:ms numeric wind_speed_u_10m:ms numeric wind_speed_v_10m:ms numeric wind_speed_w_1000hPa:ms category year category

Types warnings summary

train_data test_data warnings estimated_diff_hours float int warning y float -- warning

1.0.1 Feature Distance

```
air_density_2m:kgm3
                                                                                      absolute_humidity_2m:gm3
                                                                                     ceiling_height_agl:m
clear_sky_energy_1h:J
                                                                                     clear_sky_rad:W
                                                                                      cloud base agl:m

    dew_or_rime:idx

                                                                                     dew point 2m:K
                                                                                   diffuse_rad:W
                                                                                    diffuse_rad_1h:J
direct_rad:W
                                                                                     direct_rad_1h:J
                                                                                      effective_cloud_cover:p
                                                                                     elevation:m
                                                                                     fresh_snow_12h:cm
fresh_snow_1h:cm
                                                                                   fresh_snow_24h:cm
fresh_snow_3h:cm
                                                                                      fresh_snow_6h:cm
                                                                                     is_day:idx
                                                                                   is_in_shadow:idx
                                                                                   msl_pressure:hPa
precip_5min:mm
                                                                                   precip_type_5min:idxpressure_100m:hPa
                                                                                      pressure_50m:hPa
                                                                                   prob_rime:p
rain_water:kgm2

    relative_humidity_1000hPa:p

                                                                                     sfc pressure:hPa
                                                                                   snow_depth:cm
                                                                                    snow melt 10min:mm
                                                                                     snow_water:kgm2
                                                                                   sun_azimuth:d
                                                                                      sun elevation:d
                                                                                      super_cooled_liquid_water:kgm2
                                                                                     t 1000hPa:K
                                                                                      total_cloud_cover:p
                                                                                     visibility:m
wind_speed_10m:ms
                                                                                   wind_speed_u_10m:ms
                                                                                     wind_speed_v_10m:ms
wind_speed_w_1000hPa:ms
                                                                                   estimated_diff_hours
                                                                                      month

    location

                                                                                     vear
                                                                                      ,
weekday
                                                                                   - hour
0.6
                           0.4
                                                                                  0.0
```

```
[]: auto.target_analysis(train_data=X_train, label="y")
```

2 Starting

```
# Get the last submission number

last_submission_number = int(max([int(filename.split('_')[1].split('.')[0]) for__

filename in os.listdir('submissions') if "submission" in filename]))

print("Last submission number:", last_submission_number)

print("Now creating submission number:", last_submission_number + 1)

# Create the new filename

new_filename = f'submission_{last_submission_number + 1}'
```

```
hello = os.environ.get('HELLO')
      if hello is not None:
          new_filename += f'_{hello}'
      print("New filename:", new_filename)
      Last submission number: 79
      Now creating submission number: 80
      New filename: submission_80_jorge
[130]: from autogluon.tabular import TabularDataset, TabularPredictor
      train_data = TabularDataset('X_train_raw.csv')
      train_data.drop(columns=['ds'], inplace=True)
      label = 'y'
      metric = 'mean_absolute_error'
      time_limit = 60
      presets = 'best_quality'
      Loaded data from: X_train_raw.csv | Columns = 51 / 51 | Rows = 93024 -> 93024
[131]: predictors = [None, None, None]
[132]: loc = "A"
      print(f"Training model for location {loc}...")
      predictor = TabularPredictor(label=label, eval_metric=metric,_
        →path=f"AutogluonModels/{new_filename}_{loc}").
        ⇔presets=presets)
      predictors[0] = predictor
      Presets specified: ['best_quality']
      Stack configuration (auto_stack=True): num_stack_levels=1, num_bag_folds=8,
      num_bag_sets=20
      Beginning AutoGluon training ... Time limit = 60s
      AutoGluon will save models to "AutogluonModels/submission_80_jorge A/"
      AutoGluon Version: 0.8.1
                         3.10.12
      Python Version:
      Operating System:
                         Darwin
      Platform Machine:
                         arm64
      Platform Version: Darwin Kernel Version 22.1.0: Sun Oct 9 20:15:09 PDT 2022;
      root:xnu-8792.41.9~2/RELEASE_ARM64_T6000
                         32.39 GB / 494.38 GB (6.6%)
      Disk Space Avail:
      Train Data Rows:
                         34085
      Train Data Columns: 49
      Label Column: y
      Preprocessing data ...
      AutoGluon infers your prediction problem is: 'regression' (because dtype of
      label-column == float and many unique label-values observed).
```

```
Label info (max, min, mean, stddev): (5733.42, 0.0, 630.59471,
1165.90242)
        If 'regression' is not the correct problem_type, please manually specify
the problem_type parameter during predictor init (You may specify problem_type
as one of: ['binary', 'multiclass', 'regression'])
Using Feature Generators to preprocess the data ...
Fitting AutoMLPipelineFeatureGenerator...
        Available Memory:
                                             4955.58 MB
        Train Data (Original) Memory Usage: 15.07 MB (0.3% of available memory)
        Inferring data type of each feature based on column values. Set
feature_metadata_in to manually specify special dtypes of the features.
        Stage 1 Generators:
                Fitting AsTypeFeatureGenerator...
                        Note: Converting 1 features to boolean dtype as they
only contain 2 unique values.
        Stage 2 Generators:
                Fitting FillNaFeatureGenerator...
        Stage 3 Generators:
                Fitting IdentityFeatureGenerator...
        Stage 4 Generators:
                Fitting DropUniqueFeatureGenerator...
        Stage 5 Generators:
                Fitting DropDuplicatesFeatureGenerator...
       Useless Original Features (Count: 1): ['location']
                These features carry no predictive signal and should be manually
investigated.
                This is typically a feature which has the same value for all
rows.
                These features do not need to be present at inference time.
        Types of features in original data (raw dtype, special dtypes):
                ('float', []): 44 | ['absolute_humidity_2m:gm3',
'air_density_2m:kgm3', 'ceiling_height_agl:m', 'clear_sky_energy_1h:J',
'clear_sky_rad:W', ...]
                ('int', []) : 4 | ['hour', 'weekday', 'month', 'year']
        Types of features in processed data (raw dtype, special dtypes):
                ('float', [])
                                 : 43 | ['absolute_humidity_2m:gm3',
'air_density_2m:kgm3', 'ceiling_height_agl:m', 'clear_sky_energy_1h:J',
'clear_sky_rad:W', ...]
                ('int', []) : 4 | ['hour', 'weekday', 'month', 'year']
                ('int', ['bool']) : 1 | ['elevation:m']
        0.1s = Fit runtime
        48 features in original data used to generate 48 features in processed
data.
        Train Data (Processed) Memory Usage: 12.85 MB (0.3% of available memory)
Data preprocessing and feature engineering runtime = 0.13s ...
AutoGluon will gauge predictive performance using evaluation metric:
'mean_absolute_error'
```

This metric's sign has been flipped to adhere to being higher_is_better.

```
The metric score can be multiplied by -1 to get the metric value.
        To change this, specify the eval_metric parameter of Predictor()
User-specified model hyperparameters to be fit:
        'NN TORCH': {},
        'GBM': [{'extra_trees': True, 'ag_args': {'name_suffix': 'XT'}}, {},
'GBMLarge'],
        'CAT': {},
        'XGB': {},
        'FASTAI': {},
        'RF': [{'criterion': 'gini', 'ag_args': {'name_suffix': 'Gini',
'problem_types': ['binary', 'multiclass']}}, {'criterion': 'entropy', 'ag_args':
{'name_suffix': 'Entr', 'problem_types': ['binary', 'multiclass']}},
{'criterion': 'squared error', 'ag args': {'name suffix': 'MSE',
'problem_types': ['regression', 'quantile']}}],
        'XT': [{'criterion': 'gini', 'ag_args': {'name_suffix': 'Gini',
'problem_types': ['binary', 'multiclass']}}, {'criterion': 'entropy', 'ag_args':
{'name_suffix': 'Entr', 'problem_types': ['binary', 'multiclass']}},
{'criterion': 'squared_error', 'ag_args': {'name_suffix': 'MSE',
'problem_types': ['regression', 'quantile']}}],
        'KNN': [{'weights': 'uniform', 'ag_args': {'name_suffix': 'Unif'}},
{'weights': 'distance', 'ag_args': {'name_suffix': 'Dist'}}],
AutoGluon will fit 2 stack levels (L1 to L2) ...
Fitting 11 L1 models ...
Fitting model: KNeighborsUnif_BAG_L1 ... Training model for up to 39.9s of the
59.87s of remaining time.
Training model for location A...
        Not enough time to generate out-of-fold predictions for model. Estimated
time required was 134.02s compared to 51.85s of available time.
        Time limit exceeded... Skipping KNeighborsUnif_BAG_L1.
Fitting model: KNeighborsDist_BAG_L1 ... Training model for up to 37.89s of the
57.86s of remaining time.
        Not enough time to generate out-of-fold predictions for model. Estimated
time required was 115.1s compared to 49.23s of available time.
        Time limit exceeded... Skipping KNeighborsDist BAG L1.
Fitting model: LightGBMXT_BAG_L1 ... Training model for up to 36.16s of the
56.12s of remaining time.
        Fitting 8 child models (S1F1 - S1F8) | Fitting with
ParallelLocalFoldFittingStrategy
        -161.5323
                         = Validation score (-mean_absolute_error)
        29.71s
                = Training
                              runtime
        66.55s
                = Validation runtime
Completed 1/20 k-fold bagging repeats ...
Fitting model: WeightedEnsemble L2 ... Training model for up to 59.87s of the
14.85s of remaining time.
        -161.5323
                         = Validation score (-mean_absolute_error)
```

```
0.0s
                       = Validation runtime
      Fitting 9 L2 models ...
      Fitting model: LightGBMXT_BAG_L2 ... Training model for up to 14.82s of the
      14.79s of remaining time.
              Fitting 8 child models (S1F1 - S1F8) | Fitting with
      ParallelLocalFoldFittingStrategy
              -163.1923
                               = Validation score (-mean_absolute_error)
              3.01s
                       = Training
                                    runtime
                       = Validation runtime
              0.58s
      Fitting model: LightGBM BAG_L2 ... Training model for up to 9.38s of the 9.36s
      of remaining time.
              Fitting 8 child models (S1F1 - S1F8) | Fitting with
      ParallelLocalFoldFittingStrategy
              -161.4697
                               = Validation score (-mean_absolute_error)
              1.57s
                      = Training
                                   runtime
              0.18s
                       = Validation runtime
      Fitting model: RandomForestMSE BAG L2 ... Training model for up to 6.0s of the
      5.97s of remaining time.
              -161.1148
                               = Validation score
                                                    (-mean absolute error)
              24.64s = Training
                                    runtime
              0.87s
                       = Validation runtime
      Completed 1/20 k-fold bagging repeats ...
      Fitting model: WeightedEnsemble_L3 ... Training model for up to 59.87s of the
      -19.78s of remaining time.
              -159.5898
                               = Validation score
                                                    (-mean_absolute_error)
              0.13s
                     = Training
                                    runtime
                       = Validation runtime
      AutoGluon training complete, total runtime = 79.93s ... Best model:
      "WeightedEnsemble_L3"
      TabularPredictor saved. To load, use: predictor =
      TabularPredictor.load("AutogluonModels/submission_80_jorge_A/")
[133]: loc = "B"
       print(f"Training model for location {loc}...")
       predictor = TabularPredictor(label=label, eval_metric=metric,__
        →path=f"AutogluonModels/{new_filename}_{loc}").
        fit(train_data[train_data["location"] == loc], time_limit=time_limit,__
        ⇔presets=presets)
       predictors[1] = predictor
      Presets specified: ['best_quality']
      Stack configuration (auto_stack=True): num_stack_levels=1, num_bag_folds=8,
      num bag sets=20
      Beginning AutoGluon training ... Time limit = 60s
      AutoGluon will save models to "AutogluonModels/submission 80 jorge B/"
      AutoGluon Version: 0.8.1
      Python Version:
                          3.10.12
```

0.01s

= Training

runtime

Operating System: Darwin Platform Machine: arm64Platform Version: Darwin Kernel Version 22.1.0: Sun Oct 9 20:15:09 PDT 2022; root:xnu-8792.41.9~2/RELEASE_ARM64_T6000 31.67 GB / 494.38 GB (6.4%) Disk Space Avail: Train Data Rows: 32844 Train Data Columns: 49 Label Column: y Preprocessing data ... AutoGluon infers your prediction problem is: 'regression' (because dtype of label-column == float and many unique label-values observed). Label info (max, min, mean, stddev): (1152.3, -0.0, 96.82478, 193.94649) If 'regression' is not the correct problem_type, please manually specify the problem type parameter during predictor init (You may specify problem type as one of: ['binary', 'multiclass', 'regression']) Using Feature Generators to preprocess the data ... Fitting AutoMLPipelineFeatureGenerator... Available Memory: 4422.96 MB Train Data (Original) Memory Usage: 14.52 MB (0.3% of available memory) Inferring data type of each feature based on column values. Set feature_metadata_in to manually specify special dtypes of the features. Stage 1 Generators: Fitting AsTypeFeatureGenerator... Note: Converting 1 features to boolean dtype as they only contain 2 unique values. Stage 2 Generators: Fitting FillNaFeatureGenerator... Stage 3 Generators: Fitting IdentityFeatureGenerator... Stage 4 Generators: Fitting DropUniqueFeatureGenerator... Stage 5 Generators: Fitting DropDuplicatesFeatureGenerator... Useless Original Features (Count: 1): ['location'] These features carry no predictive signal and should be manually investigated. This is typically a feature which has the same value for all rows. These features do not need to be present at inference time. Types of features in original data (raw dtype, special dtypes): ('float', []): 44 | ['absolute_humidity_2m:gm3', 'air_density_2m:kgm3', 'ceiling_height_agl:m', 'clear_sky_energy_1h:J', 'clear_sky_rad:W', ...] ('int', []) : 4 | ['hour', 'weekday', 'month', 'year'] Types of features in processed data (raw dtype, special dtypes): ('float', []) : 43 | ['absolute_humidity_2m:gm3', 'air_density_2m:kgm3', 'ceiling_height_agl:m', 'clear_sky_energy_1h:J', 'clear_sky_rad:W', ...]

```
('int', []) : 4 | ['hour', 'weekday', 'month', 'year']
                ('int', ['bool']) : 1 | ['elevation:m']
        0.1s = Fit runtime
        48 features in original data used to generate 48 features in processed
data.
        Train Data (Processed) Memory Usage: 12.38 MB (0.3% of available memory)
Data preprocessing and feature engineering runtime = 0.1s ...
AutoGluon will gauge predictive performance using evaluation metric:
'mean absolute error'
        This metric's sign has been flipped to adhere to being higher_is_better.
The metric score can be multiplied by -1 to get the metric value.
        To change this, specify the eval_metric parameter of Predictor()
User-specified model hyperparameters to be fit:
        'NN_TORCH': {},
        'GBM': [{'extra_trees': True, 'ag_args': {'name_suffix': 'XT'}}, {},
'GBMLarge'],
        'CAT': {},
        'XGB': {},
        'FASTAI': {}.
        'RF': [{'criterion': 'gini', 'ag_args': {'name_suffix': 'Gini',
'problem_types': ['binary', 'multiclass']}}, {'criterion': 'entropy', 'ag_args':
{'name_suffix': 'Entr', 'problem_types': ['binary', 'multiclass']}},
{'criterion': 'squared_error', 'ag_args': {'name_suffix': 'MSE',
'problem_types': ['regression', 'quantile']}}],
        'XT': [{'criterion': 'gini', 'ag_args': {'name_suffix': 'Gini',
'problem_types': ['binary', 'multiclass']}}, {'criterion': 'entropy', 'ag_args':
{'name_suffix': 'Entr', 'problem_types': ['binary', 'multiclass']}},
{'criterion': 'squared_error', 'ag_args': {'name_suffix': 'MSE',
'problem_types': ['regression', 'quantile']}}],
        'KNN': [{'weights': 'uniform', 'ag_args': {'name_suffix': 'Unif'}},
{'weights': 'distance', 'ag_args': {'name_suffix': 'Dist'}}],
AutoGluon will fit 2 stack levels (L1 to L2) ...
Fitting 11 L1 models ...
Fitting model: KNeighborsUnif_BAG_L1 ... Training model for up to 39.92s of the
59.89s of remaining time.
Training model for location B...
        Not enough time to generate out-of-fold predictions for model. Estimated
```

time required was 134.58s compared to 51.87s of available time.

Time limit exceeded... Skipping KNeighborsUnif_BAG_L1.

Fitting model: KNeighborsDist_BAG_L1 ... Training model for up to 37.81s of the 57.78s of remaining time.

Not enough time to generate out-of-fold predictions for model. Estimated time required was 181.34s compared to 49.13s of available time.

Time limit exceeded... Skipping KNeighborsDist_BAG_L1.

Fitting model: LightGBMXT_BAG_L1 ... Training model for up to 35.01s of the

```
54.98s of remaining time.
              Fitting 8 child models (S1F1 - S1F8) | Fitting with
      ParallelLocalFoldFittingStrategy
              -25.7449
                               = Validation score (-mean_absolute_error)
              28.13s = Training
                                    runtime
              61.8s
                       = Validation runtime
      Completed 1/20 k-fold bagging repeats ...
      Fitting model: WeightedEnsemble_L2 ... Training model for up to 59.9s of the
      16.53s of remaining time.
              -25.7449
                               = Validation score (-mean absolute error)
              0.0s
                       = Training
                                    runtime
              0.0s
                       = Validation runtime
      Fitting 9 L2 models ...
      Fitting model: LightGBMXT_BAG_L2 ... Training model for up to 16.52s of the
      16.51s of remaining time.
              Fitting 8 child models (S1F1 - S1F8) | Fitting with
      ParallelLocalFoldFittingStrategy
              -24.2516
                               = Validation score (-mean_absolute_error)
              5.37s = Training
                                   runtime
              1.17s = Validation runtime
      Fitting model: LightGBM_BAG_L2 ... Training model for up to 8.31s of the 8.31s
      of remaining time.
              Fitting 8 child models (S1F1 - S1F8) | Fitting with
      ParallelLocalFoldFittingStrategy
              -23.6458
                               = Validation score (-mean absolute error)
              1.99s
                                    runtime
                      = Training
                       = Validation runtime
              0.18s
      Fitting model: RandomForestMSE_BAG_L2 ... Training model for up to 3.95s of the
      3.94s of remaining time.
              -22.1865
                               = Validation score
                                                    (-mean_absolute_error)
              24.97s = Training
                                    runtime
              0.85s
                       = Validation runtime
      Completed 1/20 k-fold bagging repeats ...
      Fitting model: WeightedEnsemble_L3 ... Training model for up to 59.9s of the
      -22.07s of remaining time.
              -22.1865
                               = Validation score (-mean absolute error)
              0.12s
                      = Training
                                   runtime
                       = Validation runtime
      AutoGluon training complete, total runtime = 82.21s ... Best model:
      "WeightedEnsemble L3"
      TabularPredictor saved. To load, use: predictor =
      TabularPredictor.load("AutogluonModels/submission_80_jorge_B/")
[134]: loc = "C"
```

print(f"Training model for location {loc}...")

```
predictor = TabularPredictor(label=label, eval_metric=metric,__
  ⇔path=f"AutogluonModels/{new_filename}_{loc}").
  fit(train_data[train_data["location"] == loc], time_limit=time_limit,_
  ⇒presets=presets)
predictors[2] = predictor
Presets specified: ['best_quality']
Stack configuration (auto_stack=True): num_stack_levels=1, num_bag_folds=8,
num_bag_sets=20
Beginning AutoGluon training ... Time limit = 60s
AutoGluon will save models to "AutogluonModels/submission_80_jorge_C/"
AutoGluon Version: 0.8.1
Python Version:
                    3.10.12
Operating System:
                   Darwin
Platform Machine:
                    arm64
Platform Version:
                   Darwin Kernel Version 22.1.0: Sun Oct 9 20:15:09 PDT 2022;
root:xnu-8792.41.9~2/RELEASE_ARM64_T6000
Disk Space Avail: 31.05 GB / 494.38 GB (6.3%)
Train Data Rows:
                    26095
Train Data Columns: 49
Label Column: y
Preprocessing data ...
AutoGluon infers your prediction problem is: 'regression' (because dtype of
label-column == float and label-values can't be converted to int).
        Label info (max, min, mean, stddev): (999.6, -0.0, 77.63106, 165.81688)
        If 'regression' is not the correct problem_type, please manually specify
the problem type parameter during predictor init (You may specify problem type
as one of: ['binary', 'multiclass', 'regression'])
Using Feature Generators to preprocess the data ...
Fitting AutoMLPipelineFeatureGenerator...
                                             4564.21 MB
        Available Memory:
        Train Data (Original) Memory Usage: 11.53 MB (0.3% of available memory)
        Inferring data type of each feature based on column values. Set
feature_metadata_in to manually specify special dtypes of the features.
        Stage 1 Generators:
                Fitting AsTypeFeatureGenerator...
                        Note: Converting 1 features to boolean dtype as they
only contain 2 unique values.
        Stage 2 Generators:
                Fitting FillNaFeatureGenerator...
        Stage 3 Generators:
                Fitting IdentityFeatureGenerator...
        Stage 4 Generators:
                Fitting DropUniqueFeatureGenerator...
        Stage 5 Generators:
                Fitting DropDuplicatesFeatureGenerator...
        Useless Original Features (Count: 1): ['location']
                These features carry no predictive signal and should be manually
```

```
investigated.
                This is typically a feature which has the same value for all
rows.
                These features do not need to be present at inference time.
        Types of features in original data (raw dtype, special dtypes):
                ('float', []): 44 | ['absolute_humidity_2m:gm3',
'air density 2m:kgm3', 'ceiling height agl:m', 'clear sky energy 1h:J',
'clear_sky_rad:W', ...]
                ('int', []) : 4 | ['hour', 'weekday', 'month', 'year']
        Types of features in processed data (raw dtype, special dtypes):
                ('float', [])
                                 : 43 | ['absolute_humidity_2m:gm3',
'air_density_2m:kgm3', 'ceiling_height_agl:m', 'clear_sky_energy_1h:J',
'clear_sky_rad:W', ...]
                              : 4 | ['hour', 'weekday', 'month', 'year']
                ('int', ['bool']) : 1 | ['elevation:m']
        0.1s = Fit runtime
        48 features in original data used to generate 48 features in processed
data.
       Train Data (Processed) Memory Usage: 9.84 MB (0.2% of available memory)
Data preprocessing and feature engineering runtime = 0.12s ...
AutoGluon will gauge predictive performance using evaluation metric:
'mean absolute error'
        This metric's sign has been flipped to adhere to being higher_is_better.
The metric score can be multiplied by -1 to get the metric value.
        To change this, specify the eval_metric parameter of Predictor()
User-specified model hyperparameters to be fit:
        'NN_TORCH': {},
        'GBM': [{'extra_trees': True, 'ag_args': {'name_suffix': 'XT'}}, {},
'GBMLarge'],
        'CAT': {},
        'XGB': {},
        'FASTAI': {},
        'RF': [{'criterion': 'gini', 'ag_args': {'name_suffix': 'Gini',
'problem types': ['binary', 'multiclass']}}, {'criterion': 'entropy', 'ag args':
{'name_suffix': 'Entr', 'problem_types': ['binary', 'multiclass']}},
{'criterion': 'squared_error', 'ag_args': {'name_suffix': 'MSE',
'problem_types': ['regression', 'quantile']}}],
        'XT': [{'criterion': 'gini', 'ag_args': {'name_suffix': 'Gini',
'problem_types': ['binary', 'multiclass']}}, {'criterion': 'entropy', 'ag_args':
{'name_suffix': 'Entr', 'problem_types': ['binary', 'multiclass']}},
{'criterion': 'squared_error', 'ag_args': {'name_suffix': 'MSE',
'problem_types': ['regression', 'quantile']}}],
        'KNN': [{'weights': 'uniform', 'ag args': {'name_suffix': 'Unif'}},
{'weights': 'distance', 'ag_args': {'name_suffix': 'Dist'}}],
AutoGluon will fit 2 stack levels (L1 to L2) ...
Fitting 11 L1 models ...
```

Fitting model: KNeighborsUnif_BAG_L1 ... Training model for up to 39.91s of the 59.88s of remaining time.

Training model for location C...

Not enough time to generate out-of-fold predictions for model. Estimated time required was 97.47s compared to 51.86s of available time.

Time limit exceeded... Skipping KNeighborsUnif_BAG_L1.

Fitting model: KNeighborsDist_BAG_L1 ... Training model for up to 38.0s of the 57.97s of remaining time.

Not enough time to generate out-of-fold predictions for model. Estimated time required was 72.41s compared to 49.38s of available time.

Time limit exceeded... Skipping KNeighborsDist_BAG_L1.

Fitting model: LightGBMXT_BAG_L1 ... Training model for up to 36.58s of the 56.55s of remaining time.

Fitting 8 child models (S1F1 - S1F8) | Fitting with ParallelLocalFoldFittingStrategy

-17.0996 = Validation score (-mean_absolute_error)

24.66s = Training runtime

47.1s = Validation runtime

Fitting model: LightGBM_BAG_L1 ... Training model for up to 3.23s of the 23.2s of remaining time.

Fitting 8 child models (S1F1 - S1F8) | Fitting with

ParallelLocalFoldFittingStrategy

-19.182 = Validation score (-mean_absolute_error)

3.45s = Training runtime

1.17s = Validation runtime

Completed 1/20 k-fold bagging repeats ...

Fitting model: WeightedEnsemble_L2 ... Training model for up to 59.88s of the 17.14s of remaining time.

-17.0806 = Validation score (-mean_absolute_error)

0.11s = Training runtime

0.0s = Validation runtime

Fitting 9 L2 models ...

Fitting model: LightGBMXT_BAG_L2 ... Training model for up to 16.99s of the 16.94s of remaining time.

Fitting 8 child models (S1F1 - S1F8) | Fitting with

ParallelLocalFoldFittingStrategy

-17.7177 = Validation score (-mean_absolute_error)

2.21s = Training runtime

0.44s = Validation runtime

Fitting model: LightGBM_BAG_L2 ... Training model for up to 12.93s of the 12.88s of remaining time.

Fitting 8 child models (S1F1 - S1F8) | Fitting with

ParallelLocalFoldFittingStrategy

-17.2944 = Validation score (-mean_absolute_error)

1.63s = Training runtime

0.13s = Validation runtime

Fitting model: RandomForestMSE_BAG_L2 ... Training model for up to 9.46s of the

```
9.41s of remaining time.
              -17.1034
                               = Validation score (-mean_absolute_error)
              18.25s = Training
                                    runtime
              0.56s
                       = Validation runtime
      Completed 1/20 k-fold bagging repeats ...
      Fitting model: WeightedEnsemble_L3 ... Training model for up to 59.88s of the
      -9.52s of remaining time.
              -16.982 = Validation score
                                            (-mean absolute error)
                       = Training runtime
              0.11s
                       = Validation runtime
              0.0s
      AutoGluon training complete, total runtime = 69.65s ... Best model:
      "WeightedEnsemble_L3"
      TabularPredictor saved. To load, use: predictor =
      TabularPredictor.load("AutogluonModels/submission_80_jorge_C/")
         Submit
      3
[135]: import pandas as pd
       import matplotlib.pyplot as plt
       train_data_with_dates = TabularDataset('X_train_raw.csv')
       train_data_with_dates["ds"] = pd.to_datetime(train_data_with_dates["ds"])
       test_data = TabularDataset('X_test_raw.csv')
       test_data["ds"] = pd.to_datetime(test_data["ds"])
       \#test\_data
      Loaded data from: X_train_raw.csv | Columns = 51 / 51 | Rows = 93024 -> 93024
      Loaded data from: X_test_raw.csv | Columns = 50 / 50 | Rows = 2160 -> 2160
[136]: test_ids = TabularDataset('test.csv')
       test_ids["time"] = pd.to_datetime(test_ids["time"])
       # merge test_data with test_ids
       test_data_merged = pd.merge(test_data, test_ids, how="inner", right_on=["time",_

¬"location"], left_on=["ds", "location"])
       \#test\_data\_merged
      Loaded data from: test.csv | Columns = 4 / 4 | Rows = 2160 -> 2160
[137]: # predict, grouped by location
       predictions = []
       location_map = {
          "A": 0,
           "B": 1,
```


for loc, group in test_data.groupby('location'):


"C": 2


```
i = location_map[loc]
subset = test_data_merged[test_data_merged["location"] == loc].

reset_index(drop=True)

#print(subset)
pred = predictors[i].predict(subset)
subset["prediction"] = pred
predictions.append(subset)
```







```
[139]: # concatenate predictions
submissions_df = pd.concat(predictions)
submissions_df = submissions_df[["id", "prediction"]]
submissions_df
```

```
[139]: id prediction
0 0 1.517678
1 1 1.609157
2 2 1.839948
3 3 50.370636
```

```
715 2155 85.218918
      716 2156
                  61.318680
      717 2157 28.774448
      718 2158
                  3.896819
      719 2159 1.839495
      [2160 rows x 2 columns]
[140]: # Save the submission DataFrame to submissions folder, create new name based on
       → last submission, format is submission < last_submission_number + 1>.csv
       # Save the submission
      print(f"Saving submission to submissions/{new filename}.csv")
      submissions_df.to_csv(os.path.join('submissions', f"{new_filename}.csv"),__
        →index=False)
      Saving submission to submissions/submission_80_jorge.csv
[141]: # save this notebook to submissions folder
      import subprocess
      import os
      subprocess.run(["jupyter", "nbconvert", "--to", "pdf", "--output", os.path.
        ⇒join('notebook_pdfs', f"{new_filename}.pdf"), "autogluon_each_location.
        [NbConvertApp] Converting notebook autogluon_each_location.ipynb to pdf
      [NbConvertApp] Support files will be in notebook_pdfs/submission_80_jorge_files/
      [NbConvertApp] Making directory
      ./notebook_pdfs/submission_80_jorge_files/notebook_pdfs
      [NbConvertApp] Writing 137197 bytes to notebook.tex
      [NbConvertApp] Building PDF
      [NbConvertApp] Running xelatex 3 times: ['xelatex', 'notebook.tex', '-quiet']
      [NbConvertApp] Running bibtex 1 time: ['bibtex', 'notebook']
      [NbConvertApp] WARNING | bibtex had problems, most likely because there were no
      citations
      [NbConvertApp] PDF successfully created
      [NbConvertApp] Writing 388826 bytes to notebook_pdfs/submission_80_jorge.pdf
[141]: CompletedProcess(args=['jupyter', 'nbconvert', '--to', 'pdf', '--output',
       'notebook_pdfs/submission_80_jorge.pdf', 'autogluon_each_location.ipynb'],
      returncode=0)
[142]: # feature importance
      predictors[0].feature_importance(feature_stage="original",__

data=train_data[train_data["location"] == "A"])
```

4

4 293.374054

These features in provided data are not utilized by the predictor and will be

```
ignored: ['location']
    Computing feature importance via permutation shuffling for 48 features using
    5000 rows with 5 shuffle sets...
            1871.09s
                            = Expected runtime (374.22s per shuffle set)
[]: subprocess.run(["jupyter", "nbconvert", "--to", "pdf", "--output", os.path.
      →join('notebook_pdfs', f"{new_filename}_with_feature_importance.pdf"),

¬"autogluon_each_location.ipynb"])
    [NbConvertApp] Converting notebook autogluon_each_location.ipynb to pdf
    [NbConvertApp] Support files will be in notebook pdfs/submission_78_jorge_files/
    [NbConvertApp] Making directory
    ./notebook_pdfs/submission_78_jorge_files/notebook_pdfs
    [NbConvertApp] Writing 76131 bytes to notebook.tex
    [NbConvertApp] Building PDF
    [NbConvertApp] Running xelatex 3 times: ['xelatex', 'notebook.tex', '-quiet']
    [NbConvertApp] Running bibtex 1 time: ['bibtex', 'notebook']
    [NbConvertApp] WARNING | bibtex had problems, most likely because there were no
    citations
    [NbConvertApp] PDF successfully created
    [NbConvertApp] Writing 251165 bytes to notebook_pdfs/submission_78_jorge.pdf
[]: CompletedProcess(args=['jupyter', 'nbconvert', '--to', 'pdf', '--output',
     'notebook_pdfs/submission_78_jorge.pdf', 'autogluon_each_location.ipynb'],
     returncode=0)
```