18020 SW 103 AVE, Miami, FL 33157

Property Due-Diligence Report — The Alec Standard

TRK-2026-1535 · Folio 30-5032-086-0020 (13-digit 3050320860020)

Prepared for: Alec Valdes / Avis Builders (master TRK-2026-9047) Prepared by: Team USA Sales, Inc. / CU Inspections of South Florida — Jorge Valdes Report date: October 10, 2026 (Miami time). This report supersedes and replaces the 2026-09-11 `DD-Research-Partial _ JOB-4227 _ v1.md` document in this same folder, which was explicitly partial and is retained for history only.

This is reference material only. It is not title insurance and not legal advice. Jorge Valdes is not a licensed attorney and holds no professional licence in Florida.

1. CAPSULE — Identity Block

Field	Value
Master tracking number	TRK-2026-1535 (master TRK-2026-9047 — a capsule-fragmentation instance; this TRK is the authoritative file for this address)
Address	18020 SW 103 AVE, Unincorporated Miami-Dade County, FL 33157-0000
Folio	30-5032-086-0020 (13-digit: 3050320860020)
Municipality	Unincorporated Miami-Dade County (confirmed: PA record + GIS municipal-zoning layer both return "UNINCORPORATED")
Property type	Single Family Residential, 1 unit, 2 floors (DOR code 0101)
Legal description	CGTJ ESTATES (recorded plat, f.k.a. "Perrine 8" during construction) | PB 176-56, Tract 23980 | Lot 2, Block 1 | 4,002 SQ FT lot | FAU (pre-plat parent folio) 30-5032-000-1320
Master building permit	**2022-069000** (new single-family residence on vacant land, plan review application process 2022080674)
Stage	New construction, completed and sold — NOT a legalization/retrofit property
Contractor of record (general)	Moore Construction, CGC1516829, Qualifier Lloyd Moore
Architect of record	Bellon Architecture (Leopoldo Bellon, AR-8737), Miami FL — plans digitally signed 2022-01-11
Original developer/owner	CGTJ Investments LLC, 13446 SW 104 Court, Miami FL 33176
Current owner of record	Alpha Realty Investments LLC, mailing 7885 SW 57 Ave 33A, Miami FL 33143 (per live PA pull 2026-10-02)
Hashtags	#TRK-2026-1535 #AlecValdes #AvisBuilders #CUInspections #Folio-30-5032-086-0020 #18020SW103AVE #NoBuildingJacket #NewConstruction2023 #CGTJEstates #Perrine8

2. STATUS AS OF 2026-10-10

- **SOURCE: Miami-Dade Property Appraiser public-service proxy API, live pull 2026-10-02T16:06:53 EDT.** Folio 3050320860020 resolves cleanly to a single parcel, site address 18020 SW 103 AVE. Assessed value 2026 roll $387,986 (land $120,060 / building $266,926 / extra features $1,000). No homestead exemption on file (PercentHomesteadCapped 0) — consistent with an investment-LLC owner. File: `03-Research\2026-10-02 _ DD _ SITE-01 _ pa-property-search _ v1.md`
- **SOURCE: Miami-Dade Property Appraiser, written reply to the free online jacket-request form, received 2026-09-01 09:37:50 (duplicate delivery), subject "NO BLDG JACKET for 18020 SW 103 AVE."** The county's own words: **no building jacket exists for this folio.** This is explained, not contradicted, by the rest of this report — the house was built in 2022–2023 under the county's digital EPS permitting system. Tax jackets are the legacy paper-microfilm record; this property's entire permit history was born digital and lives in the EPS/microfilm-scan archive this report draws on instead (Section 4 onward). This status has **not yet been relayed to the client** as of this report date — see the cover note to Jorge at the end of this report. File: `04-CORRESPONDENCE\2026-10-09 _ TRK-2026-1535 _ Email _ NO-BLDG-JACKET-ON-FILE_v1.eml`; `08-Jacket-Order _ 18020-SW-103-AVE _ for-Alec-Valdes\` (order screenshots, submitted 2026-08-16).
- **SOURCE: Microfilm/EPS document archive, order X2026148679, downloaded 2026-08-16 through 2026-09-01.** 13 permit folders on file for this folio/address, covering the master new-construction permit, roofing, electrical/mechanical, structural revisions, and a stair/porch railing permit. This is the backbone of Sections 4 and 5 below. File: `07-Microfilm-Records\X2026148679\` (13 `PERMIT-*` subfolders, `_DOWNLOAD-LOG.csv`)
- **SOURCE: Miami-Dade free keyless ArcGIS permit feature service (`services.arcgis.com/8Pc9XBTAsYuxx9Ny/.../miamidade_permit_data/FeatureServer/0`), live query by folio, pulled 2026-10-10.** This service carries only a rolling 24-month window (confirmed 2026-09-02: `minD 2024-09-01` floor at that time, advances daily). Because this house was permitted in 2022–2023, its original construction record has already rolled out of this window. **One row did come back**: Permit 2026065176, type BLDG, "NEW FENCE," issued 2026-08-14, contractor Home Interior Services and Investment, fee $29,162 — current/open as of this report and **not yet reflected in the microfilm archive** (it postdates the August 2026 jacket order). This is a live, current-year finding.
- **SOURCE: Miami-Dade RER Regulation Cases search (code enforcement / unsafe structures / building support cases) and the ArcGIS neighborhood code-violation layer, live, 2026-09-11 and re-confirmed 2026-10-02.** Zero results on this folio across all three surfaces both times. See Section 9.
- **SOURCE: Miami-Dade DERM public-document archive, live pull 2026-08-15, not re-run this pass (no reason to expect a change).** One document on file: an Elevation Certificate, case EC-3050320860020, dated 2023-04-13. See Section 12.
- **BLOCKED this pass** (confirmed live 2026-10-02, re-attempted and reconfirmed 2026-10-10): Tax Collector real-estate tax detail (bot wall on scripted access), Clerk of Courts Official Records search and civil case search (Cloudflare Turnstile CAPTCHA), the county Building Permit Menu and EPS e-permitting sign-in portal (reCAPTCHA Enterprise / requires a signed-in session), comparable sales (needs a sales-year range input), Sunbiz/DBPR/Florida Product Approval (need a name or product number this report does not have cause to supply). Each is listed with its exact wall in Section 16.

---

3. TIMELINE OF DATED EVENTS (oldest first)

All dates sourced from the microfilm/EPS document archive (`07-Microfilm-Records\X2026148679\`) unless otherwise noted. Document stamps on these files are the county's own "Job Copy" print timestamps, which is the most reliable date evidence available without a live EPS login.

Date	Event	Source document
2021-04-09	Right-of-way infrastructure permit 2021000992 issued (Dept. of Transportation & Public Works) — 105 LF French drain, 485 LF sidewalk, 267 LF asphalt, 605 LF curb & gutter, for "SW 103 AV between 180 ST and 181 ST." Subdivision-wide, not lot-specific. Engineer: Mirabal Engineering.	`PERMIT-2022080674\CGTJ P D PERMIT CARD.PDF`
2022-01-11	Architectural plan set ("Model A") digitally signed by Leopoldo Bellon, Bellon Architecture, AR-8737.	`PERMIT-2022080674\COVE R.PDF`
2022-03-02	Building permit application for **Lot 2, 18020 SW 103 AVE** signed and notarized: new construction on vacant land, Moore Construction (CGC1516829, qualifier Lloyd Moore) as GC, owner CGTJ Investments LLC, 1,900 SF, value of work $160,000.	`PERMIT-2022080674\LOT 2 -REV-APPLICATION.PDF`
2022-05-04	Revision Set 1 to architectural/structural/electrical/mechanical/plumbing plans.	multiple `*REV 1 REVISION 05-04-22.PDF` files
2022-05-17	Revision Set 2 (foundation plan) and a written response to county structural review comments.	`S-1 FOUNDATION PLAN...R EV 2...05-17-22.PDF` , `RESP ONSE LETTER STRUCTUR AL COMMENTS 05-17-22.P DF`
2022-06-08/06-13	WASD (Miami-Dade Water & Sewer Dept.) sewer/water concurrency invoice N00107231 for the CGTJ Estates (f.k.a. Perrine 8) subdivision, process 22-30263 — **paid in full, $7,579.50, balance $0.00.** Subdivision-wide utility concurrency, not confirmed lot-specific (see Section 5, row 17).	`220613-WASA PYMT- MEM O STYLE.PDF`
2022-06-15	Site plan Revision 3.	`SP-1-OVERALL SITE PLAN _3 REVISION 06-15-22.PDF`
2022-07-28 11:21:55 AM	County "Job Copy" print/issue stamp applied to the full master plan set under process 3022080674 (master permit 2022-069000). Treated here as the effective plan-approval/issue date for the master new-construction permit.	all files in `PERMIT-2022080 674\`
2022-09-09 8:00 AM	Pre-slab termite soil treatment performed (Delta Pest Control, Premise 75/Imidacloprid, horizontal & adjoining slab, 1,000 SF), filed against master permit 2022069000 as required by FBC 104.2.6 before final building approval.	`PERMIT-0030742206\20220 69000 0030742206.PDF`
2022-10-13 1:33:58 PM	Structural shop-drawing application (roof truss shop drawings) filed as a subsidiary to master permit 2022-069000, contractor Moore Construction.	`PERMIT-2023004401\18020 APP.PDF`
2022-12-13	Roofing permit application signed: new roof, concrete tile ("Villa 900"), Arauz Roofing (CCC1333437, qualifier Joshua Arauz), value $16,000, filed under master permit 2022-069000.	`PERMIT-2023035377\PAP P ERMIT APPLICATION.PDF`

Date	Event	Source document
2022-12-17 9:20:39 AM	Roofing application examined/reviewed by county examiner J. Hernandez, trade stamp ROOF.	same file
2023-01-28	Roofing revision package filed — NOA for roof tile adhesive ("Tile Bond") added.	`PERMIT-2023053514\MD CONTACT SHEET 1-28-23.PDF`
2023-02-08	Roof uplift quality-control test (TAS 106) performed by A+ Engineering Testing Lab (Eng. Abdias H. Saenz, P.E. #69687) under **roof permit #2023017244** — **PASSED**, 23 of 23 test points, all corner/perimeter/ridge/field locations.	`PERMIT-0030752197\2023017244 0030752197.PDF`
2023-04-13	Miami-Dade DERM Elevation Certificate issued, case EC-3050320860020, facility name on the DERM record listed as CGTJ Investments LLC.	03-Research DERM pull, 2026-08-15
2023-10-12	**Sale closed**: CGTJ Investments LLC (grantor/builder) to Alpha Realty Investments LLC (grantee/current owner), $535,000, Warranty Deed, OR Book 33959 / Page 2173, documentary stamps $3,210. (Doc stamps reconcile exactly to Miami-Dade's $0.60-per-$100 rate on $535,000 — the recorded consideration checks out against the stamp tax, a standard cross-check.)	`03-Research\2026-10-02 _ DD _ SITE-01 _ pa-property-search _ v1.md` , SalesInfos block
2026-08-14	Current permit: new fence, permit #2026065176, BLDG, contractor Home Interior Services and Investment, fee $29,162 — found on the live county permit feed, not yet in the microfilm archive.	ArcGIS `miamidade_permit_data` live pull, 2026-10-10

What this timeline does NOT establish: a final inspection date or Certificate of Occupancy date for the master permit 2022-069000. No document in the archive carries the words "final," "CO," or "Certificate of Occupancy" against this folio. The sale closing 2023-10-12 and the Property Appraiser's "Actual/Effective Year Built 2023" are strong circumstantial evidence the house was completed, but **this is not the same as a verified final inspection record**, and the live EPS permit portal (the system that would carry that record) was CAPTCHA/login-blocked this pass. This is an open item, not a clean bill — see Section 5.

---

4. PLANS PROVENANCE

- **Architect of record: Leopoldo Bellon, Bellon Architecture, 12930 SW 128 Street, Miami FL 33186, Florida registration AR-8737.** Plans digitally signed 2022-01-11 for "CGTJ Investment, LLC," model "Model A (Rev)." This is a document fact, not an inference — the signature block and PE/architect seal are on the cover sheet of the master plan set. File: `07-Microfilm-Records\X2026148679\PERMIT-2022080674\COVER.PDF`
- **Engineer of record (structural, roofing uplift test): Abdias H. Saenz, P.E. #69687**, A+ Engineering Testing Lab LLC, for the TAS 106 roof uplift certification dated 2023-02-08. File: `PERMIT-0030752197\2023017244 0030752197.PDF`
- **General contractor: Moore Construction, license CGC1516829, qualifier Lloyd Moore**, 3060 Blaine St, Miami FL 33133 (per the Lot 2 permit application).
- **Roofing contractor: Arauz Roofing, license CCC1333437, qualifier Joshua Araúz**, 35 SW 114 Ave Suite 101, Miami FL 33174.

- **Civil/paving engineer (subdivision infrastructure): Mirabal Engineering**, 10665 SW 190 St #3120 (DTPW permit 2021000992).
- No "PLANS PICKED UP" entry naming an individual custodian was found in the archive for this folio. "Person to Pick Up Plans" on the Lot 2 application lists **Richard Sanchez**, 10815 SW 90th Ave, Miami FL 33176; on the roofing application it lists **Desiree**, 10652 SW 79 Ter, Miami FL 33173 — both named individuals, neither independently verified against a license roster this pass.

---

5. PERMIT & BUILDING HISTORY — the 17-row table

Reading this table: this is a new-construction property (built 2022–2023), not a legalization case. Most systems were installed new, under one master permit, rather than retrofitted under individual trade permits over years. Where a row has "no permit found," that is reported honestly as an absence — it is not assumed to mean non-existence, and it is not assumed to mean a violation. Status marks use the required four: **PERMITTED & FINALED / PERMITTED, NOT FINALED / EXPIRED / NO PERMIT FOUND.** Where the archive proves a permit exists but does not prove a final inspection occurred, the mark used is **PERMITTED, NOT FINALED — final status not independently confirmed this pass**, which is the honest middle ground this skill's rules require (never claim "finaled" without a document that says so).

#	System	Mark	Basis
1	**Roof**	PERMITTED, NOT FINALED	Permit #2023017244 (master 2022-069000), Arauz Roofing CCC1333437, new concrete tile roof ("Villa 900"), applied 2022-12-13, examined 2022-12-17, uplift test PASSED 2023-02-08. A tile-adhesive NOA revision was filed 2023-01-28. No final-inspection document found in the archive.
2	**Windows and doors**	PERMITTED, NOT FINALED	Part of the master plan set (sheets A-3 Elevations, E-1 Electrical reference window/door locations). Two NOA (Florida Product Approval) numbers are referenced in the plan set: **NOA 20052605** and **NOA 20110209**. Product/manufacturer tied to each NOA was not independently verified this pass (Florida Product Approval search needs the product number directly — SITE-21, blocked for lack of that number). No separate standalone window/door trade-permit record was isolated from the master permit.

#	System	Mark	Basis
3	**Electric — age of service**	PERMITTED, NOT FINALED	Electrical/mechanical permit 2023032084 ("Perrine Model A Lot 2"), sheet EL 400 on file. New service, age = 2022–2023 (same vintage as the house). No separate panel-upgrade or rewire history exists or is expected — the house has had only one electrical service in its life.
4	**Plumbing**	PERMITTED, NOT FINALED	Master plan set includes P-1, P-2 (water plumbing plan), P-3 (isometric plumbing plan), filed under master permit 2022-069000. New service, age 2022–2023. No separate repipe/sewer-service permit exists or is expected.
5	**Interior renovations**	NO PERMIT FOUND — none expected	House is new construction; the interior was built new under the master permit, not renovated. No separate remodel permit found, and none would be expected for a 2023-built house sold the same year it was finished.
6	**Bathrooms**	NO PERMIT FOUND — none expected	3 full bathrooms per the Property Appraiser (see bed/bath reconciliation below), built new under the master permit. No separate bathroom-addition or reconfiguration permit found or expected.
7	**Kitchen**	NO PERMIT FOUND — none expected	Built new under the master permit; no separate kitchen-remodel, gas, or hood permit found or expected.
8	**HVAC**	PERMITTED, NOT FINALED	Mechanical permit 2023032084, sheets MX 1500, MX 2000, MX 5000 on file. New system, age 2022–2023.
9	**Hurricane shutters**	NO PERMIT FOUND	No standalone shutter permit was found in the archive. Opening protection on this house appears to be met by impact-rated windows and doors (NOA 20052605 / NOA 20110209 referenced in the plan set) rather than shutters — a common and compliant alternative under FBC, but the specific product tie has not been independently verified this pass.
10	**Additions — attached**	NO PERMIT FOUND — none expected	House built 2022–2023 and sold 2023-10-12; the timeline between completion and sale leaves no realistic window for a post-build addition, and none is on file.

#	System	Mark	Basis
11	**Additions — detached**	NO PERMIT FOUND — none expected	Same reasoning as row 10. PA extra-features list shows only one item on this parcel across three roll years: a chain-link fence (2026 value $1,000) — no shed, cabana, or detached structure.
12	**Alterations**	PERMITTED, NOT FINALED	One alteration-class permit found: **stair/porch railing**, permit 2023044692, "Model A Railing at Stair and Front," signed/sealed shop drawings and calculations for 18020. Treated as an alteration because it followed the original structural plan set as a separate shop-drawing filing. Also on file: two structural-revision filings during original construction (truss shop drawings, permit 2023004401, Oct. 2022; an engineering revision, permit 2023004365) — these are mid-construction corrections to the master permit, not post-completion alterations, and are listed here for completeness rather than counted as a separate alteration.
13	**Change of use / efficiency**	NO CASE FOUND	Live zero-result on the county code-enforcement/unsafe-structures/building-support search surface, confirmed twice (2026-09-11 and 2026-10-02). DOR code is 0101, Single Family — 1 unit on the folio, consistent with no conversion. A live zero does not prove a permitted non-violating conversion could not exist unflagged, but none is indicated by any source reviewed.
14	**Converted garages**	NO CASE FOUND — not independently confirmed either way	Same code-enforcement zero as row 13. The Property Appraiser's Building Sketch (which would show whether a garage sub-area was ever reclassed to living area) was **not captured this pass** — see Section 15, Imagery Protocol, open gap. This row should be treated as open, not clean, until the sketch is pulled.
15	**Driveways and paving**	PERMITTED, NOT FINALED	Part of the master new-construction site plan (sheets SP-1 Overall Site Plan, SP-1.1 Site Plan Lot 2, three revisions through 2022-06-15). Driveway/paving was built as part of the original site plan, not a later retrofit.

#	System	Mark	Basis
16	**Fountains and ponds (+ electrical)**	NO PERMIT FOUND — none on the property	No fountain or pond document exists in the archive, and the Property Appraiser's extra-features list (chain-link fence only, three roll years) shows no water feature on this 4,002-SF lot.
17	**Septic tank / OSTDS — searched under both the Florida Dept. of Health Onsite Sewage Program and the legacy name HRS**	DEFERRED — no direct Health Department/HRS search was run this pass (not in the assigned source set either time this folio was worked). **Strong indirect evidence points to county sewer, not septic:** the subdivision (CGTJ Estates, f.k.a. Perrine 8) has a WASD sewer/water concurrency invoice paid in full ($7,579.50, invoice N00107231, process 22-30263) on file in the master permit folder, and the governing zoning is PECUC — Perrine Community Urban Center, an urban-center designation inconsistent with septic service. **Caveat, stated plainly per the two-columns rule:** the specific concurrency line item captured in the archive references "SW 103 AVE (L:5 B:1)" — Lot 5, Block 1 — not Lot 2, Block 1 (this property). This is read as subdivision-wide infrastructure evidence, not a lot-2-specific sewer-connection receipt. A direct Health Department/HRS OSTDS record search is needed to close this row with certainty.	

The bed/bath reconciliation

Source	Beds	Baths	Living Sq.Ft.
Property Appraiser folio record (live, 2026-10-02)	4	3 full / 0 half	1,779 Heated / 1,932 Actual / 1,671 Effective / 4,002 lot
Tax jacket	**N/A — confirmed by the county that none exists for this folio** (2026-09-01 reply)		
Microfilm / permit archive	Not independently stated. The Lot 2 building permit application lists 1,900 SF and "SFR" (single-family residence) but does not break out a bedroom or bathroom count on its face. No floor-plan room schedule was read this pass to extract an independent count.		

No bed/bath disagreement can be computed this pass, because the only two possible cross-check partners the Alec Standard calls for — the tax jacket and a microfilm-stated room count — are either confirmed absent (jacket) or not yet extracted from the plan-set drawings (microfilm). That absence is itself the honest finding: for this folio, the Property Appraiser's 4-bed/3-bath figure is currently **uncorroborated**, not independently reconciled. Pulling an actual room count off the "A-1 Ground/Second Floor Plan" sheet in the microfilm archive (on file, `PERMIT-2022080674\A-1-GROUND SECOND FLOOR PLAN MODEL A REV 1 REVISION 05-04-22.PDF`) would close this gap and should be the next research step if a verified bed/bath count is needed for a transaction.

6. SITE & ZONING COMPLIANCE (GIS overlay)

#	Check	Finding
1	MDC GIS parcel window (aerial + boundary)	Parcel resolved live via the county's `MD_Emaps` service (object ID 403970, State Plane FL East coordinates X 867427.8 / Y 461507.4). A static screen capture of the map view was **not taken this pass** — see Section 15 imagery gap.
2	Recorded plat map imagery	Plat on file: **PB 176, Page 56**, subdivision CGTJ Estates, Tract 23980. The plat image itself was **not pulled/captured this pass** — a direct county plat-book image request is the next step.
3	Resolutions / Variances / restrictive covenants cross-reference	A document titled **"T-23980 - PD20-073.PDF"** is on file in the master permit folder — the "PD20-073" number format is consistent with a Planned Development resolution/process number tied to this subdivision's plat (Tract 23980). This was **not independently traced to a recorded resolution/variance number** this pass; flagged for follow-up, not closed.
4	Lot coverage / buildable area	Lot 4,002 SF; building Actual Area 1,932 SF (per PA). That is a raw footprint-to-lot ratio of roughly 48% (actual area, not footprint — actual area includes the upper floor, so true ground-floor footprint is smaller and was not separately calculated this pass). The zoning district's maximum-coverage standard under PECUC was **not pulled this pass** — DEFERRED, do not treat the 48% figure as a compliance determination.
5	Setback compliance — main structure	Site plan sheets (SP-1, SP-1.1 Lot 2) exist in the archive and would carry the as-drawn setbacks; they were **not individually measured against the zoning code this pass**. DEFERRED.
6	Setback compliance — detached/accessory structures	No detached/accessory structure exists on this parcel (confirmed, row 11 above), so this check has no subject matter to evaluate. N/A.
7	Flood zone — confirmed, not cited	**Confirmed live via the county's own flood-zone GIS layer** (MD_Emaps layer 85, object 3473): **Zone X — "Area of Minimal Flood Hazard."** This is a direct GIS pull, not a repeated label from an old report.
8	Utility service — sewer/septic, water/well	See Section 5, row 17. County WASD sewer/water concurrency invoice for the subdivision is paid in full; a lot-2-specific connection receipt was not isolated. Cross-reference: this is the same finding stated once in Section 5, not a second, independent problem.
9	Alternative uses under current zoning	Land use code 10, "Single-Family, Medium-Density (2–5 DU/Gross Acre)" and zoning PECUC — Perrine Community Urban Center. PECUC is a mixed/urban-center zoning category that in Miami-Dade commonly permits some non-single-family uses (multi-family, limited commercial) depending on the specific sub-district; the **exact PECUC sub-district text and its permitted-use table were not pulled this pass** — DEFERRED, do not rely on this line for a use determination.

7. SALES & TRANSFER CHAIN

One recorded transfer on file at the Property Appraiser:

Date	Grantor	Grantee	Price	Instrument	OR Book/Page	Doc Stamps
2023-10-12	C G T J Investments LLC	Alpha Realty Investments LLC	$535,000	Warranty Deed (WDE), "Qual by exam of deed"	33959 / 2173	$3,210.00

Cross-check: Miami-Dade's documentary-stamp rate on a single-family residential deed is $0.60 per $100 of consideration. $535,000 × 0.0060 = $3,210.00 — an **exact match**, confirming the recorded sale price is internally consistent with the stamp tax paid. This is the builder/developer (CGTJ Investments LLC) selling the completed house to the current owner (Alpha Realty Investments LLC) roughly six months after the roof uplift test and DERM elevation certificate — consistent with a just-completed new-construction sale. No prior recorded sale is shown (the folio itself is a 2022-platted parcel; there is no sale history before the lot was created).

Clerk of Courts Official Records search for additional instruments (mortgages, liens, satisfactions, notices of commencement) tied to this address was **BLOCKED — Cloudflare Turnstile CAPTCHA on the public search, confirmed live 2026-10-02 and reconfirmed 2026-10-10.** This is a real, unclosed gap — see Section 16 and the Liens disclosure below.

Liens — per Module M9. No lien record could be pulled this pass (Clerk search blocked). Because no lien was found, **no interest-accrual math applies** — there is nothing to compute 12.5%-simple-interest accrual against. If and when a live Clerk pull becomes possible (manual browser session, not scripted), this section must be re-run and amended before this report is relied on for payoff purposes. **These numbers are reference only. Use a title company for accurate payoff figures.**

---

8. TAX PICTURE

Roll Year	Assessed Value	Land	Building	Extra Features	County Taxable
2026	$387,986	$120,060	$266,926	$1,000	$387,986
2025	$378,703	$108,054	$269,649	$1,000	$378,703
2024	$381,427	$108,054	$272,373	$1,000	$381,427

No homestead or other exemption is on file in any of the three years shown (owner is an LLC). Live Tax Collector detail (current balance, delinquency status, payment history) was **BLOCKED — scripted access hit a bot wall, confirmed live 2026-10-02 and reconfirmed 2026-10-10.** Current tax status is **DEFERRED — needs a live browser pull**, not assumed current.

---

9. CODE ENFORCEMENT & UNSAFE STRUCTURES

Zero results, confirmed on two independent live pulls (2026-09-11 and 2026-10-02), across all three county surfaces that share this search engine:

- RER "Regulation Cases" building-support-case search — zero

- RER "Regulation Cases" code-enforcement search — zero
- RER "Regulation Cases" unsafe-structures search — zero
- ArcGIS neighborhood code-violation bulk layer (independent dataset, 180k+ county-wide records) — zero, genuine (this layer's non-empty behavior was previously proven live against a positive-control folio)

Not run, either time: the separate Citations ($) application (`CEFSearchFolio.aspx`), which requires an ASP.NET WebForms session round-trip not exercised by either pass. This means an outstanding fine or citation, if one exists, would not have been caught by either run. Treat this row as "no case found," not as "no citation possible."

---

10. ZONING & LAND USE

- **Governing zoning: PECUC — Perrine Community Urban Center** (county zoning layer, confirmed live).
- **Municipal zoning layer returns "NONE / UNINCORPORATED,"** confirming county (not municipal) zoning governs — consistent with the Property Appraiser's own "Unincorporated County" municipality field.
- **Land use code 10 — "Single-Family, Medium-Density (2–5 DU/Gross Acre)."**
- **Property Appraiser's own zone field: "3050," described as "UC EDGE - RESIDENTIAL (R) 2 MAX HT"** — i.e., the edge of an urban center, residential, 2-story height max. This is directly consistent with the house as built: 2 floors, per the PA FloorCount field and the permit plan set.
- County Commission district 3 (Commissioner Kionne L. McGhee, per the live GIS pull).

---

11. FLOOD

Confirmed, not cited: FEMA/FIRM Zone X — "Area of Minimal Flood Hazard," pulled live from the county's own flood-zone GIS layer (MD_Emaps layer 85) on 2026-10-02. This is the same zone shown in the construction-era records: a DERM Elevation Certificate was nonetheless obtained for the house (case EC-3050320860020, dated 2023-04-13) — an elevation certificate is commonly requested for new construction and lender/insurance purposes even in a minimal-hazard zone, and its presence here is consistent with, not contrary to, the Zone X finding.

---

12. DERM (Department of Environmental Resources Management)

- **One document on file:** Elevation Certificate, case **EC-3050320860020**, facility name on the DERM record **CGTJ Investments LLC**, dated **2023-04-13**. Document stored at the county's own blob storage; pulled live 2026-08-15.
- **On-site environmental contamination screen: zero** on the direct Contaminated Sites GIS layer, confirmed live. The half-mile proximity/overlay screen (brownfield / wellfield / wetland / landfill by geometry) was **not run this pass** — DEFERRED.
- DERM environmental code-enforcement search (12 county-wide layers checked by folio/proximity): zero results on all layers checked, unverified by an independent positive control this pass — treat as

"no case found," not as a clean bill, per the method rule that an unverified zero is quarantined, not reported as a finding of absence.

13. DISCREPANCIES BETWEEN RECORDS

Source A	Claims	Source B	Claims	Which does the live record support?
2026-09-11 partial DD run	13 of 17 permit rows DEFERRED, no permit-record source had been run yet	This report (2026-10-10), direct microfilm-archive read	12 of 17 rows now populated from primary-source permit documents	**This report supersedes the 2026-09-11 partial run**, which should now be treated as RETIRED for the Permit & Building History section specifically. Its code-enforcement/DERM/zoning findings (which it did run live) remain valid and are repeated/confirmed in Sections 9–12 above.
TAS 106 roof-test report, "Owner Name" field	Lists owner as "Virgilio Fernandez"	Property Appraiser deed chain	Shows CGTJ Investments LLC (2022–2023) then Alpha Realty Investments LLC (2023–present) — no "Virgilio Fernandez" anywhere in the recorded chain	This is read as an administrative field on the testing lab's own form (likely a site contact or prior name on file with the testing company), **not a title discrepancy** — no deed, mortgage, or recorded instrument names Virgilio Fernandez for this folio in any source reviewed. Flagged for completeness; not treated as a chain-of-title problem absent further evidence.
WASD concurrency document	References "SW 103 AVE (L:5 B:1)"	Property Appraiser legal description	This property is Lot 2, Block 1	**Both are true of their own source.** The WASD document is a subdivision-wide concurrency filing (process 22-30263, covering multiple lots of CGTJ Estates); it is not a lot-2-specific receipt. Treated in Section 5/6 as indirect subdivision-level evidence only — see the caveat there.

14. DOCUMENTS HELD AND DOCUMENTS MISSING

Held (all copies; originals are never moved, renamed, or deleted):

Evidence	Document	Full path
Master permit plan set + application	COVER.PDF, LOT 2-REV-APPLICATION.PDF, full architectural/structural/electrical/mechanical/plumbing sheet set	`07-Microfilm-Records\X2026148679\PERMIT-2022080674\`
Roofing permit	PAP PERMIT APPLICATION.PDF, TAS 106 uplift test (permit #2023017244), NOA sheets (Plantation, Polyglass underlayment, Tile Bond)	`07-Microfilm-Records\X2026148679\PERMIT-2023035377\`, `PERMIT-2023053514\`, `PERMIT-0030752197\`
Electrical/mechanical permit	EL 400, MX 1500/2000/5000, "Perrine Model A Lot 2" plan set	`07-Microfilm-Records\X2026148679\PERMIT-2023032084\`
Railing permit	Signed/sealed shop drawings and calculations	`07-Microfilm-Records\X2026148679\PERMIT-2023044692\`

Evidence	Document	Full path
Structural revisions (truss shop drawings, engineering)	18020 APP.PDF, MATA Investments engineering set	`07-Microfilm-Records\X2026148679\PERMIT-2023004401\`, `PERMIT-2023004365\`
WASD sewer/water concurrency payment	220613-WASA PYMT.PDF and memo-style version	`07-Microfilm-Records\X2026148679\PERMIT-2022080674\`
Pre-slab termite treatment notice	2022069000 0030742206.PDF	`07-Microfilm-Records\X2026148679\PERMIT-0030742206\`
Subdivision ROW infrastructure permit	CGTJ P D Permit Card.pdf	`07-Microfilm-Records\X2026148679\PERMIT-2022080674\`
Property Appraiser folio record (live)	SITE-01 pull	`03-Research\2026-10-02 _ DD _ SITE-01 _ pa-property-search _ v1.md`
Zoning/land-use/flood GIS pull (live)	SITE-16 pull	`03-Research\2026-10-02 _ DD _ SITE-16 _ zoning-landuse _ v1.md`
DERM Elevation Certificate record	County document index entry	`03-Research\2026-08-15 _ TRK-2026-1535 _ Research _ County-DERM-pull _ v1.json`
County "no building jacket" reply	Email, subject "NO BLDG JACKET for 18020 SW 103 AVE"	`04-CORRESPONDENCE\2026-10-09 _ TRK-2026-1535 _ Email _ NO-BLDG-JACKET-ON-FILE_v1.eml`

Missing — the standard set, and where each is presumed to sit:

Missing item	Presumed location
Final inspection record / Certificate of Occupancy for master permit 2022-069000	County EPS e-permitting system (login-walled this pass)
Signed Notice of Commencement	Clerk of Courts Official Records (CAPTCHA-walled this pass)
Any mortgage on the current owner's purchase, and any satisfaction/release	Clerk of Courts Official Records (CAPTCHA-walled this pass)
Window/door NOA product-approval detail tied to NOA 20052605 / 20110209	Florida Product Approval search (needs the product number, not just the NOA label this pass)
Health Dept./HRS OSTDS record (confirming no septic, or an abandonment record if one ever existed)	Florida Dept. of Health Onsite Sewage Program, not searched this pass
Recorded plat image (PB 176-56)	Clerk of Courts Plat Book records, not pulled this pass
Property Appraiser Building Sketch and five Pictometry angle images	Required imagery protocol — not captured this pass, see Section 15
Room-count (bed/bath) breakdown from the actual floor-plan sheet	On file in the microfilm archive (`A-1-GROUND SECOND FLOOR PLAN...PDF`) but not extracted this pass

15. IMAGERY PROTOCOL

Not completed this pass — this is a real gap, stated plainly, not papered over. This research session had no browser/screenshot tool available to it; it could only read files already on disk and make keyless API/data calls. The two mandatory image sets were therefore **not captured**:

1. **Building Sketch** (MDC Building Sketch Viewer, sub-area diagram with Actual/Living/Adjusted Sq.Ft. and the sub-area legend) — NOT CAPTURED.
2. **Five Pictometry angle views** (Ortho + North + South + East + West obliques) — NOT CAPTURED.

Per this skill's own verification rule, **a report without both image sets is incomplete**, and this report is flagged as such. The data that would normally be cross-checked against the Building Sketch (garage sub-area classification, actual vs. effective area breakdown) is instead reported here from the PA's raw numeric fields only (Section 1 and Section 5, row 14) — numbers, not the image. **Recommended next step: a short live-browser pass to capture both image sets before this report is shown to a client as final.**

---

16. SOURCES SEARCHED

#	Source	Result this pass
1	Miami-Dade Property Appraiser, property search	DONE — live, 2026-10-02
2	PA comparable sales	BLOCKED — needs a sales-year range input, not supplied
3	Tax Collector real-estate tax detail	BLOCKED — scripted access hits a bot wall; needs a live browser session
4	Clerk of Courts, Official Records	BLOCKED — Cloudflare Turnstile CAPTCHA
5	Clerk of Courts, civil case search	BLOCKED — CAPTCHA + needs a party name (out of scope per the Alec Standard anyway — civil/family/probate omitted)
6	County Building Permit Menu	BLOCKED — reCAPTCHA Enterprise, needs a headed browser
7	EPS e-permitting portal	BLOCKED — needs a signed-in browser session
8	RER Building Support Case Search	DONE — zero results, live, confirmed twice
9	Code Enforcement Online System	DONE — zero results, live, confirmed twice
10	Neighborhood Code Case Search (ArcGIS bulk layer)	DONE — zero results, genuine
11	Unsafe Structures search	DONE — zero results, live, confirmed twice
12	Certificates of Use search	BLOCKED — modern CU search is login-walled; public archive coverage ends ~2012
13	DERM Environmental Code Enforcement (12 layers)	DONE — zero on all layers checked, unverified by a positive control

#	Source	Result this pass
14	DERM Public Records (document archive)	DONE — one document found, Elevation Certificate
15	NOA / Florida Product Approval search	BLOCKED — needs a product number, not a folio/address
16	Zoning / Land Use lookup	DONE — live, 2026-10-02
17	City of Miami permits	N/A — folio is not a City of Miami folio
18	Miami Beach permits	BLOCKED — HTTP 500 on the public lookup
19	Sunbiz entity search	BLOCKED — needs an entity/officer name not yet identified as relevant
20	DBPR licensee search	BLOCKED — needs a license number or name (contractor license numbers ARE on file from the permits — CGC1516829 Moore Construction, CCC1333437 Arauz Roofing — not cross-checked against DBPR this pass)
21	Florida Product Approval	BLOCKED — needs the product number behind NOA 20052605 / 20110209
22	Pembroke Pines / Broward PA	BLOCKED — HTTP 500; also N/A, this is a Miami-Dade folio
—	Miami-Dade free keyless ArcGIS permit feature service (folio-keyed)	DONE — live, 2026-10-10; one current permit found (fence, #2026065176); original-construction history is outside the service's rolling 24-month window
—	Microfilm/EPS document archive (order X2026148679)	DONE — primary source for Sections 3–6 of this report

17. BASIS & LIMITS

- This report is reference material only. **It is not title insurance, not a survey, and not legal advice. Jorge Valdes is not a licensed attorney and holds no professional licence in Florida.**
- Every status line above is sourced and dated. Where a source could not be reached, this report says so plainly and marks the item DEFERRED or BLOCKED — it does not guess, and it does not present a blocked search as a clean result.
- Figures and case statuses are as of the live-pull timestamps shown in this report (chiefly 2026-10-02 and 2026-10-10). Balances, permit statuses, and case records can change — **confirm with the county before relying on any figure for a transaction.**
- Miami-Dade code-enforcement and unsafe-structures searches in this report cover **unincorporated Miami-Dade / county jurisdiction only** — this property's own record confirms unincorporated status, so no separate municipal system applies to those rows.
- **This report deliberately omits criminal, civil, family, and probate case research**, per the Alec Standard's scope for this report type. No such search was run and none is implied by this document's

silence on those topics.

- **Open items that should be closed before this report is called final:** final/CO confirmation for master permit 2022-069000 (Section 3, 5); Clerk of Courts lien/mortgage/NOC search (Section 7, 16); Health Dept./HRS OSTDS confirmation (Section 5 row 17); Building Sketch and five Pictometry images (Section 15); room-count extraction from the floor-plan sheet for the bed/bath reconciliation (Section 5).

Cover note to Jorge (not part of the client-facing document — strip before anything leaves the building)

The county's "no jacket" answer has been sitting unread/unrelayed since 2026-09-01 — the matter-stage file already flags this as a required owner-gated client communication that has not gone out. This report now gives you the substance to relay: there is no jacket because the house is a 2022–2023 new build with a fully documented digital permit trail instead, and that trail is substantially complete except for a confirmed final/CO date and a Clerk lien/mortgage check (both need a live browser session, not scripted access — the standing CAPTCHA/login walls on those two county systems are the same ones flagged on every recent DD job). Recommend: relay the "no jacket, here's why, here's what we have instead" explanation to Alec Valdes now rather than waiting on the two remaining live-browser items.