Command	Resource	Input Example	Output Example
PUT	/reset/:team_name	{}	{"result": "success"}
PUT	/reset/	{}	{"result": "success"}
GET	/teams/:team_name		{"result": "success", "id": 11, "wins": 24, "losses": 7, "draws": 7, "scoresFor": 68, "scoresAgainst": 41, "name": "Arsenal"}
PUT	/teams/:team_name	{"W": "3", "L": "2", "D": "5", "SFor": "100", "SAgainst": "88"}	{"result": "success"}
DELETE	/teams/:team_name		{"result": "success"}
GET	/teams/		{"result": "success", "teams": [{"result": "success", "id": 11, "wins": 24, "losses": 7, "draws": 7, "scoresFor": 68, "scoresAgainst": 41, "name": "Arsenal"},...]}
POST	/teams/	{"team_name": "Arsenal", "W": "44", "L": "22", "D": "10", "SFor": "88", "SAgainst": "68"}	{"result": "success"}
DELETE	/teams/		{"result": "success"}
GET	/rankings/:team_name		{"result": "success", "ranking": 4}
GET	/rankings/		{"result": "success", "teams": [{"Man City": 1},...]}
GET	/recommendations/:team_team		{"result": "success", "recommendation": "Liverpool"}
GET	/recommendations		{"result": "success", "recommendation": "Man City"}