

AI Governance Tactic Playbook

Current Candidate Snapshot

Pre-global-QA reading draft | 119 unique candidate tactic IDs | 180/180 operational remediation nodes covered

Snapshot date: 20 August 2026

Purpose of this document. This PDF consolidates the tactics defined so far before the final global QA and normalization step. It preserves the current IDs, titles, primary governance object, control purpose, principal outputs and reassessment intent. It is a reading/review snapshot - not yet the machine-authoritative canonical catalog release.

Source basis

Authoring baseline: AI Governance Categories and Anti-Patterns v1.1. **Source control:** AI Governance Global Source Register v1.5.0. **Presentation calibration:** FinOps Tactic Playbook. **Authoring contract:** the frozen tactic content model agreed during A1/AP-A1 calibration.

Important: registered source identity and domain coverage do not themselves establish legal applicability or compliance. ISO clause-level content was not used where usage rights were unavailable. Tactic completion creates evidence for reassessment; it does not directly close findings, clear gates, accept residual risk or authorize lifecycle progression.

Executive summary

Domain	Primary namespace	Unique candidate IDs	Current design intent
A - Purpose, value, context, roles and classification	PURPOSE	20	Define the governed purpose, justify AI as the mechanism, establish accountable roles, determine classification, and control lifecycle boundaries.
B - Data, privacy, confidentiality and intellectual property	DATA	20	Know what information exists, minimize it, govern personal data, protect confidentiality, and establish defensible rights for AI use.
C - Models, agents, providers, tools and supply chain	MODELS	20	Know every AI component, select models/providers contextually, bound agent authority, govern third parties, and control supply-chain change.
D - Architecture, security, robustness, safety and evaluation	ARCHITECTURE	21	Build enforceable architecture, establish system quality, resist AI-specific attacks, preserve reconstructability, and recover safely.
E - Human impact, rights, fairness, transparency, oversight and recourse	HUMAN	21	Protect affected people through impact analysis, fairness assurance, meaningful transparency, real human oversight, and practical recourse.
F - Accountability, evidence, risk decisions and lifecycle governance	ACCOUNTABILITY	17	Maintain accountable ownership, decision-eligible evidence, controlled risk treatment, explicit human authorization, and lifecycle governance.

Global current count: 119 unique tactic IDs. **Coverage:** 90 source-authored capability questions + 90 derived anti-pattern remediation nodes = 180/180 operational nodes. **Confirmed reuse:** A3 tactics reused for F1, C3-02 reused by D3, and A5-03 reused for lifecycle-transition authorization under F4.

Frozen canonical tactic content model

Identity: Tactic ID, title, version/status and primary governance ownership.

Mapping: Capability/anti-pattern bindings and exact operational question/finding mappings.

Trigger: Negative-answer or locked-finding condition indicating the remediation need.

Rationale: Why the control mechanism addresses the observed deficiency.

Source grounding: Registered source ID, exact locator, supported claim and applicability boundary.

Activity shape: Concrete implementation activities and operating sequence.

Ownership: Responsible and supporting roles.

Expected artifacts: Evidence-producing deliverables created by implementation.

Acceptance criteria: What must be true before the tactic can be called implemented.

Verification: How implementation/effectiveness is checked.

Risk control: Primary implementation hazard and mitigation.

Do-not-use boundary: When another governance object/tactic owns the issue.

Reassessment: Objects that must be reassessed after completion.

Closure rule: Completion creates evidence; it never directly changes findings, gates, legal compliance, residual-risk acceptance or authorization.

Confirmed reuse relationships

TAC-PURPOSE-A3-01 - also maps to F1 accountability baseline

TAC-PURPOSE-A3-02 - also maps to F1 executable responsibility

TAC-PURPOSE-A3-03 - also maps to F1 accountability effectiveness

TAC-PURPOSE-AP-A3-01 - also maps to AP-F1 displaced/orphaned accountability

TAC-MODELS-C3-02 - also maps to D3 deterministic tool/action security enforcement

TAC-PURPOSE-A5-03 - also maps to F4 lifecycle-transition authorization

Domain A - Purpose, value, context, roles and classification

Namespace: PURPOSE | **Current unique IDs:** 20

Define the governed purpose, justify AI as the mechanism, establish accountable roles, determine classification, and control lifecycle boundaries.

ID	Title	Primary object / mapping
TAC-PURPOSE-A1-01	Establish System-Specific Purpose and Use Boundary	A1 / AP-A1
TAC-PURPOSE-A1-02	Implement Purpose-to-Control Traceability and Boundary Enforcement	A1 / AP-A1
TAC-PURPOSE-A1-03	Monitor Purpose Conformance and Trigger Requalification	A1 / AP-A1
TAC-PURPOSE-AP-A1-01	Contain and Requalify Elastic Purpose Expansion	AP-A1
TAC-PURPOSE-A2-01	Establish a Technology-Neutral Problem, Baseline and Value Hypothesis	A2 / AP-A2
TAC-PURPOSE-A2-02	Conduct a Technology-Neutral Alternatives and Proportionality Assessment	A2 / AP-A2
TAC-PURPOSE-A2-03	Execute Representative Value Validation and Apply Governed Continuation/Stop Criteria	A2 / AP-A2
TAC-PURPOSE-AP-A2-01	Reset a Solution-First or Value-Theatre Decision and Requalify Progression	AP-A2
TAC-PURPOSE-A3-01	Establish the AI Value-Chain Role and Accountability Model	A3 / AP-A3; reused by F1
TAC-PURPOSE-A3-02	Operationalize Responsibility Through Decision Rights, Access and Handoffs	A3 / AP-A3; reused by F1
TAC-PURPOSE-A3-03	Verify Responsibility Discharge and Maintain Ownership Continuity	A3 / AP-A3; reused by F1
TAC-PURPOSE-AP-A3-01	Reconcile and Repair Displaced or Orphaned Responsibility	AP-A3; reused by AP-F1
TAC-PURPOSE-A4-01	Establish a System-Specific Applicability and Classification Dossier	A4 / AP-A4
TAC-PURPOSE-A4-02	Translate Classification Into Enforceable Governance Obligations	A4 / AP-A4
TAC-PURPOSE-A4-03	Maintain Reclassification Triggers and Current Legal/Regulatory Basis	A4 / AP-A4
TAC-PURPOSE-AP-A4-01	Reset Superficial Classification and Constrain Reliance Until Requalified	AP-A4
TAC-PURPOSE-A5-01	Establish Version-Specific Lifecycle Stage and Operating Boundary	A5 / AP-A5

TAC-PURPOSE-A5-02	Enforce Stage Isolation, Controlled Exceptions and Reversibility	A5 / AP-A5
TAC-PURPOSE-A5-03	Gate Lifecycle Transition on Evidence and Attributable Authorization	A5 / AP-A5; reused by F4
TAC-PURPOSE-AP-A5-01	Contain Prototype-to-Production Drift and Requalify Actual Operation	AP-A5

TAC-PURPOSE-A1-01 - Establish System-Specific Purpose and Use Boundary

Primary object / mapping	A1 / AP-A1
Function	Foundational purpose boundary
Control purpose	Convert technical or product intent into one authoritative, testable socio-technical purpose boundary covering users, affected persons, permitted/prohibited uses, operating context, expected outputs and foreseeable misuse.
Principal outputs	Purpose & Use Boundary Specification; user/affected-person matrix; permitted/prohibited-use register; approval/version record
Reassessment	A1, AP-A1

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A1-02 - Implement Purpose-to-Control Traceability and Boundary Enforcement

Primary object / mapping	A1 / AP-A1
Function	Implementation alignment
Control purpose	Translate approved purpose restrictions into workflow, data, access and product controls so materially broader use cannot silently become normal operation.
Principal outputs	Purpose-to-control matrix; boundary rules; implementation/configuration evidence; boundary tests
Reassessment	A1, AP-A1

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A1-03 - Monitor Purpose Conformance and Trigger Requalification

Primary object / mapping	A1 / AP-A1
Function	Operational conformance
Control purpose	Detect drift between declared and actual/foreseeable use, and force requalification before scope expansion becomes accepted operational precedent.
Principal outputs	Conformance review; scope-change trigger register; deviation log; requalification decisions
Reassessment	A1, AP-A1

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-AP-A1-01 - Contain and Requalify Elastic Purpose Expansion

Primary object / mapping	AP-A1
Function	Corrective purpose reset
Control purpose	When purpose has materially expanded or become contradictory, contain unsupported use, establish the approved-vs-current scope delta, and force an attributable requalification decision.
Principal outputs	Scope-delta analysis; containment record; requalification dossier; updated purpose/control baseline
Reassessment	AP-A1, A1; conditionally A2/A4/A5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A2-01 - Establish a Technology-Neutral Problem, Baseline and Value Hypothesis

Primary object / mapping	A2 / AP-A2
Function	Value foundation
Control purpose	Define the problem and desired outcome independently of AI, establish the current-state baseline, and create a falsifiable value hypothesis with attributable metrics and thresholds.
Principal outputs	Problem & outcome definition; baseline; value hypothesis; metric dictionary; falsification criteria
Reassessment	A2, AP-A2

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A2-02 - Conduct a Technology-Neutral Alternatives and Proportionality Assessment

Primary object / mapping	A2 / AP-A2
Function	Comparative proportionality
Control purpose	Compare AI against credible non-AI and lower-complexity alternatives using consistent outcome, cost, risk, human-impact, reversibility and operational criteria.
Principal outputs	Alternatives inventory; option-comparison matrix; cost/risk analysis; proportionality decision
Reassessment	A2, AP-A2; conditionally C2/C4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A2-03 - Execute Representative Value Validation and Apply Governed Continuation/Stop Criteria

Primary object / mapping	A2 / AP-A2
Function	Value evidence

Control purpose	Run representative trials against pre-defined outcome and stop criteria, retain positive/negative evidence, and force an explicit continuation, constraint, remediation or stop decision.
Principal outputs	Evaluation plan; trial evidence; complete results; continuation/stop decision record
Reassessment	A2, AP-A2; conditionally D2/F4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-AP-A2-01 - Reset a Solution-First or Value-Theatre Decision and Requalify Progression

Primary object / mapping	AP-A2
Function	Corrective decision reset
Control purpose	Preserve decision chronology, expose solution-first selection or value-theatre claims, rebuild the technology-neutral value case, reassess alternatives, and requalify progression.
Principal outputs	Decision chronology; value-claim gap analysis; corrected baseline; updated alternatives assessment; requalification decision
Reassessment	AP-A2, A2; conditionally A1/A4/A5/F4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A3-01 - Establish the AI Value-Chain Role and Accountability Model

Primary object / mapping	A3 / AP-A3; reused by F1
Function	Accountability baseline
Control purpose	Identify material actors across the AI value chain, distinguish legal/regulatory roles from internal operating accountability, and assign final accountable authority for material duties.
Principal outputs	Actor & role inventory; accountability matrix; decision-right map; unresolved-role register
Reassessment	A3, AP-A3; reused by F1

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A3-02 - Operationalize Responsibility Through Decision Rights, Access and Handoffs

Primary object / mapping	A3 / AP-A3; reused by F1
Function	Executable responsibility
Control purpose	Make assigned responsibility operational through information access, permissions, procedures, contractual handoffs, escalation, continuity and delegation controls.
Principal outputs	Executable responsibility matrix; access/authority mapping; handoff/escalation workflow; continuity record

Reassessment	A3, AP-A3; reused by F1
---------------------	-------------------------

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A3-03 - Verify Responsibility Discharge and Maintain Ownership Continuity

Primary object / mapping	A3 / AP-A3; reused by F1
Function	Accountability effectiveness
Control purpose	Demonstrate that assigned parties actually perform material duties and that ownership remains current after personnel, provider or organizational change.
Principal outputs	Responsibility execution evidence; ownership-health register; event traces; periodic role review
Reassessment	A3, AP-A3; reused by F1

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-AP-A3-01 - Reconcile and Repair Displaced or Orphaned Responsibility

Primary object / mapping	AP-A3; reused by AP-F1
Function	Corrective accountability
Control purpose	Repair responsibility bouncing, contradictory ownership, ownerless duties or contractual displacement by assigning executable accountability and replaying the failed handoff.
Principal outputs	Responsibility-failure analysis; corrected accountability decision; access/procedure remediation; replay evidence
Reassessment	AP-A3, A3; reused by AP-F1

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A4-01 - Establish a System-Specific Applicability and Classification Dossier

Primary object / mapping	A4 / AP-A4
Function	Classification baseline
Control purpose	Determine jurisdiction, actor role, prohibited-practice screening, AI risk classification and adjacent regimes from actual system/use facts while preserving legal uncertainty.
Principal outputs	Applicability/classification dossier; role/jurisdiction matrix; prohibited-practice screen; uncertainty register
Reassessment	A4, AP-A4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A4-02 - Translate Classification Into Enforceable Governance Obligations

Primary object / mapping	A4 / AP-A4
Function	Classification implementation

Control purpose	Convert applicable classification conclusions into accountable obligations, controls, documentation, evidence requirements and lifecycle constraints.
Principal outputs	Classification-to-obligation matrix; control mapping; compliance-owner register; lifecycle dependencies
Reassessment	A4, AP-A4; affected substantive domains

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A4-03 - Maintain Reclassification Triggers and Current Legal/Regulatory Basis

Primary object / mapping	A4 / AP-A4
Function	Classification lifecycle
Control purpose	Bind classification to system/use/source versions and trigger reassessment when purpose, role, jurisdiction, integration, autonomy, provider or legal basis materially changes.
Principal outputs	Reclassification trigger catalog; source/version register; classification history; reassessment cases
Reassessment	A4, AP-A4; affected dependent objects

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-AP-A4-01 - Reset Superficial Classification and Constrain Reliance Until Requalified

Primary object / mapping	AP-A4
Function	Corrective classification reset
Control purpose	Contain reliance on copied, vendor-centric, stale or certainty-overstated classification and rebuild the decision from current system/use facts and competent review.
Principal outputs	Classification defect analysis; constrained-use decision; rebuilt dossier; corrected obligation matrix
Reassessment	AP-A4, A4; dependent domains

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A5-01 - Establish Version-Specific Lifecycle Stage and Operating Boundary

Primary object / mapping	A5 / AP-A5
Function	Lifecycle boundary
Control purpose	Define the exact system version, canonical lifecycle stage and operating boundary across users, data, credentials, integrations, autonomy and consequences.
Principal outputs	Lifecycle stage & boundary register; permission matrix; transition authority record; expiry/exception register
Reassessment	A5, AP-A5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A5-02 - Enforce Stage Isolation, Controlled Exceptions and Reversibility

Primary object / mapping	A5 / AP-A5
Function	Lifecycle enforcement
Control purpose	Technically enforce stage-specific environment, data, credential, integration and access boundaries while preserving controlled exceptions and rollback/deactivation capability.
Principal outputs	Stage enforcement controls; exception register; access/data/integration controls; reversibility evidence
Reassessment	A5, AP-A5; conditionally D1/D5/F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-A5-03 - Gate Lifecycle Transition on Evidence and Attributable Authorization

Primary object / mapping	A5 / AP-A5; reused by F4
Function	Lifecycle authorization gate
Control purpose	Require predefined transition criteria, current evidence and explicit human authority before lifecycle progression; conditions and expiry remain traceable.
Principal outputs	Transition criteria; transition dossier; blocker register; attributable authorization; conditional-approval record
Reassessment	A5, AP-A5; reused by F4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-PURPOSE-AP-A5-01 - Contain Prototype-to-Production Drift and Requalify Actual Operation

Primary object / mapping	AP-A5
Function	Corrective lifecycle containment
Control purpose	When an experiment/pilot has accumulated production-like users, data, credentials, integrations or dependency, contain unsupported drift and formally requalify the actual operating state.
Principal outputs	Lifecycle drift analysis; containment record; actual-vs-approved delta; requalification decision
Reassessment	AP-A5, A5; conditionally A1-A4/F3/F4/F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

Domain B - Data, privacy, confidentiality and intellectual property

Namespace: DATA | Current unique IDs: 20

Know what information exists, minimize it, govern personal data, protect confidentiality, and establish defensible rights for AI use.

ID	Title	Primary object / mapping
TAC-DATA-B1-01	Establish Governed Data Asset and Source Inventory	B1 / AP-B1
TAC-DATA-B1-02	Implement End-to-End Data Lineage and Transformation Traceability	B1 / AP-B1
TAC-DATA-B1-03	Verify Provenance Through Representative Reconstruction	B1 / AP-B1
TAC-DATA-AP-B1-01	Contain and Reconstruct Invisible or Untraceable Data Flows	AP-B1
TAC-DATA-B2-01	Establish Field-Level Necessity and Retention Justification	B2 / AP-B2
TAC-DATA-B2-02	Enforce Data Minimization, Abstraction and Lifecycle Deletion	B2 / AP-B2
TAC-DATA-B2-03	Test Minimization and Deletion Propagation End to End	B2 / AP-B2
TAC-DATA-AP-B2-01	Reduce Convenience-Driven Data Scope and Eliminate Unjustified Accumulation	AP-B2
TAC-DATA-B3-01	Establish Context-Specific Personal-Data and Privacy Governance Basis	B3 / AP-B3
TAC-DATA-B3-02	Operationalize Privacy Requirements Across the AI Data Lifecycle	B3 / AP-B3
TAC-DATA-B3-03	Execute End-to-End Privacy Rights and Control Effectiveness Tests	B3 / AP-B3
TAC-DATA-AP-B3-01	Reconcile Privacy Documentation With Actual AI Processing and Repair Control Gaps	AP-B3
TAC-DATA-B4-01	Establish AI-Specific Confidentiality Classification and Disclosure Boundaries	B4 / AP-B4
TAC-DATA-B4-02	Enforce Secrets, Tenant, Provider and Output Confidentiality Boundaries	B4 / AP-B4
TAC-DATA-B4-03	Execute Leakage, Cross-Tenant and Unauthorized-Reuse Boundary Tests	B4 / AP-B4
TAC-DATA-AP-B4-01	Contain AI-Channel Confidentiality Leakage and Restore Trusted Boundaries	AP-B4
TAC-DATA-B5-01	Establish Asset-Level Rights, Licence and Content-Use Basis	B5 / AP-B5
TAC-DATA-B5-02	Enforce Rights and Licence Conditions Across AI Content Workflows	B5 / AP-B5
TAC-DATA-B5-03	Verify Rights Compliance and Govern Output-Use/Infringement Review	B5 / AP-B5

TAC-DATA-AP-B5-01	Quarantine and Requalify Content With Unverified Rights or Ownership	AP-B5
-------------------	--	-------

TAC-DATA-B1-01 - Establish Governed Data Asset and Source Inventory

Primary object / mapping	B1 / AP-B1
Function	Data inventory baseline
Control purpose	Create stable records for training, tuning, retrieval, prompt/context, evaluation, runtime, logging and output data, including source, owner, role, destination and lifecycle status.
Principal outputs	AI data asset register; dataset/source IDs; owner/steward matrix; processing environment register
Reassessment	B1, AP-B1; conditionally B3/B4/B5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B1-02 - Implement End-to-End Data Lineage and Transformation Traceability

Primary object / mapping	B1 / AP-B1
Function	Data lineage
Control purpose	Preserve source-to-derived lineage through transformations, retrieval, provider transfers, logging, deletion and reuse so material data paths remain reconstructable.
Principal outputs	Lineage model; transformation register; provider transfer records; provenance metadata; exception log
Reassessment	B1, AP-B1; potentially B2-B5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B1-03 - Verify Provenance Through Representative Reconstruction

Primary object / mapping	B1 / AP-B1
Function	Provenance effectiveness
Control purpose	Reconstruct representative outputs/use cases to the relevant current source and derived-data chain, exposing provenance breaks and scope limitations.
Principal outputs	Provenance reconstruction plan; representative evidence; data-version evidence; defect register
Reassessment	B1, AP-B1

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-AP-B1-01 - Contain and Reconstruct Invisible or Untraceable Data Flows

Primary object / mapping	AP-B1
Function	Corrective data-flow containment

Control purpose	Quarantine or restrict unknown-source flows, reconstruct available provenance, explicitly mark irrecoverable unknowns, and repair inventory/lineage controls.
Principal outputs	Unknown-flow record; containment evidence; reconstructed lineage; unresolved-data register
Reassessment	AP-B1, B1; conditionally B2-B5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B2-01 - Establish Field-Level Necessity and Retention Justification

Primary object / mapping	B2 / AP-B2
Function	Necessity baseline
Control purpose	Map each material field/document/context element to a purpose and necessity rationale, define retention, and challenge broader-than-needed data scope.
Principal outputs	Field-level necessity matrix; retention schedule; data-scope decision; alternative-data assessment
Reassessment	B2, AP-B2; potentially B1/B3/F2

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B2-02 - Enforce Data Minimization, Abstraction and Lifecycle Deletion

Primary object / mapping	B2 / AP-B2
Function	Minimization enforcement
Control purpose	Apply filters, abstraction/redaction, scoped retrieval, minimized logging and propagated retention/deletion controls so normal processing stays within the approved data boundary.
Principal outputs	Minimization policy; filters/schemas; retention/deletion configuration; propagation map
Reassessment	B2, AP-B2; B3 where personal data apply

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B2-03 - Test Minimization and Deletion Propagation End to End

Primary object / mapping	B2 / AP-B2
Function	Minimization effectiveness
Control purpose	Execute representative non-required-data and deletion cases across primary, derived, cache, log, retrieval and downstream/provider paths.
Principal outputs	Minimization test plan; payload evidence; deletion-propagation results; residual-copy register
Reassessment	B2, AP-B2; potentially B3

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-AP-B2-01 - Reduce Convenience-Driven Data Scope and Eliminate Unjustified Accumulation

Primary object / mapping	AP-B2
Function	Corrective data-scope reduction
Control purpose	Stop or constrain convenience-driven accumulation, separate required from unnecessary data, clean up unjustified stores/transfers, and retest the reduced scope.
Principal outputs	Excess-data analysis; reduction plan; deletion/containment evidence; corrected necessity matrix
Reassessment	AP-B2, B2; conditionally B3-B5/F2

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B3-01 - Establish Context-Specific Personal-Data and Privacy Governance Basis

Primary object / mapping	B3 / AP-B3
Function	Privacy baseline
Control purpose	Determine actual personal-data processing, roles, purposes, lawful basis, rights, special-category conditions and impact-assessment triggers from the real AI data flow.
Principal outputs	Privacy processing dossier; lawful-basis matrix; rights map; impact-assessment decision; uncertainty register
Reassessment	B3, AP-B3; potentially A4/B1/B2

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B3-02 - Operationalize Privacy Requirements Across the AI Data Lifecycle

Primary object / mapping	B3 / AP-B3
Function	Privacy implementation
Control purpose	Translate privacy requirements into architecture, provider settings, access, logging, retention, rights propagation and incident procedures across the AI lifecycle.
Principal outputs	Privacy-to-control matrix; configurations; provider settings; retention/access policies; rights-propagation design
Reassessment	B3, AP-B3; B4/C4 where relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B3-03 - Execute End-to-End Privacy Rights and Control Effectiveness Tests

Primary object / mapping	B3 / AP-B3
--------------------------	------------

Function	Privacy effectiveness
Control purpose	Run representative access/correction/deletion/restriction workflows through logs, indexes, retrieval stores and provider dependencies and document technical/legal limitations.
Principal outputs	Rights test plan; request traces; residual-data record; exception basis; retest evidence
Reassessment	B3, AP-B3; B2 where defects found

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-AP-B3-01 - Reconcile Privacy Documentation With Actual AI Processing and Repair Control Gaps

Primary object / mapping	AP-B3
Function	Corrective privacy reality check
Control purpose	Expose mismatches between privacy documentation and actual processing, constrain unsupported processing, rebuild the privacy basis and retest end-to-end controls.
Principal outputs	Privacy reality gap analysis; containment; corrected processing dossier; controls; test results
Reassessment	AP-B3, B3; conditionally B1/B2/B4/A4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B4-01 - Establish AI-Specific Confidentiality Classification and Disclosure Boundaries

Primary object / mapping	B4 / AP-B4
Function	Confidentiality baseline
Control purpose	Define which information may enter which AI channel under which identity, tenant, provider and use conditions, including secrets and customer/contract restrictions.
Principal outputs	Information classification matrix; disclosure boundary map; approved-provider/use matrix; secret-exclusion rules
Reassessment	B4, AP-B4; B3/B5/C4 where relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B4-02 - Enforce Secrets, Tenant, Provider and Output Confidentiality Boundaries

Primary object / mapping	B4 / AP-B4
Function	Confidentiality enforcement
Control purpose	Apply least privilege, tenant separation, provider routing, secret exclusion, protected logs/caches and controlled outbound content so sensitive information stays within approved boundaries.
Principal outputs	Tenant/identity policy; secret-separation design; routing

	controls; confidentiality filters; configuration evidence
Reassessment	B4, AP-B4; D1/D3/C3/C4 later

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B4-03 - Execute Leakage, Cross-Tenant and Unauthorized-Reuse Boundary Tests

Primary object / mapping	B4 / AP-B4
Function	Confidentiality effectiveness
Control purpose	Test cross-tenant retrieval, restricted provider routing, prompt/output leakage, cache/log exposure and fallback paths using realistic identities and safe test data.
Principal outputs	Confidentiality test plan; synthetic/canary test data; execution results; regression suite
Reassessment	B4, AP-B4; potentially D3

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-AP-B4-01 - Contain AI-Channel Confidentiality Leakage and Restore Trusted Boundaries

Primary object / mapping	AP-B4
Function	Corrective confidentiality containment
Control purpose	Contain confirmed leakage, scope affected information/parties, revoke or rotate access, remove/isolate persisted data where possible, and rebuild/test trusted boundaries.
Principal outputs	Leakage incident record; containment evidence; provider/deletion requests; corrected controls; regression evidence
Reassessment	AP-B4, B4; conditionally B3/B5/D3/F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B5-01 - Establish Asset-Level Rights, Licence and Content-Use Basis

Primary object / mapping	B5 / AP-B5
Function	Rights baseline
Control purpose	Establish attributable rights, licence terms, use restrictions, attribution and redistribution conditions for material data, content, code, models and outputs.
Principal outputs	Rights & licence inventory; asset rights record; TDM/reservation record; output-use conditions; unresolved-rights register
Reassessment	B5, AP-B5; B1/B4/C4 where relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B5-02 - Enforce Rights and Licence Conditions Across AI Content Workflows

Primary object / mapping	B5 / AP-B5
Function	Rights implementation
Control purpose	Attach rights metadata and enforce allowed/prohibited use at ingestion, training, retrieval, generation and distribution, with quarantine for incompatible or uncertain assets.
Principal outputs	Rights-aware ingestion policy; permission metadata; enforcement rules; quarantine log; attribution workflow
Reassessment	B5, AP-B5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-B5-03 - Verify Rights Compliance and Govern Output-Use/Infringement Review

Primary object / mapping	B5 / AP-B5
Function	Rights effectiveness
Control purpose	Sample assets and outputs, reconstruct source/rights conditions, test prohibited-use handling and route ambiguous output-use questions to competent review.
Principal outputs	Rights compliance test plan; sample evidence; blocked-use results; output review cases; legal decision record
Reassessment	B5, AP-B5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-DATA-AP-B5-01 - Quarantine and Requalify Content With Unverified Rights or Ownership

Primary object / mapping	AP-B5
Function	Corrective rights containment
Control purpose	Stop or restrict disputed content use, classify assets as permitted/prohibited/unresolved, remediate unauthorized use, correct unsupported ownership claims, and rebuild rights controls.
Principal outputs	Unverified-rights analysis; quarantine/restriction register; requalification decisions; corrected inventory; remediation evidence
Reassessment	AP-B5, B5; conditionally B1/B4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

Domain C - Models, agents, providers, tools and supply chain

Namespace: MODELS | Current unique IDs: 20

Know every AI component, select models/providers contextually, bound agent authority, govern third parties, and control supply-chain change.

ID	Title	Primary object / mapping
TAC-MODELS-C1-01	Establish the AI System Component and Dependency Baseline	C1 / AP-C1
TAC-MODELS-C1-02	Integrate Component Registration With Build, Routing and Deployment	C1 / AP-C1
TAC-MODELS-C1-03	Enable Run-to-Component Reconstruction	C1 / AP-C1
TAC-MODELS-AP-C1-01	Discover, Contain and Requalify Shadow AI Components	AP-C1
TAC-MODELS-C2-01	Define Task-Specific Model and Provider Selection Requirements	C2 / AP-C2
TAC-MODELS-C2-02	Implement Approved Model Routing, Fallback and Provider Constraints	C2 / AP-C2
TAC-MODELS-C2-03	Execute Representative Comparative Suitability Evaluation	C2 / AP-C2
TAC-MODELS-AP-C2-01	Reset Convenience- or Brand-Driven Model Selection	AP-C2
TAC-MODELS-C3-01	Establish the Agent Authority and Tool-Permission Contract	C3 / AP-C3
TAC-MODELS-C3-02	Enforce Deterministic Agent Authorization, Reversibility and Runtime Containment	C3 / AP-C3; reused by D3
TAC-MODELS-C3-03	Execute Agent Authorization, Recursion and Cross-Boundary Negative Tests	C3 / AP-C3
TAC-MODELS-AP-C3-01	Revoke Excessive Agent Authority and Requalify Consequential Actions	AP-C3
TAC-MODELS-C4-01	Establish Provider Due-Diligence and Contractual Governance Baseline	C4 / AP-C4
TAC-MODELS-C4-02	Operationalize Provider Contract and Configuration Controls	C4 / AP-C4
TAC-MODELS-C4-03	Monitor Provider Change, Failure and Exit Readiness	C4 / AP-C4
TAC-MODELS-AP-C4-01	Replace Vendor Assurance With System-Specific Verification	AP-C4
TAC-MODELS-C5-01	Establish AI Supply-Chain Provenance and Controlled Baseline	C5 / AP-C5
TAC-MODELS-C5-02	Enforce Integrity, Approved Update Channels and Risk-Based Change Gates	C5 / AP-C5
TAC-MODELS-C5-03	Detect Supply-Chain Drift and Trigger Reauthorization After Material	C5 / AP-C5

	Change	
TAC-MODELS-AP-C5-01	Contain and Requalify Silent Supply-Chain Drift	AP-C5

TAC-MODELS-C1-01 - Establish the AI System Component and Dependency Baseline

Primary object / mapping	C1 / AP-C1
Function	Component inventory
Control purpose	Register all material models, agents, prompts, tools, APIs, datasets, providers, infrastructure, versions, configurations, permissions and owners as the governed system baseline.
Principal outputs	Component manifest; model/agent/prompt registry; tool/API inventory; provider register; ownership matrix
Reassessment	C1, AP-C1; conditionally C2-C5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C1-02 - Integrate Component Registration With Build, Routing and Deployment

Primary object / mapping	C1 / AP-C1
Function	Inventory enforcement
Control purpose	Bind registry controls to CI/CD, deployment, routing and tool registration so material unregistered components cannot silently enter normal operation.
Principal outputs	Automated component manifest; registry validation; routing manifest; prompt/tool versions; exception workflow
Reassessment	C1, AP-C1; conditionally C5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C1-03 - Enable Run-to-Component Reconstruction

Primary object / mapping	C1 / AP-C1
Function	Execution identity
Control purpose	Capture enough model/provider, prompt/configuration, agent/tool and release metadata to reconstruct which governed component baseline produced a material run.
Principal outputs	Run-to-component trace contract; execution metadata; reconstruction evidence; defect register
Reassessment	C1, AP-C1; supports D4/F2

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-AP-C1-01 - Discover, Contain and Requalify Shadow AI Components

Primary object / mapping	AP-C1
--------------------------	-------

Function	Corrective component containment
Control purpose	Discover and contain unofficial models, prompts, tools or AI services, assess exposed data/permissions/decisions, and either govern or remove the shadow component.
Principal outputs	Shadow component record; exposure analysis; containment evidence; requalification decision; corrected registry
Reassessment	AP-C1, C1; conditionally C2-C5/B1-B5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C2-01 - Define Task-Specific Model and Provider Selection Requirements

Primary object / mapping	C2 / AP-C2
Function	Selection baseline
Control purpose	Define neutral, task-specific quality, language, latency, security, privacy, resilience, cost and contractual requirements before choosing a model/provider.
Principal outputs	Model/provider selection requirements; criteria matrix; mandatory constraints; provider evidence requirements
Reassessment	C2, AP-C2; potentially C4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C2-02 - Implement Approved Model Routing, Fallback and Provider Constraints

Primary object / mapping	C2 / AP-C2
Function	Selection enforcement
Control purpose	Bind tasks to approved model/provider sets and fallback chains while preserving mandatory data, security, contractual and performance constraints.
Principal outputs	Approved provider registry; task-to-model routing matrix; fallback policy; routing configuration; logs
Reassessment	C2, AP-C2; C1/C4/C5 when dependencies change

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C2-03 - Execute Representative Comparative Suitability Evaluation

Primary object / mapping	C2 / AP-C2
Function	Suitability evidence
Control purpose	Compare candidate and fallback models/providers under representative system workloads against pre-defined task, security, privacy, reliability and cost criteria.
Principal outputs	Comparative evaluation plan; workload; results matrix; limitation register; selection decision
Reassessment	C2, AP-C2; potentially D2/D3

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-AP-C2-01 - Reset Convenience- or Brand-Driven Model Selection

Primary object / mapping	AP-C2
Function	Corrective selection reset
Control purpose	Preserve original selection chronology, expose brand/convenience bias, re-establish neutral criteria, run comparative evaluation and make an attributable retain/replace/constrain decision.
Principal outputs	Selection chronology; bias gap analysis; requalified criteria; comparative evaluation; updated routing
Reassessment	AP-C2, C2; conditionally C4/C5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C3-01 - Establish the Agent Authority and Tool-Permission Contract

Primary object / mapping	C3 / AP-C3
Function	Agent authority baseline
Control purpose	Define per-agent tools, identities, permissions, resources, destinations, budgets, consequential actions, approval points and interruption boundaries.
Principal outputs	Agent authority matrix; tool/action permission contracts; identity map; approval matrix; budget/recursion policy
Reassessment	C3, AP-C3; conditionally D1/D3/F4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C3-02 - Enforce Deterministic Agent Authorization, Reversibility and Runtime Containment

Primary object / mapping	C3 / AP-C3; reused by D3
Function	Agent authority enforcement
Control purpose	Authenticate and authorize material tool actions outside model reasoning, validate typed arguments, enforce least privilege, approval, rate/loop limits, kill switch and rollback.
Principal outputs	Authorization policy; typed tool schemas; policy enforcement; approval workflow; runtime limits; rollback evidence
Reassessment	C3, AP-C3; reused by D3; later F4 relationships

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C3-03 - Execute Agent Authorization, Recursion and Cross-Boundary Negative Tests

Primary object / mapping	C3 / AP-C3
Function	Agent authority effectiveness

Control purpose	Test unauthorized tools, privilege escalation, malformed arguments, cross-tenant actions, approval bypass, recursion, rate exhaustion and kill-switch response.
Principal outputs	Agent negative-test plan; abuse corpus; execution results; failure register; regression suite
Reassessment	C3, AP-C3; supports D3

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-AP-C3-01 - Revoke Excessive Agent Authority and Requalify Consequential Actions

Primary object / mapping	AP-C3
Function	Corrective privilege containment
Control purpose	Revoke shared/overbroad authority, review actions already taken, establish correct per-agent authority, implement deterministic controls and retest before reauthorization.
Principal outputs	Authority exposure analysis; privilege remediation; affected-action review; corrected authority contract; regression evidence
Reassessment	AP-C3, C3; conditionally D3/D5/F4/F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C4-01 - Establish Provider Due-Diligence and Contractual Governance Baseline

Primary object / mapping	C4 / AP-C4
Function	Third-party governance baseline
Control purpose	Assess provider data practices, subprocessors, security evidence, limitations, change rights, audit/information rights, incidents, continuity and exit needs in the actual system context.
Principal outputs	Provider due-diligence dossier; contract requirement matrix; subprocessor/data record; limitation register; exit requirements
Reassessment	C4, AP-C4; potentially A3/B3/B4/C2/C5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C4-02 - Operationalize Provider Contract and Configuration Controls

Primary object / mapping	C4 / AP-C4
Function	Provider control implementation
Control purpose	Translate provider/contract requirements into actual regions, endpoints, retention/training settings, access controls, routing, incident escalation, contingency and exit procedures.
Principal outputs	Contract-to-control matrix; provider configuration

	baseline; region/retention evidence; contingency/exit procedures
Reassessment	C4, AP-C4; C2/C5 and B-domain objects

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C4-03 - Monitor Provider Change, Failure and Exit Readiness

Primary object / mapping	C4 / AP-C4
Function	Provider lifecycle
Control purpose	Detect material provider term, model, subprocessor, data-practice, service or availability changes; assess impact and maintain tested contingency/exit readiness.
Principal outputs	Provider change monitor; incident/failure register; version history; impact assessments; failover/exit evidence
Reassessment	C4, AP-C4; C2/C5; candidate input to F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-AP-C4-01 - Replace Vendor Assurance With System-Specific Verification

Primary object / mapping	AP-C4
Function	Corrective assurance reset
Control purpose	Identify integrated-system claims that rely solely on vendor certification/branding, preserve useful provider evidence within scope, and establish local controls and verification.
Principal outputs	Vendor-assurance dependency analysis; evidence ceiling matrix; local control gap analysis; corrected governance baseline
Reassessment	AP-C4, C4; conditionally A3/A4/C2/C5/B-domain

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C5-01 - Establish AI Supply-Chain Provenance and Controlled Baseline

Primary object / mapping	C5 / AP-C5
Function	Supply-chain baseline
Control purpose	Record exact versions, provenance, approved acquisition/update source, support/deprecation status, vulnerabilities and material-change triggers for models, datasets, libraries, tools and services.
Principal outputs	Supply-chain manifest; software/model/data BOM; provenance register; support/deprecation register; change triggers
Reassessment	C5, AP-C5; C1/C4 and later D/F

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C5-02 - Enforce Integrity, Approved Update Channels and Risk-Based Change Gates

Primary object / mapping	C5 / AP-C5
Function	Supply-chain change enforcement
Control purpose	Use authenticated update sources, integrity checks, materiality classification, regression/approval gates, known-good baselines and rollback so changes cannot silently become production baseline.
Principal outputs	Update policy; integrity records; change rules; regression/approval gate; known-good baseline; rollback procedure
Reassessment	C5, AP-C5; C2/D2/D3/D5 as affected

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-C5-03 - Detect Supply-Chain Drift and Trigger Reauthorization After Material Change

Primary object / mapping	C5 / AP-C5
Function	Supply-chain drift assurance
Control purpose	Monitor runtime-vs-approved baseline, provider/version/alias changes, vulnerabilities, deprecations and behavior drift; trigger impact assessment, re-evaluation and reauthorization.
Principal outputs	Drift monitor; baseline reconciliation; event register; materiality decisions; reassessment cases
Reassessment	C5, AP-C5; candidate input to F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-MODELS-AP-C5-01 - Contain and Requalify Silent Supply-Chain Drift

Primary object / mapping	AP-C5
Function	Corrective supply-chain reset
Control purpose	Compare current against last-known-approved baseline, contain or rollback uncontrolled change, identify invalidated evidence, rebuild change controls and reauthorize the resulting state.
Principal outputs	Drift incident analysis; baseline delta; affected-evidence analysis; rollback record; regression and reauthorization evidence
Reassessment	AP-C5, C5; C1/C2/C4 and affected D/F

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

Domain D - Architecture, security, robustness, safety and evaluation

Namespace: ARCHITECTURE | Current unique IDs: 21

Build enforceable architecture, establish system quality, resist AI-specific attacks, preserve reconstructability, and recover safely.

ID	Title	Primary object / mapping
TAC-ARCHITECTURE-D1-01	Establish System Trust-Boundary and Isolation Architecture	D1 / AP-D1
TAC-ARCHITECTURE-D1-02	Enforce Identity, Network, Secret, Tenant and Environment Separation	D1 / AP-D1
TAC-ARCHITECTURE-D1-03	Execute Architecture Isolation and Cross-Boundary Verification	D1 / AP-D1
TAC-ARCHITECTURE-AP-D1-01	Contain and Replace Implicit-Trust Architecture	AP-D1
TAC-ARCHITECTURE-D2-01	Define End-to-End Quality, Failure and Reliability Acceptance Contract	D2 / AP-D2
TAC-ARCHITECTURE-D2-02	Integrate Quality Gates, Fallback and Human Review Into Delivery	D2 / AP-D2
TAC-ARCHITECTURE-D2-03	Execute Repeated End-to-End Reliability Evaluation	D2 / AP-D2
TAC-ARCHITECTURE-AP-D2-01	Replace Demo-Based Assurance With Representative Quality Evidence	AP-D2
TAC-ARCHITECTURE-D3-01	Establish AI-Specific Threat Model and Attack-Surface Baseline	D3 / AP-D3
TAC-ARCHITECTURE-D3-02	Enforce Untrusted AI Output and Downstream Execution Boundaries	D3 / AP-D3
TAC-ARCHITECTURE-D3-03	Establish Retrieval and Untrusted-Content Security Boundaries	D3 / AP-D3
TAC-ARCHITECTURE-D3-04	Execute AI-Specific Adversarial Evaluation and Regression Assurance	D3 / AP-D3
TAC-ARCHITECTURE-D3-05	Operationalize AI-Security Monitoring and Incident Response	D3 / AP-D3
TAC-ARCHITECTURE-D4-01	Define Material Execution Trace and Reconstruction Contract	D4 / AP-D4
TAC-ARCHITECTURE-D4-02	Implement Integrity-Protected Run and Governance Observability	D4 / AP-D4
TAC-ARCHITECTURE-D4-03	Execute Output, Failure and Decision Reconstruction	D4 / AP-D4
TAC-ARCHITECTURE-AP-D4-01	Reconstruct and Contain Opaque Execution	AP-D4
TAC-ARCHITECTURE-D5-01	Define Failure Modes, Safe States and Recovery Objectives	D5 / AP-D5
TAC-ARCHITECTURE-D5-02	Implement Fail-Safe States, Interruption, Fallback, Rollback and Human Takeover	D5 / AP-D5
TAC-ARCHITECTURE-D5-03	Execute Fault-Injection, Recovery and Human-Takeover Exercises	D5 / AP-D5

TAC-ARCHITECTURE-AP-D5-01	Contain Fail-Open Operation and Restore Controlled Failure Behavior	AP-D5
---------------------------	---	-------

TAC-ARCHITECTURE-D1-01 - Establish System Trust-Boundary and Isolation Architecture

Primary object / mapping	D1 / AP-D1
Function	Architecture baseline
Control purpose	Map assets, identities, environments, tenants, secrets, data flows and external connections so every material trust transition has an explicit control boundary.
Principal outputs	Trust-boundary architecture; identity map; segmentation model; data-flow map; secret boundary register
Reassessment	D1, AP-D1; conditionally B4/C3/D3

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D1-02 - Enforce Identity, Network, Secret, Tenant and Environment Separation

Primary object / mapping	D1 / AP-D1
Function	Architecture enforcement
Control purpose	Implement external identity, network, tenant, secret and environment controls so protected boundaries do not depend on prompts, conventions or shared credentials.
Principal outputs	IAM policy; network segmentation; environment credentials; secret-separation; tenant isolation
Reassessment	D1, AP-D1; conditionally B4/C3/D3

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D1-03 - Execute Architecture Isolation and Cross-Boundary Verification

Primary object / mapping	D1 / AP-D1
Function	Architecture effectiveness
Control purpose	Test cross-environment, cross-tenant, unauthorized identity, secret, network/egress and privileged-resource boundary crossings using realistic configurations.
Principal outputs	Isolation verification plan; negative access tests; execution evidence; boundary failure register
Reassessment	D1, AP-D1; conditionally D3

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-AP-D1-01 - Contain and Replace Implicit-Trust Architecture

Primary object / mapping	AP-D1
Function	Corrective architecture reset
Control purpose	Contain prompt-mediated security, shared credentials,

	prototype-to-production access or missing isolation, then rebuild and verify enforceable boundaries.
Principal outputs	Implicit-trust exposure analysis; containment/credential remediation; corrected architecture; retest evidence
Reassessment	AP-D1, D1; conditionally B4/C3/D3/F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D2-01 - Define End-to-End Quality, Failure and Reliability Acceptance Contract

Primary object / mapping	D2 / AP-D2
Function	Quality baseline
Control purpose	Define representative tasks, contexts, failure classes, critical/subgroup views, variability and consequence-based blocking thresholds for the complete system.
Principal outputs	Quality contract; case taxonomy; failure register; threshold matrix; evaluation independence requirements
Reassessment	D2, AP-D2; conditionally C2/A2

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D2-02 - Integrate Quality Gates, Fallback and Human Review Into Delivery

Primary object / mapping	D2 / AP-D2
Function	Quality enforcement
Control purpose	Bind pre-defined quality thresholds to release, regression, fallback/abstention and human-review routing so material failures can block or constrain progression.
Principal outputs	Quality gate configuration; release matrix; fallback/abstention rules; review routing; regression suite
Reassessment	D2, AP-D2; conditionally E4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D2-03 - Execute Repeated End-to-End Reliability Evaluation

Primary object / mapping	D2 / AP-D2
Function	Quality effectiveness
Control purpose	Run repeated representative system-level evaluation, preserve critical/subgroup failures and compare current/operational behavior against pre-defined thresholds and baselines.
Principal outputs	Reliability evaluation plan; representative set; repeated-run results; critical/subgroup results; regression register
Reassessment	D2, AP-D2; C2/A2 where relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-AP-D2-01 - Replace Demo-Based Assurance With Representative Quality Evidence

Primary object / mapping	AP-D2
Function	Corrective quality reset
Control purpose	Correct reliability claims based on demos or generic benchmarks and rebuild assurance using representative end-to-end criteria, gates and evidence.
Principal outputs	Demo-assurance gap analysis; corrected claims; evaluation contract; complete evidence; revised quality decision
Reassessment	AP-D2, D2; conditionally C2/A2

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D3-01 - Establish AI-Specific Threat Model and Attack-Surface Baseline

Primary object / mapping	D3 / AP-D3
Function	AI threat model
Control purpose	Model system-specific predictive, generative, retrieval and agentic attack paths, protected assets, attacker goals, controls, exclusions and adversarial test obligations.
Principal outputs	AI threat model; attack-surface inventory; abuse cases; attack-to-control mapping; test requirements
Reassessment	D3, AP-D3; conditionally D1/C3/B4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D3-02 - Enforce Untrusted AI Output and Downstream Execution Boundaries

Primary object / mapping	D3 / AP-D3
Function	Untrusted-output enforcement
Control purpose	Treat generated output as untrusted and prevent it from becoming code, query, command, policy or privileged input without typed validation, sandboxing and constrained execution.
Principal outputs	Output-consumer inventory; typed schemas; validation policy; sandbox controls; negative tests
Reassessment	D3, AP-D3; D1/B4 where affected

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D3-03 - Establish Retrieval and Untrusted-Content Security Boundaries

Primary object / mapping	D3 / AP-D3
Function	Retrieval/content security
Control purpose	Separate authority from retrieved/external content,

	scope connectors and provenance, constrain write-back/recursion, and test indirect-injection and poisoned-content paths.
Principal outputs	Retrieval trust model; content classification; connector restrictions; provenance controls; indirect-injection tests
Reassessment	D3, AP-D3; B1/B4 where relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D3-04 - Execute AI-Specific Adversarial Evaluation and Regression Assurance

Primary object / mapping	D3 / AP-D3
Function	Adversarial assurance
Control purpose	Derive realistic attack cases from the threat model, execute against the complete system and convert material failures into versioned regression evidence.
Principal outputs	Adversarial evaluation plan; attack corpus; execution evidence; finding/remediation register; regression suite
Reassessment	D3, AP-D3

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D3-05 - Operationalize AI-Security Monitoring and Incident Response

Primary object / mapping	D3 / AP-D3
Function	Security monitoring/response
Control purpose	Define AI-security event signals, investigation identifiers, triage ownership, containment mechanisms and exercises linked to regression and reassessment.
Principal outputs	AI-security event taxonomy; alert rules; incident runbook; containment procedures; exercise evidence
Reassessment	D3, AP-D3; candidate input to F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D4-01 - Define Material Execution Trace and Reconstruction Contract

Primary object / mapping	D4 / AP-D4
Function	Traceability baseline
Control purpose	Specify which outputs/actions must be reconstructable and the run, component, evidence, tool, validation, human-decision, chronology and retention evidence required.
Principal outputs	Execution trace contract; event/identifier taxonomy; reconstruction data model; retention/integrity rules
Reassessment	D4, AP-D4; supports F2

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D4-02 - Implement Integrity-Protected Run and Governance Observability

Primary object / mapping	D4 / AP-D4
Function	Traceability implementation
Control purpose	Capture run manifests, component/evidence links, tool/action events, validations and human decisions in integrity-protected history rather than mutable current-state aliases.
Principal outputs	Run manifests; evidence/component linkage; tool/action logs; governance decision events; integrity controls
Reassessment	D4, AP-D4; B3/B4 where telemetry sensitive

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D4-03 - Execute Output, Failure and Decision Reconstruction

Primary object / mapping	D4 / AP-D4
Function	Traceability effectiveness
Control purpose	Reconstruct representative successful, failed and disputed cases from retained evidence and compare system/version/decision chronology without relying on operator memory.
Principal outputs	Reconstruction plan; case packages; timelines; version comparisons; defect register; retest evidence
Reassessment	D4, AP-D4; supports D2/D3/F2

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-AP-D4-01 - Reconstruct and Contain Opaque Execution

Primary object / mapping	AP-D4
Function	Corrective traceability recovery
Control purpose	Preserve all available historical evidence, explicitly mark irrecoverable facts unknown, constrain reliance on opaque paths, and rebuild current observability/reconstruction controls.
Principal outputs	Opaque-execution gap analysis; partial reconstruction; unknown-fact register; containment; corrected observability
Reassessment	AP-D4, D4; potentially F2/F4/F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D5-01 - Define Failure Modes, Safe States and Recovery Objectives

Primary object / mapping	D5 / AP-D5
Function	Failure/recovery baseline
Control purpose	Enumerate relevant model, control, provider, retrieval, tool, data and infrastructure failures and define risk-

	appropriate safe states, degraded modes, takeover and recovery objectives.
Principal outputs	Failure mode register; safe-state model; degraded-mode policy; recovery objectives; control-transfer matrix
Reassessment	D5, AP-D5; A5/C2/C5 where relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D5-02 - Implement Fail-Safe States, Interruption, Fallback, Rollback and Human Takeover

Primary object / mapping	D5 / AP-D5
Function	Failure containment
Control purpose	Implement external interruption, controlled degradation, approved fallback, rollback, evidence preservation and human/manual takeover so material failures cannot silently continue as normal.
Principal outputs	Fail-safe controls; interruption/kill mechanism; fallback config; rollback procedure; takeover procedure; recovery checklist
Reassessment	D5, AP-D5; C2/C3/C5 and later F4/F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-D5-03 - Execute Fault-Injection, Recovery and Human-Takeover Exercises

Primary object / mapping	D5 / AP-D5
Function	Recovery effectiveness
Control purpose	Inject representative provider, model, validation, retrieval, tool, credential and infrastructure failures and verify detection, containment, takeover and return to service.
Principal outputs	Fault-injection plan; recovery exercise evidence; fallback/rollback results; takeover exercise; remediation register
Reassessment	D5, AP-D5; conditionally D1/D3/C5/F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ARCHITECTURE-AP-D5-01 - Contain Fail-Open Operation and Restore Controlled Failure Behavior

Primary object / mapping	AP-D5
Function	Corrective fail-open containment
Control purpose	Contain cases where control/component/evidence failure still produces plausible uncontrolled operation, review affected outputs/actions, implement safe states and retest recovery.
Principal outputs	Fail-open exposure analysis; containment; affected-output review; corrected controls; recovery exercise

	evidence
Reassessment	AP-D5, D5; conditionally D3/F4/F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

Domain E - Human impact, rights, fairness, transparency, oversight and recourse

Namespace: HUMAN | Current unique IDs: 21

Protect affected people through impact analysis, fairness assurance, meaningful transparency, real human oversight, and practical recourse.

ID	Title	Primary object / mapping
TAC-HUMAN-E1-01	Establish Affected-Person, Rights and Impact-Pathway Baseline	E1 / AP-E1
TAC-HUMAN-E1-02	Integrate Human-Impact Mitigation and Stakeholder Input Into Design and Operation	E1 / AP-E1
TAC-HUMAN-E1-03	Monitor Human Impact and Reassess After Material Change	E1 / AP-E1
TAC-HUMAN-AP-E1-01	Expand User-Only Impact Framing and Requalify Affected-Person Decisions	AP-E1
TAC-HUMAN-E2-01	Establish Contextual Fairness Objective and Disparity Boundary	E2 / AP-E2
TAC-HUMAN-E2-02	Implement Cross-Layer Fairness and Non-Discrimination Mitigation	E2 / AP-E2
TAC-HUMAN-E2-03	Execute Subgroup, Intersectional and Operational Fairness Evaluation	E2 / AP-E2
TAC-HUMAN-AP-E2-01	Reset Aggregate-Performance Fairness and Requalify Disparate Outcomes	AP-E2
TAC-HUMAN-E3-01	Establish Audience-Specific Transparency and Communication Contract	E3 / AP-E3
TAC-HUMAN-E3-02	Implement Timely, Accurate and Actionable AI Disclosure	E3 / AP-E3
TAC-HUMAN-E3-03	Test Transparency Comprehension, Accessibility and Operational Consistency	E3 / AP-E3
TAC-HUMAN-AP-E3-01	Correct Decorative, Misleading or Incomplete Transparency	AP-E3
TAC-HUMAN-E4-01	Establish Meaningful Human-Oversight Design and Authority	E4 / AP-E4
TAC-HUMAN-E4-02	Implement Inspect, Pause, Correct, Override and Escalate Controls	E4 / AP-E4
TAC-HUMAN-E4-03	Measure Human-Oversight Effectiveness and Automation Bias	E4 / AP-E4
TAC-HUMAN-AP-E4-01	Restore Independent Judgment in Rubber-Stamp Oversight	AP-E4
TAC-HUMAN-E5-01	Establish Recourse, Correction, Accessibility and Competence	E5 / AP-E5

	Requirements	
TAC-HUMAN-E5-02	Implement Accessible Human Recourse and Correction Propagation	E5 / AP-E5
TAC-HUMAN-E5-03	Establish Role-Specific AI Literacy and Competence	E5 / AP-E5
TAC-HUMAN-E5-04	Verify Practical Recourse, Accessibility and Role Competence	E5 / AP-E5
TAC-HUMAN-AP-E5-01	Reopen Functionally Final Outcomes and Restore Practical Recourse	AP-E5

TAC-HUMAN-E1-01 - Establish Affected-Person, Rights and Impact-Pathway Baseline

Primary object / mapping	E1 / AP-E1
Function	Human-impact baseline
Control purpose	Identify direct and indirect affected people/groups, relevant rights/interests, benefit/harm pathways, vulnerability, severity, likelihood, reversibility and uncertainty.
Principal outputs	Affected-person map; rights/interests register; impact-pathway model; vulnerability analysis; reassessment triggers
Reassessment	E1, AP-E1; potentially A1/A4/E2-E5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E1-02 - Integrate Human-Impact Mitigation and Stakeholder Input Into Design and Operation

Primary object / mapping	E1 / AP-E1
Function	Impact mitigation
Control purpose	Translate material human-impact findings into owned controls, stakeholder-informed design changes, mitigation verification and escalation for unresolved high-impact risks.
Principal outputs	Impact mitigation plan; impact-to-control traceability; stakeholder record; dissent/limitation register
Reassessment	E1, AP-E1; affected E2-E5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E1-03 - Monitor Human Impact and Reassess After Material Change

Primary object / mapping	E1 / AP-E1
Function	Impact monitoring
Control purpose	Monitor current direct/indirect impacts, complaints and mitigation effectiveness and trigger reassessment when use, model, data, provider or workflow changes alter affected groups or impact pathways.

Principal outputs	Impact monitoring plan; current evidence; complaint/incident themes; mitigation review; reassessment history
Reassessment	E1, AP-E1; candidate input to F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-AP-E1-01 - Expand User-Only Impact Framing and Requalify Affected-Person Decisions

Primary object / mapping	AP-E1
Function	Corrective impact-scope reset
Control purpose	Expose decisions based only on buyer/operator benefit, add omitted non-users/vulnerable groups, rebuild impact analysis and requalify prior decisions affected by the omission.
Principal outputs	Impact-scope defect analysis; omitted-group register; corrected impact assessment; prior-decision requalification
Reassessment	AP-E1, E1; conditionally A2/A4/E2-E5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E2-01 - Establish Contextual Fairness Objective and Disparity Boundary

Primary object / mapping	E2 / AP-E2
Function	Fairness baseline
Control purpose	Define relevant groups, harms, comparison logic, proxy pathways, fairness metrics, uncertainty and unacceptable-disparity thresholds from the actual decision context.
Principal outputs	Fairness objective; group/harm map; proxy analysis; metric specification; disparity threshold matrix
Reassessment	E2, AP-E2; potentially B3/E1

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E2-02 - Implement Cross-Layer Fairness and Non-Discrimination Mitigation

Primary object / mapping	E2 / AP-E2
Function	Fairness mitigation
Control purpose	Mitigate identified disparity at the data, model, workflow, policy or human-review layer actually causing the problem and assess secondary effects.
Principal outputs	Fairness mitigation plan; disparity-to-control mapping; data/model/workflow changes; pre/post evidence
Reassessment	E2, AP-E2; B3/D2/E4 as relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E2-03 - Execute Subgroup, Intersectional and Operational Fairness Evaluation

Primary object / mapping	E2 / AP-E2
Function	Fairness effectiveness
Control purpose	Evaluate subgroup/intersectional outcomes, proxies, human-review effects and operational disparities rather than relying on aggregate performance or attribute removal.
Principal outputs	Fairness evaluation plan; subgroup/intersectional results; proxy tests; mitigation validation; decision record
Reassessment	E2, AP-E2

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-AP-E2-01 - Reset Aggregate-Performance Fairness and Requalify Disparate Outcomes

Primary object / mapping	AP-E2
Function	Corrective fairness reset
Control purpose	Replace aggregate-only or attribute-removal fairness claims with contextual fairness objectives, cross-layer mitigation and operational subgroup evidence, reviewing prior material outcomes where required.
Principal outputs	Fairness assurance defect analysis; omitted group/proxy register; corrected objective; mitigation; subgroup results
Reassessment	AP-E2, E2; conditionally E1/B3

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E3-01 - Establish Audience-Specific Transparency and Communication Contract

Primary object / mapping	E3 / AP-E3
Function	Transparency baseline
Control purpose	Define what users, affected persons, reviewers and operators need to know about AI use, purpose, limitations, data use, human involvement, consequences and challenge routes, and when.
Principal outputs	Transparency audience matrix; disclosure content standard; timing requirements; communication ownership
Reassessment	E3, AP-E3; potentially B3/B5/E5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E3-02 - Implement Timely, Accurate and Actionable AI Disclosure

Primary object / mapping	E3 / AP-E3
Function	Transparency implementation
Control purpose	Place accurate AI interaction, limitation, human-review, contact and correction information in the actual

	workflow at the time it can support informed action.
Principal outputs	Implemented disclosures; AI labels; limitation notices; human-review status; contact/correction links; version history
Reassessment	E3, AP-E3; E5 where recourse linked

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E3-03 - Test Transparency Comprehension, Accessibility and Operational Consistency

Primary object / mapping	E3 / AP-E3
Function	Transparency effectiveness
Control purpose	Test whether representative audiences notice, understand and can act on disclosures, whether accessibility is adequate, and whether communication matches actual system behavior.
Principal outputs	Transparency test plan; comprehension results; accessibility review; consistency check; retest evidence
Reassessment	E3, AP-E3; potentially E5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-AP-E3-01 - Correct Decorative, Misleading or Incomplete Transparency

Primary object / mapping	AP-E3
Function	Corrective communication reset
Control purpose	Correct generic, hidden, mistimed or behavior-inconsistent disclosures, then retest comprehension/accessibility and issue corrective communication where prior outcomes were affected.
Principal outputs	Transparency defect analysis; corrected disclosure package; interaction evidence; retest; corrective communication
Reassessment	AP-E3, E3; conditionally B3/E5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E4-01 - Establish Meaningful Human-Oversight Design and Authority

Primary object / mapping	E4 / AP-E4
Function	Oversight baseline
Control purpose	Define why human oversight is needed, intervention points, reviewer competence, information needs, workload, independence, authority, escalation and continuity.
Principal outputs	Human oversight design; competence profile; intervention matrix; reviewer information requirements; authority map

Reassessment	E4, AP-E4; potentially C3/D2/D5/F4
---------------------	------------------------------------

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E4-02 - Implement Inspect, Pause, Correct, Override and Escalate Controls

Primary object / mapping	E4 / AP-E4
Function	Oversight implementation
Control purpose	Give competent reviewers evidence/uncertainty visibility and practical ability to pause, correct, override, reverse and escalate before material consequences become irreversible.
Principal outputs	Oversight workflow; evidence presentation; pause/hold controls; override/correction mechanism; escalation logs
Reassessment	E4, AP-E4; E5 where recourse linked

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E4-03 - Measure Human-Oversight Effectiveness and Automation Bias

Primary object / mapping	E4 / AP-E4
Function	Oversight effectiveness
Control purpose	Measure workload, review time, disagreement/override, error detection, escalation and automation-bias behavior to show reviewers actually exercise independent judgment.
Principal outputs	Oversight effectiveness metrics; workload evidence; override analysis; error-detection results; bias review
Reassessment	E4, AP-E4; D2/E2 where relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-AP-E4-01 - Restore Independent Judgment in Rubber-Stamp Oversight

Primary object / mapping	AP-E4
Function	Corrective oversight reset
Control purpose	Identify capacity, information, authority or incentive failures causing passive acceptance, correct the oversight design/workload/interface and review affected high-consequence decisions.
Principal outputs	Rubber-stamp analysis; capacity remediation; corrected oversight design; prior-decision review; effectiveness evidence
Reassessment	AP-E4, E4; conditionally D2/E2/F4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E5-01 - Establish Recourse, Correction, Accessibility and Competence Requirements

Primary object / mapping	E5 / AP-E5
Function	Recourse/competence baseline
Control purpose	Define challenge/correction routes, independent human reconsideration, correction propagation, accessibility needs and role-specific AI competence/AI-literacy requirements.
Principal outputs	Recourse requirements; correction contract; accessibility matrix; human-review requirement; competence framework
Reassessment	E5, AP-E5; E3/E4/B3 where relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E5-02 - Implement Accessible Human Recourse and Correction Propagation

Primary object / mapping	E5 / AP-E5
Function	Recourse implementation
Control purpose	Create a practically accessible route to competent human reconsideration, accept contrary information, alter outcomes when justified and propagate corrections downstream.
Principal outputs	Human recourse workflow; appeal/correction interface; independent review routing; correction propagation map
Reassessment	E5, AP-E5; B3/E4 as relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E5-03 - Establish Role-Specific AI Literacy and Competence

Primary object / mapping	E5 / AP-E5
Function	Competence implementation
Control purpose	Define role-based understanding of capabilities, limitations, uncertainty, appropriate reliance, duties, incidents and escalation, with scenario-based competence evidence and refresh triggers.
Principal outputs	AI literacy framework; role-based learning paths; scenario assessments; competence records; refresher triggers
Reassessment	E5, AP-E5; E4 and operational categories

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-E5-04 - Verify Practical Recourse, Accessibility and Role Competence

Primary object / mapping	E5 / AP-E5
Function	Recourse/competence effectiveness
Control purpose	Run representative appeal/correction cases, accessibility

	checks and competence assessments and inspect complaint/abandonment trends and systemic learning.
Principal outputs	Recourse effectiveness report; accessibility tests; correction evidence; competence results; improvement record
Reassessment	E5, AP-E5; E3/E4/B3

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-HUMAN-AP-E5-01 - Reopen Functionally Final Outcomes and Restore Practical Recourse

Primary object / mapping	AP-E5
Function	Corrective recourse restoration
Control purpose	When outcomes are functionally final, appeals repeat the same automated logic or accessibility/competence blocks challenge, create interim human review, reopen affected outcomes and restore practical recourse.
Principal outputs	No-recourse exposure analysis; interim review route; affected-outcome register; corrected workflow; competence/accessibility evidence
Reassessment	AP-E5, E5; conditionally E3/E4/B3/F4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

Domain F - Accountability, evidence, risk decisions and lifecycle governance

Namespace: ACCOUNTABILITY | **Current unique IDs:** 17

Maintain accountable ownership, decision-eligible evidence, controlled risk treatment, explicit human authorization, and lifecycle governance.

ID	Title	Primary object / mapping
TAC-ACCOUNTABILITY-F2-01	Establish Claim-to-Evidence and Assurance Contract	F2 / AP-F2
TAC-ACCOUNTABILITY-F2-02	Implement Evidence Lineage, Freshness, Contradiction and Integrity Controls	F2 / AP-F2
TAC-ACCOUNTABILITY-F2-03	Reproduce Decision Package Against Current System State	F2 / AP-F2
TAC-ACCOUNTABILITY-AP-F2-01	Replace Compliance-by-Assertion With Decision-Eligible Evidence	AP-F2
TAC-ACCOUNTABILITY-F3-01	Establish System-Specific Risk, Tolerance and Treatment Contract	F3 / AP-F3
TAC-ACCOUNTABILITY-F3-02	Implement Risk-to-Control, Owner, Deadline and Exception Tracking	F3 / AP-F3
TAC-ACCOUNTABILITY-F3-03	Verify Control Effectiveness and Establish Residual-Risk Position	F3 / AP-F3
TAC-ACCOUNTABILITY-AP-F3-01	Convert Risk Inventory Into Controlled Treatment and Reassess Residual Risk	AP-F3
TAC-ACCOUNTABILITY-F4-01	Establish Decision Authority, Delegation, Quorum, SLA and Expiry Contract	F4 / AP-F4
TAC-ACCOUNTABILITY-F4-02	Implement Asynchronous Explicit Human Authorization and Immutable Decision Workflow	F4 / AP-F4
TAC-ACCOUNTABILITY-F4-03	Enforce Decision Conditions and Verify Authorization Before Progression	F4 / AP-F4
TAC-ACCOUNTABILITY-AP-F4-01	Replace Calendar, Silence and AI-Driven Approval With Explicit Human Authorization	AP-F4
TAC-ACCOUNTABILITY-F5-01	Establish Unified Monitoring, Incident, Material-Change and Retirement Trigger Model	F5 / AP-F5
TAC-ACCOUNTABILITY-F5-02	Orchestrate Governance Events Into Reassessment, Corrective Action and Reauthorization	F5 / AP-F5
TAC-ACCOUNTABILITY-F5-03	Execute Controlled AI System Retirement and Dependency Exit	F5 / AP-F5
TAC-ACCOUNTABILITY-F5-04	Verify Detection, Response, Reauthorization and Retirement	F5 / AP-F5

	Effectiveness	
TAC-ACCOUNTABILITY-AP-F5-01	Restore Lifecycle Governance After Approval-as-End-State	AP-F5

TAC-ACCOUNTABILITY-F2-01 - Establish Claim-to-Evidence and Assurance Contract

Primary object / mapping	F2 / AP-F2
Function	Evidence contract
Control purpose	Define what evidence can establish each material governance claim, including evidence class, provenance, scope, freshness, independence, contradiction handling and assurance ceiling.
Principal outputs	Claim-to-evidence matrix; evidence acceptance contract; assurance ceiling rules; freshness/verification rules
Reassessment	F2, AP-F2 and dependent substantive objects

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F2-02 - Implement Evidence Lineage, Freshness, Contradiction and Integrity Controls

Primary object / mapping	F2 / AP-F2
Function	Evidence control implementation
Control purpose	Bind evidence to stable IDs, sources, system versions and claims, preserve history/freshness/conflict state, and prevent silent reuse or overwrite.
Principal outputs	Evidence lineage store; manifest; scope/version bindings; freshness state; contradiction register; change history
Reassessment	F2, AP-F2 and dependent findings

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F2-03 - Reproduce Decision Package Against Current System State

Primary object / mapping	F2 / AP-F2
Function	Decision-package reproducibility
Control purpose	Rebuild the material governance decision from applicable requirements, current evidence, verified findings, unknown/conflicting items and authorization, then compare it to current implementation.
Principal outputs	Decision package manifest; requirement/evidence reconstruction; current-system alignment; drift register
Reassessment	F2, AP-F2; F3/F4 and dependent findings

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-AP-F2-01 - Replace Compliance-by-Assertion With Decision-Eligible Evidence

Primary object / mapping	AP-F2
--------------------------	-------

Function	Corrective evidence reset
Control purpose	Downgrade claims supported only by policies, screenshots, checkboxes or copied evidence, invalidate stale/unattributed evidence and regenerate the decision package from decision-eligible evidence.
Principal outputs	Assertion-to-evidence gap analysis; evidence downgrade record; invalid evidence register; corrected package
Reassessment	AP-F2, F2 and every dependent finding/decision

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F3-01 - Establish System-Specific Risk, Tolerance and Treatment Contract

Primary object / mapping	F3 / AP-F3
Function	Risk baseline
Control purpose	Define system-specific risks, inherent/current/residual risk, treatment objectives, organizational tolerance, evidence requirements and acceptance authority without false precision.
Principal outputs	AI risk register; risk method/tolerance matrix; treatment objectives; residual-risk definition; authority matrix
Reassessment	F3, AP-F3; relevant substantive domains

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F3-02 - Implement Risk-to-Control, Owner, Deadline and Exception Tracking

Primary object / mapping	F3 / AP-F3
Function	Risk treatment execution
Control purpose	Map each material risk to controls, owners, deadlines, evidence and acceptance criteria, distinguish planned/implemented/tested state, and force expiry/escalation for exceptions.
Principal outputs	Risk-to-control matrix; control ownership register; treatment milestones; exception/expiry register; overdue report
Reassessment	F3, AP-F3 and mapped domains

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F3-03 - Verify Control Effectiveness and Establish Residual-Risk Position

Primary object / mapping	F3 / AP-F3
Function	Residual-risk evidence
Control purpose	Use current control-effectiveness evidence to establish a proposed residual-risk position and uncertainty relative to tolerance while keeping acceptance as a separate human decision.

Principal outputs	Control effectiveness package; current risk reassessment; residual-risk statement; tolerance comparison; decision package
Reassessment	F3, AP-F3; F4

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-AP-F3-01 - Convert Risk Inventory Into Controlled Treatment and Reassess Residual Risk

Primary object / mapping	AP-F3
Function	Corrective risk-management reset
Control purpose	Restore unsupported risk reductions, clean up expired/unowned exceptions, implement real treatment and effectiveness evidence, and reopen acceptance where needed.
Principal outputs	Risk-control gap analysis; risk-state correction; exception cleanup; treatment plan; effectiveness evidence
Reassessment	AP-F3, F3; F4 and affected domains

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F4-01 - Establish Decision Authority, Delegation, Quorum, SLA and Expiry Contract

Primary object / mapping	F4 / AP-F4
Function	Decision authority baseline
Control purpose	Define human authority for lifecycle, exception, residual-risk and escalation decisions, including delegation, quorum, evidence prerequisites, SLA, expiry and explicit separation from AI recommendation.
Principal outputs	Decision authority matrix; delegation/quorum rules; SLA/escalation matrix; expiry rules; AI-recommendation separation
Reassessment	F4, AP-F4; F1/F3/A5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F4-02 - Implement Asynchronous Explicit Human Authorization and Immutable Decision Workflow

Primary object / mapping	F4 / AP-F4
Function	Authorization workflow
Control purpose	Require explicit attributable human approval/rejection/conditions/dissent, support asynchronous review and escalation, and prevent model output, silence or timeout from becoming authorization.
Principal outputs	Human authorization workflow; decision package; explicit decision record; condition/dissent register; immutable history

Reassessment	F4, AP-F4; F2/F3
---------------------	------------------

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F4-03 - Enforce Decision Conditions and Verify Authorization Before Progression

Primary object / mapping	F4 / AP-F4
Function	Authorization enforcement
Control purpose	Bind decisions to exact system/version/scope, enforce conditions and expiry, invalidate on material change, and block unauthorized progression.
Principal outputs	Authorization-to-state binding; condition tracking; expiry logic; unauthorized progression detection; verification evidence
Reassessment	F4, AP-F4; F2/F3/A5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-AP-F4-01 - Replace Calendar, Silence and AI-Driven Approval With Explicit Human Authorization

Primary object / mapping	AP-F4
Function	Corrective authorization reset
Control purpose	Identify unsupported progression caused by calendar timing, silence, ambiguous collective ownership or AI/green-state approval, then re-establish and enforce explicit human authorization.
Principal outputs	Authorization gap analysis; unsupported progression register; corrected authority; reauthorization decisions; condition enforcement
Reassessment	AP-F4, F4; F3/A5 and affected criteria

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F5-01 - Establish Unified Monitoring, Incident, Material-Change and Retirement Trigger Model

Primary object / mapping	F5 / AP-F5
Function	Lifecycle trigger architecture
Control purpose	Convert quality, security, privacy, fairness, provider, supply-chain, purpose, classification, control and complaint signals into defined governance events with owners, thresholds, reassessment targets and SLAs.
Principal outputs	Governance trigger catalog; monitoring objective matrix; incident/materiality classification; reassessment routing; retirement register
Reassessment	F5, AP-F5 and all triggered domains

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F5-02 - Orchestrate Governance Events Into Reassessment, Corrective Action and Reauthorization

Primary object / mapping	F5 / AP-F5
Function	Lifecycle governance orchestration
Control purpose	Route validated incidents/changes to the affected assessment objects, invalidate stale evidence, invoke specialized remediation, reassess risk and require reauthorization before closure.
Principal outputs	Governance event workflow; event-to-assessment routing; evidence invalidation; reassessment case; reauthorization trace
Reassessment	F5, AP-F5 and all routed objects

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F5-03 - Execute Controlled AI System Retirement and Dependency Exit

Primary object / mapping	F5 / AP-F5
Function	Retirement execution
Control purpose	Retire the system by revoking operational authority, removing data/integrations/providers as required, preserving required governance history and verifying downstream dependency exit.
Principal outputs	Retirement plan; credential revocation; data/store disposition; integration decommission; vendor exit; evidence archive
Reassessment	F5, AP-F5; B/C/A5 as relevant

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-F5-04 - Verify Detection, Response, Reauthorization and Retirement Effectiveness

Primary object / mapping	F5 / AP-F5
Function	Lifecycle effectiveness
Control purpose	Exercise the full governance feedback loop from signal through response, evidence/finding reassessment, human reauthorization and retirement verification.
Principal outputs	Lifecycle governance exercise; detection-to-decision traces; incident evidence; change reauthorization; retirement verification
Reassessment	F5, AP-F5

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

TAC-ACCOUNTABILITY-AP-F5-01 - Restore Lifecycle Governance After Approval-as-End-State

Primary object / mapping	AP-F5
Function	Corrective lifecycle reset

Control purpose	Reconstruct post-approval changes/incidents, identify stale evidence/decisions, constrain unjustified operation, rebuild lifecycle triggers/orchestration and reauthorize the current state.
Principal outputs	Post-approval gap analysis; material change history; stale evidence register; reassessment; reauthorization; retirement cleanup
Reassessment	AP-F5, F5 and all affected domains

Common closure invariant: implementation produces evidence for verification and reassessment; it does not directly close a finding, clear a hard gate, establish legal compliance, accept residual risk or authorize lifecycle progression.

Current pre-QA catalog state

Domains authored: 6/6

Capability / anti-pattern pairs processed: 30/30

Operational remediation nodes: 180/180

Unique candidate tactic IDs: 119

Confirmed cross-domain reuse: Yes

Forced symmetric tactic counts: No

Non-whitelisted normative sources introduced: 0 identified

Unlicensed ISO clause-level usage: 0

Tactics allowed to auto-close findings: 0

Next production step: final global QA and normalization of the canonical tactic catalog, followed by generation of the machine-authoritative JSON and human-readable playbook publication.