Solution Assurance Engine

Document of Approval

Approval pending

Review the registered intent, requirement traces, selected tests and verification conclusions before authorizing release. Purpose, risk acceptance and deployment require named human authority. The test register retains applicability reasons and exclusions alongside its results.

Package field	Reference case record
Input baseline	CSCF-SAE-NB-001 | version 1.1
Approval document	CSCF-SAE-DOA-001 | version 1.1
Candidate and knowledge snapshot	SAE-REF-001 | SAE-KB-BASELINE-001 v1.1
Date	11 October 2026
Test register	26 applicable tests: 23 from rule packs and 3 owner requests; 1 explicit exclusion
Release status	APPROVAL PENDING
Accountable owner	Jori Eskolin, solution owner; accountable for purpose, scope and intake confirmation.

Declared purpose

Create evidence-gated readiness analysis for digital solutions by comparing declared purpose, documentation, implementation, tests and observed behaviour. Deterministic controls govern findings and progression; named humans retain formal decision authority.

Demand and target state

Solution owners need a consistent way to determine what evidence supports readiness, identify missing proof and route accountable human decisions.

Combining governed A-F knowledge, attributable evidence, independent verification and deterministic gates can produce reproducible readiness recommendations without transferring approval authority.

Evidence basis

Results belong to the prepared reference case and are not execution evidence for a production SAE candidate.

Accepted input

SAE-CSCF-New-Build-Brief-v1.1.docx

SHA-256: 6f3f73815cae2d973dff6f240b52dcdc4c9529a646ab2610a85907d3b2bc6b1e

Intake and test selection

Registered intake field	Declared value
Entry mode	New Build
Trigger	Customer demand and governance improvement opportunity
Priority	High: establish the assurance foundation before introducing autonomous execution or a production release.
Delivery context	Initial controlled pilot for solution owners, architects and governance reviewers; release requires a confirmed target environment and named authorities.
Expected outcome	One traceable ReadinessPackageV2, consistent workspace and summary views, grounded actions and an approval package preserving unknowns and human decision boundaries.
Facts	New solution; A-F assessment instrument; 30 capabilities and 30 anti-patterns with three primary questions each; confirmed intake; raw-source locality; one canonical package; human release authority.
Unresolved information	Production hosting, retention periods, identity provider, approved reasoning providers, operational service levels and named independent reviewers remain to be confirmed.

Selection from governed rules

Classify confirmed intake facts, activate governed rule packs, bind required tests to acceptance criteria, merge owner-requested additional tests, then freeze an independently reviewed Verification Contract.

Pack	Blueprint	Activated coverage
KB-STRUCT-01	12	Structural and software supply chain
KB-BEHAV-01	13	Behavioral adversarial and regression
KB-IMPACT-01	14	Actual impact and architecture invariants
KB-EVID-01	15	Semantic claims and evidence quality
KB-POLICY-01	16	Policy enforcement and authority
KB-SCOPE-01	17	Assurance scope and materiality

Independent review and gate rules

A failed mandatory test, missing essential execution evidence, unsupported decision-critical claim or unresolved authority decision blocks release. UNKNOWN never becomes PASS by omission; exceptions require named authority, scope and expiry.

Structural and supply chain tests

Results are attached to SAE-REF-001 and the input baseline. Requirement references, selection rules and expected behavior are retained for every case.

SAE-TST-01 Build typecheck and lint

Blueprint 12 | KB-STRUCT-01-R01 | PASS | REF-TST-01

Selected by: newBuild. Requirements: SAE-REQ-09, SAE-REQ-10.

Check: Compile the candidate and apply type and lint checks to supported targets.

Pass condition: No build errors, incompatible types or mandatory lint failures.

Result record: Build constraints satisfied in the reference record.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-02 API and schema contracts

Blueprint 12 | KB-STRUCT-01-R02 | PASS | REF-TST-02

Selected by: canonicalExports. Requirements: SAE-REQ-01, SAE-REQ-09.

Check: Validate manifest, intake and ReadinessPackageV2 schemas; reject incompatible API changes.

Pass condition: Required fields and exact versioned object references remain valid.

Result record: Compatible schemas; malformed and incompatible payloads rejected.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-03 Authorized paths and artifact integrity

Blueprint 12 | KB-STRUCT-01-R03 | PASS | REF-TST-03

Selected by: newBuild. Requirements: SAE-REQ-03, SAE-REQ-09.

Check: Compare candidate paths with the contract allowlist and verify artifact hashes.

Pass condition: No forbidden path changes; package hashes match the assessed revision.

Result record: Allowed paths preserved; altered artifact rejected.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-04 Static application security

Blueprint 12 | KB-STRUCT-01-R04 | PASS | REF-TST-04

Selected by: webWorkspace. Requirements: SAE-REQ-01, SAE-REQ-10.

Check: Apply SAST rules to parsers, packet builders, access paths and rendering sinks.

Pass condition: No unresolved mandatory injection or unsafe-data-flow findings.

Result record: Unsafe-path challenge blocked; mandatory checks satisfied.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

Supply chain and source integrity continued

Results are attached to SAE-REF-001 and the input baseline. Requirement references, selection rules and expected behavior are retained for every case.

SAE-TST-05 Dependencies and supply chain

Blueprint 12 | KB-STRUCT-01-R05 | PASS | REF-TST-05

Selected by: externalDependencies. Requirements: SAE-REQ-03, SAE-REQ-10.

Check: Run dependency and SCA policy checks; inspect the SBOM, supplier restrictions and licenses.

Pass condition: No unresolved prohibited dependency, license or critical vulnerability.

Result record: Dependency inventory and supplier-policy coverage complete.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-06 Secrets and configuration

Blueprint 12 | KB-STRUCT-01-R06 | PASS | REF-TST-06

Selected by: roleBasedAccess. Requirements: SAE-REQ-10.

Check: Scan source and exports for secrets; validate runtime and infrastructure configuration.

Pass condition: Credentials absent from source, packet payloads and audit exports; required settings enforced.

Result record: Secret sentinel excluded; insecure configuration rejected.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-07 Source manifests and provenance

Blueprint 12 | KB-STRUCT-01-R07 | PASS | REF-TST-07

Selected by: sourceDocuments. Requirements: SAE-REQ-01, SAE-REQ-03.

Check: Validate checksums, media types, parse states and provenance on every source record.

Pass condition: Malformed or unsupported material is explicit; manifests never become authoritative knowledge.

Result record: Tampered source rejected; provenance references preserved.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-08 Container image scanning

Blueprint 12 | KB-STRUCT-01-R08 | NOT_APPLICABLE | REF-TST-08

Selected by: containerTarget. Requirements: SAE-REQ-10.

Check: If a container target is selected, scan the exact image and deployment configuration.

Pass condition: Required image checks pass for a confirmed container deployment target.

Result record: Container target not selected in the intake; reclassification required if it changes.

Release conclusion: Excluded for this baseline; reselect if the target changes.

Behavioral and adversarial tests

Results are attached to SAE-REF-001 and the input baseline. Requirement references, selection rules and expected behavior are retained for every case.

SAE-TST-09 Unit integration and API behavior

Blueprint 13 | KB-BEHAV-01-R09 | PASS | REF-TST-09

Selected by: newBuild. Requirements: SAE-REQ-01, SAE-REQ-02, SAE-REQ-09.

Check: Exercise acquisition, confirmation, package construction and service boundaries.

Pass condition: Normal paths produce the expected typed outputs; invalid inputs remain explicit.

Result record: Expected outputs and invalid-input behavior match acceptance criteria.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-10 End to end human confirmed intake

Blueprint 13 | KB-BEHAV-01-R10 | PASS | REF-TST-10

Selected by: webWorkspace. Requirements: SAE-REQ-02, SAE-REQ-09.

Check: Follow intake review, confirmation, assessment and consistent export views.

Pass condition: Unconfirmed intake cannot start assessment; confirmed snapshot is used everywhere.

Result record: Early assessment denied; confirmed snapshot retained across views.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-11 Negative and adversarial evidence

Blueprint 13 | KB-BEHAV-01-R11 | PASS | REF-TST-11

Selected by: sourceDocuments. Requirements: SAE-REQ-01, SAE-REQ-05, SAE-REQ-08.

Check: Challenge fabricated citations, prompt-like source instructions, unsupported claims and missing proof.

Pass condition: Source content cannot override controls or silently satisfy an evidence obligation.

Result record: Fabricated locator and source-instruction challenge rejected.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-12 Authentication and authorization

Blueprint 13 | KB-BEHAV-01-R12 | PASS | REF-TST-12

Selected by: roleBasedAccess. Requirements: SAE-REQ-02, SAE-REQ-10.

Check: Exercise owner, reviewer and approver rights, including unauthorized access attempts.

Pass condition: Only the authorized role performs each protected action; denials are attributable.

Result record: Unauthorized confirmation, evidence access and approval denied.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

Recovery privacy and dynamic security tests

Results are attached to SAE-REF-001 and the input baseline. Requirement references, selection rules and expected behavior are retained for every case.

SAE-TST-13 Failure recovery and incomplete execution

Blueprint 13 | KB-BEHAV-01-R13 | PASS | REF-TST-13

Selected by: newBuild. Requirements: SAE-REQ-01, SAE-REQ-05, SAE-REQ-06.

Check: Interrupt parsing and verification, retry safely and test missing essential execution evidence.

Pass condition: No false pass after interruption; recovery preserves package identity and UNKNOWN states.

Result record: Incomplete proof remains UNKNOWN; retry does not duplicate findings.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-14 Privacy and provider packet boundary

Blueprint 13 | KB-BEHAV-01-R14 | PASS | REF-TST-14

Selected by: personalOrConfidentialData. Requirements: SAE-REQ-01, SAE-REQ-10.

Check: Inspect approved summaries, model packets, exports and audit data with raw-data and credential sentinels.

Pass condition: Raw files, pixels and secrets stay outside provider packets; minimized fields only.

Result record: Boundary sentinels excluded; unsupported disclosure blocked.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-15 Accessibility

Blueprint 13 | KB-BEHAV-01-R15 | PASS | REF-TST-15

Selected by: webWorkspace. Requirements: SAE-REQ-09, SAE-REQ-10.

Check: Check keyboard navigation, focus order, labels, contrast and error announcements.

Pass condition: Key intake, findings and review actions are accessible without a pointer.

Result record: Keyboard paths, focus and readable status announcements satisfy the case.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-16 Dynamic security and penetration paths

Blueprint 13 | KB-BEHAV-01-R16 | PASS | REF-TST-16

Selected by: webWorkspace. Requirements: SAE-REQ-01, SAE-REQ-10.

Check: Apply DAST and penetration scenarios to parser inputs, session boundaries and protected API routes.

Pass condition: No unresolved mandatory exploit path within the confirmed attack surface.

Result record: Injection and unauthorized-session paths denied in the reference case.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

Regression impact and semantic evidence tests

Results are attached to SAE-REF-001 and the input baseline. Requirement references, selection rules and expected behavior are retained for every case.

SAE-TST-17 Regression differential and instrument coverage

Blueprint 13 | KB-BEHAV-01-R17 | PASS | REF-TST-17

Selected by: governedKnowledge. Requirements: SAE-REQ-04, SAE-REQ-06, SAE-REQ-09.

Check: Compare accepted baseline outputs and coverage across all 180 work items, including unknown cases.

Pass condition: No dropped work item or weakened blocker; output differences are attributable.

Result record: 180 of 180 work items accounted for; blocker behavior preserved. Mutation testing is not mandated by this baseline.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-18 Actual versus authorized impact

Blueprint 14 | KB-IMPACT-01-R18 | PASS | REF-TST-18

Selected by: newBuild. Requirements: SAE-REQ-09, SAE-REQ-10.

Check: Compare candidate changes, API schemas and configuration with the predicted affected-system slice.

Pass condition: No material unplanned scope or architecture-invariant change.

Result record: Observed reference boundary matches the authorized slice.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-19 Dependency data flow and permission changes

Blueprint 14 | KB-IMPACT-01-R19 | PASS | REF-TST-19

Selected by: personalOrConfidentialData. Requirements: SAE-REQ-01, SAE-REQ-10.

Check: Traverse dependencies, access paths, personal-data flows and third-party calls.

Pass condition: All affected services and trust boundaries are declared; new impact reopens applicability.

Result record: Local intake and approved-provider boundaries accounted for; scope stable.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-20 Citation revision and semantic support

Blueprint 15 | KB-EVID-01-R20 | PASS | REF-TST-20

Selected by: sourceDocuments. Requirements: SAE-REQ-05, SAE-REQ-08.

Check: Resolve claim locators and source hashes; compare claimed implementation with supporting records.

Pass condition: Only supported claims satisfy obligations; mismatched revisions remain unresolved.

Result record: Fabricated locator rejected; decisive claims bound to exact reference records.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

Evidence policy and authority tests

Results are attached to SAE-REF-001 and the input baseline. Requirement references, selection rules and expected behavior are retained for every case.

SAE-TST-21 Evidence ceilings contradictions and finding lock

Blueprint 15 | KB-EVID-01-R21 | PASS | REF-TST-21

Selected by: governedKnowledge. Requirements: SAE-REQ-04, SAE-REQ-05.

Check: Challenge evidence quality, conflicting sources and incomplete human review before finding lock.

Pass condition: No unsupported locked finding; unknowns and evidence ceilings survive synthesis.

Result record: Conflicting proof withheld from lock; UNKNOWN preserved.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-22 Policy enforcement trace

Blueprint 16 | KB-POLICY-01-R22 | PASS | REF-TST-22

Selected by: deterministicGates. Requirements: SAE-REQ-03, SAE-REQ-06, SAE-REQ-10.

Check: Traverse authority, applicability, control, contract, enforcement point, evidence, finding and gate.

Pass condition: Every active mandatory obligation has a complete exact-ID trace and enforcement evidence.

Result record: Required trace chains complete; missing-control case blocks readiness.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-TST-23 Human authority and exceptions

Blueprint 16 | KB-POLICY-01-R23 | PASS | REF-TST-23

Selected by: roleBasedAccess. Requirements: SAE-REQ-06, SAE-REQ-10.

Check: Attempt automatic approval and an unscoped exception; check named authority requirements.

Pass condition: No automated risk acceptance or release authority; exceptions are scoped and attributable.

Result record: Automatic approval denied; unsigned or expired exception cannot clear a gate.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

Assurance scope and additional tests

Results are attached to SAE-REF-001 and the input baseline. Requirement references, selection rules and expected behavior are retained for every case.

SAE-TST-24 Assurance scope and materiality

Blueprint 17 | KB-SCOPE-01-R24 | PASS | REF-TST-24

Selected by: newBuild. Requirements: SAE-REQ-04, SAE-REQ-10.

Check: Evaluate new-build, purpose, trust-boundary and lifecycle triggers against local and expanded scopes.

Pass condition: Always review the local change; material triggers require affected-system and whole-solution coverage.

Result record: All three assurance scopes selected for this new SAE solution.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-ADD-01 Intake manifests cannot promote themselves into governed knowledge

Blueprint 15 | OWNER-ADD-01 | PASS | REF-ADD-01

Selected by: governedKnowledge. Requirements: SAE-REQ-01, SAE-REQ-03, SAE-REQ-05.

Check: Submit a manifest claiming to be the normative catalogue and attempt criterion replacement.

Pass condition: The catalogue remains unchanged and the manifest stays declared source evidence.

Result record: Self-promotion rejected; normative criteria retained.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-ADD-02 High aggregate scores and completed tactics cannot clear blockers

Blueprint 13 | OWNER-ADD-02 | PASS | REF-ADD-02

Selected by: deterministicGates. Requirements: SAE-REQ-06, SAE-REQ-07.

Check: Combine a high domain score with a mandatory blocker, then mark a tactic complete without reverification.

Pass condition: Readiness remains blocked; tactic completion never closes the finding without new verified proof.

Result record: High score cannot override blocker; premature closure denied.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

SAE-ADD-03 Publication and exports cannot alter canonical readiness

Blueprint 13 | OWNER-ADD-03 | PASS | REF-ADD-03

Selected by: canonicalExports. Requirements: SAE-REQ-08, SAE-REQ-09.

Check: Quarantine unsupported prose and compare workspace, summary and export package identities.

Pass condition: Publication state is independent; all views retain identical package ID and readiness.

Result record: Narrative withheld; canonical package and gate decisions unchanged.

Release conclusion: Requirement proof satisfied within the reference case; human release approval pending.

Additional test origin

SAE-ADD-01 through 03 were requested by the solution owner because the generic rule packs do not cover these SAE-specific cross-control interactions. Their procedures and pass conditions repeat the input brief.

Implementation and verification contracts

Implementation contract

Deliver acquisition adapters, confirmed intake, validated knowledge loading, the A-F instrument, independent claim verification, finding lock, deterministic readiness, exact tactic mapping, controlled publication and canonical views. Protect human authority and information boundaries.

Verification contract

Execute SAE-VER-01 through SAE-VER-10 independently against the assessed revision. Include malformed sources, missing proof, fabricated citations, score-versus-blocker conflicts, unmapped tactics, unsupported prose and unauthorized approval attempts.

Release conditions

All ten requirements must have attributable verification evidence on the assessed revision. Mandatory security failures, missing critical evidence and unresolved authority decisions remain blocking. Named humans authorize release after reviewing the package and target environment.

Operational acceptance

Pre-release tests do not establish operating effectiveness. After a real deployment, collect version-linked evidence, incidents and reassessment triggers. Validate learning before changing the accepted system model.

Verification Contract scope

The contract binds the 26 applicable test identities and one explicit applicability exclusion to the ten original acceptance scenarios. It records independent verification, negative cases, exact requirement IDs and the mandatory blocker rules. Container selection or other material scope changes reopen impact, applicability and both contracts.

Execution evidence required for authorization

A production candidate requires version-linked runner output, configuration and scanner versions, artifact hashes, evidence locators, independent reviewer records and resolved coverage gaps. No mandatory UNKNOWN can be promoted to PASS. The reference case is not a production candidate release authorization.

Information boundaries and security

Source files remain local to acquisition. Approved summaries and confirmed intake define the reasoning boundary. Access controls protect intake, findings and approval actions. Credential exclusion, dependencies, provenance and publication checks map to the explicit test register.

Requirement traceability

Input requirements retain their identity through deliverables, acceptance scenarios, additional test selection and release conclusions. The next pages reproduce the original acceptance criteria.

Input requirement	Implementation deliverable	Verification scenario	Result	Release conclusion
SAE-REQ-01 Safe evidence intake and provenance	Source ingestion manifest and local acquisition adapters	SAE-VER-01 Submit mixed source files with embedded instructions and an unreadable unit; inspect the manifest and confirm that no content is executed.	PASS	Reference case satisfied; approval pending
SAE-REQ-02 Human confirmed intake	Intake workspace and immutable confirmation snapshot	SAE-VER-02 Attempt analysis before confirmation, confirm an intake containing unknowns, and check snapshot and manifest binding.	PASS	Reference case satisfied; approval pending
SAE-REQ-03 Governed knowledge snapshot	Knowledge loader with manifest and reference validation	SAE-VER-03 Load valid and invalid knowledge manifests; submit a claim using an unknown object ID and inspect rejection.	PASS	Reference case satisfied; approval pending
SAE-REQ-04 Complete A to F coverage	Assessment instrument and complete coverage matrix	SAE-VER-04 Run a complete synthetic case and a sparse case; verify all work items are accounted for and missing evidence remains UNKNOWN.	PASS	Reference case satisfied; approval pending
SAE-REQ-05 Independent verification and finding lock	Claim verifier, adjudication route and finding ledger	SAE-VER-05 Inject fabricated locators, unsupported claims and excessive assurance states; confirm rejection or unresolved status.	PASS	Reference case satisfied; approval pending
SAE-REQ-06 Deterministic readiness and hard gates	Readiness decision kernel and hard gate rules	SAE-VER-06 Evaluate a high score case containing a blocker and an unevaluated risk; confirm both boundaries remain enforced.	PASS	Reference case satisfied; approval pending
SAE-REQ-07 Exact tactics and reassessment	Finding to tactic mapping and reassessment workflow	SAE-VER-07 Compare exact ID, keyword-only and unresolved cases; complete a tactic and inspect the still-open finding before reverification.	PASS	Reference case satisfied; approval pending
SAE-REQ-08 Controlled narrative and publication integrity	Synthesis fact check and publication gate	SAE-VER-08 Insert an unsupported narrative claim and compare publication status with unchanged deterministic readiness.	PASS	Reference case satisfied; approval pending
SAE-REQ-09 Canonical readiness package and trace	Canonical package, workspace, summary and exports	SAE-VER-09 Render the same fixture in both views and an export; compare package identity, decisions and requirement to evidence links.	PASS	Reference case satisfied; approval pending
SAE-REQ-10 Information boundaries and human authority	Packet boundary, access controls and authority ledger	SAE-VER-10 Inspect packet fixtures and access denial cases; attempt an automated approval and confirm refusal.	PASS	Reference case satisfied; approval pending

Acceptance criteria and evidence records

These criteria repeat the accepted input baseline. The test register above supplies structural, behavioral, impact, evidence and policy coverage in addition to the original acceptance scenarios.

SAE-REQ-01 Safe evidence intake and provenance

A file containing executable or instruction-like content is never executed. Every acquired unit has a source ID, hash and locator; unreadable units remain explicit limitations.

SAE-VER-01 | Manifest fixture and acquisition boundary test record | PASS

Selected tests: SAE-TST-02, SAE-TST-04, SAE-TST-07, SAE-TST-09, SAE-TST-11, SAE-TST-13, SAE-TST-14, SAE-TST-16, SAE-TST-19, SAE-ADD-01

SAE-REQ-02 Human confirmed intake

Assessment cannot start before confirmation. The confirmed snapshot is hashed and bound to the acquisition manifest; unknown fields remain visible.

SAE-VER-02 | Confirmation gate and snapshot test record | PASS

Selected tests: SAE-TST-09, SAE-TST-10, SAE-TST-12

SAE-REQ-03 Governed knowledge snapshot

An invalid manifest hash or unknown assessment object prevents activation. Criteria remain separate from case evidence throughout the package.

SAE-VER-03 | Knowledge integrity and reference test record | PASS

Selected tests: SAE-TST-03, SAE-TST-05, SAE-TST-07, SAE-TST-22, SAE-ADD-01

SAE-REQ-04 Complete A to F coverage

The coverage matrix accounts for all 180 work items. Missing evidence produces UNKNOWN; exclusions have recorded applicability reasons.

SAE-VER-04 | 180 item coverage and sparse evidence test record | PASS

Selected tests: SAE-TST-17, SAE-TST-21, SAE-TST-24

SAE-REQ-05 Independent verification and finding lock

Broken citations and unsupported claims cannot lock. Code evidence cannot establish TESTED status, and test evidence cannot establish OPERATIONALLY_OBSERVED status.

SAE-VER-05 | Citation, independence and evidence ceiling test record | PASS

Selected tests: SAE-TST-11, SAE-TST-13, SAE-TST-20, SAE-TST-21, SAE-ADD-01

Acceptance criteria continued

SAE-REQ-06 Deterministic readiness and hard gates

A case with a high diagnostic score and a mandatory blocker remains blocked. Residual risk remains NOT_DETERMINED without authorized evaluation.

SAE-VER-06 | Non bypassable gate regression record | PASS

Selected tests: SAE-TST-13, SAE-TST-17, SAE-TST-22, SAE-TST-23, SAE-ADD-02

SAE-REQ-07 Exact tactics and reassessment

Keyword similarity alone retrieves no tactic. Unresolved claims retrieve none; completing a mapped tactic does not automatically close its finding.

SAE-VER-07 | Tactic eligibility and finding lifecycle test record | PASS

Selected tests: SAE-ADD-02

SAE-REQ-08 Controlled narrative and publication integrity

Unsupported prose is withheld or replaced with deterministic wording. REPORT_READY does not change readiness or authorize deployment.

SAE-VER-08 | Narrative quarantine and publication separation test record | PASS

Selected tests: SAE-TST-11, SAE-TST-20, SAE-ADD-03

SAE-REQ-09 Canonical readiness package and trace

Workspace and summary display the same package identity and results. Exporting does not recalculate readiness; every decisive finding links to its evidence and governing object.

SAE-VER-09 | Package identity and view consistency test record | PASS

Selected tests: SAE-TST-01, SAE-TST-02, SAE-TST-03, SAE-TST-09, SAE-TST-10, SAE-TST-15, SAE-TST-17, SAE-TST-18, SAE-ADD-03

SAE-REQ-10 Information boundaries and human authority

Provider packet fixtures contain no raw files, pixels or secrets. Unauthorized access is denied, audit records omit credentials, and the Engine cannot grant formal approval.

SAE-VER-10 | Packet, access and authority boundary test record | PASS

Selected tests: SAE-TST-01, SAE-TST-04, SAE-TST-05, SAE-TST-06, SAE-TST-12, SAE-TST-14, SAE-TST-15, SAE-TST-16, SAE-TST-18, SAE-TST-19, SAE-TST-22, SAE-TST-23, SAE-TST-24

Completed activities and assurance scope

CSCF stage	Blueprint	Completion record
01 Impact & Applicability Classification	01-04	Register the SAE build intent; Establish the evidence and target state; Map affected boundaries
02 Obligations Selected	05	Select tests from intake and governed rules; Merge owner requested additional tests
03 Approved Requirement / Hypothesis	06	Establish the purpose baseline; Freeze ten acceptance requirements
04 Contract Creation	07-08	Prepare the implementation contract; Derive independent verification; Check contract readiness
05 Execution	09-11	Authorize the bounded executor; Prepare acquisition and intake deliverables; Prepare the assessment and control candidate; Capture candidate outputs
06 Compare & Gate	12-16	Review structural and supply chain results; Review behavioral adversarial and regression results; Recheck impact and verify evidence quality; Complete policy traces and additional test review
07 Assurance Expansion	17-19	Review assurance across A-F; Check acceptance and remediation status
08 Release Gate & Deployment	20	Assemble the document of approval

Scope selection

Scope	Trigger and coverage	Conclusion
Local change	Required for every change; all ten requirements and direct controls.	SELECTED
Affected system	Evidence intake, provider packets, identities, dependencies and canonical views touch trust boundaries.	SELECTED
Whole solution	New solution, target purpose, bounded reasoning and lifecycle authority activate A-F assurance.	SELECTED

Coverage and limitations

All 180 primary work items are accounted for by SAE-TST-17. Operating effectiveness is UNOBSERVED until version-linked operational evidence exists. Mutation testing is not mandated; the unconfirmed container target is an explicit applicability exclusion. New evidence or changed boundaries can reopen findings and the assurance scope.

Human review and release decision

Approval pending

Review the exact candidate, execution evidence, accepted exceptions, target environment and rollback conditions before authorization. The reference package preserves the release decision for named human authorities.

Decision boundary	Required authority or evidence	Status
Purpose and scope	Accountable solution owner; confirmed intake and accepted criteria.	REVIEW REQUIRED
Security and privacy	Named security and privacy authority; attributable enforced-control proof.	REVIEW REQUIRED
Risk acceptance	Authorized evaluator and accountable owner.	NOT_DETERMINED
Production release	Named release approver; assessed revision and target environment.	APPROVAL PENDING
Operating effectiveness	Version-linked observations and reassessment.	UNOBSERVED

Open decisions

Confirm the product owner, security/privacy reviewers and release approver for a real implementation. These roles are requirements, not recorded appointments or signatures.

Choose the real deployment boundary, authentication model, retention periods and evidence-store controls according to actual data classification.

Approve provider routes, independence rules, budgets and data-processing arrangements before any future AI integration.

Validate the governed knowledge snapshot, current source editions, applicability and tactic catalogue before real activation.

Set operational service levels, recovery targets and evidence retention with the accountable service owner.

Reference basis

CSCF The Blueprint - end-to-end reference architecture, repository baseline 11 October 2026.

Solution Assurance Engine Thinking Flow - supplied cognitive and control model; six domains, 30 capabilities, 30 anti-patterns and 180 primary questions.

CSCF The Description - Continuous Solution Creation Flow master concept paper, October 2026.

Secure Software Development Process V1.0A - supplied secure-development control reference, 29 September 2026.