

**GIT, GITHUB,
GITHUB ACTIONS**




ÍNDICE


- Introducción
- Ramas
- Colaboración en Github
- Buenas prácticas
- GitFlow
- Github Actions
- Proyecto final Github

CONTROL DE VERSIONES




DE V O P S






¿POR QUÉ USAR UN VCS?


SISTEMAS DE CONTROL DE VERSIONES LOCALES



SISTEMAS DE CONTROL DE VERSIONES CENTRALIZA DOS



SISTEMAS DE CONTROL DE VERSIONES DISTRIBUIDOS



HISTORIA DE GIT




¿QUÉ ES
GIT?




git


COPIAS INSTANTÁNEAS, NO DIFERENCIAS




OPERACIONES LOCALES




INTEGRIDAD



ESTADOS DE GIT




LINEA DE COMANDOS




A screenshot of a Windows Command Prompt window titled "C:\Windows\System32\cmd.exe". The window shows the following text:
Microsoft Windows [Version 10.0.18363.657]
(c) 2019 Microsoft Corporation. All rights reserved.
D:\GFG>git init
Initialized empty Git repository in D:/GFG/.git/
D:\GFG>


GITKRAKEN



SOURCETREE



GITHUB DESKTOP



The screenshot shows the GitHub Desktop application interface. At the top, there's a navigation bar with File, Edit, View, Repository, Branch, and Help. Below the navigation bar, the current repository is set to "desktop" and the current branch is "esc-pr". A pull request #3972 is selected, with the status "Last fetched 2 minutes ago". The "History" tab is active, showing a list of commits:

- Add event handler to dropdown component (AmWillshepherd and Markus Olsson committed a day ago)
- Add event handler to dropdown component (AmWillshepherd and Markus Olsson co...)
- Move escape behavior to correct compo... (AmWillshepherd and Markus Olsson co...)
- Remove event handler from the branches... (AmWillshepherd and Markus Olsson co...)
- Merge branch 'master' into esc-pr (AmWillshepherd committed a day ago)
- Merge pull request #4044 from desktop/... (Neha Batra committed a day ago)
- Merge pull request #4070 from desktop/... (Brendan Forster committed 2 days ago)
- bump to beta3 (Brendan Forster committed 2 days ago)
- Merge pull request #4057 from desktop/... (Brendan Forster committed 2 days ago)
- Merge pull request #4067 from desktop/... (Brendan Forster committed 2 days ago)
- Release to 1.1.0-beta2 (Neha Batra committed 2 days ago)


On the right side, a detailed view of the commit "Add event handler to dropdown component" is shown. The commit message is "Add event handler to dropdown component". It was co-authored by Markus Olsson <nnik@users.noreply.github.com>. The file path is app/src/ui/toolbar/dropdown.tsx. The code diff shows the addition of a private method to check if the dropdown is open and the export of the ToolbarDropdown class.

```
@@ -145,6 +145,10 @@ export class ToolbarDropdown extends React.Component<
```

```
    145      this.state = { clientRect: null }
```

```
    146    }
    147
    148 +   private get isOpen() {
    149 +     return this.props.dropdownState === 'open'
    150 +   }
    151 +
    152     private dropdownIcon(state: DropdownState): OcticonSymbol {
    153       // TODO: Remake triangle octicon in a 12px version,
    154       // right now it's scaled badly on normal dpi monitors.
    155
    156 +   private onEscKeyDown = (event: React.KeyboardEvent<HTMLInputElement>) => {
    157 +     if (!event.defaultPrevented && this.isOpen && event.key === 'Escape') {
    158 +       event.preventDefault()
```


GITHUB




G I T V S G I T H U B

 git	 GitHub
1. It is a software	1. It is a service
2. It is installed locally on the system	2. It is hosted on Web
3. It is a command line tool	3. It provides a graphical interface
4. It is a tool to manage different versions of edits, made to files in a git repository	4. It is a space to upload a copy of the Git repository
5. It provides functionalities like Version Control System Source Code Management	5. It provides functionalities of Git like VCS, Source Code Management as well as adding few of its own features


LABORATORIO 1




INSTALACIÓN DE GIT EN WINDOWS



INSTALACIÓN N DE GIT EN MAC



LABORATORIO 2



ATOM

```
File Edit View Selection Find Packages Help
PEAKEDED sync.py Manager sync_image
for root
for get_pass
for tell_pass
for start
for stop
for show
for method
for update
for msg
for upload
for download
for create#EAT
for replace
for add

def check_all(url, action='store_true'):
    """See if there is any remote dataset not in sync with locals."""
    add('v', '--verbose', action='store_true', help='Print more details.')
    return parse()

def listDatasets(url):
    """Print a list of local and remote datasets"""
    if os.environ['SCIPION_TESTS']:
        print("Local datasets in %s yellowlist:" % url)
        for folder in sorted(os.listdir(url)):
            if folder != 'MANIFEST':
                if os.path.isdir(os.path.join(url, folder)):
                    print(" * %s" % folder)
                else:
                    print(" * %s (not in dataset format) %s" % folder)
    try:
        print("Remote datasets in %s yellowlist:" % url)
        for line in sorted(open(os.path.join(url, 'MANIFEST'))):
            print(" * %s" % line.strip())
    except Exception as e:
        print("Error reading %s (%s)" % (url, e))


def checkDataset(url, verbose=False, updateMANIFEST=False):
    """See if our local copy of dataset is the same as the remote one.
    Return True if it is (if all the checksums are equal), False if not.
    """
    def vlog(tell):
        sys.stdout.write(tell)
        if verbose:
            tell += '\n'
        sys.stdout.flush()
    vlog("Checking dataset %s" % url)

    if updateMANIFEST:
        _createManifest(url, os.environ['SCIPION_TESTS'], dataset)
    else:
        vlog("Not updating local MANIFEST\n")


    try:
        addRemote = dict(x.split() for x in
                        urlopen("http://"+url+"/MANIFEST" % (url, dataset)))
        addLocal = dict(x.split() for x in
                        open(os.path.join(url, 'MANIFEST')))

        for dataset in addRemote:
            if dataset not in addLocal:
                vlog("New dataset %s" % dataset)
            else:
                if addRemote[dataset] != addLocal[dataset]:
                    vlog("Dataset %s is not in sync" % dataset)
                    if updateMANIFEST:
                        _createManifest(url, os.environ['SCIPION_TESTS'], dataset)
                    else:
                        vlog("Dataset %s is not in sync" % dataset)
    except Exception as e:
        vlog("Error reading %s (%s)" % (url, e))
    return updateMANIFEST
```

V S C O D E



REPOSITORIO DE GIT



INICIALIZAR REPOSITORIO

```
> git init
```


CLONACIÓN

```
HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop (master)
$ cd "new folder"


HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/new folder (master)
$ git clone https://github.com/IMDwivedi1/Git-Example.git
Cloning into 'Git-Example'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (6/6), done.

HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/new folder (master)
$
```

LABORATORIO 3



GUARDANDO CAMBIOS EN EL REPOSITORIO



G I T S T A T U S

```
HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/NewDirectory (master)
$ touch demofile

HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/NewDirectory (master)
$ git status
on branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    demofile

nothing added to commit but untracked files present (use "git add" to track)
```

G I T A D D

```
HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/NewDirectory (master)
$ touch newfile.txt

HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/NewDirectory (master)
$ git status
on branch master


No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    newfile.txt


nothing added to commit but untracked files present (use "git add" to

HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/NewDirectory (master)
$ git add newfile.txt
```

G I T I G N O R E



G I T D I F F



```
MINGW64:/e/Gitdiffnew
Lenovo@DESKTOP-LU5US00 MINGW64 /e/Gitdiffnew (master)
$ git diff 6eeda c87e1ed hello.txt
diff --git a/hello.txt b/hello.txt
index 01bafad..79cf701 100644
--- a/hello.txt
+++ b/hello.txt
@@ -1 +1,2 @@
-git is a powerful tool for vcs
+git is a powerful tool for vcs .
+Github is a pwerful tool for cvs .
```

G I T C O M M I T

```
 COMMIT_EDITMSG + (e:\xampp\htdocs\codeigniter\.git) - VIM

# Please enter the commit message for your changes. Lines starting
# with '#' will be ignored, and an empty message aborts the commit.
# On branch master
# Changes to be committed:
#   (use "git reset HEAD <file>..." to unstage)
#
#       modified:   application/config/dx_auth.php
#       deleted:    application/controllers/auth.php
#       deleted:    application/controllers/backend.php
#       modified:   application/libraries/DX_Auth_Event.php
#       deleted:    application/models/dx_auth/login_attempts.php
#       deleted:    application/models/dx_auth/permissions.php
#       deleted:    application/models/dx_auth/roles.php
#       deleted:    application/models/dx_auth/user_autologin.php
#       deleted:    application/models/dx_auth/user_profile.php
#       deleted:    application/models/dx_auth/user_temp.php
#       deleted:    application/models/dx_auth/users.php
#       deleted:    application/views/modules/dx_auth/auth/cancel_account_form.p
hp
#       deleted:    application/views/modules/dx_auth/auth/change_password_form.
php
@<xampp\htdocs\codeigniter\.git\COMMIT_EDITMSG[+]\ unix] (00:46 15/04/2011)1,1 Top
-- INSERT --
```

O P C I O N E S

Confirma la instantánea preparada

```
git commit
```

Confirma una instantánea de todos los cambios del directorio de trabajo.

```
git commit -a
```

Si se usa la opción **-m**, se omitirá la solicitud de editor de texto a favor de un mensaje insertado.

```
git commit -m "commit message"
```

Esta combinación crea inmediatamente una confirmación de todos los cambios preparados y aplica un mensaje de confirmación insertado.

```
git commit -am "commit message"
```

Al pasar esta opción, se modificará la última confirmación. En vez de crear una nueva confirmación, los cambios preparados se añadirán a la confirmación anterior

```
git commit --amend
```


G I T R M

```
HIMANSHU@HIMANSHU-PC MINGW64 ~/Desktop/GitExample2 (master)
$ git rm --cached newfile1.txt
rm 'newfile1.txt'

HIMANSHU@HIMANSHU-PC MINGW64 ~/Desktop/GitExample2 (master)
$ git status
on branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    deleted:    newfile1.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    newfile1.txt
```


G I T M V

A screenshot of an Ubuntu desktop environment. In the top left, there's a dock with icons for Dash, Home, Activities, and Terminal. The terminal window is open and titled 'Terminal'. The command line shows a user named 'satyajit' working in their home directory (~). The user runs 'git mv gfg.py code/gfg.py', then checks the status with 'git status', which shows a file named 'gfg.py' has been renamed to 'code/gfg.py'. The user then runs 'ls' to list the contents of the 'code' directory, which contains 'gfg.py'. Finally, the user runs 'cd code' and 'ls' again to list the contents of the 'code' directory, which still contains 'gfg.py'.

```
Activities Terminal
Feb 28 14:50
satyajit@satyajit:~/Desktop/GFG$ git mv gfg.py code/gfg.py
satyajit@satyajit:~/Desktop/GFG$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    renamed:   gfg.py -> code/gfg.py

satyajit@satyajit:~/Desktop/GFG$ ls
code
satyajit@satyajit:~/Desktop/GFG$ cd code
satyajit@satyajit:~/Desktop/GFG/code$ ls
gfg.py
satyajit@satyajit:~/Desktop/GFG/code$
```

LABORATORIO 4



G I T L O G

```
$ git log --format=medium
commit 5bf53efc38e1d780b32daf7c1d9acb54a7e93936
Author: Will Anderson <will@itsananderson.com>
Date:   Mon Jul 21 08:27:50 2014 -0700

    Normalize indents to 4 spaces for all source files

commit bb82a7ab75f14cce5d8f8a60e97bfa8a2ceabbe
Author: Will Anderson <will@itsananderson.com>
Date:   Mon Jul 21 01:11:38 2014 -0700

    Bump version to 0.2.4

commit d9bb2ff54751797208c0e551004cab1c1adb01cc
Author: Will Anderson <will@itsananderson.com>
Date:   Mon Jul 21 01:11:18 2014 -0700

    Update .npmignore with new dev files

commit c75067e0f76c0e0adad58bb1ac663834f572f696
Author: Will Anderson <will@itsananderson.com>
Date:   Sun Jul 20 23:00:44 2014 -0700

    Add full coverage for application mixin


commit 98ee9cbbb4454912d352b8bdb6a3dcbcd64a38f9
Author: Will Anderson <will@itsananderson.com>
Date:   Sun Jul 20 14:34:18 2014 -0700

    Add full coverage for routeParams utility
```

OPCIONES

Opción	Descripción de la salida
<code>%H</code>	Hash de la confirmación
<code>%h</code>	Hash de la confirmación abreviado
<code>%T</code>	Hash del árbol
<code>%t</code>	Hash del árbol abreviado
<code>%P</code>	Hashes de las confirmaciones padre
<code>%p</code>	Hashes de las confirmaciones padre abreviados
<code>%an</code>	Nombre del autor
<code>%ae</code>	Dirección de correo del autor
<code>%ad</code>	Fecha de autoría (el formato respeta la opción - <code>date</code>)
<code>%ar</code>	Fecha de autoría, relativa
<code>%cn</code>	Nombre del confirmador
<code>%ce</code>	Dirección de correo del confirmador
<code>%cd</code>	Fecha de confirmación
<code>%cr</code>	Fecha de confirmación, relativa
<code>%s</code>	Asunto

LABORATORIO 5



G I T R E S E T

```
PC@PC-PC MINGW64 ~/Desktop/ghj/decodingdevops (master)
$ git status
On branch master
Your branch is based on 'origin/master', but the upstream is gone.
  (use "git branch --unset-upstream" to fixup)

Changes to be committed:
  (use "git reset HEAD <file>..." to unstage)

    new file:   abc.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)

    decoding.txt

PC@PC-PC MINGW64 ~/Desktop/ghj/decodingdevops (master)
$
```

G I T C H E C K O U T



A screenshot of a terminal window titled "MINGW64:/d/GeeksForGeeks-Branching and merging". The window shows a series of git commands being run:


```
Asus@Asus-PC MINGW64 /d/GeeksForGeeks-Branching and merging (master)
$ git branch
* master
  next-five-even-odd

Asus@Asus-PC MINGW64 /d/GeeksForGeeks-Branching and merging (master)
$ git checkout next-five-even-odd
Switched to branch 'next-five-even-odd'

Asus@Asus-PC MINGW64 /d/GeeksForGeeks-Branching and merging (next-five-even-odd)
$ git branch
  master
* next-five-even-odd

Asus@Asus-PC MINGW64 /d/GeeksForGeeks-Branching and merging (next-five-even-odd)
$ :
```


LABORATORIO 6




G I T T A G



ETIQUETA ANOTADA Y LIGERA



ALIAS




A screenshot of a terminal window titled "Terminal". The window has a dark background and a light-colored menu bar at the top. The menu bar includes "File", "Edit", "View", "Search", "Terminal", and "Help". Below the menu bar, there is a list of command-line entries. The entries are:


- ~ \$git config --global alias.co checkout
- ~ \$git config --global alias.br branch
- ~ \$git config --global alias.co checkout
- ~ \$git config --global alias.br branch
- ~ \$

The terminal window is set against a background that features a circular gradient from purple to blue.


EJERCICIO 1




RAMIFICACIONES




¿QUE ES UNA RAMA?




A P U N T A D O R M O V I L




NUEVAS RAMAS




MOVERNOS DE UNA RAMA A OTRA



MOVERNOS DE UNA RAMA A OTRA




¿QUE NOS QUEDA FINALMENTE ?



E J E M P L O

- 1. Trabajas en un sitio web.
- 2. Creas una rama para un nuevo tema sobre el que quieres trabajar.
- 3. Realizas algo de trabajo en esa rama.
- - En este momento, recibes una llamada avisándote de un problema crítico que has de resolver. Y sigues los siguientes pasos:
 - 1. Vuelves a la rama de producción original.
 - 2. Creas una nueva rama para el problema crítico y lo resuelves trabajando en ella.
 - 3. Tras las pertinentes pruebas, fusionas (merge) esa rama y la envías (push) a la rama de producción.
 - 4. Vuelves a la rama del tema en que andabas antes de la llamada y continuas tu trabajo


PASO 1




RECIBES LA LLAMADA

```
$ git checkout master  
Switched to branch 'master'
```

```
$ git checkout -b hotfix  
Switched to a new branch 'hotfix'  
$ vim index.html  
$ git commit -a -m 'fixed the broken email address'  
[hotfix 1fb7853] fixed the broken email address  
1 file changed, 2 insertions(+)
```



MERGE




SOLUCIONAMOS EL PROBLEMA URGENTE

```
$ git checkout master
$ git merge hotfix
Updating f42c576..3a0874c
Fast-forward
 index.html | 2 ++
 1 file changed, 2 insertions(+)
```


```
$ git branch -d hotfix
Deleted branch hotfix (3a0874c).
```

```
$ git checkout iss53
Switched to branch "iss53"
$ vim index.html
$ git commit -a -m 'finished the new footer [issue 53]'
[iss53 ad82d7a] finished the new footer [issue 53]
1 file changed, 1 insertion(+)
```

SITUACIÓN ACTUAL



RESOLVIENDO EL PROBLEMA INICIAL




DEMO

A screenshot of a GitHub repository's commit history. The commits are color-coded with blue, pink, and green dots, likely representing different branches or stages. The commits are as follows:

- feat: detect and warn invalid dynamic argument expressions (v2.6.0-beta.2)
- build: build 2.6.0-beta.2
- feat: dynamic directive arguments for v-on, v-bind and custom directives (origin/dynamic-directive-arguments)
- perf: improve scoped slots change detection accuracy (#9371)
- test: test cases for v-on/v-bind dynamic arguments
- refactor: v-bind dynamic arguments use bind helper
- test: fix tests, resolve helper conflict
- fix: fix middle modifier
- feat: handle dynamic argument for v-bind.sync (origin/slot-optimization)
- perf: improve scoped slots change detection
- feat: dynamic directive arguments for v-bind and v-on
- refactor: extend dom-props update skip to more all keys' change value
- fix: fix checkbox event edge case in Firefox
- test: fix tests in IE/Edge
- refactor: simplify timestamp check
- chore: update comment
- fix: remove edge case for global object

E J E R C I C I O 2



CONFLICTOS

```
killmer@hp MINGW64 ~/Desktop/pruebagit (prod)
$ git merge home
Auto-merging home.html
CONFLICT (content): Merge conflict in home.html
Automatic merge failed; fix conflicts and then commit the result.
```

Accept Current Change | Accept Incoming Change | Accept Both Changes | Compare Changes
|||||| HEAD (Current Change)
holo
=====

que???

>>>>> home (Incoming Change)

|

G I T B R A N C H


```
$ git branch  
iss53  
* master  
testing
```

```
$ git branch --merged  
iss53  
* master
```


```
$ git branch -v  
iss53 93b412c fix javascript issue  
* master 7a98805 Merge branch 'iss53'  
testing 782fd34 add scott to the author list in the readmes
```

```
$ git branch -d testing  
error: The branch 'testing' is not fully merged.  
If you are sure you want to delete it, run 'git branch -D testing'.
```


RAMAS DE LARGO RECORRIDO



RAMAS PUNTUALES



EJERCICIO 3





REMOTOS













