## Flujo Completo Mov Inventario

#### **Execution Environment**

Host name kaizen - LAPTOP-K43U1BVQ

OS Windows 10 64bit

Katalon version 7.2.1.1

Browser Chrome 80.0.3987.132

Summary

ID Test Suites/Funcionalidades\_Pedidos/Flujo Completo Mov Inventario

Description

Total 5

Passed 3 Failed 2
Error 0 Incomplete 0

Start 2020-03-10 15:18:22 End 2020-03-10 15:45:09

Elapsed 26m - 47,285s

#	ID	Description	Status
1	Test Cases/Generar_Excels_Secuencias/TC_ ductoAlmacen	_Generar_Excel_Pro	PASSED
2	Test Cases/Secuencias de Ejecucion/TC_Agregar_Producto_Almac	en	FAILED
3	Test Cases/Generar_Excels_Secuencias/TC_ Inventario	_Generar_Excel_Mov	PASSED
4	Test Cases/Secuencias de Ejecucion/TC_Agregar_Movimiento_Inve	entario	FAILED
5	Test Cases/Generar_Excels_Secuencias/TC_ orte_Mov_Inventario	_Generar_Excel_Rep	PASSED

### TC\_Generar\_Excel\_ProductoAlmacen

#### Information

ID Test Cases/Generar\_Excels\_Secuencias/TC\_Generar\_Excel\_ProductoAlmacen

Description

Tag

Start 2020-03-10 15:18:22 End 2020-03-10 15:18:34

Elapsed 11,609s Status PASSED

#### Details

#	Description	Elapsed	Status
1	python.ejecutarAleatoriosPython.runPython("ProductoAlmacen")	11,134s	PASSED

python.ejecutarAleatoriosPython.runPython is PASSED

#### Information

ID Test Cases/Secuencias de Ejecucion/TC\_Agregar\_Producto\_Almacen

Description

Tag

Start 2020-03-10 15:18:34 End 2020-03-10 15:39:43

Elapsed 21m - 8,691s

Status FAILED

#### Details

#	Description	Elapsed	Status
1	archivo = \$RunConfiguration.getProjectDir()/Pedidos/DataExcel/Inventario/ProductoAlmacen.xlsx	0,017s	PASSED
2	excelData = getExcelDataWithDefaultSheet(archivo, "Sheet1", true)	0,825s	PASSED

Status FAILED

#	Description	Elapsed
3	for ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)])	21m - 7,496s
	Hankle to sell Test Once Test Once III dividual Test II avial (Dest assessment baseline	
	Unable to call Test Case 'Test Cases/Individual_Tests/Login' (Root cause: com.kms.katalon.	
	core.exception.StepFailedException: Call Test Case 'Test Cases/Individual_Tests/Login' failed	
	at com.kms.katalon.core.keyword.builtin.	
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)	
	at com.kms.katalon.core.keyword.builtin.	
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)	
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword	
	(KeywordMain.groovy:68)	
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase	
	(CallTestCaseKeyword.groovy:81)	
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)	
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:72)	
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.	
	groovy:334)	
	at TC_Agregar_Producto_Almacen.run(TC_Agregar_Producto_Almacen:26)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$	
	java:119)	
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.	
	java:328)	
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:307)	
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:299)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.	
	java:233)	
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)	
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase	
	(TestSuiteExecutor.java:142)	
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:	
	91)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:	
	157)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown	
	Source)	
	at TempTestSuite1583867899560.run(TempTestSuite1583867899560.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser	
	with url: 'http://test.kaizendev.net/Login/Accesar?salir=true'	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed	
	(WebUlKeywordMain.groovy:64)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	
	(WebUIKeywordMain.groovy:26)	
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.	
	openBrowser(OpenBrowserKeyword.groovy:81)	
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute	
	(OpenBrowserKeyword.groovy:67)	
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser	
	(Wehl liBuiltInKeywords aroov/:60)	

(WebUiBuiltInKeywords.groovy:60)

```
Description
                                                                                                                                                          Elapsed
                                                                                                                                                                                       Status
                at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
 (Unknown Source)
                at Login.run(Login:21)
                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:307)
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:299)
                at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at con.kms.katalon.execute (Test Case Executor.execute) at con.kms.kata
java:233)
                at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                 ... 20 more
 Caused by: org.openga.selenium.TimeoutException: timeout
  (Session info: chrome=80.0.3987.132)
 Build info; version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'LAPTOP-K43U1BVQ', ip: '192.168.99.1', os.name: 'Windows 10', os.
 arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
 Driver info: com.kms.katalon.selenium.driver.CChromeDriver
 Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
 80.0.3987.132, chrome: {chromedriverVersion: 79.0.3945.36 (3582db32b3389...,
 userDataDir: C:\Users\kaizen\AppData\Loc...}, goog:chromeOptions: {debuggerAddress:
localhost:9496}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
 Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
 Session ID: 009ad5bc533a245a2c16fe05c68e55c0
                 at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
                at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
                at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
                at org.openqa.selenium.remote.HttpCommandExecutor.execute
 (HttpCommandExecutor.java:158)
                at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
 (DriverCommandExecutor.java:83)
                at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
                at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
 19)
                at org.openga.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:
277)
                at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
 (EventFiringWebDriver.iava:105)
                at com.sun.proxy.$Proxy9.get(Unknown Source)
                at org.openga.selenium.support.events.EventFiringWebDriver.get
 (EventFiringWebDriver.java:165)
```

at com.kms.katalon.core.webui.keyword.builtin.

OpenBrowserKeyword\$\_openBrowser\_closure1.doCall(OpenBrowserKeyword.groovy:78)

# Description Elapsed Status

```
at com.kms.katalon.core.webui.keyword.builtin.

OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

(WebUIKeywordMain.groovy:20)
    ... 35 more
)
```

### TC\_Generar\_Excel\_Mov\_Inventario

#### Information

ID Test Cases/Generar\_Excels\_Secuencias/TC\_Generar\_Excel\_Mov\_Inventario

Description

Tag

Start 2020-03-10 15:39:43 End 2020-03-10 15:39:57

Elapsed 14,141s Status PASSED

#### Details

#	Description	Elapsed	Status
1	python.ejecutarAleatoriosPython.runPython("MovimientoInventario")	13,947s	PASSED

python.ejecutarAleatoriosPython.runPython is PASSED

## TC\_Agregar\_Movimiento\_Inventario

#### Information

ID Test Cases/Secuencias de Ejecucion/TC\_Agregar\_Movimiento\_Inventario

Description

Tag

Start 2020-03-10 15:39:57 End 2020-03-10 15:45:00

Elapsed 5m - 3,482s

Status FAILED

#### Details

#	Description	Elapsed	Status
1	archivo = \$RunConfiguration.getProjectDir()/Pedidos/DataExcel/Inventario/MovimientoDeInventario.xlsx	0,000s	PASSED
2	excelData = getExcelDataWithDefaultSheet(archivo, "Sheet1", true)	0,032s	PASSED

# $TC\_Agregar\_Movimiento\_Inventario$

	Description	Elapsed	Status
	for ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)])	5m - 3,204s	FAILED
1	ioi ([index = 1, index <= excelbata.getNowNumbers(), (index++)])	5111 - 3,2048	FAILED
	Unable to call Test Case 'Test Cases/Individual_Tests/Login' (Root cause: com.kms.katalon. core.exception.StepFailedException: Call Test Case 'Test Cases/Individual_Tests/Login' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
	at TC_Agregar_Movimiento_Inventario.run(TC_Agregar_Movimiento_Inventario: 26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1583867899560.run(TempTestSuite1583867899560.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'http://test.kaizendev.net/Login/Accesar?salir=true'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
	(OpenBrowserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		

### TC\_Agregar\_Movimiento\_Inventario

```
Description
                                                                                           Elapsed
                                                                                                             Status
(WebUiBuiltInKeywords.groovy:60)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at Login.run(Login:21)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:299)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.TimeoutException: timeout
 (Session info: chrome=80.0.3987.132)
Build info; version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-K43U1BVQ', ip: '192.168.99.1', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
80.0.3987.132, chrome: {chromedriverVersion: 79.0.3945.36 (3582db32b3389...,
userDataDir: C:\Users\kaizen\AppData\Loc...}, goog:chromeOptions: {debuggerAddress:
localhost:9611}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: bc192271898cd9b428d9833a71a38faa
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openga.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:
277)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at com.sun.proxy.$Proxy9.get(Unknown Source)
```

at org.openga.selenium.support.events.EventFiringWebDriver.get

at com.kms.katalon.core.webui.keyword.builtin.

(EventFiringWebDriver.java:165)

### TC\_Agregar\_Movimiento\_Inventario

# Description Elapsed Status

OpenBrowserKeyword\$\_openBrowser\_closure1.doCall(OpenBrowserKeyword.groovy:78)

## TC\_Generar\_Excel\_Reporte\_Mov\_Inventario

#### Information

 ${\sf ID} \qquad \qquad {\sf Test \ Cases/Generar\_Excels\_Secuencias/TC\_Generar\_Excel\_Reporte\_Mov\_Inventario}$ 

Description

Tag

Start 2020-03-10 15:45:00 End 2020-03-10 15:45:09

Elapsed 8,796s
Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	python.ejecutarAleatoriosPython.runPython("Reporte")	8,574s	PASSED

python.ejecutarAleatoriosPython.runPython is PASSED