Flujo Completo 20 pies

Execution Environment

Host name kaizen - LAPTOP-K43U1BVQ

OS Windows 10 64bit

Katalon version 7.2.1.1

Browser Chrome 80.0.3987.132

Summary

ID Test Suites/Funcionalidades_Pedidos/Flujo Completo 20 pies

Description

Total 13

Passed 10 Failed 3
Error 0 Incomplete 0

Start 2020-03-13 10:03:49 End 2020-03-13 10:09:25

Elapsed 5m - 36,804s

#	ID	Description	Status
1	Test Cases/Secuencias de Ejecucion/TC_Crear_Pedido_20pies		PASSED
2	Test Cases/Generar_Excels_Secuencias/TC_Generar_Excel_Aprobaciones		PASSED
3	Test Cases/Secuencias de Ejecucion/TC_Aprobar_Ventas		FAILED
4	Test Cases/Secuencias de Ejecucion/TC_Aprobar_Produccion		FAILED
5	Test Cases/Secuencias de Ejecucion/TC_Aprobar_Financiera		FAILED
6	Test Cases/Generar_Excels_Secuencias/TC_Generar_Excel_Car gosLogisticos		PASSED
7	Test Cases/Secuencias de Ejecucion/TC_Agregar_Cargos_Logisticos		PASSED
8	Test Cases/Generar_Excels_Secuencias/TC_Generar_Excel_Produccion		PASSED
9	Test Cases/Secuencias de Ejecucion/TC_Agregar_Orden_Produccion		PASSED
10	Test Cases/Generar_Excels_Secuencias/TC_Generar_Excel_Inventario		PASSED
11	Test Cases/Secuencias de Ejecucion/TC_Agregar_Inventario		PASSED
12	Test Cases/Generar_Excels_Secuencias/TC_Generar_Excel_Despachar	5	PASSED
13	Test Cases/Secuencias de Ejecucion/TC_Agregar_Despacho		PASSED

TC_Crear_Pedido_20pies

Information

ID Test Cases/Secuencias de Ejecucion/TC_Crear_Pedido_20pies

Description

Tag

Start 2020-03-13 10:03:49 End 2020-03-13 10:07:14

Elapsed 3m - 24,476s

Status PASSED

Details

#	Description	Elapsed	Status
1	archivo = \$RunConfiguration.getProjectDir()/Pedidos/DataExcel/Crear_Pedido20pies.xlsx	0,026s	PASSED
2	excelData = getExcelDataWithDefaultSheet(archivo, "Sheet1", true)	1,305s	PASSED
3	for ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)])	3m - 22,608s	PASSED

Call Test Case 'Test Cases/Individual_Tests/Seleccionar_Productos20pies' successfully

TC_Generar_Excel_Aprobaciones

Information

ID Test Cases/Generar_Excels_Secuencias/TC_Generar_Excel_Aprobaciones

Description

Tag

Start 2020-03-13 10:07:14 End 2020-03-13 10:07:19

Elapsed 5,964s
Status PASSED

Details

#	Description	Elapsed	Status
1	python.ejecutarAleatoriosPython.runPython("Aprobar")	5,718s	PASSED

Information

ID Test Cases/Secuencias de Ejecucion/TC_Aprobar_Ventas

Description

Tag

Start 2020-03-13 10:07:20 End 2020-03-13 10:07:57

Elapsed 37,098s Status FAILED

#	Description	Elapsed	Status
1	archivo = \$RunConfiguration.getProjectDir()/Pedidos/DataExcel/Aprobaciones_Pedidos.xlsx	0,001s	PASSED
2	excelData = getExcelDataWithDefaultSheet(archivo, "Sheet1", true)	0,068s	PASSED

#	Description	Elapsed	Status
		•	
3	for ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)])	36,761s	FAILED
	Unable to call Test Case 'Test Cases/Individual_Tests/Aprobacion_Ventas' (Root cause:		
	com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/Individual_Tests/Aprobacion_Ventas' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_Aprobar_Ventas.run(TC_Aprobar_Ventas:33)		
	at ro_Aprobat_veritas.run(ro_Aprobat_veritas.ss) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1584108225589.run(TempTestSuite1584108225589.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to execute		
	JavaScript.		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.		
	executeJavascript(ExecuteJavascriptKeyword.groovy:42)		
	at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.execute(ExecuteJavascriptKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:72)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	executeJavaScript(WebUiBuiltInKeywords.groovy:3787)		
	encontrolaraconputivectoricalitinites words.grouvy.3707)		

```
Description
                                                                                         Elapsed
                                                                                                           Status
         at Aprobacion_Ventas.run(Aprobacion_Ventas:57)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
         java:337)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
         at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
Caused by: org.openga.selenium.JavascriptException: javascript error: Cannot read
property 'click' of null
 (Session info: chrome=80.0.3987.132)
Build info; version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-K43U1BVQ', ip: '192.168.99.1', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
80.0.3987.132, chrome: {chromedriverVersion: 79.0.3945.36 (3582db32b3389...,
userDataDir: C:\Users\kaizen\AppData\Loc...}, goog:chromeOptions: {debuggerAddress:
localhost:7971}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: 2b56db3f518fafaba6607e3ddcdaa00c
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
         at org.openqa.selenium.remote.RemoteWebDriver.executeScript
(RemoteWebDriver.java:489)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy9.executeScript(Unknown Source)
         at org.openga.selenium.support.events.EventFiringWebDriver.executeScript
(EventFiringWebDriver.java:229)
```

at com.kms.katalon.core.webui.keyword.builtin. ExecuteJavaScriptKeyword\$_executeJavascript_closure1.doCall

(ExecuteJavascriptKeyword.groovy:48)


Description Elapsed Status

at com.kms.katalon.core.webui.keyword.builtin.

ExecuteJavaScriptKeyword\$_executeJavascript_closure1.call(ExecuteJavascriptKeyword.aroovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

... 34 more



Information

ID Test Cases/Secuencias de Ejecucion/TC_Aprobar_Produccion

Description

Tag

Start 2020-03-13 10:07:57 End 2020-03-13 10:08:26

Elapsed 29,137s Status FAILED

#	Description	Elapsed	Status
1	archivo = \$RunConfiguration.getProjectDir()/Pedidos/DataExcel/Aprobaciones_Pedidos.xlsx	0,000s	PASSED
2	excelData = getExcelDataWithDefaultSheet(archivo, "Sheet1", true)	0,072s	PASSED

```
Description
                                                                                                                                                                 Elapsed
                                                                                                                                                                                              Status
                                                                                                                                                                 28.749s
                                                                                                                                                                                              FAILED
3
       for ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)])
        Unable to call Test Case 'Test Cases/Individual_Tests/Aprobacion_Produccion' (Root
        cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test
        Cases/Individual_Tests/Aprobacion_Produccion' failed
                       at com.kms.katalon.core.keyword.builtin.
        CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
                       at com.kms.katalon.core.keyword.builtin.
        CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
                       at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
        (KeywordMain.groovy:68)
                       at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
        (CallTestCaseKeyword.groovy:81)
                       at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
        (CallTestCaseKeyword.groovy:44)
                       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
        executeKeywordForPlatform(KeywordExecutor.groovy:72)
                       at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
       groovy:334)
                       at TC_Aprobar_Produccion.run(TC_Aprobar_Produccion:32)
                       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
       java:119)
                        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
       java:337)
                        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
       java:328)
                       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
        (TestCaseExecutor.java:307)
                       at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
        (TestCaseExecutor.java:299)
                       at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.e
       java:233)
                       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
        (TestSuiteExecutor.java:169)
                       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
        (TestSuiteExecutor.java:142)
                       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
       91)
                       at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
        157)
                       at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
        Source)
                       at TempTestSuite1584108225589.run(TempTestSuite1584108225589.groovy:36)
        Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to execute
       JavaScript.
                       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
        (WebUlKeywordMain.groovy:64)
                       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
        (WebUIKeywordMain.groovy:26)
                       at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.
        executeJavascript(ExecuteJavascriptKeyword.groovy:42)
                       at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.
        execute(ExecuteJavascriptKeyword.groovy:37)
                       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
        executeKeywordForPlatform(KeywordExecutor.groovy:72)
```

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.

executeJavaScript(WebUiBuiltInKeywords.groovy:3787)

Elapsed

Status

```
Description
                at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$executeJavaScript$4.call(Unknown Source)
                at Aprobacion_Produccion.run(Aprobacion_Produccion:48)
                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:307)
                at\ com. kms. katalon. core. main. Test Case Executor. access Main Phase
 (TestCaseExecutor.java:299)
                at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.e
java:233)
                at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
 Caused by: org.openga.selenium.JavascriptException: javascript error: Cannot read
property 'click' of null
  (Session info: chrome=80.0.3987.132)
 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'LAPTOP-K43U1BVQ', ip: '192.168.99.1', os.name: 'Windows 10', os.
 arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
 Driver info: com.kms.katalon.selenium.driver.CChromeDriver
 Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
 80.0.3987.132, chrome: {chromedriverVersion: 79.0.3945.36 (3582db32b3389...,
 userDataDir: C:\Users\kaizen\AppData\Loc...}, goog:chromeOptions: {debuggerAddress:
localhost:7996}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
 Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
 Session ID: 520bee0338a919e3f2e4632bb980c93c
                at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
                at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
                at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
                at org.openqa.selenium.remote.HttpCommandExecutor.execute
 (HttpCommandExecutor.java:158)
                at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
 (DriverCommandExecutor.java:83)
                at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
                at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
                at org.openga.selenium.remote.RemoteWebDriver.executeScript
 (RemoteWebDriver.iava:489)
                at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
 (EventFiringWebDriver.java:105)
                at com.sun.proxy.$Proxy9.executeScript(Unknown Source)
                at org.openga.selenium.support.events.EventFiringWebDriver.executeScript
 (EventFiringWebDriver.java:229)
```

at com.kms.katalon.core.webui.keyword.builtin.

Description Elapsed Status


ExecuteJavaScriptKeyword\$_executeJavascript_closure1.doCall (ExecuteJavascriptKeyword.groovy:48)

at com.kms.katalon.core.webui.keyword.builtin.

ExecuteJavaScriptKeyword\$_executeJavascript_closure1.call(ExecuteJavascriptKeyword.groovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

... 35 more



Information

ID Test Cases/Secuencias de Ejecucion/TC_Aprobar_Financiera

Description

Tag

Start 2020-03-13 10:08:26 End 2020-03-13 10:09:03

Elapsed 36,909s Status FAILED

#	Description	Elapsed	Status
1	archivo = \$RunConfiguration.getProjectDir()/Pedidos/DataExcel/Aprobaciones_Pedidos.xlsx	0,001s	PASSED
2	excelData = getExcelDataWithDefaultSheet(archivo, "Sheet1", true)	0,018s	PASSED

#	Description	Elapsed	Status
3	for ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)])	36,603s	FAILED
3	tor ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)]) Unable to call Test Case 'Test Cases/Individual_Tests/Aprobacion_Financiera' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Individual_Tests/Aprobacion_Financiera' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute	36,603s	FAILED
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_Aprobar_Financiera.run(TC_Aprobar_Financiera:32)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.goexeExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1584108225589.run(TempTestSuite1584108225589.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to execute JavaScript.		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword. executeJavascript(ExecuteJavascriptKeyword.groovy:42)		
	at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword. execute(ExecuteJavascriptKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	execute lavaScript(Webl liBuiltInKeywords groow/:3787)		

executeJavaScript(WebUiBuiltInKeywords.groovy:3787)

```
Description
                                                                                          Elapsed
                                                                                                           Status
         at Aprobacion_Financiera.run(Aprobacion_Financiera:53)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
         java:337)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
         at\ com. kms. katalon. core. main. Test Case Executor. access Main Phase
(TestCaseExecutor.java:299)
         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
Caused by: org.openga.selenium.JavascriptException: javascript error: Cannot read
property 'click' of null
 (Session info: chrome=80.0.3987.132)
Build info; version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-K43U1BVQ', ip: '192.168.99.1', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
80.0.3987.132, chrome: {chromedriverVersion: 79.0.3945.36 (3582db32b3389...,
userDataDir: C:\Users\kaizen\AppData\Loc...}, goog:chromeOptions: {debuggerAddress:
localhost:8023}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: 47dab4e6d1922b46fee2585a4a5eb0d4
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
         at org.openqa.selenium.remote.RemoteWebDriver.executeScript
(RemoteWebDriver.java:489)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy9.executeScript(Unknown Source)
         at org.openga.selenium.support.events.EventFiringWebDriver.executeScript
(EventFiringWebDriver.java:229)
```

at com.kms.katalon.core.webui.keyword.builtin.

ExecuteJavaScriptKeyword\$_executeJavascript_closure1.doCall

(ExecuteJavascriptKeyword.groovy:48)


Description Elapsed Status

at com.kms.katalon.core.webui.keyword.builtin.

ExecuteJavaScriptKeyword\$_executeJavascript_closure1.call(ExecuteJavascriptKeyword.aroovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

... 34 more



TC_Generar_Excel_CargosLogisticos

Information

ID Test Cases/Generar_Excels_Secuencias/TC_Generar_Excel_CargosLogisticos

Description

Tag

Start 2020-03-13 10:09:03 End 2020-03-13 10:09:09

Elapsed 6,360s Status PASSED

Details

#	Description	Elapsed	Status
1	python.ejecutarAleatoriosPython.runPython("Logistica")	6,070s	PASSED

TC_Agregar_Cargos_Logisticos

Information

ID Test Cases/Secuencias de Ejecucion/TC_Agregar_Cargos_Logisticos

Description

Tag

Start 2020-03-13 10:09:09 End 2020-03-13 10:09:09

Elapsed 0,373s Status PASSED

#	Description	Elapsed	Status
1	archivo = \$RunConfiguration.getProjectDir()/Pedidos/DataExcel/Cargos_Logisticos.xlsx	0,001s	PASSED
2	excelData = getExcelDataWithDefaultSheet(archivo, "Sheet1", true)	0,026s	PASSED
3	for ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)])	0.000s	PASSED

TC_Generar_Excel_Produccion

Information

ID Test Cases/Generar_Excels_Secuencias/TC_Generar_Excel_Produccion

Description

Tag

Start 2020-03-13 10:09:09 End 2020-03-13 10:09:15

Elapsed 5,499s Status PASSED

Details

#	Description	Elapsed	Status
1	python.ejecutarAleatoriosPython.runPython("Produccion")	5,206s	PASSED

TC_Agregar_Orden_Produccion

Information

ID Test Cases/Secuencias de Ejecucion/TC_Agregar_Orden_Produccion

Description

Tag

Start 2020-03-13 10:09:15 End 2020-03-13 10:09:15

Elapsed 0,471s
Status PASSED

#	Description	Elapsed	Status
1	archivo = \$RunConfiguration.getProjectDir()/Pedidos/DataExcel/Orden_Produccion.xlsx	0,001s	PASSED
2	excelData = getExcelDataWithDefaultSheet(archivo, "Sheet1", true)	0,039s	PASSED
3	for ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)])	0,001s	PASSED

TC_Generar_Excel_Inventario

Information

ID Test Cases/Generar_Excels_Secuencias/TC_Generar_Excel_Inventario

Description

Tag

Start 2020-03-13 10:09:15 End 2020-03-13 10:09:19

Elapsed 3,902s Status PASSED

Details

#	Description	Elapsed	Status
1	python.ejecutarAleatoriosPython.runPython("Inventario")	3,585s	PASSED

TC_Agregar_Inventario

Information

ID Test Cases/Secuencias de Ejecucion/TC_Agregar_Inventario

Description

Tag

Start 2020-03-13 10:09:19 End 2020-03-13 10:09:20

Elapsed 0,297s Status PASSED

#	Description	Elapsed	Status
1	archivo = \$RunConfiguration.getProjectDir()/Pedidos/DataExcel/Inventario.xlsx	0,001s	PASSED
2	excelData = getExcelDataWithDefaultSheet(archivo, "Sheet1", true)	0,025s	PASSED
3	for ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)])	0.000s	PASSED

TC_Generar_Excel_Despachar

Information

 ${\sf ID} \qquad \qquad {\sf Test\ Cases/Generar_Excels_Secuencias/TC_Generar_Excel_Despachar}$

Description

Tag

Start 2020-03-13 10:09:20 End 2020-03-13 10:09:25

Elapsed 5,418s
Status PASSED

Details

#	Description	Elapsed	Status
1	python.ejecutarAleatoriosPython.runPython("Despacho")	4,977s	PASSED

TC_Agregar_Despacho

Information

ID Test Cases/Secuencias de Ejecucion/TC_Agregar_Despacho

Description

Tag

Start 2020-03-13 10:09:25 End 2020-03-13 10:09:25

Elapsed 0,414s
Status PASSED

#	Description	Elapsed	Status
1	archivo = \$RunConfiguration.getProjectDir()/Pedidos/DataExcel/Despacho.xlsx	0,001s	PASSED
2	excelData = getExcelDataWithDefaultSheet(archivo, "Sheet1", true)	0,028s	PASSED
3	for ([Index = 1, Index <= excelData.getRowNumbers(), (Index++)])	0.000s	PASSED