


Crazy 88

A photo scavenger hunt for teams: snap the prompts, score the points, and beat the other teams. What it is, how to play it, and how to host it yourself.



- 1 What is Crazy 88?
- 2 Who does what
- 3 How a game runs
- 4 Rules and settings
- 5 Hosting it yourself
- 6 Game night checklist
- 7 Troubleshooting
- 8 Reference

1 What is Crazy 88?

Crazy 88 is a team game for an evening or an afternoon. Teams get a list of prompts like *"Selfie with a dog"*, *"Human pyramid with the whole team"* or *"High five with a police officer"*. They go out, take the photo, and upload it from their phone. Each prompt is worth points.

A few reviewers look at the photos as they come in and swipe right to approve or left to reject. Approved photos earn the team the points straight away. Some prompts are **exclusive**: only the first team to get one approved scores it, so teams race for those.

While playing, teams see their own score live. They only get a peek at the other teams' scores every few minutes, which keeps the tension up. When the game ends, everyone can browse all the photos per prompt, including the rejected attempts.

It runs in the phone's web browser, so there's nothing to install for players. A team needs one phone and a code to log in.

2 Who does what

There are no accounts. Everyone opens the same web address and logs in with one of three codes, chosen by whoever hosts the game.

ROLE	LOGS IN WITH	WHAT THEY DO
Team	Team code + a team name	Sees all prompts, uploads photos, follows its score. One phone per team. Logging in again with the same team name rejoins that team.
Reviewer	Reviewer code	Swipes through incoming photos and approves or rejects them. Each reviewer gets different photos, so several can work at once.
Admin	Admin code	Sets up prompts and settings, starts and ends the game, and watches all scores live. Can also review.

Logins last 3 days, so a phone that locks or reloads stays logged in. Codes are not case-sensitive.

For 4–5 teams, 2–3 reviewers is comfortable. Reviewers should know the players, so they can tell whether the right team is in the photo.

3 How a game runs

- 1 **Set up.** The admin adds the prompts and sets the game length, the point goal, and how often teams see each other's scores.
- 2 **Teams join.** Each team logs in with the team code and picks a name. The admin page shows who's in.
- 3 **Start.** When everyone is there, the admin presses **Start game**. All phones switch to the prompt list and the timer starts.
- 4 **Play.** Teams take photos and upload them, and reviewers approve or reject them as they arrive. Scores update immediately.
- 5 **End.** The game ends automatically when the timer runs out. The admin can also press **End game**, which gives everyone 5 final minutes. After that, uploads close, but reviewers can still finish the photos that are waiting.
- 6 **Gallery.** Everyone can now browse all photos per prompt, with the final ranking on top.

The team screen


At the top: the team's live score, the time left, and a progress bar towards the goal. Small markers on the bar show where the other teams were at their last score update.

Below that is the standings list, which tells you when the other teams' scores were last updated and when the next update comes.

The prompts are split into three tabs:

- **To do:** prompts still open, each with a camera button. A rejected photo comes back here with **X Rejected · try again**.
- **In review:** photos waiting for a reviewer.
- **Done:** approved prompts, plus exclusive prompts another team already claimed.

Exclusive prompts have a yellow edge and the label **★ Only one team can claim this**.



A team during the game.


The reviewer screen

Reviewers see one photo at a time, with the team name, the prompt and the points. **Swipe right** (or tap ✓) to approve, **swipe left** (or tap X) to reject. On a laptop, the arrow keys work too.

New photos appear automatically. When the queue is empty, the screen says "All caught up".

Each reviewer gets their own photos, so two reviewers never judge the same one. If a reviewer leaves a photo open for more than 2 minutes, it's passed to someone else.

Be strict but fair. A rejected team can simply try again. Approving lets the team move on.



Swipe right to approve, left to reject.

The admin page

Crazy 88 · Admin

Game on 1:47

Review (0)

Gallery

Log out

Game

Duration (minutes)

2

Goal (points, 0 = no goal)

150

Other teams' scores every (min, 0 = only at the end)

1

Save settings

▶ Start game

■ End game (5 min)

Ending gives everyone 5 more minutes to upload, then uploads close.

↶ Reset game

Back to the lobby. Keeps prompts and settings, deletes teams and photos.

Teams

0 photos waiting for review

1. De Bananen

75 / 150

2. Fotofanaten

50 / 150

3. Team Turbo

35 / 150

Live scores. Teams see other teams' scores every 1 minutes.

Prompts (9)


Prompt	Points	Exclusive	Status	
Selfie with a dog	10	☐	2 photo(s)	Delete
Jump shot: everyone in the air	15	☐	1 photo(s)	Delete
Recreate a famous album cover	20	☐	1 photo(s)	Delete
Someone wearing three hats	10	☐	1 photo(s)	Delete
Human pyramid with the whole team	25	☐	1 photo(s)	Delete
High five with a police officer	50	☒	🔒 De Bananen	Delete

The admin page during a game: settings and controls on the left, live scores on the right, prompts below.


- **Game:** duration, goal and score update interval, plus the Start, End and Reset buttons.
- **Teams:** live scores for every team and the number of photos waiting for review.
- **Prompts:** edit text, points or the exclusive checkbox directly in the table; changes save automatically. You can only delete a prompt while it has no photos. **Bulk add** takes one prompt per line in the form `points | text`. Start a line with `!` to make it exclusive, e.g. `!50 | High five with a police officer`.
- The **Review** button in the top bar opens the swipe screen for the admin.

The gallery at the end

When the game is over, every player can open the gallery. It shows the final ranking, then every prompt with all photos sent in for it: ✓ Approved, ✗ Rejected and any still pending. Tap a photo to view it full screen. The gallery keeps updating while the last reviews come in.



The gallery: final scores and photos per prompt.



An exclusive prompt: the winning photo has a yellow border. The other team's photo was rejected automatically when the prompt was claimed.

4 Rules and settings

Points

- **Normal prompts** can be completed by every team, and each team gets the points once.
- **Exclusive prompts** go to the first team whose photo is approved. At that moment, other teams' waiting photos for that prompt are rejected automatically ("Claimed by ..."), and the prompt locks for everyone else.
- A team has one photo at a time per prompt. While it's in review, it can't upload another for the same prompt. After a rejection it can try again as often as it likes.

Settings (admin page)

SETTING	WHAT IT DOES
Duration	Game length in minutes. Can only be changed before the start.
Goal	The target shown as the progress bar on team phones. Set it to 0 to turn the goal and the bar off. Can be changed at any time.
Score interval	How often teams see the other teams' scores, in minutes (default 5). Set it to 0 to keep other teams' scores secret until the end. A team always sees its own score live.

Ending

The timer ends the game automatically. **End game** brings the end forward to 5 minutes from now; it never adds time. Uploads close when the time is up, and reviewers can keep going until the queue is empty.

Reset

Reset game on the admin page goes back to the waiting room for another round. It keeps the prompts and settings, and deletes all teams, photos and scores. Team phones are logged out and join again with a name. Handy for a test round before the real game.

Tips for organisers

- **Around 50 prompts** works well for an hour. Teams shouldn't be able to finish them all, because choosing which to go for is part of the game.
- **Mix the points:** lots of easy 10s, some harder 20–30s, and a handful of exclusive 40–50s for drama.
- **Do a test round** with one phone and one reviewer, then press Reset.
- Tell teams that **uploads stop** when the timer hits zero, so a photo has to be sent before then.
- Phones get a lot of use: suggest teams bring a **power bank**.

5 Hosting it yourself

Crazy 88 is a small web server. You run it on a machine that is online during the game, and players reach it via a web address. The setup below uses **Docker** to run the app and a **Cloudflare Tunnel** to put it on the internet with HTTPS, without opening any ports on your machine.

What you need

- A Linux machine with **Docker** and Docker Compose. A small cloud server works (an AWS EC2 t3.small or any VPS), and so does a computer at home that stays on during the game. Photos are compressed on the phone to about 300 KB each, so a game uses well under 1 GB of disk.
- A **domain name on Cloudflare** (the free plan is enough) for the tunnel. Phones need HTTPS for reliable photo uploads.
- The Crazy 88 code: `github.com/jornvdmatt17/crazy88`. Ask whoever shared this guide for access if the repository is private.

Step by step

- 1 **Install Docker** (skip if it's already installed):

```
curl -fsSL https://get.docker.com | sudo sh
sudo usermod -aG docker $USER # then log out and back in
```

- 2 **Get the code:**

```
git clone https://github.com/jornvdmatt17/crazy88.git
cd crazy88
```

- 3 **Create a Cloudflare tunnel.** In the Cloudflare dashboard, go to *Zero Trust* → *Networks* → *Tunnels* → *Create a tunnel* and choose *Cloudflared*. Copy the **token**: the long string after `--token` in the install command, starting with `eyJ`. You don't need to run that install command. Then add a **public hostname**, e.g. `crazy88.yourdomain.com`, with service type `HTTP` and URL `app:3000`.

- 4 **Configure.** Copy the example settings and fill them in:

```
cp deploy/crazy88.env.example .env
nano .env
```

```
TEAM_CODE=PARTY           # what teams type to join
REVIEWER_CODE=judge-2026  # for reviewers
ADMIN_CODE=something-secret # for you; keep this one private
TUNNEL_TOKEN=eyJ...       # from step 3
APP_PORT=8095             # local port, see below
```

The three codes must all be different.

5 Start it:

```
docker compose up -d --build
docker compose logs -f tunnel # wait for "Registered tunnel connection", then
Ctrl-C
```

6 Check it. Open `https://crazy88.yourdomain.com` on your phone and log in with the admin code. You're ready to add prompts.

Already running other apps? Crazy 88 runs as its own Docker project (`crazy88`), so its containers and volumes won't clash with your other apps. Its only open port is `127.0.0.1:8095`, reachable from the machine itself, for debugging. If 8095 is taken, set a different `APP_PORT` in `.env`.

Not using Cloudflare?

Remove the `tunnel` service from `docker-compose.yml` and point your own HTTPS reverse proxy (Caddy, nginx, Traefik, ...) at `http://127.0.0.1:8095`. Make sure the proxy passes WebSocket connections through and allows uploads of at least 20 MB.

Updating

```
git pull
docker compose up -d --build
```

Game data is kept across updates and restarts. If a phone shows an old version afterwards, reload the page.

6 Game night checklist

The day before

- ☐ Server running; the web address opens on a phone over mobile data, not just home Wi-Fi.
- ☐ Prompts entered and checked for typos. Exclusive ones ticked.
- ☐ Duration, goal and score interval set.
- ☐ Test round done with one phone and one reviewer, then **Reset game** pressed.

At the start

- ☐ Share the web address and the team code (a QR code on a slide or sheet works well).
- ☐ Give reviewers the reviewer code. Keep the admin code to yourself.
- ☐ Wait until all teams appear on the admin page, then press **Start game**.

During the game

- ☐ Keep an eye on "photos waiting for review". If it keeps growing, review some yourself from the admin page.
- ☐ Press **End game** when you want to wrap up; everyone gets 5 more minutes.

Afterwards

- ☐ Let reviewers finish the queue, then show the gallery on a big screen.
- ☐ Save the photos if you want to keep them: `docker compose cp app:/data/uploads ./photos`
- ☐ Wipe everything when you're done: `docker compose down -v`. This deletes all data, including the prompts.

7 Troubleshooting

PROBLEM	WHAT TO DO
"Unknown code"	Check spelling. Codes come from <code>.env</code> ; after changing them, run <code>docker compose up -d</code> .
Team lost its login	Log in again with the team code and the exact same team name . They're back in their own team with their score.
Upload fails	Check the phone's connection and try again. Uploads are refused after the game has ended and while that prompt's previous photo is still in review.
Page looks outdated or a button does nothing	Reload the page (on a laptop: Ctrl+Shift+R). This usually happens right after an update.
Site doesn't open	Run <code>docker compose ps</code> to check both containers are running. Then <code>docker compose logs tunnel</code> should show "Registered tunnel connection", and the public hostname in Cloudflare must point to <code>app:3000</code> .
App container keeps restarting	<code>docker compose logs app</code> . Usually a code is missing from <code>.env</code> or two codes are the same.
"port is already allocated"	Another app uses 8095. Set a different <code>APP_PORT</code> in <code>.env</code> and start again.
Server restarted mid-game	Nothing is lost. The timer, scores, photos and logins are saved, and the game continues.

8 Reference

Settings in `.env`

VARIABLE	MEANING
TEAM_CODE	Code for teams to join. Required.
REVIEWER_CODE	Code for reviewers. Required.
ADMIN_CODE	Code for the admin. Required; keep it private.
TUNNEL_TOKEN	Cloudflare tunnel token. Required when using the included tunnel.
APP_PORT	Local port on the server (only reachable from the server itself). Default 8095.

Useful commands

COMMAND	WHAT IT DOES
<code>docker compose up -d --build</code>	Start, or apply an update.
<code>docker compose ps</code>	Show whether the containers are running.
<code>docker compose logs -f app</code>	Follow the app's log.
<code>docker compose restart</code>	Restart without losing anything.
<code>docker compose cp app:/data/uploads ./photos</code>	Copy all photos to the current folder.
<code>docker compose down -v</code>	Stop and delete all game data, including the prompts.

Where data lives

Everything is in the Docker volume `crazy88_crazy88-data`: a small SQLite database (prompts, teams, scores, logins) and the uploaded photos. It survives restarts and updates, and is only removed by `docker compose down -v`.

Privacy

Photos stay on your own server. During the game, teams can only see their own photos. Everyone sees all photos once the game has ended. No accounts, emails or tracking.