# Visualization, Identification, and Estimation in the Linear Panel Event-Study Design

Simon Freyaldenhoven<sup>1</sup> Christian Hansen<sup>2</sup> Jorge Pérez Pérez<sup>3</sup> Jesse M. Shapiro<sup>4</sup>

<sup>1</sup>Federal Reserve Bank of Philadelphia

<sup>2</sup>University of Chicago

<sup>3</sup>Banco de México

<sup>4</sup>Brown University and NBER

The views expressed are those of the speaker and not necessarily those of the Federal Reserve Bank of Philadelphia, the Federal Reserve System, or Banco de México.

Identification with Proxies or Instrumental Variables

### Confound

$$y_{it} = \alpha_i + \gamma_t + q'_{it}\psi + \sum_{m=-G}^{M} \beta_m z_{i,t-m} + C_{it} + \varepsilon_{it}$$
 (linear panel model)

- Parameters of interest not identified unless we can say something more about the confound C<sub>it</sub>
- Appropriate identifying assumptions should be justified on economic grounds
- Previous video: Identification Strategies without Proxies or Instruments
- ▶ This video: Identification Strategies with Proxies or Instruments

## Approaches to identification with proxies or instrumental variables

- Instrumental variable
- Two proxy variables
- One proxy with noise uncorrelated with the policy

#### Instrumental variable

- ► Traditional instrument for the policy that is unrelated to the confound
- Can estimate parameters via 2SLS

## Two proxy variables

- ▶ If you have access to two proxies for the confound with measurement error uncorrelated across proxies, you can use one proxy to instrument for the other
- Related to measurement error models

## One proxy with noise uncorrelated with the policy

#### **Assumption**


There is an observed proxy  $x_{it}$  that obeys

$$\mathbf{x}_{it} = \alpha_i^{\mathbf{x}} + \gamma_t^{\mathbf{x}} + \psi^{\mathbf{x}} \mathbf{q}_{it} + \Xi^{\mathbf{x}} \mathbf{C}_{it} + \mathbf{u}_{it}.$$


#### with

- 1. Proxy related to the confound:  $\Xi^x \neq 0$
- 2. Noise in the proxy not related to the policy:  $\mathbb{E}[u_{it}|z_i, \alpha^{x_i}, \gamma^x, q_i] = 0$
- 3. The projection of  $C_{it}$  on  $\{z_{i,t-m}\}_{m=-G-L_G}^{M+L_M}$ ,  $q_{it}$  and unit and time indicators has at least one non-zero coefficient on  $z_{i,t+m}$  for m>G


## Event-study plot for outcome



## Event-study plot for proxy



## Align proxy to outcome



### Subtract rescaled confound from outcome

