Joruva Industrial — Sales Reference Guide

Joruva Industrial — Sales Reference Guide

For internal sales team use only. Do not distribute to customers. Last updated: April 12, 2026

Company Overview

Joruva Industrial, LLC sells industrial air compression equipment and air treatment products direct to American manufacturers. Our supplier is **Compressed Air Systems (CAS)** in Mansfield, Texas — a family-run manufacturer with 50+ years in the business.

Our edge: We buy direct from the factory and sell direct to the customer, skipping the dealer markup that Quincy and Ingersoll Rand are built on. Same certifications, same build quality, 20-40% lower price.

Certifications: UL Listed (File E340852) · CSA Certified (Certificate 2758942)

Warranty: 1 year standard

HQ: 23233 N Pima Rd, Ste 113-219, Scottsdale, AZ 85255

Toll-free: (844) 713-2636

How to Use This Guide

- **Green rows** = ecommerce products. You can quote these prices on the phone, in email, wherever.
- **Purple rows** = direct/phone-sales only. You can reference these prices during a live phone call as a starting anchor ("starts around $X"). **Never publish these prices on any written, public, or indexable surface** (email, website, ads, PDFs sent to customers). This is a supplier relationship requirement — non-negotiable.
- **"Quote required"** = we don't have confirmed pricing yet. Route to Alex or Tom.
- **Discount authority:** You have 10% discount authority without approval. Anything beyond that requires Tom or Paul.

Product Line 1: Contractor Portable (Gas)

Small gas-powered portables for job sites, service trucks, and mobile crews. Quick sales, low dollar amount, easy entry point.

SKU	HP	Description	MSRP	Channel
JCP-200GX-TW	5.5	Twin-tank portable, Honda GX200	**$1,549**	Ecommerce
JCP-200GX-WB	5.5	Wheelbarrow portable, Honda GX200	**$1,599**	Ecommerce
JCP-270GXE-TW	8	Electric-start twin-tank, Honda GX270	**$2,495**	Ecommerce

Talking points: - Perfect for contractors, mobile welders, service trucks - Honda engines — customers trust the brand - Electric start on the 8 HP is a big selling point for guys who use it daily - Compare to: Harbor Freight ($800-1,200 for junk) or Quincy portable ($3,500+)

Product Line 2: Gas Industrial (Service Truck Mount)

Larger gas portables for heavy-duty service truck applications. 30-gallon tanks, Kohler/Honda engines.

SKU	HP	CFM @ 150 PSI	Engine	MSRP	Channel
JGI-390CC-30E	13	20.5	Kohler, electric start	**$3,995**	Ecommerce

SKU	HP	CFM @ 150 PSI	Engine	MSRP	Channel
JGI-390CC-30S	13	20.5	Kohler, pull start	**$3,995**	Ecommerce
JGI-390CC-30HD	13	20.5	Kohler, heavy-duty frame	**$4,195**	Ecommerce

CAS also offers these portable rotary screws (not yet in Joruva catalog — route to Tom): - RS28GEC36: 28 HP Kohler, 72 CFM @ 150 PSI (gas) - RS250GED36: 26 HP Kohler Diesel, 72 CFM @ 150 PSI - RS180GEH33: 18 HP Honda, 39 CFM @ 150 PSI - RS130GEH33: 13 HP Honda, 20.5 CFM basemount

All feature German-made rotary screw air ends, spin-on separators, and operating pressures from 100-180 PSI.

Product Line 3: Reciprocating Piston (Electric Stationary)

Shop workhorses. Electric stationary units with 80-120 gallon tanks. The bread and butter of small shops that don't run continuous duty.

SKU	HP	Tank	MSRP	Channel
JRV-5080ST-1P	5	80 Gal, single-phase	**$3,595**	Ecommerce
JRV-5080ST-3P	5	80 Gal, three-phase	**$3,595**	Ecommerce
JRV-7580ST-1P	7.5	80 Gal, single-phase	**$3,995**	Ecommerce
JRV-7580ST-3P	7.5	80 Gal, three-phase	**$3,995**	Ecommerce
JRV-7580MAX-1P	7.5	80 Gal MaxFlow, single-phase	**$4,295**	Ecommerce
JRV-7580MAX-3P	7.5	80 Gal MaxFlow, three-phase	**$4,295**	Ecommerce
JRV-10120ST-H	10	120 Gal Horizontal	**$4,795**	Ecommerce
JRV-10120ST-V	10	120 Gal Vertical	**$4,995**	Ecommerce
JRV-15120PRO-H	15	120 Gal Horizontal Pro	**$6,495**	Ecommerce

Talking points: - Single-phase options (1P) are important — many small shops don't have three-phase power - MaxFlow models have a higher duty cycle than standard - Vertical tank option saves floor space in tight shops - "Pro" at 15 HP is for shops that need more air but aren't ready for a rotary screw yet - Compare to: IR SS3 ($1,800-2,500 for 5 HP) or Quincy QT ($3,000-5,000)

Product Line 4: Rotary Screw — Standard (Open Frame / Enclosed)

The core of the business. Continuous-duty rotary screw compressors for real manufacturing floors. This is where most of your deals will land.

Ecommerce (≤20 HP) — quotable anywhere

SKU	HP	CFM @ 150 PSI	Voltage	MSRP	Channel
JRS-5E-230V	5	18	230V/1ph	**$6,995**	Ecommerce
JRS-5E-460V	5	18	460V/3ph	**$6,995**	Ecommerce
JRS-75E-230V	7.5	28	230V/1ph or 3ph	**$7,495**	Ecommerce
JRS-75E-460V	7.5	28	460V/3ph	**$7,495**	Ecommerce
JRS-10E-460V	10	38	460V/3ph	**$9,495**	Ecommerce
JRS-15E-460V	15	54	460V/3ph	**$11,995**	Ecommerce

Direct / Phone-Sales Only (>20 HP) — NEVER publish these prices

SKU	HP	CFM @ 150 PSI	Voltage	Starting MSRP	Channel
JRS-25PRO-460V	25	102	460V/3ph	**$17,500**	Direct
JRS-30PRO-460V	30	125	230/460V/3ph	**$19,500**	Direct
JRS-40	40	155	460V/3ph	Quote required	Direct

SKU	HP	CFM @ 150 PSI	Voltage	Starting MSRP	Channel
JRS-50	50	185	460V/3ph	Quote required	Direct
JRS-60	60	210	460V/3ph	Quote required	Direct
JRS-75	75	285	460V/3ph	Quote required	Direct
JRS-100	100	405	460V/3ph	Quote required	Direct

Note: There is no JRS-20 in the CAS catalog. The line jumps from 15 HP to 25 HP.

Talking points: - Rotary screw = continuous duty. Piston compressors cycle on and off. Rotary screws run all day. - The 5 HP single-phase is a great upgrade sell for shops currently running a piston unit - 10-15 HP is the sweet spot for CNC shops running 3-5 machines - 25-30 HP is where you start talking to bigger shops and the commissions get real - Always ask about voltage — shops running 230V single-phase can only go up to 7.5 HP without an electrical upgrade - UL and CSA certifications matter most at this tier — these shops have auditors

---

Product Line 5: Rotary Screw — Permanent Magnet VFD (NEW 2026)

The premium line and the big commission story. Variable frequency drive with permanent magnet motors saves 30-40% on electricity versus fixed-speed. IE4 Super Premium efficiency, zero-loss direct-drive, liquid-cooled.

ALL PM VFD PRICING IS PHONE-SALES ONLY. Never publish on any written or public surface.

SKU	HP	CFM @ 150 PSI	Voltage	Starting MSRP	Channel
JVSD-10	10	34	208-230-460V/3ph	Quote required	Direct
JVSD-15	15	53	208-230-460V/3ph	Quote required	Direct
JVSD-20	20	71	208-230-460V/3ph	Quote required	Direct
JVSD-30	30	109	208-230-460V/3ph	Quote required	Direct
JVSD-50	50	187	208-230-460V/3ph	**$36,995**	Direct
JVSD-60	60	230	208-230-460V/3ph	Quote required	Direct
JVSD-75	75	320	208-230-460V/3ph	**$62,995**	Direct
JVSD-100	100	406	208-230-460V/3ph	**$74,995**	Direct
JVSD-125	125	577	208-230-460V/3ph	**$84,995**	Direct
JVSD-150	150	741	208-230-460V/3ph	**$109,995**	Direct
JVSD-200	200	960	460V/3ph	**$139,995**	Direct

Competitive positioning:

Comparison	Competitor Price	Joruva MSRP	Savings
50 HP VFD vs Quincy QGV-50	$51,797	$36,995	28% less
75 HP VSD vs IR RS75	$80,981	$62,995	22% less
100 HP VSD vs IR RS100	$103,436	$74,995	28% less

Talking points: - Energy savings is the hook for plant managers. A VFD matches motor speed to actual air demand, so it’s not running full blast when the shop is at half capacity. - 30-40% energy savings versus a fixed-speed unit. On a 100 HP compressor running 24/7, that can be $15,000-25,000/year in electricity. - The price gap versus Quincy and IR is massive. Show them the numbers. - “Starts around $37K for a 50 horse” is how you anchor the conversation. Final pricing requires Alex’s sizing review. - Route JVSD-10 through JVSD-30 and JVSD-60 to Alex — no confirmed pricing yet.

Product Line 6: Large Frame Enclosed (125-476 HP)

Two-stage rotary screw compressors for large manufacturing plants. All quote-required, all direct sale. Route to Alex or Tom.

SKU	HP	CFM @ 125 PSI	Voltage	MSRP	Channel
JLF-125	125	518	460V/3ph	Quote required	Direct
JLF-150	150	653	460V/3ph	Quote required	Direct
JLF-180	180	749	460V/3ph	Quote required	Direct

SKU	HP	CFM @ 125 PSI	Voltage	MSRP	Channel
JLF-220	220	875	460V/3ph	Quote required	Direct
JLF-270	270	1,121	460V/3ph	Quote required	Direct
JLF-335	335	1,369	460V/3ph	Quote required	Direct
JLF-425	425	1,670	460V/3ph	Quote required	Direct
JLF-476	476	1,895	460V/3ph	Quote required	Direct

Note: Large frame units run at 125 PSI (not 150 PSI like the other lines). Two-stage compression.

Talking points: - These are plant-level deals. The buyer is a VP of Operations or Facilities Director, not the shop owner. - If someone mentions they're running 125+ HP, hand this to Alex immediately. These are consultative sales with long cycles and big payoffs.

Air Treatment: Refrigerated Dryers

Dryers remove moisture from compressed air. Every rotary screw system should have a dryer. This is your bundled upsell on every compressor deal.

SKU	CFM	Pairs Best With	MSRP	Channel
JRD-30	30	5 HP compressor	**$2,195**	Ecommerce
JRD-40	40	5-7.5 HP	**$2,495**	Ecommerce
JRD-60	60	7.5-10 HP	**$2,895**	Ecommerce
JRD-80	80	10-15 HP	**$3,195**	Ecommerce
JRD-100	100	15-25 HP	**$3,595**	Ecommerce
JRD-200+	200-1000	25 HP and up	Pricing pending	Direct

Talking points: - "Does your current system have a dryer?" — if the answer is no, you just found $2-4K of additional sale. - Moisture in the air line causes rust in pneumatic tools, paint defects in body shops, and contamination in food/medical. - Always recommend a dryer with every compressor quote. It's not optional for most manufacturing applications. - Match the dryer CFM to the compressor CFM. A 5 HP unit puts out ~18 CFM, so a JRD-30 has headroom.

Air Treatment: Desiccant Dryers (Precision/Aerospace)

For applications that need extremely dry air: -60°F pressure dewpoint. Molecular sieve media, wall-mountable.

SKU	CFM	MSRP	Channel
JDD-40	40	**$7,495**	Ecommerce
JDD-80	80	**$11,895**	Ecommerce

When to recommend desiccant over refrigerated: - Aerospace shops (AS9100) — compliance often requires -40°F dewpoint or better - Medical device manufacturing (ISO 13485) - Food and beverage processing (USDA/FDA) - Precision painting and coating - Any application where "clean dry air" is a written quality spec

Talking points: - Desiccant dryers cost 2-3x more than refrigerated but the customer who needs one KNOWS they need one. Don't upsell desiccant to a general fab shop — it's overkill and they'll feel sold. - If a customer mentions audits, compliance standards, or clean air specs, that's your desiccant signal.

Air Treatment: Inline Filters

Filters remove particulates and oil aerosols from compressed air. Sell with every dryer.

SKU	Type	Micron Rating	CFM	MSRP	Channel
JCF-70	Coalescing	0.01 µm	70	**$349**	Ecommerce
JCF-130	Coalescing	0.01 µm	130	**$449**	Ecommerce
JPF-70	Particulate	1.0 µm	70	**$399**	Ecommerce
JPF-130	Particulate	1.0 µm	130	**$499**	Ecommerce

Talking points: - A complete air treatment system is: compressor → aftercooler → particulate filter → coalescing filter → dryer. - Add $700-950 to every system quote for a filter pair (one particulate + one coalescing). - For food-grade / aerospace: add an activated carbon filter downstream of the coalescing filter. Route to Alex for sizing.

Oil-Water Separators (OWS) — Reactis Technology

Condensate management for environmental compliance. Every compressor generates water/oil condensate that can't go down the drain.

SKU	Capacity (SCFM)	MSRP	Channel
OWS450	151-450	**$1,570**	Ecommerce
OWS1000	451-1,000	**$2,436**	Ecommerce
OWS2000	1,001-2,000	**$5,360**	Ecommerce
OWS3000	2,001-3,000	**$7,790**	Ecommerce
OWS3500	3,001-3,500 (IBC)	**$14,800**	Ecommerce
OWS7000	3,501-7,000 (IBC)	**$20,940**	Ecommerce
OWS75-4	Pre-filter	**$870**	Ecommerce

Talking points: - EPA requires proper condensate disposal. Dumping oily condensate is an environmental violation. - OWS units are an easy add-on for any shop running 25+ HP. Most shops at that size don't have proper condensate management. - Reactis technology separates mineral oil, synthetic oil, and polyglycol from condensate automatically.

Service Kits (Reactis Technology)

Replacement filter kits for OWS units. Recurring revenue — first-sale commission per customer.

SKU	MSRP	Pairs With
SERVKIT150	**$580**	Small OWS
SERVKIT450	**$790**	OWS450
SERVKIT1000	**$1,200**	OWS1000
SERVKIT2000	**$2,400**	OWS2000
SERVKIT3000	**$3,580**	OWS3000
SERVKIT75-4	**$475.90**	OWS75-4 pre-filter
SERVKIT3500	**$11,700**	OWS3500
SERVKIT7000	**$17,900**	OWS7000

Common System Bundles (Example Quotes)

These are the combos that come up most often. Use as a starting point for quoting.

Small Shop (Auto Body, Small Fab)

- JRS-5E-230V (5 HP rotary screw): $6,995
- JRD-30 (30 CFM dryer): $2,195
- JCF-70 + JPF-70 (filter pair): $748
- **System total: ~$9,938**

Mid-Size CNC Shop

- JRS-10E-460V (10 HP rotary screw): $9,495
- JRD-40 (40 CFM dryer): $2,495
- JCF-70 + JPF-70 (filter pair): $748
- **System total: ~$12,738**

Production Floor

- JRS-15E-460V (15 HP rotary screw): $11,995
- JRD-60 (60 CFM dryer): $2,895
- JCF-70 + JPF-70 (filter pair): $748
- **System total: ~$15,638**

Large CNC / Multi-Machine (Phone Quote)

- JRS-25PRO-460V (25 HP rotary screw): $17,500
- JRD-100 (100 CFM dryer): $3,595
- JCF-130 + JPF-130 (filter pair): $948
- **System total: ~$22,043**

PM VFD Flagship (Phone Quote)

- JVSD-100 (100 HP PM VFD): $74,995
- Dryer TBD (pricing pending for large dryers)
- **Unit alone: $74,995 — full system will be $80K+**

Sizing Quick Reference

When a customer tells you about their shop, here's how to match them to a compressor:

Shop Description	Typical CFM Need	Recommended Compressor
1-2 CNC machines, small job shop	15-25 CFM	JRS-5E (5 HP)
3-5 CNC machines, general manufacturing	25-50 CFM	JRS-75E or JRS-10E (7.5-10 HP)
5-10 machines, busy production floor	50-100 CFM	JRS-15E or JRS-25PRO (15-25 HP)
10+ machines, multi-shift operation	100-200 CFM	JRS-30PRO or JVSD-50 (30-50 HP)
Full plant, 200+ CFM continuous	200-500 CFM	JVSD-75 to JVSD-125 (75-125 HP)
Large manufacturing facility	500+ CFM	JVSD-150, JVSD-200, or JLF series

Rule of thumb: A typical CNC machine needs 8-15 CFM. A paint booth needs 15-30 CFM. A sandblaster needs 50-100 CFM.

Always oversize by 20-30%. If their math says 80 CFM, recommend a 100 CFM unit. Undersizing kills the compressor and kills the customer relationship.

Key Objection Handlers

"I've never heard of Joruva / CAS."

"CAS has been building compressors in Mansfield, Texas for over fifty years. You've never heard of them because they don't have a national dealer network burning margin. That's exactly why we're 20-40% less than Quincy. Same factory, same certifications, no middlemen."

"Why is it so much cheaper?"

"No dealer markup. Quincy and IR run through a distribution channel that adds 30-40% to the price. We buy direct from the factory and sell direct to you. Same UL listing, same CSA cert. The equipment is the same tier — the business model is different."

"What about service and parts?"

"One year warranty on every unit. Parts are standard industrial components — air ends, filters, oil, belts. Any qualified compressed air tech can service CAS equipment. We also have a relationship with CAS engineers who can help troubleshoot anything unusual."

"I need to think about it."

"Totally fair. I'll send you the specs and a quote so you have something concrete to look at. What's your timeline on replacing the current unit?" (Keep the conversation alive — get a callback date.)

"Can you do better on price?"

You have 10% discount authority. Use it strategically — don't lead with it. If they're serious and the deal is close, offer 5% first. Save the full 10% for when they're comparing a specific competitor quote. Anything beyond 10% goes to Tom or Paul.

Important Rules

1. **Never share cost, margin, or supplier pricing with anyone outside the company.** Customers see MSRP only. Reps see MSRP and commission — never cost.
2. **>20 HP pricing is phone-sales only.** Never in email, never on the website, never in a PDF you send to a customer. Live voice conversations only. This is a CAS supplier relationship requirement.
3. **Warranty is 1 year.** Not 2. Don't overstate it.
4. **HQ is Scottsdale, AZ** — not Mansfield, TX. CAS is in Mansfield. Joruva is in Scottsdale.
5. **Products are "assembled" in Mansfield** — not "manufactured." CAS assembles from components. Use the right word.
6. **Never publish the sales phone number.** Route customers through the toll-free: (844) 713-2636.
7. **No "no markup" claims.** We do mark up from CAS cost. The claim is that we're cheaper than the competition because we skip the dealer channel — not because we don't mark up.

Sales Team Contacts

- **Tom Russo** — Founder. Pricing authority, strategy, CAS relationship. tom@joruva.com
- **Paul Johnson** — Co-founder, CAS relationship. paul@joruva.com
- **Kate Russo** — Sales Specialist. kate@joruva.com
- **Alex Paxton** — Senior Sales Consultant. Technical sizing, large deals (25+ HP), PM VFD consultations. alex@joruva.com
- **Britt Johnson** — Onboarding, Nucleus Phone training. britt@joruva.com

---

This document is proprietary to Joruva Industrial, LLC. Do not distribute externally.