Actual training, validation and test status

Selected category-presence experiment | Recorded state: November 4, 2026

538 admitted development images

Fashionpedia train2020 source; frozen project assignments

No random re-split

of reused development data

TRAINING

420 images (78.1%)
265 worn skirts + 155 negatives
Used to fit model weights
Recorded groups: 420

VALIDATION

118 images (21.9%)
66 worn skirts + 52 negatives
Reused for model selection
Recorded groups: 118

FINAL DEVICE TEST

Not collected or frozen
Needs unseen physical garments
No final accuracy measured
Separate future collection

Separate protected source sanity pool: 12 photos

Original Fashionpedia val2020. Excluded from model fitting and tuning.
These are not the final camera / Raspberry Pi test set.

Percentages refer to 538 images, not all 1,932 registered originals.

Recorded source groups are not verified physical garments. Dashed box = pending.

Dataset sizes differ across the models

Actual experiment inputs | Counts are original images, not new crops or garments

Component / experiment	Train	Validation	Total
Pleating fine-tune v1 Both worn and secondary presentations	292	80	372
Localizer v2 292 + 56 negatives / 80 + 19 negatives	348	99	447
Category presence v1 265 + 155 negatives / 66 + 52 negatives	420	118	538
Fabric appearance smoke v1 Very small source-appearance pilot; not accepted	12	5	17

Worn-skirt subset: 265 train / 66 validation (331 total).

It supplies category-presence positives and the current chain comparison.

Pools overlap: do not add these rows to obtain a unique dataset size.

Hemline: zero observed geometry annotations; measured calibration remains pending.

No accepted independent device-domain final test exists for these components.

Planned development and final-test workflow

Methodology diagram | Future physical collection; no completed split ratio implied



Choose group counts per class before ratios. No final-test data returns to tuning.

If test findings guide changes, use a new independent test for the revised candidate.

Keep related observations in one partition

Illustrative grouping rule | These example garment IDs are not acquired specimens



Connect identities using garment, product, parent frame, clip/session and duplicate links.

Never randomly split frames or crops from the same garment across these partitions.

More frames do not create more independent garments.

Unresolved identity is excluded from final-test acceptance until reviewed.