



TAILLIGHT AND ILLUMINATION

SERVICE HINTS

C14 LIGHT CONTROL SW [COMB. SW]

14-16: Closed with light control SW at TAIL or HEAD position

TAIL RELAY

3-5 : Closed with light control SW at TAIL or HEAD position

: PARTS LOCATION

Code		See Page	Code		See Page	Code		See Page
A	19	34	J10	В	33 (3RZ–FE, 2RZ–FE) R2 B		35	
A	25	5 34 36 (Double Cab)		R3		35		
C5		34	L1		37 (Except Double Cab)	R4		35
C13		34	1.0		36 (Double Cab)		c	36 (Double Cab)
С	14	34	L2		37 (Except Double Cab)	R6		37 (Except Double Cab)
Е	4	35	P2		31 (5VZ-FE)		7	36 (Double Cab)
G	3	35			33 (3RZ-FE, 2RZ-FE)	R	1	37 (Except Double Cab)
Н	16	35	- P3 P19		31 (5VZ-FE)	R′	15	35
J9	Α	31 (5VZ-FE)			33 (3RZ-FE, 2RZ-FE)	S	4	35
		33 (3RZ-FE, 2RZ-FE)			35			
J10	В	31 (5VZ-FE)	R1	Α	35			

: RELAY BLOCKS

Ī	Code	See Page	Relay Blocks (Relay Block Location)	
	2	21	R/B No.2 (Engine Compartment Left)	

: JUNCTION BLOCK AND WIRE HARNESS CONNECTOR

Code	See Page Junction Block and Wire Harness (Connector Location)				
1E	23	Engine Room Main Wire and J/B No.1 (Lower Finish Panel)			
1F	23	Coud Mire and J/D No. 4 (Laurer Finish Denal)			
1L	22	Cowl Wire and J/B No.1 (Lower Finish Panel)			
3A					
3C	24	Cowl Wire and J/B No.3 (Behind the Instrument Panel Left)			
3F					
3H	00	Could Military and 1/D No. 2 (Dahirad the Instrument Daniel Contan)			
31	26	Cowl Wire and J/B No.3 (Behind the Instrument Panel Center)			

: CONNECTOR JOINING WIRE HARNESS AND WIRE HARNESS

Code	See Page	Joining Wire Harness and Wire Harness (Connector Location)			
IF1	44	Engine Room Main Wire and Cowl Wire (Left Kick Panel)			
BN7	46 (Double Cab) 48 (Except Double Cab)	From Mire and Coul Mire (Under the Driver's Coot)			
DIN/		Frame Wire and Cowl Wire (Under the Driver's Seat)			

: GROUND POINTS

Code	See Page	Ground Points Location		
- ^	40 (5VZ-FE)	Front Latt Fonder		
EA	42 (3RZ-FE, 2RZ-FE)	Front Left Fender		
IE	44	Around the Right Edge of the Reinforcement		
IG	44	Around the Left Edge of the Reinforcement		

: SPLICE POINTS

Code	See Page	Wire Harness with Splice Points	Code	See Page	Wire Harness with Splice Points
Eo	40 (5VZ-FE)	Engine Room Main Wire	19	44	Cowl Wire
E3	42 (3RZ-FE, 2RZ-FE)				