


\* 1 : W/O DAYTIME RUNNING LIGHT \* 2 : W/ DAYTIME RUNNING LIGHT



# **POWER SOURCE**

### SERVICE HINTS

### **HEATER RELAY**

1-2: Closed with ignition SW on and heater blower SW on

### **HEAD RELAY**

2–1 : Closed with light control SW at **HEAD** position or dimmer SW at **FLASH** position Closed with engine running and parking brake lever released (w/ daytime running light)

### **I14 IGNITION SW**

2-3 : Closed with ignition key at ACC or ON position

2-4: Closed with ignition key at ON or ST position

7-6: Closed with ignition key at **ON** or **ST** position

### **TAIL RELAY**

5-3: Closed with light control SW at TAIL or HEAD position

## **DIMMER RELAY**

4-3: Closed with HEAD relay on and dimmer SW at HIGH or FLASH position

# : PARTS LOCATION

Code	See Page	Code	See Page	Code	See Page
l14	35				

## : RELAY BLOCKS

Code	See Page	Relay Blocks (Relay Block Location)	
2	21	R/B No.2 (Engine Compartment Left)	

## : JUNCTION BLOCK AND WIRE HARNESS CONNECTOR

Code	See Page	Junction Block and Wire Harness (Connector Location)
11	22	Fasing Doom Main Wise and J/D No.4 (Lawas Finish Done)
1K	23	Engine Room Main Wire and J/B No.1 (Lower Finish Panel)

# : SPLICE POINTS

Code	ode See Page Wire Harness with Splice Points		Code	See Page	Wire Harness with Splice Points
E3	40 (5VZ-FE)	Engine Room Main Wire	E3	42 (3RZ-FE, 2RZ-FE)	Engine Room Main Wire