


# Welcome to nginx!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to [nginx.org](https://nginx.org).  
Commercial support is available at [nginx.com](https://nginx.com).

*Thank you for using nginx.*



anderson@anderson-VirtualBox: ~/Área de Trabalho



anderson@anderson-VirtualBox: ~/Área de Trabalho

anderson@anderson-VirtualBox: ~/Área de Trabalho

GNU nano 6.2

/etc/nginx/sites-available/default

```
##
# You should look at the following URL's in order to grasp a solid understanding
# of Nginx configuration files in order to fully unleash the power of Nginx.
# https://www.nginx.com/resources/wiki/start/
# https://www.nginx.com/resources/wiki/start/topics/tutorials/config_pitfalls/
# https://wiki.debian.org/Nginx/DirectoryStructure
#
# In most cases, administrators will remove this file from sites-enabled/ and
# leave it as reference inside of sites-available where it will continue to be
# updated by the nginx packaging team.
#
# This file will automatically load configuration files provided by other
# applications, such as Drupal or Wordpress. These applications will be made
# available underneath a path with that package name, such as /drupal8.
#
# Please see /usr/share/doc/nginx-doc/examples/ for more detailed examples.
##

# Default server configuration
#
server {
    listen 80 default_server;
    listen [::]:80 default_server;

    # SSL configuration
    #
    # listen 443 ssl default_server;
    # listen [::]:443 ssl default_server;
    #
    # Note: You should disable gzip for SSL traffic.
    # See: https://bugs.debian.org/773332
    #
    # Read up on ssl_ciphers to ensure a secure configuration.
```



^G Ajuda  
^X Sair

^O Gravar  
^R Ler o arq

^W Onde está?  
^\_ Substituir

^K Recortar  
^U Colar


^T Executar  
^J Justificar

^C Local  
^/ Ir p/ linha

M-U Desfazer  
M-E Refazer

M-A Marcar  
M-6 Copiar





anderson@anderson-VirtualBox: ~/Área de Trabalho



anderson@anderson-VirtualBox: ~/Área de Trabalho

anderson@anderson-VirtualBox: ~/Área de Trabalho

GNU nano 6.2

/etc/nginx/sites-available/default \*

```
#
# Note: You should disable gzip for SSL traffic.
# See: https://bugs.debian.org/773332
#
# Read up on ssl_ciphers to ensure a secure configuration.
# See: https://bugs.debian.org/765782
#
# Self signed certs generated by the ssl-cert package
# Don't use them in a production server!
#
# include snippets/snakeoil.conf;
```

```
root /var/www/html;
```

```
# Add index.php to the list if you are using PHP
index index.html index.htm index.nginx-debian.html;
```

```
server_name _;
```

```
    location / location / {
proxy_pass http://187.86.202.106;
proxy_set_header Host $host;
proxy_set_header X-Real-IP $remote_addr;
```

```
    # pass PHP scripts to FastCGI server
    #
    #location ~ /\.php$ {
    #    include snippets/fastcgi-php.conf;
    #
    #    # With php-fpm (or other unix sockets):
    #    fastcgi_pass unix:/run/php/php7.4-fpm.sock;
    #    # With php-cgi (or other tcp sockets):
```



^G Ajuda  
^X Sair

^O Gravar  
^R Ler o arq

^W Onde está?  
^\_ Substituir

^K Recortar  
^U Colar

^T Executar  
^J Justificar

^C Local  
^/ Ir p/ linha

M-U Desfazer  
M-E Refazer

M-A Marcar  
M-6 Copiar



anderson@anderson-VirtualBox: ~/Área de Trabalho



anderson@anderson-VirtualBox: ~/Área de Trabalho

anderson@anderson-VirtualBox: ~/Área de Trabalho

GNU nano 6.2 /etc/nginx/sites-available/default \*

```
# fastcgi_pass unix:/run/php/php7.4-fpm.sock;
# # With php-cgi (or other tcp sockets):
# fastcgi_pass 127.0.0.1:9000;
#}



# deny access to .htaccess files, if Apache's document root
# concurs with nginx's one
#
#location ~ /\.ht {
#    deny all;
#}
```



```
}


# Virtual Host configuration for example.com
#
# You can move that to a different file under sites-available/ and symlink that
# to sites-enabled/ to enable it.
```



```
#
#server {
#    listen 80;
#    listen [::]:80;
#
#    server_name example.com;
#
#    root /var/www/example.com;
#    index index.html;
#
#    location / {
#        try_files $uri $uri/ =404;
#    }
#}
```



  Ajuda  
 Sair



 Gravar  
 Ler o arq

 Onde está?  
 Substituir

 Recortar  
 Colar

 Executar  
 Justificar

 Local  
 Ir p/ linha

 Desfazer  
 Refazer

 Marcar  
 Copiar