

CURSO DE GIT PARA DESARROLLADORES

Configuración Inicial

Comandos básicos para trabajar en local

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/Git (main)
$ git config --global user.name "Jose"

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/Git (main)
$ git config --global user.email "josemaria.gomez@bosonit.com"

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/Git (main)
$ git config --global core.editor "code --wait"

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/Git (main)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=main
core.editor=code --wait
user.name=Jose
user.email=josemaria.gomez@bosonit.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/Git (main)
$
```

Primeros pasos:

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT
$ git init
Initialized empty Git repository in C:/Users/josemaria.gomez/Documents/Bosonit_SQL/Bloque3/GIT/.git/

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (main)
$ echo "# Proyecto Jose Maria" > README.md

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (main)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (main)
$ git commit -m "Creacion README"
[main (root-commit) 58bf074] Creacion README
1 file changed, 1 insertion(+)
create mode 100644 README.md

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (main)
$ git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Ejercicios_GIT.odt
    Git_Manual.pdf

nothing added to commit but untracked files present (use "git add" to track)

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (main)
$ git log --oneline
58bf074 (HEAD -> main) Creacion README

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (main)
$
```

MÓDULO 2


Sincronizar proyecto en la nube

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (main)
$ git remote add origin https://github.com/josegomezzmlg/git-manual.git
error: remote origin already exists.

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (main)
$ git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (main)
$
```

Aparecen los errores ya que lo había hecho antes, solo que no había hecho la captura



1. Crear y cambiar a nueva rama:

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (main)
$ git checkout -b features/login
Switched to a new branch 'features/login'

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (features/login)
$ git branch
* features/login
main
```

Aquí he creado la rama de funcionalidades sobre la parte del logueo

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (features/login)
$ mkdir Logueo

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT (features/login)
$ cd Logueo/

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ touch login.js

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ echo " Creacion de Logueos Jose Maria" > login.js

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git status
On branch features/login
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  ../.~lock.Ejercicios_GIT.odt#
  ../Ejercicios_GIT.odt
  ../Git_Manual.pdf
  ./
```

Creación de un nuevo directorio al que le agrego un fichero javascript


```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git add .
warning: in the working copy of 'Logueo/login.js', LF will be replaced by CRLF the next time Git touches it

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git commit -m "Cambios rama de funcionalidades"
[features/login feace74] Cambios rama de funcionalidades
1 file changed, 1 insertion(+)
create mode 100644 Logueo/login.js

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git push origin features/login
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 372 bytes | 372.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/josegomezzmlg/git-manual.git
58bf074..feace74 features/login -> features/login

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$
```

Subo los cambios a github , por lo que se crea la nueva rama con el contenido agregado.



Actualización de ramas

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ git merge features/login
Updating 58bf074..feace74
Fast-forward
 Logueo/login.js | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 Logueo/login.js

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/josegomezzmlg/git-manual.git
 58bf074..feace74  main -> main
```

Me situo en la rama main , y hago un merge con la rama features/login, para posteriormente subirlo a github

Resolución de conflictos

```
index.html X
C: > Users > josemaria.gomez > Documents > Bosonit_SQL > Bloque3 > GIT > Logueo > index.html > h1
1 <h1>Bienvenido a mi web</h1>

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git branch
* main
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git add .
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git commit -m "Cambio Index por la rama main"
[main c54c65a] Cambio Index por la rama main
1 file changed, 1 insertion(+), 1 deletion(-)
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git push origin main
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 401 bytes | 401.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/josegomezzmlg/git-manual.git
13fd81a..c54c65a main -> main
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> 
```

Aquí hago la modificación desde la rama main y lo subo a github

```
index.html X
C: > Users > josemaria.gomez > Documents > Bosonit_SQL > Bloque3 > GIT > Logueo > index.html > h1
1 <h1>Pagina de inicio de sesion</h1>

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git checkout features/login
Switched to branch 'features/login'
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git branch
* features/login
main
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git add .
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git commit -m "Cambio index rama features"
[features/login 96cfa00] Cambio index rama features
1 file changed, 1 insertion(+), 1 deletion(-)
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git push origin features/login
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 402 bytes | 402.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/josegomezzmlg/git-manual.git
13fd81a..96cfa00 features/login -> features/login
PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> 
```


Me cambio a la rama features/login y modifico el fichero, para subirlo a github

```
<> index.html ! X
C: > Users > josemaria.gomez > Documents > Bosonit_SQL > Bloque3 > GIT > Logueo > <> index.html > ?
Accept Current Change | Accept Incoming Change | Accept Both Changes | Compare Changes
1 <<<<<<< HEAD (Current Change)
2 <h1>Bienvenido a mi web</h1>
3 =====
4 <h1>Pagina de inicio de sesion</h1>
5 >>>>>> features/login (Incoming Change)
6

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
• PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git branch
  features/login
* main
• PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git merge features/login
Auto-merging Logueo/index.html
CONFLICT (content): Merge conflict in Logueo/index.html
Automatic merge failed; fix conflicts and then commit the result.
• PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo>
```

Intento hacer el mergeo pero al haber modificado algo propio de la rama main, se crea el conflicto.

```
• PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git merge features/login
fatal: You have not concluded your merge (MERGE_HEAD exists).
Please, commit your changes before you merge.
• PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git commit -m "Fusion de ambas"
[main ef64f25] Fusion de ambas
• PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git merge features/login
Already up to date.
• PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo> git push origin main
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 447 bytes | 447.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/josegomezzmlg/git-manual.git
 c54c65a..ef64f25  main -> main
• PS C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo>
```



Resuelvo el conflicto desde Visual Studio Code, hago el mergeo y procedo a subirlo a github

 josegomezzmlg Fusion de ambas

1 lines (1 loc) · 57 Bytes

CodeBlame

1<h1>Bienvenido a mi web - Pagina de inicio de sesion</h1>

Listar y eliminar Ramas

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ git branch -a
  features/login
* main
  remotes/origin/features/login
  remotes/origin/main

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ git branch -d features/login
Deleted branch features/login (was 96cfa00).

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ git push origin --delete features/login
To https://github.com/josegomezzmlg/git-manual.git
- [deleted]          features/login

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ git branch -a
* main
  remotes/origin/main

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ |
```

main git-manual / Logueo / ind

Switch branches/tags

Find or create a branch...

BranchesTags

✓ main default

View all branches

Gestión de cambios:

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ git diff

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ git diff --staged

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ git diff HEAD~1
diff --git a/Logueo/index.html b/Logueo/index.html
index 8221077..667a297 100644
--- a/Logueo/index.html
+++ b/Logueo/index.html
@@ -1,1 @@
-<h1>Bienvenido a mi web</h1>
\ No newline at end of file
+<h1>Bienvenido a mi web - Pagina de inicio de sesion</h1>
\ No newline at end of file

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ |
```

MÓDULO 3 BUENAS PRÁCTICAS Y EJERCICIO FINAL

EJERCICIO FINAL

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (main)
$ git checkout -b develop
Switched to a new branch 'develop'

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (develop)
$ git push origin develop
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/josegomezzmlg/git-manual/pull/new/develop
remote:
To https://github.com/josegomezzmlg/git-manual.git
 * [new branch]      develop -> develop

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (develop)
$ git checkout -b features/login
Switched to a new branch 'features/login'

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git branch -a
  develop
* features/login
  main
  remotes/origin/develop
  remotes/origin/main

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$
```

Creación de las ramas features/login y develop.
Copio todo de la rama main sobre la rama develop.


```

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ touch login.txt

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ echo "Login basico de usuario" > login.txt

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git add .
warning: in the working copy of 'Logueo/login.txt', LF will be replaced by CRLF the next time
s it

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git commit -m "feat: crear login basico"
[features/login b096a36] feat: crear login basico
1 file changed, 1 insertion(+)
create mode 100644 Logueo/login.txt

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ echo Login con email y contraseña > login.txt

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git add .
warning: in the working copy of 'Logueo/login.txt', LF will be replaced by CRLF the next time
s it

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git commit -m "feat: mejorar login con email"
[features/login 6a19e32] feat: mejorar login con email
1 file changed, 1 insertion(+), 1 deletion(-)

```

Creación de fichero login.txt, modificación de mejoras sobre el fichero con diferentes commits.

```

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git checkout develop
Switched to branch 'develop'

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (develop)
$ echo Login desde develop > login.txt

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (develop)
$ git add .
warning: in the working copy of 'Logueo/login.txt', LF will be replaced by CRLF the next time
s it

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (develop)
$ git commit -m "feat: cambio en develop"
[develop 8decd5e] feat: cambio en develop
1 file changed, 1 insertion(+)
create mode 100644 Logueo/login.txt

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (develop)
$

```

Creación fichero login , pero en la rama develop

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (develop)
$ git checkout features/login
Switched to branch 'features/login'

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ echo Login desde feature > login.txt

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git add .
warning: in the working copy of 'Logueo/login.txt', LF will be replaced by CRLF the next time Git touches it

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git commit -m "feat: cambio en feature"
[features/login 4ae4b4d] feat: cambio en feature
1 file changed, 1 insertion(+), 1 deletion(-)

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git merge develop
Auto-merging Logueo/login.txt
CONFLICT (add/add): Merge conflict in Logueo/login.txt
Automatic merge failed; fix conflicts and then commit the result.

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login|MERGING)
$
```

En la rama features/login modifiko el fichero login, aplico los cambios e intento hacer un mergeo con la rama develop, lo cual hace que se cree un conflicto

```
<> index.html  login.txt ! X
C: > Users > josemaria.gomez > Documents > Bosonit_SQL > Bloque3 > GIT > Logueo > login.txt
1  <<<<<< HEAD (Current Change)
2  Login desde feature
3  =====
4  Login desde develop
5  >>>>>> develop (Incoming Change)
6
```


Para poder resolver el conflicto abro el fichero en visual studio para que sea mas comodo

```
C: > Users > josemaria.gomez > Documents > Bosonit_SQL > Bloque3 > GIT > Logueo > login.txt
Incoming  8dec95e refs/heads/develop
1  Login desde develop
2

Current  4ae4b4d refs/heads/features/login
1  Login desde feature
2

Result  C:\Users\josemaria.gomez\Documents\Bosonit_SQL\Bloque3\GIT\Logueo\login.txt
Manual Resolution | Reset to base
1  Login desde feature y develop
2
```

Veó cual es la parte que da error y en vez de quedarme con uno de los dos, decidí mezclar ambos. Guardé el contenido y lo subí a github




Compruebo que se ha creado la rama en git hub y que el contenido es el esperado

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$ git rebase develop
Auto-merging Logueo/login.txt
CONFLICT (add/add): Merge conflict in Logueo/login.txt
error: could not apply b096a36... feat: crear login basico
hint: Resolve all conflicts manually, mark them as resolved with
hint: "git add/rm <conflicted_files>", then run "git rebase --continue".
hint: You can instead skip this commit: run "git rebase --skip".
hint: To abort and get back to the state before "git rebase", run "git rebase --abort".
hint: Disable this message with "git config set advice.mergeConflict false"
Could not apply b096a36... # feat: crear login basico

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login|REBASE 1/3)
$ code login.txt
```

Ejecuto el comando git rebase develop para poner los commits de feature/login encima de develop



Resuelvo el primero conflicto, debajo como quiero dejarlo, hago un git add login.txt y hago que continúe el rebase.

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login|REBASE 1/3)
$ git rebase --continue
[detached HEAD f5d0de0] feat: crear login basico
1 file changed, 1 insertion(+), 1 deletion(-)
error: Your local changes to the following files would be overwritten by merge:
  Logueo/login.txt
Please commit your changes or stash them before you merge.
Aborting
hint: Could not execute the todo command
hint:
hint:      pick 6a19e32fddf64c59fa6d650132588a857565882d # feat: mejorar login con email
hint:
hint: It has been rescheduled; To edit the command before continuing, please
hint: edit the todo list first:
hint:
hint:      git rebase --edit-todo
hint:      git rebase --continue

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login|REBASE 2/3)
$
```


Ya se ha aplicado el primer commit, pero se ha parado por que de nuevo hay cambios locales.

He vuelto a hacer el mismo ciclo hasta llegar a la ultima fase del rebase

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login|REBASE 4/4)
$ git rebase --continue
Logueo/login.txt: needs merge
You must edit all merge conflicts and then
mark them as resolved using git add

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login|REBASE 4/4)
$ |
```

Me sigue diciendo que me falta algo por resolver



Detecto el fallo y desde visual studio hago el commit (Disculpa por el tamaño de la captura)

```
josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login|REBASE 4/4)
$ git rebase --continue
[detached HEAD 5827d90] feat: cambio en feature
2 files changed, 2 insertions(+), 1 deletion(-)
create mode 100644 Logueo/Logueo/login.txt
Successfully rebased and updated refs/heads/features/login.

josemaria.gomez@L2602007 MINGW64 ~/Documents/Bosonit_SQL/Bloque3/GIT/Logueo (features/login)
$
```

Vuelvo a ejecutar git rebase --continue y ya ha finalizado de manera correcta el rebase entre la rama develop y la rama features/login