

# Medicine

**Medicine** is the [science](#)<sup>[1]</sup> and [practice](#)<sup>[2]</sup> of caring for a patient, managing the [diagnosis](#), [prognosis](#), [prevention](#), [treatment](#), [palliation](#) of their [injury](#) or [disease](#), and [promoting](#) their [health](#). Medicine encompasses a variety of [health care practices](#) evolved to maintain and restore [health](#) by the [prevention](#) and [treatment](#) of [illness](#). Contemporary medicine applies [biomedical sciences](#), [biomedical research](#), [genetics](#), and [medical technology](#) to [diagnose](#), treat, and prevent injury and disease, typically through [pharmaceuticals](#) or [surgery](#), but also through therapies as diverse as [psychotherapy](#), [external splints](#) and [traction](#), [medical devices](#), [biologics](#), and [ionizing radiation](#), amongst others.<sup>[3]</sup>

Medicine has been practiced since [prehistoric times](#), and for most of this time it was an [art](#) (an area of skill and knowledge), frequently having connections to the [religious](#) and philosophical beliefs of local culture. For example, a [medicine man](#) would apply [herbs](#) and say [prayers](#) for healing, or an ancient [philosopher](#) and [physician](#) would apply [bloodletting](#) according to the theories of [humorism](#). In recent centuries, since the [advent of modern science](#), most medicine has become a combination of art and science (both basic and applied, under the [umbrella](#) of **medical science**). For example, while stitching technique for [sutures](#) is an art learned through practice, the knowledge of what happens at the [cellular](#) and [molecular](#) level in the tissues being stitched arises through science.

Prescientific forms of medicine, now known as [traditional medicine](#) or *folk medicine*, remain commonly used in the absence of scientific medicine, and are thus called [alternative medicine](#). Alternative treatments outside of scientific medicine with safety and efficacy concerns are termed [quackery](#).

<b>Contents</b>
<a href="#">Etymology</a>
<a href="#">Clinical practice</a>
<a href="#">Institutions</a>
<a href="#">Delivery</a>
<b>Branches</b>
<a href="#">Basic sciences</a>
<a href="#">Specialties</a>
<a href="#">Interdisciplinary fields</a>

## Medicine



Statue of [Asclepius](#), the [Greek god](#) of medicine, holding the symbolic [Rod of Asclepius](#) with its coiled [serpent](#)

<b>Specialist</b>	<a href="#">Medical specialty</a>
<b>Glossary</b>	<a href="#">Glossary of medicine</a>

## Education and legal controls

## Medical ethics

## History

Ancient world

Middle Ages

Modern

## Quality, efficiency, and access

## See also

## References

## Etymology

---

Medicine (UK: /ˈmɛdsɪn/ ( listen), US: /ˈmɛdɪsɪn/ ( listen)) is the science and practice of the diagnosis, prognosis, treatment, and prevention of disease.<sup>[4][5]</sup> The word "medicine" is derived from Latin *medicus*, meaning "a physician".<sup>[6][7]</sup>

## Clinical practice

---

Medical availability and clinical practice varies across the world due to regional differences in culture and technology. Modern scientific medicine is highly developed in the Western world, while in developing countries such as parts of Africa or Asia, the population may rely more heavily on traditional medicine with limited evidence and efficacy and no required formal training for practitioners.<sup>[8]</sup>

In the developed world, evidence-based medicine is not universally used in clinical practice; for example, a 2007 survey of literature reviews found that about 49% of the interventions lacked sufficient evidence to support either benefit or harm.<sup>[9]</sup>

In modern clinical practice, physicians and physician assistants personally assess patients in order to diagnose, prognose, treat, and prevent disease using clinical judgment. The doctor-patient relationship typically begins an interaction with an examination of the patient's medical history and medical record, followed by a medical interview<sup>[10]</sup> and a physical examination. Basic diagnostic medical devices (e.g. stethoscope, tongue depressor) are typically used. After examination for signs and interviewing for symptoms, the doctor may order medical tests (e.g. blood tests), take a biopsy, or prescribe pharmaceutical drugs or other therapies. Differential diagnosis methods help to rule out conditions based on the information provided. During the encounter, properly informing the patient of all relevant facts is an important part of the relationship and the development of trust. The medical encounter is then documented in the medical record, which is a legal document in many jurisdictions.<sup>[11]</sup> Follow-ups may be shorter but follow the same general procedure, and specialists follow a similar process. The diagnosis and treatment may take only a few minutes or a few weeks depending upon the complexity of the issue.

The components of the medical interview<sup>[10]</sup> and encounter are:



*The Doctor* by Sir Luke Fildes (1891)

- Chief complaint (CC): the reason for the current medical visit. These are the 'symptoms.' They are in the patient's own words and are recorded along with the duration of each one. Also called 'chief concern' or 'presenting complaint'.
- History of present illness (HPI): the chronological order of events of symptoms and further clarification of each symptom. Distinguishable from history of previous illness, often called past medical history (PMH). Medical history comprises HPI and PMH.
- Current activity: occupation, hobbies, what the patient actually does.
- Medications (Rx): what drugs the patient takes including prescribed, over-the-counter, and home remedies, as well as alternative and herbal medicines or remedies. Allergies are also recorded.
- Past medical history (PMH/PMHx): concurrent medical problems, past hospitalizations and operations, injuries, past infectious diseases or vaccinations, history of known allergies.
- Social history (SH): birthplace, residences, marital history, social and economic status, habits (including diet, medications, tobacco, alcohol).
- Family history (FH): listing of diseases in the family that may impact the patient. A family tree is sometimes used.
- Review of systems (ROS) or *systems inquiry*: a set of additional questions to ask, which may be missed on HPI: a general enquiry (have you noticed any weight loss, change in sleep quality, fevers, lumps and bumps? etc.), followed by questions on the body's main organ systems (heart, lungs, digestive tract, urinary tract, etc.).



Elizabeth Blackwell, the first female physician in the United States graduated from SUNY Upstate (1847)

The physical examination is the examination of the patient for medical signs of disease, which are objective and observable, in contrast to symptoms that are volunteered by the patient and not necessarily objectively observable.<sup>[12]</sup> The healthcare provider uses sight, hearing, touch, and sometimes smell (e.g., in infection, uremia, diabetic ketoacidosis). Four actions are the basis of physical examination: inspection, palpation (feel), percussion (tap to determine resonance characteristics), and auscultation (listen), generally in that order although auscultation occurs prior to percussion and palpation for abdominal assessments.<sup>[13]</sup>

The clinical examination involves the study of:<sup>[14]</sup>

- Vital signs including height, weight, body temperature, blood pressure, pulse, respiration rate, and hemoglobin oxygen saturation<sup>[14]</sup>
- General appearance of the patient and specific indicators of disease (nutritional status, presence of jaundice, pallor or clubbing)
- Skin
- Head, eye, ear, nose, and throat (HEENT)<sup>[14]</sup>
- Cardiovascular (heart and blood vessels)
- Respiratory (large airways and lungs)<sup>[14]</sup>
- Abdomen and rectum
- Genitalia (and pregnancy if the patient is or could be pregnant)
- Musculoskeletal (including spine and extremities)

- Neurological (consciousness, awareness, brain, vision, cranial nerves, spinal cord and peripheral nerves)
- Psychiatric (orientation, mental state, mood, evidence of abnormal perception or thought).

It is to likely focus on areas of interest highlighted in the medical history and may not include everything listed above.

The treatment plan may include ordering additional medical laboratory tests and medical imaging studies, starting therapy, referral to a specialist, or watchful observation. Follow-up may be advised. Depending upon the health insurance plan and the managed care system, various forms of "utilization review", such as prior authorization of tests, may place barriers on accessing expensive services.<sup>[15]</sup>

The medical decision-making (MDM) process involves analysis and synthesis of all the above data to come up with a list of possible diagnoses (the differential diagnoses), along with an idea of what needs to be done to obtain a definitive diagnosis that would explain the patient's problem.

On subsequent visits, the process may be repeated in an abbreviated manner to obtain any new history, symptoms, physical findings, and lab or imaging results or specialist consultations.

## Institutions

---

Contemporary medicine is in general conducted within health care systems. Legal, credentialing and financing frameworks are established by individual governments, augmented on occasion by international organizations, such as churches. The characteristics of any given health care system have significant impact on the way medical care is provided.

From ancient times, Christian emphasis on practical charity gave rise to the development of systematic nursing and hospitals and the Catholic Church today remains the largest non-government provider of medical services in the world.<sup>[16]</sup> Advanced industrial countries (with the exception of the United States)<sup>[17][18]</sup> and many developing countries provide medical services through a system of universal health care that aims to guarantee care for all through a single-payer health care system, or compulsory private or co-operative health insurance. This is intended to ensure that the entire population has access to medical care on the basis of need rather than ability to pay. Delivery may be via private medical practices or by state-owned hospitals and clinics, or by charities, most commonly by a combination of all three.

Most tribal societies provide no guarantee of healthcare for the population as a whole. In such societies, healthcare is available to those that can afford to pay for it or have self-insured it (either directly or as part of an employment contract) or who may be covered by care financed by the government or tribe directly.

Transparency of information is another factor defining a delivery system. Access to information on conditions, treatments, quality, and pricing greatly affects the choice by patients/consumers and, therefore, the incentives of medical professionals. While the US healthcare system has come under fire for lack of openness,<sup>[19]</sup> new legislation may encourage greater openness. There is a perceived tension between the need for transparency on the one hand and such issues as patient confidentiality and the possible exploitation of information for commercial gain on the other.



The Hospital of Santa Maria della Scala, fresco by Domenico di Bartolo, 1441–1442

The health professionals who provide care in medicine comprise multiple professions such as medics, nurses, physio therapists, and psychologists. These professions will have their own ethical standards, professional education, and bodies. The medical profession have been conceptualized from a sociological perspective.<sup>[20]</sup>

## Delivery

Provision of medical care is classified into primary, secondary, and tertiary care categories.<sup>[21]</sup>

Primary care medical services are provided by physicians, physician assistants, nurse practitioners, or other health professionals who have first contact with a patient seeking medical treatment or care.<sup>[22]</sup> These occur in physician offices, clinics, nursing homes, schools, home visits, and other places close to patients. About 90% of medical visits can be treated by the primary care provider. These include treatment of acute and chronic illnesses, preventive care and health education for all ages and both sexes.

Secondary care medical services are provided by medical specialists in their offices or clinics or at local community hospitals for a patient referred by a primary care provider who first diagnosed or treated the patient.<sup>[23]</sup> Referrals are made for those patients who required the expertise or procedures performed by specialists. These include both ambulatory care and inpatient services, Emergency departments, intensive care medicine, surgery services, physical therapy, labor and delivery, endoscopy units, diagnostic laboratory and medical imaging services, hospice centers, etc. Some primary care providers may also take care of hospitalized patients and deliver babies in a secondary care setting.

Tertiary care medical services are provided by specialist hospitals or regional centers equipped with diagnostic and treatment facilities not generally available at local hospitals. These include trauma centers, burn treatment centers, advanced neonatology unit services, organ transplants, high-risk pregnancy, radiation oncology, etc.

Modern medical care also depends on information – still delivered in many health care settings on paper records, but increasingly nowadays by electronic means.

In low-income countries, modern healthcare is often too expensive for the average person. International healthcare policy researchers have advocated that "user fees" be removed in these areas to ensure access, although even after removal, significant costs and barriers remain.<sup>[24]</sup>

Separation of prescribing and dispensing is a practice in medicine and pharmacy in which the physician who provides a medical prescription is independent from the pharmacist who provides the prescription drug. In the Western world there are centuries of tradition for separating pharmacists from physicians. In Asian countries, it is traditional for physicians to also provide drugs.<sup>[25]</sup>

## Branches

---



Modern drug ampoules



Nurses in Kokopo, East New Britain, Papua New Guinea





Drawing by Marguerite Martyn (1918)  
of a visiting nurse in St. Louis,  
Missouri, with medicine and babies

Working together as an interdisciplinary team, many highly trained health professionals besides medical practitioners are involved in the delivery of modern health care. Examples include: nurses, emergency medical technicians and paramedics, laboratory scientists, pharmacists, podiatrists, physiotherapists, respiratory therapists, speech therapists, occupational therapists, radiographers, dietitians, and bioengineers, medical physicists, surgeons, surgeon's assistant, surgical technologist.

The scope and sciences underpinning human medicine overlap many other fields. A patient admitted to the hospital is usually under the care of a specific team based on their main presenting problem, e.g., the cardiology team, who then may interact with

other specialties, e.g., surgical, radiology, to help diagnose or treat the main problem or any subsequent complications/developments.

Physicians have many specializations and subspecializations into certain branches of medicine, which are listed below. There are variations from country to country regarding which specialties certain subspecialties are in.


The main branches of medicine are:

- Basic sciences of medicine; this is what every physician is educated in, and some return to in biomedical research.
- Medical specialties
- Interdisciplinary fields, where different medical specialties are mixed to function in certain occasions.

## Basic sciences

- Anatomy is the study of the physical structure of organisms. In contrast to *macroscopic* or *gross anatomy*, cytology and histology are concerned with microscopic structures.
- Biochemistry is the study of the chemistry taking place in living organisms, especially the structure and function of their chemical components.
- Biomechanics is the study of the structure and function of biological systems by means of the methods of Mechanics.
- Biostatistics is the application of statistics to biological fields in the broadest sense. A knowledge of biostatistics is essential in the planning, evaluation, and interpretation of medical research. It is also fundamental to epidemiology and evidence-based medicine.
- Biophysics is an interdisciplinary science that uses the methods of physics and physical chemistry to study biological systems.
- Cytology is the microscopic study of individual cells.
- Embryology is the study of the early development of organisms.
- Endocrinology is the study of hormones and their effect throughout the body of animals.
- Epidemiology is the study of the demographics of disease processes, and includes, but is not limited to, the study of epidemics.
- Genetics is the study of genes, and their role in biological inheritance.
- Histology is the study of the structures of biological tissues by light microscopy, electron microscopy and immunohistochemistry.

- Immunology is the study of the immune system, which includes the innate and adaptive immune system in humans, for example.
- Lifestyle medicine is the study of the chronic conditions, and how to prevent, treat and reverse them.
- Medical physics is the study of the applications of physics principles in medicine.
- Microbiology is the study of microorganisms, including protozoa, bacteria, fungi, and viruses.
- Molecular biology is the study of molecular underpinnings of the process of replication, transcription and translation of the genetic material.
- Neuroscience includes those disciplines of science that are related to the study of the nervous system. A main focus of neuroscience is the biology and physiology of the human brain and spinal cord. Some related clinical specialties include neurology, neurosurgery and psychiatry.
- Nutrition science (theoretical focus) and dietetics (practical focus) is the study of the relationship of food and drink to health and disease, especially in determining an optimal diet. Medical nutrition therapy is done by dietitians and is prescribed for diabetes, cardiovascular diseases, weight and eating disorders, allergies, malnutrition, and neoplastic diseases.
- Pathology as a science is the study of disease—the causes, course, progression and resolution thereof.
- Pharmacology is the study of drugs and their actions.
- Gynecology is the study of female reproductive system.
- Photobiology is the study of the interactions between non-ionizing radiation and living organisms.
- Physiology is the study of the normal functioning of the body and the underlying regulatory mechanisms.
- Radiobiology is the study of the interactions between ionizing radiation and living organisms.
- Toxicology is the study of hazardous effects of drugs and poisons.



Louis Pasteur, as portrayed in his laboratory, 1885 by Albert Edelfelt

## Specialties

In the broadest meaning of "medicine", there are many different specialties. In the UK, most specialties have their own body or college, which has its own entrance examination. These are collectively known as the Royal Colleges, although not all currently use the term "Royal". The development of a speciality is often driven by new technology (such as the development of effective anaesthetics) or ways of working (such as emergency departments); the new specialty leads to the formation of a unifying body of doctors and the prestige of administering their own examination.

Within medical circles, specialties usually fit into one of two broad categories: "Medicine" and "Surgery". "Medicine" refers to the practice of non-operative medicine, and most of its subspecialties require preliminary training in Internal Medicine. In the UK, this was traditionally evidenced by passing the examination for the Membership of the Royal College of Physicians (MRCP) or the equivalent college in Scotland or Ireland. "Surgery" refers to the practice of operative medicine, and most subspecialties in this area require preliminary training in General Surgery, which in the UK leads to membership of the Royal

College of Surgeons of England (MRCS). At present, some specialties of medicine do not fit easily into either of these categories, such as radiology, pathology, or anesthesia. Most of these have branched from one or other of the two camps above; for example anaesthesia developed first as a faculty of the Royal College of Surgeons (for which MRCS/FRCS would have been required) before becoming the Royal College of Anaesthetists and membership of the college is attained by sitting for the examination of the Fellowship of the Royal College of Anesthetists (FRCA).

## Surgical specialty

**Surgery** is an ancient medical specialty that uses operative manual and instrumental techniques on a patient to investigate or treat a pathological condition such as disease or injury, to help improve bodily function or appearance or to repair unwanted ruptured areas (for example, a perforated ear drum). Surgeons must also manage pre-operative, post-operative, and potential surgical candidates on the hospital wards. In some centers, anesthesiology is part of the division of surgery (for historical and logistical reasons), although it is not a surgical discipline. Other medical specialties may employ surgical procedures, such as ophthalmology and dermatology, but are not considered surgical sub-specialties per se.



Surgeons in an operating room

Surgical training in the U.S. requires a minimum of five years of residency after medical school. Sub-specialties of surgery often require seven or more years. In addition, fellowships can last an additional one to three years. Because post-residency fellowships can be competitive, many trainees devote two additional years to research. Thus in some cases surgical training will not finish until more than a decade after medical school. Furthermore, surgical training can be very difficult and time-consuming.

Surgical subspecialties include those a physician may specialize in after undergoing general surgery residency training as well as several surgical fields with separate residency training. Surgical subspecialties that one may pursue following general surgery residency training: <sup>[26]</sup>

- General surgery
- Bariatric surgery
- Cardiovascular surgery - may also be pursued through a separate cardiovascular surgery residency track
- Colorectal surgery
- Endocrine surgery
- Hand surgery
- Hepatico-Pancreatico-Biliary Surgery
- Minimally invasive surgery
- Surgical oncology
- Pediatric surgery
- Plastic surgery - may also be pursued through a separate plastic surgery residency track
- Surgical critical care
- Transplant surgery
- Trauma surgery
- Vascular surgery - may also be pursued through a separate vascular surgery residency track

Other surgical specialties within medicine with their own individual residency training:



- Dermatology
- Neurosurgery
- Ophthalmology
- Oral and Maxillofacial surgery
- Orthopedic surgery
- Otorhinolaryngology
- Podiatric surgery - do not undergo medical school training, but rather separate training in podiatry school
- Urology

## Internal medicine specialty

**Internal medicine** is the medical specialty dealing with the prevention, diagnosis, and treatment of adult diseases.<sup>[27]</sup> According to some sources, an emphasis on internal structures is implied.<sup>[28]</sup> In North America, specialists in internal medicine are commonly called "internists". Elsewhere, especially in Commonwealth nations, such specialists are often called physicians.<sup>[29]</sup> These terms, *internist* or *physician* (in the narrow sense, common outside North America), generally exclude practitioners of gynecology and obstetrics, pathology, psychiatry, and especially surgery and its subspecialties.

Because their patients are often seriously ill or require complex investigations, internists do much of their work in hospitals. Formerly, many internists were not subspecialized; such *general physicians* would see any complex nonsurgical problem; this style of practice has become much less common. In modern urban practice, most internists are subspecialists: that is, they generally limit their medical practice to problems of one organ system or to one particular area of medical knowledge. For example, gastroenterologists and nephrologists specialize respectively in diseases of the gut and the kidneys.<sup>[30]</sup>

In the Commonwealth of Nations and some other countries, specialist pediatricians and geriatricians are also described as *specialist physicians* (or internists) who have subspecialized by age of patient rather than by organ system. Elsewhere, especially in North America, general pediatrics is often a form of primary care.

There are many subspecialties (or subdisciplines) of internal medicine:

- |                                      |                             |                                 |
|--------------------------------------|-----------------------------|---------------------------------|
| ■ <u>Angiology/Vascular Medicine</u> | ■ <u>Gastroenterology</u>   | ■ <u>Oncology</u>               |
| ■ <u>Bariatrics</u>                  | ■ <u>Geriatrics</u>         | ■ <u>Pediatrics</u>             |
| ■ <u>Cardiology</u>                  | ■ <u>Hematology</u>         | ■ <u>Pulmonology/Pneumology</u> |
| ■ <u>Critical care medicine</u>      | ■ <u>Hepatology</u>         | ■ <u>Rheumatology</u>           |
| ■ <u>Endocrinology</u>               | ■ <u>Infectious disease</u> | ■ <u>Sports Medicine</u>        |
|                                      | ■ <u>Nephrology</u>         |                                 |
|                                      | ■ <u>Neurology</u>          |                                 |

Training in internal medicine (as opposed to surgical training), varies considerably across the world: see the articles on medical education and physician for more details. In North America, it requires at least three years of residency training after medical school, which can then be followed by a one- to three-year fellowship in the subspecialties listed above. In general, resident work hours in medicine are less than those in surgery, averaging about 60 hours per week in the US. This difference does not apply in the UK where all doctors are now required by law to work less than 48 hours per week on average.

## Diagnostic specialties

- Clinical laboratory sciences are the clinical diagnostic services that apply laboratory techniques to diagnosis and management of patients. In the United States, these services are supervised by a pathologist. The personnel that work in these medical laboratory departments are technically trained staff who do not hold medical degrees, but who usually hold an undergraduate medical technology degree, who actually perform the tests, assays, and procedures needed for providing the specific services. Subspecialties include transfusion medicine, cellular pathology, clinical chemistry, hematology, clinical microbiology and clinical immunology.
- Pathology as a medical specialty is the branch of medicine that deals with the study of diseases and the morphologic, physiologic changes produced by them. As a diagnostic specialty, pathology can be considered the basis of modern scientific medical knowledge and plays a large role in evidence-based medicine. Many modern molecular tests such as flow cytometry, polymerase chain reaction (PCR), immunohistochemistry, cytogenetics, gene rearrangements studies and fluorescent in situ hybridization (FISH) fall within the territory of pathology.
- Diagnostic radiology is concerned with imaging of the body, e.g. by x-rays, x-ray computed tomography, ultrasonography, and nuclear magnetic resonance tomography. Interventional radiologists can access areas in the body under imaging for an intervention or diagnostic sampling.
- Nuclear medicine is concerned with studying human organ systems by administering radiolabelled substances (radiopharmaceuticals) to the body, which can then be imaged outside the body by a gamma camera or a PET scanner. Each radiopharmaceutical consists of two parts: a tracer that is specific for the function under study (e.g., neurotransmitter pathway, metabolic pathway, blood flow, or other), and a radionuclide (usually either a gamma-emitter or a positron emitter). There is a degree of overlap between nuclear medicine and radiology, as evidenced by the emergence of combined devices such as the PET/CT scanner.
- Clinical neurophysiology is concerned with testing the physiology or function of the central and peripheral aspects of the nervous system. These kinds of tests can be divided into recordings of: (1) spontaneous or continuously running electrical activity, or (2) stimulus evoked responses. Subspecialties include electroencephalography, electromyography, evoked potential, nerve conduction study and polysomnography. Sometimes these tests are performed by techs without a medical degree, but the interpretation of these tests is done by a medical professional.

## Other major specialties

The following are some major medical specialties that do not directly fit into any of the above-mentioned groups:

- Anesthesiology (also known as *anaesthetics*): concerned with the perioperative management of the surgical patient. The anesthesiologist's role during surgery is to prevent derangement in the vital organs' (i.e. brain, heart, kidneys) functions and postoperative pain. Outside of the operating room, the anesthesiology physician also serves the same function in the labor and delivery ward, and some are specialized in critical medicine.
- Emergency medicine is concerned with the diagnosis and treatment of acute or life-threatening conditions, including trauma, surgical, medical, pediatric, and psychiatric emergencies.
- Family medicine, family practice, general practice or primary care is, in many countries, the first port-of-call for patients with non-emergency medical problems. Family physicians often

provide services across a broad range of settings including office based practices, emergency department coverage, inpatient care, and nursing home care.

- Obstetrics and gynecology (often abbreviated as OB/GYN (American English) or Obs & Gynae (British English)) are concerned respectively with childbirth and the female reproductive and associated organs. Reproductive medicine and fertility medicine are generally practiced by gynecological specialists.
- Medical genetics is concerned with the diagnosis and management of hereditary disorders.
- Neurology is concerned with diseases of the nervous system. In the UK, neurology is a subspecialty of general medicine.
- Pediatrics (AE) or paediatrics (BE) is devoted to the care of infants, children, and adolescents. Like internal medicine, there are many pediatric subspecialties for specific age ranges, organ systems, disease classes, and sites of care delivery.
- Pharmaceutical medicine is the medical scientific discipline concerned with the discovery, development, evaluation, registration, monitoring and medical aspects of marketing of medicines for the benefit of patients and public health.
- Physical medicine and rehabilitation (or physiatry) is concerned with functional improvement after injury, illness, or congenital disorders.
- Podiatric medicine is the study of, diagnosis, and medical & surgical treatment of disorders of the foot, ankle, lower limb, hip and lower back.
- Psychiatry is the branch of medicine concerned with the bio-psycho-social study of the etiology, diagnosis, treatment and prevention of cognitive, perceptual, emotional and behavioral disorders. Related fields include psychotherapy and clinical psychology.
- Preventive medicine is the branch of medicine concerned with preventing disease.
  - Community health or public health is an aspect of health services concerned with threats to the overall health of a community based on population health analysis.



Gynecologist Michel Akotonga of  
Ouagadougou, Burkina Faso

## Interdisciplinary fields

Some interdisciplinary sub-specialties of medicine include:

- Aerospace medicine deals with medical problems related to flying and space travel.
- Addiction medicine deals with the treatment of addiction.
- Medical ethics deals with ethical and moral principles that apply values and judgments to the practice of medicine.
- Biomedical Engineering is a field dealing with the application of engineering principles to medical practice.
- Clinical pharmacology is concerned with how systems of therapeutics interact with patients.
- Conservation medicine studies the relationship between human and animal health, and environmental conditions. Also known as ecological medicine, environmental medicine, or medical geology.
- Disaster medicine deals with medical aspects of emergency preparedness, disaster mitigation and management.
- Diving medicine (or hyperbaric medicine) is the prevention and treatment of diving-related problems.

- Evolutionary medicine is a perspective on medicine derived through applying evolutionary theory.
- Forensic medicine deals with medical questions in legal context, such as determination of the time and cause of death, type of weapon used to inflict trauma, reconstruction of the facial features using remains of deceased (skull) thus aiding identification.
- Gender-based medicine studies the biological and physiological differences between the human sexes and how that affects differences in disease.
- Hospice and Palliative Medicine is a relatively modern branch of clinical medicine that deals with pain and symptom relief and emotional support in patients with terminal illnesses including cancer and heart failure.
- Hospital medicine is the general medical care of hospitalized patients. Physicians whose primary professional focus is hospital medicine are called hospitalists in the United States and Canada. The term Most Responsible Physician (MRP) or attending physician is also used interchangeably to describe this role.
- Laser medicine involves the use of lasers in the diagnostics or treatment of various conditions.
- Medical humanities includes the humanities (literature, philosophy, ethics, history and religion), social science (anthropology, cultural studies, psychology, sociology), and the arts (literature, theater, film, and visual arts) and their application to medical education and practice.
- Health informatics is a relatively recent field that deal with the application of computers and information technology to medicine.
- Nosology is the classification of diseases for various purposes.
- Nosokinetics is the science/subject of measuring and modelling the process of care in health and social care systems.
- Occupational medicine is the provision of health advice to organizations and individuals to ensure that the highest standards of health and safety at work can be achieved and maintained.
- Pain management (also called pain medicine, or algiatry) is the medical discipline concerned with the relief of pain.
- Pharmacogenomics is a form of *individualized medicine*.
- Podiatric medicine is the study of, diagnosis, and medical treatment of disorders of the foot, ankle, lower limb, hip and lower back.
- Sexual medicine is concerned with diagnosing, assessing and treating all disorders related to sexuality.
- Sports medicine deals with the treatment and prevention and rehabilitation of sports/exercise injuries such as muscle spasms, muscle tears, injuries to ligaments (ligament tears or ruptures) and their repair in athletes, amateur and professional.
- Therapeutics is the field, more commonly referenced in earlier periods of history, of the various remedies that can be used to treat disease and promote health.<sup>[31]</sup>
- Travel medicine or emporiatics deals with health problems of international travelers or travelers across highly different environments.
- Tropical medicine deals with the prevention and treatment of tropical diseases. It is studied separately in temperate climates where those diseases are quite unfamiliar to medical practitioners and their local clinical needs.
- Urgent care focuses on delivery of unscheduled, walk-in care outside of the hospital emergency department for injuries and illnesses that are not severe enough to require care in an emergency department. In some jurisdictions this function is combined with the emergency department.
- Veterinary medicine; veterinarians apply similar techniques as physicians to the care of animals.

- Wilderness medicine entails the practice of medicine in the wild, where conventional medical facilities may not be available.
- Many other health science fields, e.g. dietetics

## Education and legal controls

---

Medical education and training varies around the world. It typically involves entry level education at a university medical school, followed by a period of supervised practice or internship, or residency. This can be followed by postgraduate vocational training. A variety of teaching methods have been employed in medical education, still itself a focus of active research. In Canada and the United States of America, a Doctor of Medicine degree, often abbreviated M.D., or a Doctor of Osteopathic Medicine degree, often abbreviated as D.O. and unique to the United States, must be completed in and delivered from a recognized university.



Medical students learning about stitches

Since knowledge, techniques, and medical technology continue to evolve at a rapid rate, many regulatory authorities require continuing medical education. Medical practitioners upgrade their knowledge in various ways, including medical journals, seminars, conferences, and online programs. A database of objectives covering medical knowledge, as suggested by national societies across the United States, can be searched at <http://data.medobjectives.marian.edu/>.<sup>[32]</sup>



Headquarters of the Organización Médica Colegial de España, which regulates the medical profession in Spain

In most countries, it is a legal requirement for a medical doctor to be licensed or registered. In general, this entails a medical degree from a university and accreditation by a medical board or an equivalent national organization, which may ask the applicant to pass exams. This restricts the considerable legal authority of the medical profession to physicians that are trained and qualified by national standards. It is also intended as an assurance to patients and as a safeguard against charlatans that practice inadequate medicine for personal gain. While the laws generally require medical doctors to be trained in "evidence based", Western, or Hippocratic Medicine, they are not intended to discourage different paradigms of health.

In the European Union, the profession of doctor of medicine is regulated. A profession is said to be regulated when access and exercise is subject to the possession of a specific professional qualification. The regulated professions database contains a list of regulated professions for doctor of medicine in the EU member states, EEA countries and Switzerland. This list is covered by the Directive 2005/36/EC.

Doctors who are negligent or intentionally harmful in their care of patients can face charges of medical malpractice and be subject to civil, criminal, or professional sanctions.

## Medical ethics

---

Medical ethics is a system of moral principles that apply values and judgments to the practice of medicine. As a scholarly discipline, medical ethics encompasses its practical application in clinical settings as well as work on its history, philosophy, theology, and sociology. Six of the values that commonly apply to medical ethics discussions are:



- autonomy – the patient has the right to refuse or choose their treatment. (*Voluntas aegroti suprema lex.*)
- beneficence – a practitioner should act in the best interest of the patient. (*Salus aegroti suprema lex.*)
- justice – concerns the distribution of scarce health resources, and the decision of who gets what treatment (fairness and equality).
- non-maleficence – "first, do no harm" (*primum non-nocere*).
- respect for persons – the patient (and the person treating the patient) have the right to be treated with dignity.
- truthfulness and honesty – the concept of informed consent has increased in importance since the historical events of the Doctors' Trial of the Nuremberg trials, Tuskegee syphilis experiment, and others.



A 12th-century Byzantine manuscript of the Hippocratic Oath

Values such as these do not give answers as to how to handle a particular situation, but provide a useful framework for understanding conflicts. When moral values are in conflict, the result may be an ethical dilemma or crisis. Sometimes, no good solution to a dilemma in medical ethics exists, and occasionally, the values of the medical community (i.e., the hospital and its staff) conflict with the values of the individual patient, family, or larger non-medical community. Conflicts can also arise between health care providers, or among family members. For example, some argue that the principles of autonomy and beneficence clash when patients refuse blood transfusions, considering them life-saving; and truth-telling was not emphasized to a large extent before the HIV era.

## History



Statuette of ancient Egyptian physician Imhotep, the first physician from antiquity known by name

### Ancient world

Prehistoric medicine incorporated plants (herbalism), animal parts, and minerals. In many cases these materials were used ritually as magical substances by priests, shamans, or medicine men. Well-known spiritual systems include animism (the notion of inanimate objects having spirits), spiritualism (an appeal to gods or communion with ancestor spirits); shamanism (the vesting of an individual with mystic powers); and divination (magically obtaining the truth). The field of medical anthropology examines the ways in which culture and society are organized around or impacted by issues of health, health care and related issues.

Early records on medicine have been discovered from ancient Egyptian medicine, Babylonian Medicine, Ayurvedic medicine (in the Indian subcontinent), classical Chinese medicine (predecessor to the modern traditional Chinese medicine), and ancient Greek medicine and Roman

medicine.

In Egypt, Imhotep (3rd millennium BCE) is the first physician in history known by name. The oldest Egyptian medical text is the Kahun Gynaecological Papyrus from around 2000 BCE, which describes gynaecological diseases. The Edwin Smith Papyrus dating back to 1600 BCE is an early work on surgery, while the Ebers Papyrus dating back to 1500 BCE is akin to a textbook on medicine.<sup>[33]</sup>

In China, archaeological evidence of medicine in Chinese dates back to the Bronze Age Shang Dynasty, based on seeds for herbalism and tools presumed to have been used for surgery.<sup>[34]</sup> The Huangdi Neijing, the progenitor of Chinese medicine, is a medical text written beginning in the 2nd century BCE and compiled in the 3rd century.<sup>[35]</sup>

In India, the surgeon Sushruta described numerous surgical operations, including the earliest forms of plastic surgery.<sup>[36][37]</sup> Earliest records of dedicated hospitals come from Mihintale in Sri Lanka where evidence of dedicated medicinal treatment facilities for patients are found.<sup>[38][39]</sup>

In Greece, the Greek physician Hippocrates, the "father of modern medicine",<sup>[40][41]</sup> laid the foundation for a rational approach to medicine. Hippocrates introduced the Hippocratic Oath for physicians, which is still relevant and in use today, and was the first to categorize illnesses as acute, chronic, endemic and epidemic, and use terms such as, "exacerbation, relapse, resolution, crisis, paroxysm, peak, and convalescence".<sup>[42][43]</sup> The Greek physician Galen was also one of the greatest surgeons of the ancient world and performed many audacious operations, including brain and eye surgeries. After the fall of the Western Roman Empire and the onset of the Early Middle Ages, the Greek tradition of medicine went into decline in Western Europe, although it continued uninterrupted in the Eastern Roman (Byzantine) Empire.

Most of our knowledge of ancient Hebrew medicine during the 1st millennium BC comes from the Torah, i.e. the Five Books of Moses, which contain various health related laws and rituals. The Hebrew contribution to the development of modern medicine started in the Byzantine Era, with the physician Asaph the Jew.<sup>[44]</sup>



Mosaic on the floor of the Asclepieion of Kos, depicting Hippocrates, with Asklepius in the middle (2nd–3rd century)

## Middle Ages

The concept of hospital as institution to offer medical care and possibility of a cure for the patients due to the ideals of Christian charity, rather than just merely a place to die, appeared in the Byzantine Empire.<sup>[45]</sup>

Although the concept of uroscopy was known to Galen, he did not see the importance of using it to localize the disease. It was under the Byzantines with physicians such of Theophilus Protospatharius that they realized the potential in uroscopy to determine disease in a time when no microscope or stethoscope existed. That practice eventually spread to the rest of Europe.<sup>[46]</sup>

After 750 CE, the Muslim world had the works of Hippocrates, Galen and Sushruta translated into Arabic, and Islamic physicians engaged in some significant medical research. Notable Islamic medical pioneers include the Persian polymath, Avicenna, who, along with Imhotep and Hippocrates, has also been called the "father of medicine".<sup>[47]</sup> He wrote *The Canon of Medicine* which became a standard medical text at many medieval European universities.<sup>[48]</sup> Others include Abulcasis,<sup>[50]</sup> Avenzoar,<sup>[51]</sup> Ibn al-Nafis,<sup>[52]</sup> and Averroes.<sup>[53]</sup> Persian physician Rhazes<sup>[54]</sup> was one of the first to question the Greek theory of humorism, which nevertheless remained influential in both medieval Western and medieval Islamic medicine.<sup>[55]</sup> Some volumes of Rhazes's work *Al-Mansuri*, namely "On Surgery" and "A General Book on Therapy", became part of the medical curriculum in European universities.<sup>[56]</sup> Additionally, he has been described as a doctor's doctor,<sup>[57]</sup> the father of pediatrics,<sup>[54][58]</sup> and a pioneer of ophthalmology. For example, he was the first to



A manuscript of *Al-Risalah al-Dhahabiah* by Ali al-Ridha, the eighth Imam of Shia Muslims. The text says: "Golden dissertation in medicine which is sent by Imam Ali ibn Musa al-Ridha, peace be upon him, to al-Ma'mun."

However, the fourteenth and fifteenth century Black Death devastated both the Middle East and Europe, and it has even been argued that Western Europe was generally more effective in recovering from the pandemic than the Middle East.<sup>[62]</sup> In the early modern period, important early figures in medicine and anatomy emerged in Europe, including Gabriele Falloppio and William Harvey.

The major shift in medical thinking was the gradual rejection, especially during the Black Death in the 14th and 15th centuries, of what may be called the "traditional authority" approach to science and medicine. This was the notion that because some prominent person in the past said something must be so, then that was the way it was, and anything one observed to the contrary was an anomaly (which was paralleled by a similar shift in European society in general – see Copernicus's rejection of Ptolemy's theories on astronomy). Physicians like Vesalius improved upon or disproved some of the theories from the past. The main tomes used both by medicine students and expert physicians were Materia Medica and Pharmacopoeia.

Andreas Vesalius was the author of *De humani corporis fabrica*, an important book on human anatomy.<sup>[63]</sup> Bacteria and microorganisms were first observed with a microscope by Antonie van Leeuwenhoek in 1676, initiating the scientific field microbiology.<sup>[64]</sup> Independently from Ibn al-Nafis, Michael Servetus rediscovered the pulmonary circulation, but this discovery did not reach the public because it was written

recognize the reaction of the eye's pupil to light.<sup>[58]</sup> The Persian Bimaristan hospitals were an early example of public hospitals.<sup>[59][60]</sup>

In Europe, Charlemagne decreed that a hospital should be attached to each cathedral and monastery and the historian Geoffrey Blainey likened the activities of the Catholic Church in health care during the Middle Ages to an early version of a welfare state: "It conducted hospitals for the old and orphanages for the young; hospices for the sick of all ages; places for the lepers; and hostels or inns where pilgrims could buy a cheap bed and meal". It supplied food to the population during famine and distributed food to the poor. This welfare system the church funded through collecting taxes on a large scale and possessing large farmlands and estates. The Benedictine order was noted for setting up hospitals and infirmaries in their monasteries, growing medical herbs and becoming the chief medical care givers of their districts, as at the great Abbey of Cluny. The Church also established a network of cathedral schools and universities where medicine was studied. The Schola Medica Salernitana in Salerno, looking to the learning of Greek and Arab physicians, grew to be the finest medical school in Medieval Europe.<sup>[61]</sup>



Siena's Santa Maria della Scala Hospital, one of Europe's oldest hospitals. During the Middle Ages, the Catholic Church established universities to revive the study of sciences, drawing on the learning of Greek and Arab physicians in the study of medicine.



down for the first time in the "Manuscript of Paris"<sup>[65]</sup> in 1546, and later published in the theological work for which he paid with his life in 1553. Later this was described by Renaldus Columbus and Andrea Cesalpino. Herman Boerhaave is sometimes referred to as a "father of physiology" due to his exemplary teaching in Leiden and textbook 'Institutiones medicae' (1708). Pierre Fauchard has been called "the father of modern dentistry".<sup>[66]</sup>

## Modern



Paul-Louis Simond injecting a plague vaccine in Karachi, 1898

Veterinary medicine was, for the first time, truly separated from human medicine in 1761, when the French veterinarian Claude Bourgelat founded the world's first veterinary school in Lyon, France. Before this, medical doctors treated both humans and other animals.

Modern scientific biomedical research (where results are testable and reproducible) began to replace early Western traditions based on herbalism, the Greek "four humours" and other such pre-modern notions. The modern era really began with Edward Jenner's discovery of the smallpox vaccine at the end of the 18th century (inspired by the method of inoculation earlier practiced in

Asia), Robert Koch's discoveries around 1880 of the transmission of disease by bacteria, and then the discovery of antibiotics around 1900.

The post-18th century modernity period brought more groundbreaking researchers from Europe. From Germany and Austria, doctors Rudolf Virchow, Wilhelm Conrad Röntgen, Karl Landsteiner and Otto Loewi made notable contributions. In the United Kingdom, Alexander Fleming, Joseph Lister, Francis Crick and Florence Nightingale are considered important. Spanish doctor Santiago Ramón y Cajal is considered the father of modern neuroscience.

From New Zealand and Australia came Maurice Wilkins, Howard Florey, and Frank Macfarlane Burnet.

Others that did significant work include William Williams Keen, William Coley, James D. Watson (United States); Salvador Luria (Italy); Alexandre Yersin (Switzerland); Kitasato Shibasaburō (Japan); Jean-Martin Charcot, Claude Bernard, Paul Broca (France); Adolfo Lutz (Brazil); Nikolai Korotkov (Russia); Sir William Osler (Canada); and Harvey Cushing (United States).

As science and technology developed, medicine became more reliant upon medications. Throughout history and in Europe right until the late 18th century, not only animal and plant products were used as medicine, but also human body parts and fluids.<sup>[67]</sup> Pharmacology developed in part from herbalism and some drugs are still derived from plants (atropine, ephedrine, warfarin, aspirin, digoxin, vinca alkaloids,<sup>[68]</sup> taxol, hyoscine, etc.).<sup>[69]</sup> Vaccines were discovered by Edward Jenner and Louis Pasteur.

The first antibiotic was arsphenamine (Salvarsan) discovered by Paul Ehrlich in 1908 after he observed that bacteria took up toxic dyes that human cells did not. The first major class of antibiotics was the sulfa drugs, derived by German chemists originally from azo dyes.



Alexander Fleming's discovery of penicillin in September 1928 marks the start of modern antibiotics.

Pharmacology has become increasingly sophisticated; modern biotechnology allows drugs targeted towards specific physiological processes to be developed, sometimes designed for compatibility with the body to reduce side-effects. Genomics and knowledge of human genetics and human evolution is having increasingly significant influence on medicine, as the causative genes of most monogenic genetic disorders have now been identified, and the development of techniques in molecular biology, evolution, and genetics are influencing medical technology, practice and decision-making.



Packaging of cardiac medicine at the Star pharmaceutical factory in Tampere, Finland in 1953.

Evidence-based medicine is a contemporary movement to establish the most effective algorithms of practice (ways of doing things) through the use of systematic reviews and meta-analysis. The movement is facilitated by modern global information science, which allows as much of the available evidence as possible to be collected and analyzed according to standard protocols that are then disseminated to healthcare providers. The Cochrane Collaboration leads this movement. A 2001 review of 160 Cochrane systematic reviews revealed that, according to two readers, 21.3% of the reviews concluded insufficient evidence, 20% concluded evidence of no effect, and 22.5% concluded positive effect.<sup>[70]</sup>

## Quality, efficiency, and access

---

Evidence-based medicine, prevention of medical error (and other "iatrogenesis"), and avoidance of unnecessary health care are a priority in modern medical systems. These topics generate significant political and public policy attention, particularly in the United States where healthcare is regarded as excessively costly but population health metrics lag similar nations.<sup>[71]</sup>

Globally, many developing countries lack access to care and access to medicines.<sup>[72]</sup> As of 2015, most wealthy developed countries provide health care to all citizens, with a few exceptions such as the United States where lack of health insurance coverage may limit access.<sup>[73]</sup>

## See also

---

- Alternative medicine – Form of non-scientific healing
- List of causes of death by rate
- List of disorders
- List of important publications in medicine
- Lists of diseases
- Medical aid
- Medical encyclopedia – Written compendium about diseases
- Medical ethics – System of moral principles of the practice of medicine
- Medical equipment
- Medical classification – Use of schemes of standardized codes
- Medical billing – Part of the US health system's reimbursement process
- Medical literature – Scientific literature of medicine



- Medical malpractice – Legal cause of action when health professionals deviate from standards of practice harming a patient
- Medical psychology – Application of psychological principles to the practice of medicine
- Medical sociology – Branch of sociology
- Philosophy of healthcare
- Quackery – Promotion of fraudulent or ignorant medical practices
- Traditional medicine – Formalized folk medicine

## References

---

1. Firth, John (2020). "Science in medicine: when, how, and what". *Oxford textbook of medicine*. Oxford: Oxford University Press. ISBN 978-0-19-874669-0.
2. Saunders, John (June 2000). "The practice of clinical medicine as an art and as a science" (<https://doi.org/10.1136%2Fmh.26.1.18>). *Med Humanit.* **26** (1): 18–22. doi:10.1136/mh.26.1.18 (<https://doi.org/10.1136%2Fmh.26.1.18>). PMID 12484313 (<https://pubmed.ncbi.nlm.nih.gov/12484313>). S2CID 73306806 (<https://api.semanticscholar.org/CorpusID:73306806>).
3. "Dictionary, medicine" (<http://dictionary.reference.com/browse/medicine>). Archived (<https://web.archive.org/web/20160304154538/http://dictionary.reference.com/browse/medicine>) from the original on 4 March 2016. Retrieved 2 December 2013.
4. "Medicine, n.1" (<http://www.oed.com/view/Entry/115715?result=1&rskey=YZWqVc&>). *OED Online*. Oxford University Press. September 2014. Archived (<https://web.archive.org/web/20210818030846/https://www.oed.com/start;jsessionid=1E0E779892225A3E7EC8E73A292FDF0D?authRejection=true&url=%2Fview%2FEntry%2F115715%3Fresult%3D1%26rskey%3DYZWqVc>) from the original on 18 August 2021. Retrieved 8 November 2014.
5. "Medicine" (<http://oxforddictionaries.com/definition/medicine?q=medicine>). *Oxford Dictionaries Online*. Oxford University Press. Archived (<https://web.archive.org/web/20210818030846/https://languages.oup.com/>) from the original on 18 August 2021. Retrieved 8 November 2014.
6. Etymology: Latin: *medicina*, from *ars medicina* "the medical art", from *medicus* "physician". (Etym.Online (<http://www.etymonline.com/index.php?term=medicine>) Archived (<https://web.archive.org/web/20071011122928/http://etymonline.com/index.php?term=medicine>) 11 October 2007 at the Wayback Machine) Cf. *mederi* "to heal", etym. "know the best course for", from PIE base \*med- "to measure, limit. Cf. Greek *medos* "counsel, plan", Avestan *vi-mad* "physician"
7. "Medicine" (<http://www.etymonline.com/index.php?term=medicine>) Archived (<https://web.archive.org/web/20071011122928/http://etymonline.com/index.php?term=medicine>) 11 October 2007 at the Wayback Machine *Online Etymology Dictionary*
8. "Traditional medicine: growing needs and potential". *WHO Policy Perspectives on Medicines*. No. 2. World Health Organization. 2002. hdl:10665/67294 (<https://hdl.handle.net/10665%2F67294>).
9. El Dib RP, Atallah AN, Andriolo RB (August 2007). "Mapping the Cochrane evidence for decision making in health care". *Journal of Evaluation in Clinical Practice*. **13** (4): 689–92. doi:10.1111/j.1365-2753.2007.00886.x (<https://doi.org/10.1111%2Fj.1365-2753.2007.00886.x>). PMID 17683315 (<https://pubmed.ncbi.nlm.nih.gov/17683315>).
10. Coulehan, John L.; Block, Marian R. (2005). *The Medical Interview: Mastering Skills for Clinical Practice* (5th ed.). F. A. Davis. ISBN 978-0-8036-1246-4. OCLC 232304023 (<https://www.worldcat.org/oclc/232304023>).

11. Addison K, Braden JH, Cupp JE, Emmert D, Hall LA, Hall T, et al. (September 2005). "Update: guidelines for defining the legal health record for-disclosure purposes" ([https://web.archive.org/web/20080309002938/http://library.ahima.org/xpedio/groups/public/documents/ahima/bok1\\_027921.hcsp?dDocName=bok1\\_027921](https://web.archive.org/web/20080309002938/http://library.ahima.org/xpedio/groups/public/documents/ahima/bok1_027921.hcsp?dDocName=bok1_027921)). *Journal of AHIMA*. **76** (8): 64A–64G. PMID 16245584 (<https://pubmed.ncbi.nlm.nih.gov/16245584>). Archived from the original ([http://library.ahima.org/xpedio/groups/public/documents/ahima/bok1\\_027921.hcsp?dDocName=bok1\\_027921](http://library.ahima.org/xpedio/groups/public/documents/ahima/bok1_027921.hcsp?dDocName=bok1_027921)) on 9 March 2008.
12. Nordqvist, Christian (26 August 2009). "What Are Symptoms? What Are Signs?" (<https://web.archive.org/web/20140701123344/http://www.medicalnewstoday.com/articles/161858.php>). *Medical News Today*. Archived from the original (<http://www.medicalnewstoday.com/articles/161858.php>) on 1 July 2014.
13. "Assessing patients effectively: Here's how to do the basic four techniques". *Nursing2014*. **8** (2): 6. 2006. doi:10.1097/00152193-200611002-00005 (<https://doi.org/10.1097%2F00152193-200611002-00005>).
14. "Clinical examination" (<https://medical-dictionary.thefreedictionary.com/Clinical+examination#:~:text=including%20some%20tests.-,The%20examination,and%20blood%20pressure%E2%80%94are%20recorded.>). *TheFreeDictionary.com*. Archived (<https://web.archive.org/web/20210204001630/https://medical-dictionary.thefreedictionary.com/Clinical+examination#:~:text=including%20some%20tests.-,The%20examination,and%20blood%20pressure%E2%80%94are%20recorded.>) from the original on 4 February 2021. Retrieved 18 January 2021.
15. Grembowski DE; Diehr P; Novak LC; Roussel AE; Martin DP; Patrick DL; et al. (August 2000). "Measuring the "managedness" and covered benefits of health plans" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1089144>). *Health Services Research*. **35** (3): 707–34. PMC 1089144 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1089144>). PMID 10966092 (<https://pubmed.ncbi.nlm.nih.gov/10966092>).
16. Blainey G (2011). *A Short History of Christianity*. Penguin Viking. OCLC 793902685 (<https://www.worldcat.org/oclc/793902685>).
17. "Insuring America's Health: Principles and Recommendations" (<https://web.archive.org/web/20091019103757/http://www.iom.edu/Reports/2004/Insuring-Americas-Health-Principles-and-Recommendations.aspx>). Institute of Medicine at the National Academies of Science. 14 January 2004. Archived from the original (<http://www.iom.edu/Reports/2004/Insuring-Americas-Health-Principles-and-Recommendations.aspx>) on 19 October 2009.
18. Battista JR, McCabe J (4 June 1999). "The Case For Single Payer, Universal Health Care for the United States" ([https://web.archive.org/web/20180423105127/http://cthealth.server101.com/the\\_case\\_for\\_universal\\_health\\_care\\_in\\_the\\_united\\_states.htm](https://web.archive.org/web/20180423105127/http://cthealth.server101.com/the_case_for_universal_health_care_in_the_united_states.htm)). Cthealth.server101.com. Archived from the original ([http://cthealth.server101.com/the\\_case\\_for\\_universal\\_health\\_care\\_in\\_the\\_united\\_states.htm](http://cthealth.server101.com/the_case_for_universal_health_care_in_the_united_states.htm)) on 23 April 2018. Retrieved 4 May 2009.
19. Sipkoff M (January 2004). "Transparency called key to uniting cost control, quality improvement" (<http://www.managedcaremag.com/archives/0401/0401.forum.html>). *Managed Care*. **13** (1): 38–42. PMID 14763279 (<https://pubmed.ncbi.nlm.nih.gov/14763279>). Archived (<https://web.archive.org/web/20040217160421/http://www.managedcaremag.com/archives/0401/0401.forum.html>) from the original on 17 February 2004. Retrieved 16 April 2006.
20. Calnan, Michael (2015), Collyer, Fran (ed.), "Eliot Freidson: Sociological Narratives of Professionalism and Modern Medicine" ([http://link.springer.com/10.1057/9781137355621\\_19](http://link.springer.com/10.1057/9781137355621_19)), *The Palgrave Handbook of Social Theory in Health, Illness and Medicine*, London: Palgrave Macmillan UK, pp. 287–305, doi:10.1057/9781137355621\_19 ([https://doi.org/10.1057%2F9781137355621\\_19](https://doi.org/10.1057%2F9781137355621_19)), ISBN 978-1-349-47022-8, archived ([https://web.archive.org/web/20220314171741/https://link.springer.com/chapter/10.1057/9781137355621\\_19](https://web.archive.org/web/20220314171741/https://link.springer.com/chapter/10.1057/9781137355621_19)) from the original on 14 March 2022, retrieved 6 November 2021

21. "Primary, Secondary and Tertiary HealthCare – Arthapedia" ([http://www.arthapedia.in/index.php%3Ftitle%3DPrimary\\_Secondary\\_and\\_Tertiary\\_HealthCare](http://www.arthapedia.in/index.php%3Ftitle%3DPrimary_Secondary_and_Tertiary_HealthCare)). *www.arthapedia.in*. Archived ([https://web.archive.org/web/20210128011946/http://www.arthapedia.in/index.php%3Ftitle=Primary\\_Secondary\\_and\\_Tertiary\\_HealthCare](https://web.archive.org/web/20210128011946/http://www.arthapedia.in/index.php%3Ftitle=Primary_Secondary_and_Tertiary_HealthCare)) from the original on 28 January 2021. Retrieved 19 January 2021.
22. "Types of health care providers: MedlinePlus Medical Encyclopedia" (<https://medlineplus.gov/ency/article/001933.htm>). *medlineplus.gov*. Archived (<https://web.archive.org/web/20210123051332/https://medlineplus.gov/ency/article/001933.htm>) from the original on 23 January 2021. Retrieved 19 January 2021.
23. "Secondary Health Care" (<https://internationalmedicalcorps.org.uk/what-we-do/all-emergencies/secondary-health-care#:~:text=Secondary%20Health%20Care%20is%20the,mot%20of ten%20provided%20in%20hospitals.>). *International Medical Corps*. Archived (<https://web.archive.org/web/20210117030041/https://internationalmedicalcorps.org.uk/what-we-do/all-emergencies/secondary-health-care#:~:text=Secondary%20Health%20Care%20is%20the,mot%20often%20provided%20in%20hospitals.>) from the original on 17 January 2021. Retrieved 19 January 2021.
24. Laokri S, Weil O, Drabo KM, Dembelé SM, Kafando B, Dujardin B (April 2013). "Removal of user fees no guarantee of universal health coverage: observations from Burkina Faso" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3629451>). *Bulletin of the World Health Organization*. **91** (4): 277–82. doi:10.2471/BLT.12.110015 (<https://doi.org/10.2471%2FBLT.12.110015>). PMC 3629451 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3629451>). PMID 23599551 (<https://pubmed.ncbi.nlm.nih.gov/23599551>).
25. Chou YJ, Yip WC, Lee CH, Huang N, Sun YP, Chang HJ (September 2003). "Impact of separating drug prescribing and dispensing on provider behaviour: Taiwan's experience" (<https://doi.org/10.1093%2Fheapol%2Fczzg038>). *Health Policy and Planning*. **18** (3): 316–29. doi:10.1093/heapol/czzg038 (<https://doi.org/10.1093%2Fheapol%2Fczzg038>). PMID 12917273 (<https://pubmed.ncbi.nlm.nih.gov/12917273>).
26. "What are the surgical specialties?" (<https://www.facs.org/education/resources/medical-students/faq/specialties#:~:text=The%20American%20College%20of%20Surgeons,surgery%2C%20otorhinolaryngology%2C%20pediatric%20surgery%2C>). *American College of Surgeons*. Archived (<https://web.archive.org/web/20210122184813/https://www.facs.org/education/resources/medical-students/faq/specialties#:~:text=The%20American%20College%20of%20Surgeons,surgery%2C%20otorhinolaryngology%2C%20pediatric%20surgery%2C>) from the original on 22 January 2021. Retrieved 18 January 2021.
27. Culyer, Anthony J. (31 July 2014). *The Dictionary of Health Economics, Third Edition* ([https://www.google.co.in/books/edition/The\\_Dictionary\\_of\\_Health\\_Economics\\_Third/LUcjBAAQBAJ?pg=PA335&printsec=frontcover](https://www.google.co.in/books/edition/The_Dictionary_of_Health_Economics_Third/LUcjBAAQBAJ?pg=PA335&printsec=frontcover)). Cheltenham, UK: Edward Elgar Publishing. p. 335. ISBN 978-1-78100-199-8. Archived ([https://web.archive.org/web/20210818030924/https://www.google.co.in/books/edition/The\\_Dictionary\\_of\\_Health\\_Economics\\_Third/LUcjBAAQBAJ?hl=en&gbpv=1&dq=medical+specialty+dealing+with+the+prevention%2C+diagnosis%2C+and+treatment+of+adult+diseases&pg=PA335&printsec=frontcover](https://web.archive.org/web/20210818030924/https://www.google.co.in/books/edition/The_Dictionary_of_Health_Economics_Third/LUcjBAAQBAJ?hl=en&gbpv=1&dq=medical+specialty+dealing+with+the+prevention%2C+diagnosis%2C+and+treatment+of+adult+diseases&pg=PA335&printsec=frontcover)) from the original on 18 August 2021. Retrieved 18 January 2021.
28. "internal medicine ([https://web.archive.org/web/20090628224336/http://www.mercksource.com/pp/us/cns/cns\\_hl\\_dorlands\\_split.jsp?pg=ppdocs/us/common/dorlands/dorland/five/000063883.htm](https://web.archive.org/web/20090628224336/http://www.mercksource.com/pp/us/cns/cns_hl_dorlands_split.jsp?pg=ppdocs/us/common/dorlands/dorland/five/000063883.htm))" at *Dorland's Medical Dictionary*
29. Fowler HW (1994). *A Dictionary of Modern English Usage (Wordsworth Collection) (Wordsworth Collection)* (<https://archive.org/details/dictionaryofmo00fowl>). NTC/Contemporary Publishing Company. ISBN 978-1-85326-318-7.

30. "The Royal Australasian College of Physicians: What are Physicians?" (<https://web.archive.org/web/20080306053048/http://www.racp.edu.au/index.cfm?objectid=49EF1EB5-2A57-5487-D74DBAFBAE9143A3>). Royal Australasian College of Physicians. Archived from the original (<http://www.racp.edu.au/index.cfm?objectid=49EF1EB5-2A57-5487-D74DBAFBAE9143A3>) on 6 March 2008. Retrieved 5 February 2008.
31. "therapeutics (medicine)" (<https://web.archive.org/web/20071218085231/https://www.britannica.com/eb/article-9106176?query=Therapeutics&ct=>). *Britannica Online Encyclopedia*. Archived from the original (<https://www.britannica.com/eb/article-9106176?query=Therapeutics&ct=>) on 18 December 2007. Retrieved 21 April 2012.
32. Brooks S, Biala N, Arbor S (March 2018). "A searchable database of medical education objectives – creating a comparable gold standard" (<https://www.ncbi.nlm.nih.gov/pmc/article/PMC5833091>). *BMC Medical Education*. **18** (1): 31. doi:10.1186/s12909-018-1136-z (<https://doi.org/10.1186/s12909-018-1136-z>). PMC 5833091 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5833091>). PMID 29499684 (<https://pubmed.ncbi.nlm.nih.gov/29499684>).
33. Ackerknecht E (1982). *A Short History of Medicine* (<https://archive.org/details/shorthistoryofme00acke>). JHU Press. p. 22 (<https://archive.org/details/shorthistoryofme00acke/page/22>). ISBN 978-0-8018-2726-6.
34. Hong F (2004). "History of Medicine in China" (<https://web.archive.org/web/20131201231218/http://www.medicine.mcgill.ca/MJM/issues/v08n01/crossroads/hong.pdf>) (PDF). *McGill Journal of Medicine*. **8** (1): 7984. Archived from the original (<http://www.medicine.mcgill.ca/MJM/issues/v08n01/crossroads/hong.pdf>) (PDF) on 1 December 2013.
35. Unschuld P (2003). *Huang Di Nei Jing: Nature, Knowledge, Imagery in an Ancient Chinese Medical Text* (<https://books.google.com/books?id=N2ZdrPCbpNIC&pg=PR9>). University of California Press. p. ix. ISBN 978-0-520-92849-7. Archived (<https://web.archive.org/web/20160418053843/https://books.google.com/books?id=N2ZdrPCbpNIC&pg=PR9>) from the original on 18 April 2016. Retrieved 14 November 2015.
36. Singh A, Sarangi D (2003). "We need to think and act" (<http://www.ijps.org/text.asp?2003/36/1/53/5785>). *Indian Journal of Plastic Surgery*. **36** (1): 53–54. Archived (<https://web.archive.org/web/20180929111240/http://www.ijps.org/text.asp?2003%2F36%2F1%2F53%2F5785>) from the original on 29 September 2018. Retrieved 9 August 2021.
37. Rana RE, Arora BS (2002). "History of plastic surgery in India". *Journal of Postgraduate Medicine*. **48** (1): 76–8. PMID 12082339 (<https://pubmed.ncbi.nlm.nih.gov/12082339>).
38. Aluvihare A (November 1993). "Rohal Kramaya Lovata Dhayadha Kale Sri Lankikayo". *Vidhusara Science Magazine*: 5.
39. Rannan-Eliya RP, De Mel N (9 February 1997). "Resource mobilization in Sri Lanka's health sector" (<http://www.hsph.harvard.edu/ihs/publications/pdf/No-42.PDF>) (PDF). *Harvard School of Public Health & Health Policy Programme, Institute of Policy Studies*. p. 19. Archived (<https://web.archive.org/web/20011029204848/http://www.hsph.harvard.edu/ihs/publications/pdf/No-42.PDF>) (PDF) from the original on 29 October 2001. Retrieved 16 July 2009.
40. Grammaticos PC, Diamantis A (2008). "Useful known and unknown views of the father of modern medicine, Hippocrates and his teacher Democritus". *Hellenic Journal of Nuclear Medicine*. **11** (1): 2–4. PMID 18392218 (<https://pubmed.ncbi.nlm.nih.gov/18392218>).
41. The father of modern medicine: the first research of the physical factor of tetanus (<http://www.blackwellpublishing.com/eccmid16/abstract.asp?id=50854>) Archived (<https://web.archive.org/web/20111118132902/http://www.blackwellpublishing.com/eccmid16/abstract.asp?id=50854>) 18 November 2011 at the [Wayback Machine](#), European Society of Clinical Microbiology and Infectious Diseases
42. Garrison FH (1966). *History of Medicine*. Philadelphia: W.B. Saunders Company. p. 97.

43. Martí-Ibáñez F (1961). *A Prelude to Medical History*. New York: MD Publications, Inc. p. 90. Library of Congress ID: 61-11617.
44. Vaisrub S, A Denman M, Naparstek Y, Gilon D (2008). "Medicine" ([https://www.jewishvirtuallibrary.org/jsource/judaica/ejud\\_0002\\_0013\\_0\\_13493.html](https://www.jewishvirtuallibrary.org/jsource/judaica/ejud_0002_0013_0_13493.html)). *Encyclopaedia Judaica*. The Gale Group. Archived ([https://web.archive.org/web/20150518071643/http://www.jewishvirtuallibrary.org/jsource/judaica/ejud\\_0002\\_0013\\_0\\_13493.html](https://web.archive.org/web/20150518071643/http://www.jewishvirtuallibrary.org/jsource/judaica/ejud_0002_0013_0_13493.html)) from the original on 18 May 2015. Retrieved 27 August 2014.
45. Lindberg D (1992). *The Beginnings of Western Science* (<https://archive.org/details/beginningsofwest00lind>). University of Chicago Press. p. 349 (<https://archive.org/details/beginningsofwest00lind/page/349>). ISBN 978-0-226-48231-6.
46. Pioreschi, Plinio (2004). *A History of Medicine: Byzantine and Islamic medicine*. Horatius Press. p. 146.
47. Becka J (January 1980). "[The father of medicine, Avicenna, in our science and culture. Abu Ali ibn Sina (980–1037)]". *Casopis Lekaru Ceskych* (in Czech). **119** (1): 17–23. PMID 6989499 (<https://pubmed.ncbi.nlm.nih.gov/6989499>).
48. "Avicenna 980–1037" (<https://web.archive.org/web/20081007070250/http://hcs.osu.edu/hort/history/023.html>). Hcs.osu.edu. Archived from the original (<http://hcs.osu.edu/hort/history/023.html>) on 7 October 2008. Retrieved 19 January 2010.
49. "'The Canon of Medicine' (work by Avicenna)" (<https://web.archive.org/web/20080528230506/https://www.britannica.com/eb/topic-92902/The-Canon-of-Medicine>). *Encyclopædia Britannica*. 2008. Archived from the original (<https://www.britannica.com/eb/topic-92902/The-Canon-of-Medicine>) on 28 May 2008. Retrieved 11 June 2008.
50. Ahmad Z (2007). "Al-Zahrawi – The Father of Surgery". *ANZ Journal of Surgery*. **77** (Suppl. 1): A83. doi:10.1111/j.1445-2197.2007.04130\_8.x ([https://doi.org/10.1111%2Fj.1445-2197.2007.04130\\_8.x](https://doi.org/10.1111%2Fj.1445-2197.2007.04130_8.x)). S2CID 57308997 (<https://api.semanticscholar.org/CorpusID:57308997>).
51. Abdel-Halim RE (November 2006). "Contributions of Muhadhdhab Al-Deen Al-Baghdadi to the progress of medicine and urology. A study and translations from his book Al-Mukhtar". *Saudi Medical Journal*. **27** (11): 1631–41. PMID 17106533 (<https://pubmed.ncbi.nlm.nih.gov/17106533>).
52. "Chairman's Reflections: Traditional Medicine Among Gulf Arabs, Part II: Blood-letting" (<http://web.archive.org/web/20130308101134/http://www.scribd.com/doc/78110223/Traditional-Medicine-Among-Gulf-Arabs>). *Heart Views*. **5** (2): 74–85 [80]. 2004. Archived from the original (<https://www.scribd.com/doc/78110223/Traditional-Medicine-Among-Gulf-Arabs>) on 8 March 2013.
53. Martín-Araguz A, Bustamante-Martínez C, Fernández-Armayor Ajo V, Moreno-Martínez JM (1 May 2002). "[Neuroscience in Al Andalus and its influence on medieval scholastic medicine]". *Revista de Neurología* (in Spanish). **34** (9): 877–92. doi:10.33588/rn.3409.2001382 (<https://doi.org/10.33588%2Frn.3409.2001382>). PMID 12134355 (<https://pubmed.ncbi.nlm.nih.gov/12134355>).
54. Tschanz DW (2003). "Arab(?) Roots of European Medicine" (<http://www.saudiaramcoworld.com/issue/199703/the.arab.roots.of.european.medicine.htm>). *Heart Views*. **4** (2). Archived (<https://web.archive.org/web/20040503004153/http://www.saudiaramcoworld.com/issue/199703/the.arab.roots.of.european.medicine.htm>) from the original on 3 May 2004. Retrieved 9 June 2013. copy (<http://coursesa.matrix.msu.edu/~fisher/hst372/readings/tschanz.html>) Archived (<https://web.archive.org/web/20041130161059/http://coursesa.matrix.msu.edu/~fisher/hst372/readings/tschanz.html>) 30 November 2004 at the Wayback Machine
55. Pormann PE, Savage-Smith E (2007). "On the dominance of the Greek humoral theory, which was the basis for the practice of bloodletting". *Medieval Islamic medicine*. Washington DC: Georgetown University. pp. 10, 43–45. OL 12911905W (<https://openlibrary.org/works/OL12911905W>).



56. Iskandar A (2006). "Al-Rāzī". *Encyclopaedia of the history of science, technology, and medicine in non-western cultures* (2nd ed.). Springer. pp. 155–156.
57. Ganchy S (2008). *Islam and Science, Medicine, and Technology* (<https://archive.org/details/slamsciencemedi0000ganc>). New York: Rosen Pub.
58. Elgood, Cyril (2010). *A Medical History of Persia and The Eastern Caliphate* (1st ed.). London: Cambridge. pp. 202–203. ISBN 978-1-108-01588-2. "By writing a monograph on 'Diseases in Children' he may also be looked upon as the father of paediatrics."
59. Micheau F (1996). "The Scientific Institutions in the Medieval Near East". In Rashed R, Morelon R (eds.). *Encyclopedia of the History of Arabic Science*. Routledge. pp. 991–992.
60. Barrett P (2004). *Science and Theology Since Copernicus: The Search for Understanding*. Continuum International Publishing Group. p. 18. ISBN 978-0-567-08969-4.
61. Blainey G (2011). *A Short History of Christianity*. Penguin Viking. pp. 214–215. OCLC 793902685 (<https://www.worldcat.org/oclc/793902685>).
62. Michael Dols has shown that the Black Death was much more commonly believed by European authorities than by Middle Eastern authorities to be contagious; as a result, flight was more commonly counseled, and in urban Italy quarantines were organized on a much wider level than in urban Egypt or Syria (Dols MW (1977). *The Black Death in the Middle East*. Princeton. pp. 119, 285–290. OCLC 2296964 (<https://www.worldcat.org/oclc/2296964>)).
63. "Page through a virtual copy of Vesalius's *De Humanis Corporis Fabrica*" (<http://ceb.nlm.nih.gov/proj/ttp/books.htm>). Archive.nlm.nih.gov. Archived (<https://web.archive.org/web/20141011220907/http://ceb.nlm.nih.gov/proj/ttp/books.htm>) from the original on 11 October 2014. Retrieved 21 April 2012.
64. Madigan M, Martinko J, eds. (2006). *Brock Biology of Microorganisms* (11th ed.). Prentice Hall. ISBN 978-0-13-144329-7.
65. Michael Servetus Research (<http://michaelservetusresearch.com/ENGLISH/works.html>) Archived (<https://web.archive.org/web/20121113223851/http://www.michaelservetusresearch.com/ENGLISH/works.html>) 13 November 2012 at the Wayback Machine Website with a graphical study on the Manuscript of Paris by Servetus
66. Lynch CD, O'Sullivan VR, McGillycuddy CT (December 2006). "Pierre Fauchard: the 'father of modern dentistry' " (<https://doi.org/10.1038%2Fsj.bdj.4814350>). *British Dental Journal*. **201** (12): 779–81. doi:10.1038/sj.bdj.4814350 (<https://doi.org/10.1038%2Fsj.bdj.4814350>). PMID 17183395 (<https://pubmed.ncbi.nlm.nih.gov/17183395>).
67. Cooper P (2004). "Medicinal properties of body parts" (<https://web.archive.org/web/20081203131508/http://www.pharmj.com/Editorial/20041218/christmas/p900bodyparts.html>). *The Pharmaceutical Journal*. **273** (7330): 900–902. Archived from the original (<http://www.pharmj.com/editorial/20041218/christmas/p900bodyparts.html>) on 3 December 2008.
68. van Der Heijden R, Jacobs DI, Snoeijer W, Hallard D, Verpoorte R (March 2004). "The Catharanthus alkaloids: pharmacognosy and biotechnology". *Current Medicinal Chemistry*. **11** (5): 607–28. doi:10.2174/0929867043455846 (<https://doi.org/10.2174%2F0929867043455846>). PMID 15032608 (<https://pubmed.ncbi.nlm.nih.gov/15032608>).
69. Atanasov AG, Waltenberger B, Pferschy-Wenzig EM, Linder T, Wawrosch C, Uhrin P, et al. (December 2015). "Discovery and resupply of pharmacologically active plant-derived natural products: A review" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4748402>). *Biotechnology Advances*. **33** (8): 1582–1614. doi:10.1016/j.biotechadv.2015.08.001 (<https://doi.org/10.1016%2Fj.biotechadv.2015.08.001>). PMC 4748402 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4748402>). PMID 26281720 (<https://pubmed.ncbi.nlm.nih.gov/26281720>).

70. Ezzo J, Bausell B, Moerman DE, Berman B, Hadhazy V (2001). "Reviewing the reviews. How strong is the evidence? How clear are the conclusions?". *International Journal of Technology Assessment in Health Care*. **17** (4): 457–66. doi:10.1017/S0266462301107014 (<https://doi.org/10.1017/S0266462301107014>). PMID 11758290 (<https://pubmed.ncbi.nlm.nih.gov/11758290>). S2CID 21855086 (<https://api.semanticscholar.org/CorpusID:21855086>).
71. Bentley TG, Effros RM, Palar K, Keeler EB (December 2008). "Waste in the U.S. Health care system: a conceptual framework" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2690367>). *The Milbank Quarterly*. **86** (4): 629–59. doi:10.1111/j.1468-0009.2008.00537.x (<https://doi.org/10.1111/j.1468-0009.2008.00537.x>). PMC 2690367 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2690367>). PMID 19120983 (<https://pubmed.ncbi.nlm.nih.gov/19120983>).
72. "WHO | Tracking universal health coverage: 2017 Global Monitoring Report" ([https://web.archive.org/web/20201008211224/https://www.who.int/healthinfo/universal\\_health\\_coverage/report/2017/en/](https://web.archive.org/web/20201008211224/https://www.who.int/healthinfo/universal_health_coverage/report/2017/en/)). WHO. Archived from the original ([https://www.who.int/healthinfo/universal\\_health\\_coverage/report/2017/en/](https://www.who.int/healthinfo/universal_health_coverage/report/2017/en/)) on 8 October 2020. Retrieved 14 June 2019.
73. "Coverage for health care | READ online" ([https://read.oecd-ilibrary.org/social-issues-migration-health/health-at-a-glance-2015/coverage-for-health-care\\_health\\_glance-2015-39-en](https://read.oecd-ilibrary.org/social-issues-migration-health/health-at-a-glance-2015/coverage-for-health-care_health_glance-2015-39-en)). OECD iLibrary. Archived ([https://web.archive.org/web/20210308132841/https://read.oecd-ilibrary.org/social-issues-migration-health/health-at-a-glance-2015/coverage-for-health-care\\_health\\_glance-2015-39-en](https://web.archive.org/web/20210308132841/https://read.oecd-ilibrary.org/social-issues-migration-health/health-at-a-glance-2015/coverage-for-health-care_health_glance-2015-39-en)) from the original on 8 March 2021. Retrieved 14 June 2019.

---

Retrieved from "<https://en.wikipedia.org/w/index.php?title=Medicine&oldid=1119430778>"

---

This page was last edited on 1 November 2022, at 15:09 (UTC).

Text is available under the Creative Commons Attribution-ShareAlike License 3.0; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy. Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a non-profit organization.