
Tarea IAW 7


0.Descarga e instalación de la última versión de moodle





```
sudo unzip -qq moodle-4.2.zip -d /var/www/html/
sudo chmod -R 777 /var/www/html/moodle/
```

Se descarga la ultima versión de moodle estable a través del navegador en un sistema operativo Linux con pila LAMP. Luego se descomprime en la carpeta de documentos de Apache con los permisos adecuados.



Se ha creado un virtualhost para moodle. Se hace la instalación de la versión actual de moodle. Si hay problemas al crear moodle data crearlo en la raíz del sistema y darle los permisos adecuados que suelen ser 777 con chmod , se puede restringir al usuario www-data con chown.

```
php.ini
    Abrir V 🖃
                                                                                                                                                                                               Guardar
  417: Production Value: 60 (60 seconds)
  418; https://php.net/max-input-time
419 max_input_time = 60
  420
421; Maximum input variable nesting level
  422; https://php.net/max-input-nesting-level
423;max_input_nesting_level = 64
  424
  425: How many GET/POST/COOKIE input variables may be accepted
426 max input vars = 500
  428; Maximum amount of memory a script may consume
429; https://php.net/memory-limit
430 memory_limit = 128M
  431
 435
  436; This directive informs PHP of which errors, warnings and notices you would like 437; it to take action for. The recommended way of setting values for this 438; directive is through the use of the error level constants and bitwise 439; operators. The error level constants are below here for convenience as well as
 439; operators. The error level constants are below here for convenience as well as 440; some common settings and their meanings. 441; By default, PHP is set to take action on all errors, notices and warnings EXCEPT 442; those related to E_NOTICE and E_STRICT, which together cover best practices and 443; recommended coding standards in PHP. For performance reasons, this is the 444; recommend error reporting setting. Your production server shouldn't be wasting 445; resources complaining about best practices and coding standards. That's what 446: development servers and development settings are for.
```

Es necesario descomentar y ajustar esta variable de php o se presentará un error. sudo systemctl restart apache2



Sistema instalado, se omite configuración completa por brevedad para el usuario se introduce nombre admin y contraseña tipica Abcd1234.


Información de la versión

Moodle 4.2 (Build: 20230424)

Si desea información sobre esta versión de Moodle, por favor vea Release Notes


Versión actual instalada, ya se puede comenzar a trabajar.

1. Incluir un logotipo en el tema por defecto para que se muestre tanto en la pantalla de inicio de sesión como una vez dentro de la aplicación web de moodle.



Se arrastra un logo y se guardan cambios abajo. El tema por defecto no muestra el logotipo si no se sube como compact logo.





Capturas que muestran el logo subido como compact logo.


2. Descargar, instalar y seleccionar un nuevo tema para moodle.

Se descarga el siguiente tema de la página web de moodle

https://moodle.org/plugins/download.php/29023/ theme moove moodle42 2023042400.zip

```
php.ini
  Abrir V 🗐
                                                                                                                      Guardar
827
827 g. cgi.check_shebang_line controls whether CGI PHP checks for line starting with #!
829; (shebang) at the top of the running script. This line might be needed if the
830; script support running both as stand-alone script and via PHP CGI<, PHP in CGI
831; mode skips this line and ignores its content if this directive is turned on.
832; https://php.net/cgi.check-shebang-line
833 ;cgi.check_shebang_line=1
835 ;;;;;;;;;;;;;;;
836 ; File Uploads ;
837 ;;;;;;;;;;;;;;;
838
839; Whether to allow HTTP file uploads.
840; https://php.net/file-uploads
841 file_uploads = On
843; Temporary directory for HTTP uploaded files (will use system default if not 844; specified).
845; https://php.net/upload-tmp-dir
846;upload_tmp_dir =
848; Maximum allowed size for uploaded files.
849 : https://php_net/upload-max-filesize
850 upload_max_filesize = 40M
852; Maximum number of files that can be uploaded via a single request
853 max_file_uploads = 20
856; Fopen wrappers;
```


Se debe modificar esta variable de php para poder subir el tema porque ocupa mas de 2mb.



Luego se instala el complemento desde extensiones.

Moodle De IAW

Instalar complemento desde un archivo ZIP



Se omiten varios pasos mecánicos que hay que aceptar, comprobación de requisitos y confirmación.




Actualizando la versión


theme_moove




Tema instalado.



Ahora se selecciona el tema desde Apariencia → Temas → Selector de Tema



Tema instalado, ahora se ve el logo en la pagina principal debido a que este tema lo incluye, si esta subido como logo normal.



Pantalla de login con el logotipo.