inmo24x7 local test guide (Days 1–6)

Nov 3, 2026 · @Luigi

Run these checks in order on a freshly seeded database; each one says what to do and what you should see. The steps follow the Day 1–6 prompts: if Claude named something differently, its final summary wins.

Before you start

You only need Docker, uv and Node 22.13+: dev sign-in, the fake LLM, the fake WhatsApp sender and Mailpit replace every external service.

1. Check `.env` has `AUTH_MODE=dev`, `VITE_AUTH_MODE=dev` and `WHATSAPP_SENDER=log`. Leave `LLM_MODEL` empty for the fake model, or set `LLM_MODEL=deepseek:deepseek-chat` and `DEEPSEEK_API_KEY` for real replies.
2. Reset and seed the database: `uv run --all-packages python scripts/seed_dev.py --reset --yes`
3. Start everything: `uv run --all-packages python scripts/dev.py`
4. Wait for the panel, backoffice and API lines in the terminal, then open http://localhost:8001/health/ready and check it answers.

What	Address
Panel	http://localhost:5173
Backoffice	http://localhost:5174
API docs	http://localhost:8001/docs
Mailpit (emails)	http://localhost:8025

Account	Use it for
`dueno@inmobiliariasur.test`	Owner of Inmobiliaria Sur: properties, seeded leads, inbox, KPIs
`nuevo@local.test`	A brand-new user: sign-up and the wizard from scratch

Account	Use it for
`admin@local.test`	Platform admin: the backoffice

The emails are the ones the Day 4 prompt asked for. The seed prints the real ones when it runs, and `psql postgresql://followup:followup@localhost:5433/followup -c "SELECT email, is_platform_admin FROM profiles;"` lists them.

To switch user, sign out, or run `localStorage.clear(); location.reload();` in the browser console (F12 → Console). Panel and backoffice keep separate sessions.

Sign-in and onboarding (Days 1–2)

Use a private window and `nuevo@local.test`, so you start with no business.

- [ ] The panel's sign-in screen shows the "Modo desarrollo" box; signing in lands you on step 1, "Tu negocio".
- [ ] Step 1: enter a business name and type. Using an existing name ("Inmobiliaria Sur") still works, with no error.
- [ ] Step 2, "Tu agente": the greeting preview changes as you type the agent's name; change the tone, disable a question, reorder two, add a custom one, change team hours and the alert email.
- [ ] "Usar lo recomendado" resets the form without saving; "Guardar y probar mi agente" saves and opens step 3.
- [ ] Click "Terminar después", sign out and sign in again: the wizard reopens at the same step.
- [ ] Go back to step 2 from the stepper: your changes are still there.
- [ ] Finish steps 4 and 5; "Ir a mi panel" opens Inicio with the checklist.
- [ ] Agente: the same form, now with "Versión N" and the version history. Saving without changes doesn't create a new version.
- [ ] Configuración: business name and type, hours, alert emails and "Prueba · N días". Hours and emails match what step 2 saved.
- [ ] Time a second new account (any new email) from sign-in to step 3: under 3 minutes.

Agent and simulator (Day 3)

Still as `nuevo@local.test`, in wizard step 3 "Probalo" or at http://localhost:5173/probar. This account has no properties, so you should see sample listings.

- [ ] The agent greets you with its configured name and the business name.
- [ ] It asks one question per message, in the configured order, and skips the questions you disabled.
- [ ] "Lo que el agente ya sabe" fills in as you answer; unknown items say "Pendiente".
- [ ] Property cards appear before it asks for your name or contact, under the "Está usando propiedades de ejemplo" banner.
- [ ] Stop `dev.py` with Ctrl+C, start it again (no `--seed`) and reload: the conversation and the facts panel are where you left them.
- [ ] "Reiniciar" starts a fresh conversation.
- [ ] Change the tone in Agente, come back: "Cambiaste tu agente…" appears; after "Reiniciar" the new tone applies.

With the fake model, use simple phrasing: "busco un 2 ambientes para alquilar en Palermo", "hasta 900 mil". Off-script questions only work with a real `LLM_MODEL`.

Properties and leads (Day 4)

Sign in as `dueno@inmobiliariasur.test`. The import files are in `docs/samples/`.

- [ ] Propiedades lists the seeded properties with search, the operation filter and pagination.
- [ ] Import `propiedades.csv`: "Importamos 20 de 20" (or "actualizamos" for rows already there). Import it again: nothing is duplicated.
- [ ] Import `propiedades.xlsx`: same result.
- [ ] Import `propiedades-con-errores.csv`: 12 of 15, three Spanish errors (missing price, invalid link, invalid operation) and "Descargar las 3 con errores" downloads only those rows.
- [ ] "Agregar una" creates a property; editing works; pause one and it disappears from the agent's results.
- [ ] "Probar el agente": the cards are now your own properties with their real links, and there is no sample banner.

- [ ] Say you like a property ("me interesa la de Gorriti"): two visit slots appear as buttons, at least 3 hours apart or on different days, inside team hours.
- [ ] Pick a slot and give a name and phone: "El agente derivó la consulta a tu equipo" appears.
- [ ] Reiniciar and write "quiero hablar con una persona": immediate hand-off.
- [ ] Consultas shows both simulator leads with the "Prueba" badge and their statuses ("Visita propuesta", "Pidió hablar con alguien").

Inquiry counts in Propiedades only count real (WhatsApp) leads, so simulator tests leave them at 0.

WhatsApp without Meta (Day 5)

The simulate script sends a signed fake WhatsApp message to your API; the log sender "delivers" the replies. Run it in a second terminal, with a number the seed doesn't use, and wait about 5 seconds after each message (the debounce is 3 seconds).

```
S="uv run --all-packages python scripts/simulate_whatsapp.py --from
5491166667777"
$S "Hola, busco un 2 ambientes para alquilar en Palermo"
$S "hasta 900 mil"
$S "Me interesa la primera"
$S --slot slot-YYYYMMDDHHMM "mié 4/11 10:00"
$S "Me llamo Ana"
$S --audio
```

For `--slot`, build the id from the day and time the agent offered: 4/11 at 10:00 is `slot-202611041000`.

- [ ] Inicio shows the "Agente activo" badge with the WhatsApp number (the seed connects a fake one).
- [ ] Three quick messages sent within 3 seconds get one answer, not three.
- [ ] The lead appears in Consultas "por WhatsApp", with no "Prueba" badge.
- [ ] Each agent reply shows Enviado → Entregado → Leído.
- [ ] The agent never asks for a phone number (WhatsApp provides it); it may ask for a name.
- [ ] `--audio` gets "Por ahora solo puedo leer mensajes de texto. ¿Me lo escribís?".

- [ ] After the hand-off, the new-lead email is in Mailpit with the answers, the visit and a link that opens the lead.
- [ ] Stop `dev.py` mid-conversation and restart: the conversation continues, and no message is lost.

Inbox, takeover, visit confirmation and KPIs (Day 6)

As the owner. Use Ana's lead from the WhatsApp section (handed off, "Visita propuesta") and keep `$S` from there.

Inicio

- [ ] Four KPI cards with this week's seeded data: Consultas recibidas ("N fuera de horario"), Calificadas, Visitas agendadas, Respuesta promedio.
- [ ] "Para atender hoy" lists leads that need action first; clicking a row opens it in Consultas.

The inbox

- [ ] Tabs "Para atender · N", "Visitas" and "Todas" show the right leads; confirmed visits are not in "Para atender".
- [ ] Search by name, by zone ("Palermo") and by phone in another format ("11 6666").
- [ ] "Exportar CSV" opens in Excel with proper columns and accents.
- [ ] With a lead open, reload: the same lead, tab and search are still there.

Takeover

- [ ] Open Ana's lead, click "Tomar la conversación": "{you} tomó la conversación" appears.
- [ ] Write a reply and send it: it shows Enviado → Entregado → Leído.
- [ ] Answer as the lead with `$S "Perfecto, gracias"`: it appears in the panel within about 5 seconds, and the agent does not reply.
- [ ] Text typed in the reply box survives the automatic refresh.
- [ ] "Devolver al agente", then `$S` another message: the agent answers again without repeating questions you already covered.

Visits

- [ ] "Confirmar visita", change the time, confirm: the lead gets the confirmation, the status turns "Visita confirmada", "{you} confirmó la visita" appears, and the lead leaves "Para atender".

- [ ] Visitas agendadas on Inicio goes up.
- [ ] "Cancelar visita" on another lead: the status goes back to "Pidió hablar con alguien".

The 24-hour rule

- [ ] On the seeded lead whose last message is over 24 hours old, the reply box is disabled with the "Pasaron más de 24 horas…" explanation.
- [ ] "Confirmar visita" there either sends the template or shows that no template is configured, and changes nothing.

Takeover in the simulator

- [ ] Chat in "Probar el agente" until the hand-off. In another tab, open that lead in Consultas (turn on "Prueba"), take it over and reply: your reply appears in the simulator chat.

Backoffice

At http://localhost:5174.

- [ ] Signed in as the owner: "Solo administradores de la plataforma." with your email and a "Cerrar sesión" button.
- [ ] Signed in as `admin@local.test`: the list of businesses; "Dar de alta un negocio" creates one.
- [ ] Simulador (or "Probar su agente" on a row): chat with Inmobiliaria Sur's agent; agent messages show "Ver traza" only if LangSmith is configured.
- [ ] WhatsApp section of Inmobiliaria Sur: the seeded fake connection shows "Conectado" and the last message received. With the log sender, "Probar conexión" and "Suscribir la app" only work against Meta, so test them in the phone test.

Automated tests and the phone test

Automated tests. Postgres must be up (`docker compose up -d db`), then:

```
uv run --all-packages pytest
corepack pnpm test
uv run ruff check . && uv run pyright && corepack pnpm lint && corepack pnpm
typecheck
```

All green before you commit. The tests use their own database (`followup_test`) and never touch your dev data.

From your phone (path B). This repeats the WhatsApp and Day 6 checks for real. It needs the Meta test app, your phone as a test recipient and a permanent token, from the Day 5 Meta guide.

1. In `.env` , set `WHATSAPP_SENDER=cloud` , `META_APP_SECRET` , `WHATSAPP_VERIFY_TOKEN` and `TOKEN_ENCRYPTION_KEY` , then restart `dev.py` .
2. Open a tunnel to the API (`cloudflared tunnel --url http://localhost:8001` or `ngrok http 8001`).
3. In the Meta app, WhatsApp → Configuration: callback `https://<tunnel>/webhooks/whatsapp` , your verify token, "Verify and save", and subscribe to "messages".
4. In the backoffice, enter the phone number ID, WABA ID and token for Inmobiliaria Sur; "Probar conexión" → "Suscribir la app" → "Enviar mensaje de prueba".
5. Write to the test number from your phone and repeat the WhatsApp, takeover and visit checks. Visit slots arrive as tappable buttons.

The Cloudflare quick tunnel gets a new URL each time, so redo step 3 after each restart. Confirming a visit more than 24 hours after your last message needs the approved `confirmacion_visita` template.

If something fails

Symptom	Likely cause	Fix
Blank white page	Supabase client crashing on empty settings	F12 → Console; check `VITE_AUTH_MODE=dev` , restart `dev.py`
No "Modo desarrollo" box	`.env` changed without a restart	Restart `dev.py` (Vite reads `.env` at start)
"Solo administradores" in the backoffice	Signed in as a non-admin	"Cerrar sesión", sign in as `admin@local.test` , or run `scripts/make_admin.py <email>`
Sent back to sign-in, or a 401	API not in dev auth mode	`AUTH_MODE=dev` in `.env` , restart

Symptom	Likely cause	Fix
Agent never answers WhatsApp messages	Worker not running, or the conversation is taken over	Look for the worker in the `dev.py` output; check the lead's control state
"Tu agente no pudo responder ahora."	Real LLM failing (key, balance, model id)	Read the API error in the terminal, or empty `LLM_MODEL` to use the fake model
No email in Mailpit	Simulator lead, or no hand-off yet	Emails are only for WhatsApp leads, at hand-off or 15 minutes after the first message
Webhook "Verify and save" fails in Meta	Wrong verify token, tunnel down, or old tunnel URL	Compare `WHATSAPP_VERIFY_TOKEN`; open `https://<tunnel>/health` in the browser
Odd data after many tests	Leftovers from earlier runs	`scripts/seed_dev.py --reset --yes`

When a check fails, note the step, what you expected and what you saw, plus any red error from the browser console or the `dev.py` terminal.