

EXPERIMENT:2

**JOSE MUGILAN D**  
**231901016**

DATE: 01/08/2024

## DATA MANIPULATIONS.

create table employees(employee\_id number(6),First\_Name varchar(20),Last\_Name varchar(25),Email varchar(25),Phone\_number varchar(20),hire\_date date,Job\_id varchar(10),Salary number(8,2),Commission\_pct number(2,2),Manager\_id number(6),Department\_id number(4));

Column Name	Data Type	Nullable	Default	Primary Key
EMPLOYEE_ID	NUMBER(6,0)	Yes	-	-
FIRST_NAME	VARCHAR2(20)	Yes	-	-
LAST_NAME	VARCHAR2(25)	Yes	-	-
EMAIL	VARCHAR2(25)	Yes	-	-
PHONE_NUMBER	VARCHAR2(20)	Yes	-	-
HIRE_DATE	DATE	Yes	-	-
JOB_ID	VARCHAR2(10)	Yes	-	-
SALARY	NUMBER(8,2)	Yes	-	-
COMMISSION_PCT	NUMBER(2,2)	Yes	-	-
MANAGER_ID	NUMBER(6,0)	Yes	-	-
DEPARTMENT_ID	NUMBER(4,0)	Yes	-	-
				1 - 11

Insert into employees

```
values(3,'Ralph','Patel','rpatel@gmail.com',9768403822,'11-12-2000',13,5000,.25,101,40);
```

Insert into employees

```
values(4,'George','Austin','geaustin@gmail.com',9573268191,'09-10-2018',14,6000,.3,103,60);
```

Insert into employees values

```
(1,'Ben','Chad','bchad@gmail.com',9493836325,'24-07-2022',11,4500,.15,100,70);
```

Insert into employees values

```
(2,'Bety','Dancs','bdancs@gmail.com',9763467298,'19-05-2021',12,4800,.17,100,56);
```

Insert into employees values

```
(5,'Audrey','Austin','audaustin@gmail.com',9684357377,'06-05-2017',15,7000,.35,104,80);
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
3	Ralph	Patel	rpatel@gmail.com	768403822	11/12/2000	13	5000	.25	101	40
4	George	Austin	geaustin@gmail.com	9573268191	09/10/2018	14	6000	.3	103	60
1	Ben	Chad	bchad@gmail.com	9493836325	04/07/2022	11	4500	.15	100	70
2	Bety	Dancs	bdancs@gmail.com	9763467298	09/05/2021	12	4800	.17	100	56
5	Audrey	Austin	audaustin@gmail.com	9684357377	06/05/2017	15	7000	.35	104	80

```
select employee_id,first_name,last_name,salary from employees;
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	SALARY
3	Ralph	Patel	5000
4	George	Austin	6000
1	Ben	Chad	4500
2	Bety	Dancs	4800
5	Audrey	Austin	7000

```
select *from employees where manager_id=100;
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	Ben	Chad	bchad@gmail.com	9493836325	04/07/2022	11	4500	.15	100	70
2	Bety	Dancs	bdancs@gmail.com	9763467298	09/05/2021	12	4800	.17	100	56

```
select first_name,last_name from employees where salary>=4800;
```

FIRST_NAME	LAST_NAME
Ralph	Patel
George	Austin
Bety	Dancs
Audrey	Austin

select \*from employees where last\_name ='Austin';

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
4	George	Austin	geaustin@gmail.com	9573268191	09/10/2018	14	6000	.3	103	60
5	Audrey	Austin	audaustin@gmail.com	9684357377	06/05/2017	15	7000	.35	104	80

select first\_name ,last\_name from employees where department\_id=60 or department\_id=70 or department\_id=80;

FIRST_NAME	LAST_NAME
George	Austin
Ben	Chad
Audrey	Austin

select distinct manager\_id from employees;

MANAGER_ID
100
101
104
103

(2B)

Object Type **TABLE** Object **EMP1**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP1	EMPNO	NUMBER	-	4	0	-	✓	-	-
	EMPNAME	VARCHAR2	25	-	-	-	✓	-	-
	JOB	VARCHAR2	25	-	-	-	✓	-	-
	BASIC	NUMBER	-	10	0	-	✓	-	-
	DA	NUMBER	-	10	0	-	✓	-	-
	HRA	NUMBER	-	10	0	-	✓	-	-
	PF	NUMBER	-	10	0	-	✓	-	-
	GROSSPAY	NUMBER	-	10	0	-	✓	-	-
	NETPAY	NUMBER	-	10	0	-	✓	-	-
1 - 9									

create table

```
emp1(empno number(4),empname varchar(25),job varchar(25),basic number(10),danumber(10),hra
number(10),pf number(10),grosspay number(10),netpay number(10));
```

insert into emp1

```
values(1,'betty','manager',7000,2100,2800,1000,10,20); insert into
```

```
emp1 values(2,'annie','secretary',5000,1500,2000,1500,20,30);
```

insert into emp1

```
values(3,'ralph','technician',8000,2400,3200,2000,30,40); insert into
```

```
emp1 values(4,'linda','assistant',4000,1200,1600,1200,40,50); insert
```

```
into emp1 values(5,'becky','manager',9000,2700,3600,2500,50,60);
```

Results Explain Describe Saved SQL History

EMPNO	EMPNAME	JOB	BASIC	DA	HRA	PF	GROSSPAY	NETPAY
1	betty	manager	7000	2100	2800	1000	10	20
2	annie	secretary	5000	1500	2000	1500	20	30
3	ralph	technician	8000	2400	3200	2000	30	40
4	linda	assistant	4000	1200	1600	1200	40	50
5	becky	manager	9000	2700	3600	2500	50	60

5 rows returned in 0.00 secondsDownload

update emp1

```
set grosspay=basic+da+hra+pf;
```

```
set netpay=basic-pf;
```

Results Explain Describe Saved SQL History

EMPNO	EMPNAME	JOB	BASIC	DA	HRA	PF	GROSSPAY	NETPAY
1	betty	manager	7000	2100	2800	1000	12900	6000
2	annnie	secretary	5000	1500	2000	1500	10000	3500
3	ralph	technician	8000	2400	3200	2000	15600	6000
4	linda	assistant	4000	1200	1600	1200	8000	2800
5	becky	manager	9000	2700	3600	2500	17800	6500

5 rows returned in 0.01 seconds [Download](#)

```
select * from emp1
```

```
where basic=(select min(basic) from emp1);
```

Results Explain Describe Saved SQL History

EMPNO	EMPNAME	JOB	BASIC	DA	HRA	PF	GROSSPAY	NETPAY
4	linda	assistant	4000	1200	1600	1200	8000	2800

1 rows returned in 0.01 seconds [Download](#)

```
select * from emp1
```

```
where netpay=(select min(netpay)from emp1);
```

EMPNO	EMPNAME	JOB	BASIC	DA	HRA	PF	GROSSPAY	NETPAY
4	linda	assistant	4000	1200	1600	1200	8000	2800

1 rows returned in 0.00 seconds [Download](#)

(2c)

```
create table emp3(id number(7) primary key not null,last_name varchar2(25) not
null,first_namevarchar2(25),dept_id number(7));
```

Object Type **TABLE** Object **EMP3**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP3	ID	NUMBER	-	7	0	1	-	-	-
	LAST_NAME	VARCHAR2	25	-	-	-	-	-	-
	FIRST_NAME	VARCHAR2	25	-	-	-	✓	-	-
	DEPT_ID	NUMBER	-	7	0	-	✓	-	-
1 - 4									

alter table emp3

modify last\_name varchar2(50);

Object Type **TABLE** Object **EMP3**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP3	ID	NUMBER	-	7	0	1	-	-	-
	LAST_NAME	VARCHAR2	50	-	-	-	-	-	-
	FIRST_NAME	VARCHAR2	25	-	-	-	✓	-	-
	DEPT_ID	NUMBER	-	7	0	-	✓	-	-
1 - 4									

create table employees2(employee\_id number(4),first\_name varchar(25),last\_name varchar(20),salary  
number(10),dept\_id varchar(5));

Object Type **TABLE** Object **EMPLOYEES2**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMPLOYEES2	EMPLOYEE_ID	NUMBER	-	4	0	-	✓	-	-
	FIRST_NAME	VARCHAR2	25	-	-	-	✓	-	-
	LAST_NAME	VARCHAR2	20	-	-	-	✓	-	-
	SALARY	NUMBER	-	10	0	-	✓	-	-
	DEPT_ID	VARCHAR2	5	-	-	-	✓	-	-
1 - 5									

drop table emp3;

Table dropped.

0.38 seconds

alter table employees2 rename to emp3;

Object Type	TABLE	Object	EMP3
-------------	-------	--------	------

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP3	<u>EMPLOYEE_ID</u>	NUMBER	-	4	0	-	✓	-	-
	<u>FIRST_NAME</u>	VARCHAR2	25	-	-	-	✓	-	-
	<u>LAST_NAME</u>	VARCHAR2	20	-	-	-	✓	-	-
	<u>SALARY</u>	NUMBER	-	10	0	-	✓	-	-
	<u>DEPT_ID</u>	VARCHAR2	5	-	-	-	✓	-	-

1 - 5

```
alter table emp3
```

```
drop column first_name;
```

Object Type **TABLE** Object **EMP3**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP3	EMPLOYEE_ID	NUMBER	-	4	0	-	✓	-	-
	LAST_NAME	VARCHAR2	20	-	-	-	✓	-	-
	SALARY	NUMBER	-	10	0	-	✓	-	-
	DEPT_ID	VARCHAR2	5	-	-	-	✓	-	-

1 - 4