


ANÁLISIS DE DATOS**Configuración del entorno de trabajo****Instalación de Anaconda**

La primer actividad es instalar Anaconda, sin embargo, ya contaba con la instalación de anaconda

Figura 1:

Vista inicial de anaconda.



Nota: La pantalla que se visualiza corresponde a la pantalla de inicio en Anaconda.

Al ingresar nuevamente a Anaconda, al explorar Jupyter Notebook, se muestra inicialmente la siguiente ventana:

ANÁLISIS DE DATOS

Figura 2:

Ventana emergente al iniciar Jupyter Notebook.

```
josepablosanchez — jupyter_mac.command — python - jupyter_mac.co...

[I 19:05:19.011 NotebookApp] Serving notebooks from local directory: /Users/josepablosanchez
[I 19:05:19.011 NotebookApp] Jupyter Notebook 6.5.4 is running at:
[I 19:05:19.011 NotebookApp] http://localhost:8888/?token=2eed46e7de6496ab34d831769a47df26c869ff2f5a2f5c35
[I 19:05:19.011 NotebookApp] or http://127.0.0.1:8888/?token=2eed46e7de6496ab34d831769a47df26c869ff2f5a2f5c35
[I 19:05:19.011 NotebookApp] Use Control-C to stop this server and shut down all kernels (twice to skip confirmation).


To access the notebook, open this file in a browser:
file:///Users/josepablosanchez/Library/Jupyter/runtime/nbserver-8594-open.html
Or copy and paste one of these URLs:
http://localhost:8888/?token=2eed46e7de6496ab34d831769a47df26c869ff2f5a2f5c35
or http://127.0.0.1:8888/?token=2eed46e7de6496ab34d831769a47df26c869ff2f5a2f5c35
This version of python seems to be incorrectly compiled
(internal generated filenames are not absolute).
This may make the debugger miss breakpoints.
Related bug: http://bugs.python.org/issue166807
```

Nota: La ventana emergente carga e inmediatamente redirige a Jupyter Notebook.

La visualización de Jupyter Notebook es similar a la carpeta de Finder de la computadora en donde se muestran diferentes carpetas.

Figura 3:

Ventana inicial de Jupyter Notebook.



Nota: La visualización de Jupyter Notebook muestra carpetas de hace muchos años, cuando use Anaconda.

Para continuar, he configurado mi entorno de trabajo según lo indicado, se recomienda usar la versión 3.13.15 de Python, sin embargo, en mi caso, la última versión disponible es 3.13.5, por lo que he decidido trabajar con esta versión.

Figura 4:


ANACONDA.NAVIGATOR

 Upgrade Now
  Connect

Home

Environments

Learning

Community

Search Environments

base (root)

Python3135

Installed

Channels

Update index...


Search Packages

Name	T	Description	Version
_anaconda_depends		Simplifies package management and deployment of anaconda	2023.0
abseil-cpp		Abseil common libraries (c++)	202111
aioboto3		Async client for aws services using boto3 and aiohttp	2.4.2
aiofiles		File support for asyncio	22.1.0
aiohttp		Async http client/server framework (asyncio)	3.8.3
aiohttp-retry		Asyncio version of the standard multiprocessing module	0.7.1
aiosignal		Aiosignal: a list of registered asynchronous callbacks	1.2.0
aiosqlite		Asyncio bridge to the standard sqlite3 module	0.18.0
alabaster		Lightweight, configurable sphinx theme	0.7.12
anaconda-catalogs		Client library to interface with anaconda cloud catalogs service	0.2.0
anaconda-client		Anaconda.org command line client library	1.11.3
anaconda-project		Tool for encapsulating, running, and reproducing data science projects	0.11.1
anyio		High level compatibility layer for multiple asynchronous event loop implementations on python	3.5.0
appdirs		A small python module for determining appropriate platform-specific dirs.	1.4.4
applaunchservices		Simple package for registering an app with apple launch services to handle uri and url	0.3.0
appnope		Disable app nap on os x >= 10.9	0.1.2
appscript		Control applescriptable applications from python.	1.1.2

Creating environment: /Users/josepabalsanchez/anaconda3/envs/Python3135

Cancel


Una vez configurado el entorno de trabajo con un aversión estable, procedo con la instalación de JupyterLab, en la siguiente figura se muestra el proceso de instalación de JupyterLab.

ANÁLISIS DE DATOS**Figura 5:***Instalación de JupyterLab.*

Nota: Al realizar la configuración del nuevo entorno, algunas herramientas que ya estaban cargadas, deben volverse a cargar, como lo es el caso de JupyterLab.

Al ingresar a JupyterLab, se muestra la siguiente interfaz:

Figura 6:*Visualización inicial de JupyterLab.*



Nota: la interfaz es bastante amena para navegar, al ingresar a la primera opción, Python 3, se despliega el área de trabajo que se muestra en la segunda imagen.