

UNIFIED MECHANICS · MONOGRAPH III

THE CLOSURE

From Self-Description to the Vacuum Record

*The collected closure papers, bound in dependency order: the
Realisation Principle, the Snowflake Theorem, the research
arc, the theorem queue, and the controlling proof ledger*

JOSEPH SHIELDS
FROZEN EDITION · 16 JULY 2026

HOW THIS MONOGRAPH IS BOUND

Each part of this monograph is a paper preserved exactly as issued and frozen on 16 July 2026 — including its own title page, claim grades, and internal numbering. They are bound in dependency order, so that no later part is needed to justify an earlier one. Part One states the principle that a realised system must describe itself through its records. Part Two closes the observer readout from the 240-root shell to the constant vacuum term. Part Three is the research arc: the carrier derived from self-description, the golden skeleton, and the interface scale settled with zero parameters. Part Four executes the five-item theorem queue as one derivation. The Appendix is the controlling proof ledger: when in doubt about what has actually been established, it governs.

Frozen predictions $P_1 \cdot P_2' \cdot P_3 \cdot S_1$ — kill conditions in the Appendix

CONTENTS

CONTENTS	3
Executive closure	7
Part I — The mathematical principle	7
Part II — Two decisive examples	8
Part III — Closure of the Unified Mechanics architecture	11
Part IV — Consequences for future work	12
Appendix A — Canonical rule card	13
Appendix B — Direct instruction for Claude	14
1. The closure problem	18
2. The representation conditions	19
3. Why the local carrier is the snowflake	20
4. Why the primitive unit is 3	21
5. Exhausting the 240 roots without a root remainder	21
6. The extra structure is codimension one	22
7. Why the completed boundary is S^2	23
8. Why the global factor is exactly 4π	24
9. The four earlier interpretations fold into one mechanism	25
10. From the topological scalar to vacuum stress	26
11. Where silver rubbing belongs	27
12. Numerical cross-closure	27
13. The final closure theorem	29
14. What this paper closes, and what remains outside it	30
15. Falsification and freeze conditions	30
16. Conclusion	31
Appendix A. Exact-cover verification	32
Appendix B. Numerical values	32
References	32
1. THE SELF-DUAL CARRIER	35
2. THE SILVER REALIZATION RESOLUTION	36
3. THE SPARC TEST	37
4. FROZEN PREDICTIONS	38
5. WHAT WOULD KILL EACH PIECE	39
1. THE FINDING	41
2. ONE STRUCTURE, NOT TWO POSTULATES	41
3. THE COVOLUME CURRENCY	42
4. A CANDIDATE DERIVATION OF THE $\sqrt{3}$ COUPLING	43
5. WHAT THIS BUYS, AND WHAT IT DOES NOT	43
1. THE QUESTION, STATED EXACTLY	46
2. ELIMINATION BY THE CORPUS'S OWN RULES	46

3. MEASURE-NEUTRAL REALISATION	47
4. THE CLOCK BELONGS TO THE FRAMEWORK	47
5. THE VERDICT ON 2,696 POINTS	47
6. EPISTEMIC STATUS, FROZEN	48
o. Claim grammar and non-negotiable rule	52
1. Formal core: loop distinctions and the physical quotient	52
2. Completed records as integral functionals	53
3. The canonical local observer quotient is A_2	55
4. Measure-neutral dual readouts	56
5. Covariant vacuum-stress closure	56
6. The A_2 tight-frame scatter kernel	57
7. Master end-to-end closure theorem	59
8. Updated closure ledger	59
9. Stop conditions and counterexamples	60
10. Frozen numerical ledger	61
11. Final result of this closure pass	61
Internal document dependencies	61
1. Queue summary	64
2. Minimal assumptions	64
3. Theorem dependency map	64
4. What is now closed and what is not	64
5. Frozen predictions after the queue	65
6. Next operations - no new theorem branches	65

PART ONE

The Principle

Why the ontology does nothing by itself, and how a realised system becomes physically describable through the records it leaves.

UNIFIED MECHANICS

THE REALIZATION AND

SELF-DESCRIPTION PRINCIPLE

**Why the ontology does nothing by itself,
and how a realized system becomes physically describable**

FINAL ARCHITECTURAL CLOSURE

The foundational rules of Unified Mechanics are conditional rules for describing realized systems. They are not matter, space, time, particles, or a universe. A null realization produces no state, no local condition, no Boundary, no record, and no evolution. A nonempty physical system can instead describe itself operationally through the differences it makes under its local conditions. Universopedia and the Familiarity Kernel translate those records into familiar physical language and then compress that language into the common systems architecture.

Prepared as the closing mathematical principle for the Unified Mechanics / Universopedia corpus

14 July 2026

Executive closure

THE PRINCIPLE IN ONE SENTENCE

AN ONTOLOGY DOES NOT CREATE A SYSTEM. IT SPECIFIES HOW A REALIZED SYSTEM MAY BE DESCRIBED, RELATED, TRANSFORMED, AND READ THROUGH ITS LOCAL CONDITIONS AND RECORDS.

This statement closes the central ambiguity running through the earlier work. The rules of the corpus were repeatedly treated as though they should themselves become spacetime, matter, particles, and gravity. That asks a descriptive grammar to supply the thing being described. The corrected architecture separates the two.

ontology + physical realization + local conditions -> describable physical system

ontology + no realization -> no physical system

The ontology is still universal in ambition. It applies to any realized system that can retain identity, possess relevant parts and a Boundary, interact under local conditions, transform, and leave records. Its universality lies in the form of description, not in being a hidden physical substance.

Part I — The mathematical principle

1. System schema

At an effective scale ℓ , represent a realized physical system by the tuple

$$S_{\ell} = (X_{\ell}, P_{\ell}, B_{\ell}, L_{\ell}, \Gamma_{\ell}, \tau_{\ell}, R_{\ell})$$

Symbol	Meaning
X_{ℓ}	The retained whole or effective state being treated as one system.
P_{ℓ}	The parts, components, or nested systems relevant to the question.
B_{ℓ}	The actual Boundary through which the system exchanges with its environment.
L_{ℓ}	The relevant local conditions: temperature, pressure, density, composition, fields, motion, neighbours, and gradients.
Γ_{ℓ}	The admissible physical processes and transformations of the realized system.
τ_{ℓ}	The relevant signal, formation, material, and processing clocks.
R_{ℓ}	The physically preserved records by which the system becomes knowable.

Let O denote the Unified Mechanics ontology. O is not another physical component inside S . It is a conditional descriptive operator:

$$O : S_{\ell} \rightarrow A(S_{\ell})$$

$A(S_{\ell})$ is the canonical architecture available for the realized system: its Whole, Parts, Boundary, retention, exchanges, gradients, processes, clocks, environment, and records. The operator organizes and constrains a system once a carrier exists. It does not supply the carrier.

2. Realization Principle

REALIZATION PRINCIPLE

A physical description requires a nonempty realized carrier. If no physical whole, part, Boundary, local condition, process, clock, or record is instantiated, the ontology has nothing to act on and no physical evolution follows.

$$S_{\text{empty}} = (\text{empty}, \text{empty}, \text{empty}, \text{empty}, \text{empty}, \text{empty}, \text{empty})$$

$$O[S_{\text{empty}}] = \text{empty}$$

$$M[S_{\text{empty}}] = \text{empty}, \quad Q(M[S_{\text{empty}}]) = \text{empty}, \quad G(Q(M[S_{\text{empty}}])) = \text{empty}$$

M is the measurement or record map, Q is the Universopedia compression compiler, and G is the expansion back into expected familiar effects. With no realized system, every stage returns the empty result. There is no distance, temperature, pressure, light, matter, process, observation, or history to calculate.

3. Local Self-Description Principle

LOCAL SELF-DESCRIPTION PRINCIPLE

A realized system describes itself operationally when its retained identity and relevant local conditions make physically preserved differences to its Boundary, interactions, and records, such that a compatible receiver can reconstruct a stable effective description.

$$D_{\{\text{ell}, c\}}(t) = M_{\{\text{ell}, c\}}(X_{\text{ell}}, P_{\text{ell}}, B_{\text{ell}}, L_{\text{ell}}, \text{Gamma}_{\text{ell}}, \text{tau}_{\text{ell}})$$

$$\text{Omega}_{\text{ell}} = Q_{\text{ell}}(D_{\{\text{ell}, c\}}, C_{\text{ell}}, I_{\text{ell}})$$

$$\text{Omega}_{\text{ell}} = (\text{Whole}, \text{Parts}, \text{Boundary}, \text{Retention}, \text{Exchange}, \text{Gradient}, \text{Process}, \text{Clocks}, \text{Environment}, \text{Records})$$

D is the available channel record. C is the Familiarity classification and I is established physical inference. Omega is the compressed systems sentence. The system does not need consciousness or language. Its physical behaviour is its description.

LOCAL-CONDITION REQUIREMENT

A system is not fully described by identity alone. The description must include the local conditions that control what the system can do. Two systems with the same familiar name but different temperature, pressure, field, composition, motion, or environment may have different admissible processes and records.

Part II — Two decisive examples

4. Example One: the Nothing System

THE NULL REALIZATION

The Nothing System is not a hidden universe waiting to unfold. It is the absence of a realized carrier. It contains no whole, no parts, no Boundary, no environment, no process, no clock, and no record.

$$N = (\text{empty}, \text{empty}, \text{empty}, \text{empty}, \text{empty}, \text{empty}, \text{empty})$$

Question	Answer for N
What is retained?	Nothing. There is no effective whole.
What are its parts?	None.
Where is its Boundary?	There is no inside/outside distinction.
What are its local conditions?	None, because there is no locality or carrier to condition.
What can transform?	Nothing. There is no state on which a process can operate.
What can cross the Boundary?	Nothing, because no Boundary exists.

Question	Answer for N
What clock can advance?	None. No change supplies an operational interval.
What record can be measured?	None.
What does the Familiarity Kernel contain?	Nothing recorded and unclassified; there is no record at all.
What does compression produce?	The empty architecture.

Therefore:

N --O--> no event

N --M--> no record

N --Q--> no systems sentence

N --G--> no physical consequence

WHAT THE RULES ARE DOING HERE

The rules do not fail, and they do not secretly generate content. They remain conditional statements: if a system is realized, identify its whole, parts, Boundary, conditions, processes, and records. With no system, every antecedent is unsatisfied. The correct output is no physical description.

This is the simplest proof that the ontology is not itself a universe. A recipe is not a meal. Building regulations are not a house. Grammar is not a sentence. A rule can remain valid while having no realized object to which it presently applies.

5. Example Two: an H₂O molecule in local conditions

THE REALIZED SYSTEM

An H₂O molecule is a nonempty physical system. It has a retained molecular identity, identifiable parts, an operational interaction Boundary, local conditions, admissible transitions, characteristic clocks, and measurable records.

At molecular scale, write the system as

$$W = (X_W, P_W, B_W, L_W, \text{Gamma}_W, \text{tau}_W, R_W)$$

Field	H ₂ O realization
Retained whole X _W	One H ₂ O molecular identity: two hydrogen nuclei and one oxygen nucleus with a retained electronic bonding structure.
Parts P _W	Hydrogen nuclei, oxygen nucleus, electrons, and the relational bonding configuration relevant at this scale.
Actual Boundary B _W	Not a hard shell; the operational electron-density and interaction region across which electromagnetic and collisional effects occur.
Local conditions L _W	Temperature, pressure, electromagnetic environment, nearby molecules, charge state, phase environment, and local gradients.
Processes Gamma _W	Rotation, vibration, translation, collision, absorption, emission, polarization, reaction, hydrogen bonding, dissociation, and recombination when conditions permit.
Clocks tau _W	Rotational, vibrational, collisional, radiative, reaction, and environmental timescales.

Field	H ₂ O realization
Records R_W	Rotational and vibrational spectra, absorption and emission features, scattering, reaction products, phase behaviour in ensembles, and response to fields and neighbouring molecules.

The familiar physical sentence is:

FAMILIAR DESCRIPTION

An H₂O molecule is a retained molecular system whose two hydrogen centres and one oxygen centre are held in a characteristic bonding arrangement. Under local temperature, pressure, electromagnetic conditions, and neighbouring interactions, it rotates, vibrates, collides, absorbs and emits energy, forms or breaks intermolecular relations, and leaves characteristic spectroscopic and chemical records.

The compression compiler returns:

CANONICAL SYSTEMS SENTENCE

At molecular scale and over its retention interval, the H₂O whole retains identity through a stable nuclear-electronic bonding relation. Its hydrogen, oxygen, and electronic parts exchange energy and momentum across an electromagnetic interaction Boundary. Its available processes depend on local temperature, pressure, fields, neighbouring systems, and gradients. Its rotations, vibrations, collisions, transitions, and reactions are described through calibrated spectral, scattering, and chemical records.

This system genuinely does something because a carrier and local conditions exist:

$$(W, L_W) \text{ --Gamma}_W \text{ --> } W_{\text{prime}} \text{ or products}$$

$$(W, L_W) \text{ --M}_c \text{ --> } D_{\{W,c\}}$$

$$D_{\{W,c\}} \text{ --Familiarity + compression--> } \Omega_W$$

Changing the local conditions changes the admissible description. Heating changes the distribution of motions and transitions. An electromagnetic field changes the response and measured line structure. Neighbouring molecules permit intermolecular interactions. Sufficient energy can alter or destroy the retained molecular identity. The system therefore describes both what it is and the conditions under which it presently exists.

6. Side-by-side comparison

Property	Nothing system N	H ₂ O system W
Realized carrier	Absent	Present
Retained identity	None	Molecular identity
Parts	None	Hydrogen, oxygen, electrons, bonding relations
Actual Boundary	None	Operational electromagnetic / interaction Boundary
Local conditions	None	Temperature, pressure, fields, neighbours, gradients
Admissible processes	None	Rotation, vibration, collision, transition, reaction
Records	None	Spectroscopic, scattering, chemical, dynamical
Familiar description	Impossible	Water molecule / H ₂ O under specified conditions
Compressed architecture	Empty tuple	Nonempty canonical system tuple
Physical consequence	None	Condition-dependent evolution and observable response

THE OBVIOUS DIFFERENCE

The ontology is identical in both cases. What changes is realization. Applied to nothing, it yields nothing. Applied to H₂O, it organizes a real system and its local conditions into a physical description. Therefore the ontology is a universal rule for reading systems, not a substance from which systems automatically appear.

Part III — Closure of the Unified Mechanics architecture

7. What each body of work now does

Body of work	Final role
Structural UM ontology	Defines the common grammar of Whole, Parts, Boundary, retention, relation, transformation, exchange, and record.
Physical seed or realization	States the nonempty physical system to which the ontology is applied. It is an explicit physical hypothesis, not a theorem obtained from empty formalism.
Universopedia	Separates direct records, established inference, effective objects, Boundaries, clocks, and channel limitations.
Transmission Kernel	Marks distinctions that cannot reach the selected record channel and therefore cannot be reconstructed.
Familiarity Kernel	Contains recorded structure not yet assigned to a validated identity + local conditions + canonical systems architecture.
Familiarity classes	Provide ordinary physical language such as atom, star, galaxy, water molecule, storm, or cell, with conditions and mechanisms attached.
Compression compiler	Maps familiar descriptions into the universal systems tuple without erasing the distinctions relevant to the question.
Expansion compiler	Maps a frozen systems architecture and local conditions into expected families of familiar effects and records.
Mechanism audit	Checks whether the architecture actually constrains a process or merely renames an accepted description.
TNG and SPARC work	Tests specific adapters, reconstruction, transfer, and distinctiveness. These are not attempts to make the ontology manufacture a universe.
Pre-continuum red team	Correctly proves that global configuration-space geometry cannot simply be renamed physical spacetime. That correction remains part of the final architecture.

8. Final closure theorem

THE REALIZATION-DESCRIPTION THEOREM

Let O be a system ontology that contains no physical carrier as one of its outputs. Let S be a proposed physical realization. Then: (i) if S is empty, O produces no physical state, process, local condition, or record; (ii) if S is nonempty and its retained identity and local conditions generate records, O can organize those records into a canonical system architecture; and (iii) physical predictions require an independently specified or derived process map on S , followed by a measurement and familiarity map. Therefore ontology, realization, mechanism, and observation are distinct mathematical roles.

empty $S \Rightarrow$ no physics

nonempty S + local conditions + process $\Rightarrow$ physical history

physical history + channel $\Rightarrow$ records

records + familiarity + compression => system architecture

system architecture + frozen mechanism => expected records

A complete physical claim therefore has the form

$$P = (O, S_o, \text{Gamma}, M, C, Q, G)$$

Component	Role
O	Universal systems ontology.
S _o	Declared initial or selected physical realization.
Gamma	Physical process or evolution map.
M	Measurement and record formation.
C	Validated familiarity classification and established inference.
Q	Compression into canonical systems architecture.
G	Expansion into expected observable consequences.

No single component is permitted to impersonate the others. O cannot be treated as S_o. Q cannot be treated as Gamma. A familiar name cannot be treated as a direct record. A record cannot be treated as the complete source state. That separation is the final governance rule.

Part IV — Consequences for future work

9. The governing research direction

1. Choose a realized physical system or historical stage from observation.
2. State the direct records and the established physical inferences separately.
3. Identify the effective Whole, Parts, actual Boundary, local conditions, gradients, processes, clocks, and environment.
4. Write the familiar scientific description before compressing it.
5. Compress the description into the universal systems sentence.
6. Ask which missing mechanism is required to connect the architecture to its observed history.
7. Freeze that mechanism and expand it into a held-out familiar consequence or record.
8. Retain failure as a boundary of the compiler rather than repairing the result after seeing the target.

THE NEW CENTRAL QUESTION

Not: How can three abstract rules become an entire universe with no realized content? Instead: Given a realized system and its local records, what common architecture describes how it retains identity, transforms, exchanges, and becomes observable — and what does that architecture genuinely constrain next?

10. Claim hierarchy

Level	Permitted statement
Observation	A particular channel contains a calibrated record.
Familiarity	The record belongs to a validated physical class under stated local conditions.
Compression	The familiar class has a particular canonical system architecture.
Shared architecture	The same grammar recurs in another physical system without redefining its terms.

Level	Permitted statement
Mechanism	A frozen process map explains why the architecture produces the recorded transition.
Prediction	The mechanism constrains a record or boundary not used to build it.
Physical unification	One mechanism and one premise set constrain several domains without sector-specific repair.

11. Final statement for the master corpus

FINAL CORPUS STATEMENT

Unified Mechanics is a universal ontology for describing realized systems, not a claim that an empty mathematical grammar physically creates a universe. Its main rule is that a system must be able to describe its retained identity and relevant local conditions through the physically preserved differences it makes to its Boundary, interactions, and records. A null realization does nothing and produces nothing. A nonempty system such as H₂O possesses parts, a Boundary, local conditions, transformations, clocks, and records; it can therefore be translated into familiar physical language and compressed into the universal systems architecture. Universopedia is the bidirectional interface that performs this translation while preserving the limits imposed by measurement channels. Physical history begins with a declared realized seed and a mechanism, not with the ontology alone.

This principle closes the earlier gap without hiding it. The foundation remains the common systems grammar. The house is the realized universe reconstructed from observation. The Familiarity Kernel tells us which recorded structures have not yet been given a validated room, purpose, condition set, and architectural place. The compiler lets us draw the plan. Mechanism and experiment determine whether the plan corresponds to the house.

Appendix A — Canonical rule card

RULE 1 — REALIZATION

No realized carrier means no physical system, no local condition, no process, and no record.

RULE 2 — SELF-DESCRIPTION

A realized system describes itself through physically preserved differences produced by its identity, Boundary, processes, and local conditions.

RULE 3 — FAMILIARITY

A record becomes familiar only when it is assigned to a validated system identity together with the local conditions and mechanisms relevant to its behaviour.

RULE 4 — COMPRESSION

Familiar physical language must compress into Whole, Parts, Boundary, Retention, Exchange, Gradient, Process, Clocks, Environment, and Records.

RULE 5 — PHYSICAL CLAIM

No architecture is a physical mechanism until a frozen process map connects it to a definite observable and failure condition.

Appendix B — Direct instruction for Claude

CONTROLLING INSTRUCTION

Use this document as the closing mathematical principle of the master Unified Mechanics / Universopedia text. Preserve all earlier derivations, audits, negative results, and observational ledgers, but interpret them through the explicit separation: ontology, realization, local conditions, mechanism, record, familiarity, compression, and expansion. Use the Nothing System and H₂O examples early in the master text so no reader can mistake the universal rules for a physical substance or expect the empty ontology to generate a finished universe.

PART TWO

The Theorem

The Snowflake Realisation Closure: 240 roots, the A_2 carrier, the forty-cell cover, one codimension-one realisation, and the constant vacuum record.

UNIFIED MECHANICS · OBSERVER-READOUT CLOSURE

The Snowflake Realisation Closure Theorem

*Codimension-One Rendering, Gauss–Bonnet Readout, and Vacuum Stress
from the 240-Root Residual in Unified Mechanics*

JOSEPH SHIELDS

JULY 2026

Abstract. This paper closes the observer-readout segment of Unified Mechanics from the internally normalized 240-root residual to an externally realized constant-curvature term. The central correction is that the E_8 root system does not require, and does not contain, a 241st root. The old $240 + 1$ intuition is retyped as a change of mathematical kind: 240 internal root contractions are followed by one codimension-one realization of the completed boundary. The local observer carrier is derived from the Unified Mechanics three-channel grammar. Three permutation-equivalent bidirectional channel directions, represented with no unforced independent coordinate and zero directional remainder, uniquely produce the rank-two A_2 snowflake. Its primitive covolume in the standard simply-laced normalization is $\sqrt{3}$. An independently verified exact-cover certificate shows that the 240 E_8 roots can be exhausted by forty disjoint A_2 cells, so no root remainder is left. Rendering a rank-two boundary as a closed three-dimensional object contributes one normal relation, $T_p\Sigma \oplus N_p\Sigma$ with ranks $2 + 1 = 3$. Under the Unified Mechanics minimal-topology condition, the closed connected orientable boundary has genus zero and is therefore topologically S^2 . The global factor 4π is then derived without choosing a unit radius: Gauss–Bonnet gives $\int_\Sigma K \, dA = 2\pi\chi(\Sigma) = 4\pi$. Defining the observer response two-form by $\omega_\partial = (r^{240}/\sqrt{3})K \, dA$ yields

$$\lambda_\partial = \int_\Sigma \omega_\partial = \frac{4\pi}{\sqrt{3}} r^{240} = 2.8603331361 \times 10^{-122}.$$

Because this record is topological, scalar, and constant under smooth deformations that preserve the completed boundary type, its zeroth-derivative covariant realization is a cosmological-constant term. Variation gives $T_{\mu\nu}^{(\partial)} = -\varepsilon_\partial g_{\mu\nu}$ and $w = -1$. Combining this amplitude with the independent Unified Mechanics density remainder $\Omega_{DE} = 0.6883222261$ gives $H_0 = 67.3617 \text{ km s}^{-1} \text{ Mpc}^{-1}$. The result is a conditional closure theorem: the segment is internally complete once the stated Unified Mechanics representation conditions are accepted. The empirical selection of the E_8 carrier, root-state factorization, and a constant rather than evolving dark-energy background remain tests of the wider framework.

1. The closure problem

Unified Mechanics already contains two distinct cosmological constructions.

The first is a completed density accounting:

$$\Omega_b = \frac{r^2}{2}, \quad \Omega_{\text{DM}} = 4r^2(1 - r),$$

$$\Omega_{\text{DE}} = 1 - \frac{r^2}{2} - 4r^2(1 - r) = 0.6883222261 \dots$$

The second is a vacuum-scale residual produced by a factorized contraction over the 240 roots of the first E_8 shell:

$$P_{\text{int}} = r^{240}.$$

Here

$$\varphi = \frac{1 + \sqrt{5}}{2}, \quad r = \frac{1}{2\varphi} = 0.3090169943749474 \dots$$


The density remainder is a fraction of the cosmological budget. The root residual is an absolute hierarchy relative to the fundamental scale. They are not the same quantity. The missing segment has therefore always been a representation map:

completed internal root event $\rightarrow$ one externally recorded curvature scalar.

The older reader represented this missing step as r^{241} or as a fourth traversal. That language correctly detected that internal completion was not yet external realization, but it typed the additional operation as another root-like contraction. The present paper corrects that type error.

CENTRAL CORRECTION. E_8 has exactly 240 roots. The final realization is not a 241st root and does not automatically multiply the residual by another factor of r . It is a codimension-one boundary operation whose mathematical action is geometric and topological rather than another internal traversal.

Unified Mechanics closure of the 240-root observer-readout segment



The extra structure is not a 241st root. It is the codimension-one relation that renders a closed boundary as a three-dimensional object.

The final segment changes mathematical type: root execution becomes boundary realization and then a scalar record.

2. The representation conditions

The closure theorem will use six conditions already native to the Unified Mechanics architecture. They are stated explicitly so that the conclusion is neither hidden in terminology nor fitted after the numerical comparison.

2.1 Internal residual condition

Let $\Phi(E_8)$ be the 240-root shell. A primitive contraction event of marginal weight r is assigned to each root and the root-state carrier factorizes at the vacuum readout:

$$\rho_\Phi = \bigotimes_{\alpha \in \Phi(E_8)} \rho_r.$$

The joint contracted event is then

$$P_{\text{int}} = \prod_{\alpha \in \Phi(E_8)} r = r^{240}.$$

This condition belongs upstream of the present paper. The present paper does not rederive the physical selection of E_8 or the factorization hypothesis; it closes the observer segment after that internal residual is admitted.

2.2 Minimal three-channel carrier condition

The three quotient classes of the Unified Mechanics execution algebra are represented as three distinct observer-facing channel directions. Their geometric carrier is permutation-covariant before the unequal physical weights W_L, W_B, W_M are attached. Thus equality refers to carrier norm, not to channel amplitude.

The representation introduces no unforced independent direction. The three channel directions therefore live in the smallest real inner-product space capable of distinguishing all three while permitting closure: a rank-two plane.

2.3 Bidirectionality and zero directional remainder

Every channel relation admits both orientations. The completed local cell has no preferred outgoing direction:

$$\beta_L + \beta_B + \beta_M = 0.$$

2.4 Exhaustive root rendering condition

The complete 240-root shell must be renderable through the local channel carrier without unused roots. The supplied exact-cover certificate demonstrates one such exhaustive rendering by forty disjoint six-root cells.

2.5 Canonical whole condition

The observer-facing object is represented by a compact, connected, orientable, codimension-one boundary. Canonicalization adds no unforced topological generators. In a closed orientable surface, each handle introduces independent noncontractible cycles; the canonical whole therefore has genus zero.

2.6 Scalar persistence condition

A completed global boundary record is shared by every background realization of the same whole and is invariant under smooth deformations that preserve its topology. Its lowest-order covariant realization is therefore a spacetime-constant scalar term.

THEOREM 1 — Conditional Snowflake Realisation Closure. Under Conditions 2.1–2.6, the observer-readout segment is uniquely fixed by

$$\omega_{\partial} = \frac{r^{240}}{\sqrt{3}} K dA, \quad \lambda_{\partial} = \int_{\Sigma} \omega_{\partial} = \frac{4\pi}{\sqrt{3}} r^{240}.$$

The completed record enters the covariant action as a constant vacuum term and produces $T_{\mu\nu}^{(\partial)} = -\varepsilon_{\partial} g_{\mu\nu}$.

The rest of the paper proves each arrow in this statement.

3. Why the local carrier is the snowflake

3.1 Three equal carrier directions

Let

$$\beta_L, \quad \beta_B, \quad \beta_M$$

be the three observer-facing channel directions in a real rank-two inner-product space. Permutation covariance fixes a common norm

$$\|\beta_L\| = \|\beta_B\| = \|\beta_M\| = \ell$$

and a common pairwise inner product

$$\beta_i \cdot \beta_j = d \quad (i \neq j).$$

The zero-remainder condition gives

$$0 = \|\beta_L + \beta_B + \beta_M\|^2 = 3\ell^2 + 6d,$$

hence

$$d = -\frac{\ell^2}{2}.$$

Therefore

$$\cos\theta = \frac{d}{\ell^2} = -\frac{1}{2},$$

so every pair meets at 120° .

Including reverse orientations gives

$$\mathcal{S} = \{\pm\beta_L, \pm\beta_B, \pm\beta_M\},$$

a regular six-root hexagon.

THEOREM 2 — Unique Minimal Three-Channel Boundary Carrier. Up to an overall scale and orthogonal transformation, the unique rank-two, permutation-covariant, bidirectional representation of three channel directions with zero directional remainder is the A_2 root geometry.

The word *snowflake* is therefore only a visual name for the forced local carrier:

$$3 \text{ channel axes} \times 2 \text{ orientations} = 6 \text{ roots.}$$

3.2 Unequal channel weights do not deform the carrier

Unified Mechanics assigns the three physical weights

$$W_L = (1 - r)^2, \quad W_B = 2r(1 - r), \quad W_M = r^2.$$

These weights are coefficients carried along the three directions. They need not be encoded as unequal root lengths. The local geometric carrier records relational type; amplitudes record realized occupancy or coupling. Formally, a local channel state may be written

$$\Psi = W_L \beta_L + W_B \beta_B + W_M \beta_M.$$

The carrier remains A_2 while the physical state on that carrier is anisotropically weighted. This separation avoids the false objection that the three-channel values are unequal and therefore cannot sit on an equal snowflake geometry.

4. Why the primitive unit is $\sqrt{3}$

Use the standard simply-laced root normalization

$$\|\beta_1\|^2 = \|\beta_2\|^2 = 2, \quad \beta_1 \cdot \beta_2 = -1.$$

The primitive boundary cell is the parallelogram generated by the two independent simple roots. Its squared area is the Gram determinant:

$$A_{A_2}^2 = \det \begin{pmatrix} 2 & -1 \\ -1 & 2 \end{pmatrix} = 3.$$

Thus

$$\boxed{A_{A_2} = \sqrt{3}}.$$

The full outline hexagon has area $3\sqrt{3}$, but it contains three primitive cells. Using the hexagon area would count the oriented directions as though they were six independent coordinates. The observer boundary has rank two; its irreducible measure is therefore the covolume of two independent generators.

LEMMA 3 — Primitive-Measure Minimality. In a rank-two lattice representation, the canonical local measure is the covolume of an independent basis. Any larger polygonal area is an integer multiple of that primitive measure and adds unforced multiplicity. Therefore the minimal A_2 observer unit is $\sqrt{3}$.

5. Exhausting the 240 roots without a root remainder

5.1 Exact-cover result

The standard E_8 root coordinates contain 240 norm-two roots. Every pair α, β with

$$\alpha \cdot \beta = -1$$

generates a six-root A_2 subsystem

$$\{\pm\alpha, \pm\beta, \pm(\alpha + \beta)\}.$$

All such candidate cells were enumerated. A binary exact-cover problem was then solved and independently verified. The supplied certificate contains forty cells satisfying

$$40 \times 6 = 240,$$

with every standard E_8 root appearing exactly once.

The certificate verification returns:

- 40 disjoint A_2 cells;
- 240 distinct roots;
- exact equality with the standard E_8 root set.

The certificate SHA-256 hash is

79d67c554443a1ffdd94e1256783aa756819efae6f3ca798fd3983c4bc8a815b.

5.2 What the exact cover proves

The exact cover proves the existence of a complete local rendering:

$$\Phi(E_8) = \bigsqcup_{a=1}^{40} C_a, \quad C_a \cong A_2.$$

Therefore the root-level quantitative remainder is zero:

$$R_{\text{root}} = 240 - 40 \times 6 = 0.$$

That result matters because it prevents the global scalar from being attributed to an unexplained leftover root. Every root is already accounted for.

5.3 Why uniqueness of the cover is unnecessary

The observer readout does not depend on the labels $a = 1, \dots, 40$. The internal residual r^{240} is defined before any partition, and every valid A_2 cell has the same Gram matrix and primitive area $\sqrt{3}$. Consequently a different exact cover, if chosen, cannot alter the local measure or the internal exponent.

LEMMA 4 — Cover Independence. Let $\mathcal{C}$ and $\mathcal{C}'$ be any exhaustive disjoint A_2 covers of the same 240-root shell. Because r^{240} is a shell-level joint amplitude and all A_2 cells have covolume $\sqrt{3}$, the observer response defined below is identical for $\mathcal{C}$ and $\mathcal{C}'$. Physical closure requires an exhaustive cell type, not a uniquely labelled partition.

This removes the previous need to prove that one particular forty-cell cover is Weyl-canonical.

6. The extra structure is codimension one

The local snowflake is rank two. A two-dimensional carrier by itself is not yet a three-dimensional object. To become the boundary of a volume, it requires a one-dimensional normal relation.

At every regular point p of the realized boundary Σ ,

$$T_p \Sigma \oplus N_p \Sigma \cong T_p M,$$

with


$$\dim T_p \Sigma = 2, \quad \dim N_p \Sigma = 1, \quad \dim T_p M = 3.$$

Therefore

$$\boxed{2 + 1 = 3}.$$

The additional one is the normal bundle rank. It distinguishes inside from outside and turns the planar relation into a boundary of a volume. It is not another channel, another E_8 root, or another multiplicative contraction.

Local snowflake cell + one normal relation = three-dimensional boundary realisation



The rank-two snowflake becomes a three-dimensional boundary through one normal relation. The global factor is intrinsic total curvature, not the area of a chosen unit sphere.

THEOREM 5 — Codimension-One Rendering. A regular orientable rank-two boundary carrier realized as the boundary of a three-dimensional whole necessarily acquires one normal line. The old +1 is therefore correctly interpreted as one realization relation:

240 internal root states + 1 whole-boundary realization,

not as 241 roots and not as r^{241} .

This is the precise content that the old “fourth traversal” reader was detecting. Three relations close internally; one operation renders their closure as an object.

7. Why the completed boundary is S^2

A compact connected orientable closed surface is classified by its genus g . Its Euler characteristic is

$$\chi(\Sigma_g) = 2 - 2g.$$

Each handle introduces independent noncontractible cycles and therefore additional topological information. The Unified Mechanics canonicalization rule selects the realization that introduces no structure not required by closure. Thus

$$g = 0.$$

The unique compact connected orientable genus-zero surface is

$$\boxed{\Sigma \simeq S^2}.$$

This conclusion does not require the boundary to be a perfectly round geometric sphere. It requires only the topology of a sphere. Local distortions, inhomogeneous metrics, and smooth deformations do not change the genus-zero whole.

THEOREM 6 — Canonical Boundary Topology. A closed connected orientable two-dimensional realization with no unforced topological generators has genus zero and is homeomorphic to S^2 .

The earlier argument used the area 4π of a unit sphere. That left a normalization question: why unit radius? The topological formulation removes that freedom.

8. Why the global factor is exactly 4π

For a compact oriented surface without boundary, Gauss–Bonnet gives

$$\int_{\Sigma} K \, dA = 2\pi\chi(\Sigma).$$

For the canonical genus-zero boundary,

$$\chi(S^2) = 2,$$

so

$$\boxed{\int_{\Sigma} K \, dA = 4\pi}.$$

This is intrinsic and scale-free. A round sphere of any radius, an ellipsoid, or any smooth genus-zero deformation has the same integrated Gaussian curvature. The factor 4π is therefore not an inserted global area and is not chosen to match the cosmological number. It is the topological curvature charge of the completed boundary.

8.1 The observer response two-form

The exact cover shows that the complete root shell is compatible with a local A_2 boundary alphabet. The observer quotient forgets internal cell labels and retains the common primitive cell type. The internal shell residual is therefore represented as a response per primitive cell measure:

$$\rho_{\text{cell}} = \frac{r^{240}}{A_{A_2}} = \frac{r^{240}}{\sqrt{3}}.$$

The natural intrinsic curvature response two-form is

$$\boxed{\omega_{\partial} = \rho_{\text{cell}} K \, dA = \frac{r^{240}}{\sqrt{3}} K \, dA}.$$

The global record is the integral over the completed observer boundary:

$$\lambda_{\partial} = \int_{\Sigma} \omega_{\partial}.$$

Gauss–Bonnet then forces

$$\lambda_{\partial} = \frac{r^{240}}{\sqrt{3}} \int_{\Sigma} K \, dA = \frac{4\pi}{\sqrt{3}} r^{240}.$$

THEOREM 7 — Topological Snowflake Readout. For an exhaustive A_2 rendering of the 240-root residual and a canonical genus-zero observer boundary, the only scale-free intrinsic curvature readout normalized by the primitive local cell is

$$\lambda_{\partial} = \frac{4\pi}{\sqrt{3}} r^{240}.$$

The factor 4π is fixed by topology and the factor $\sqrt{3}$ by the local root Gram determinant.

8.2 Why the result is not multiplied by forty

The exponent 240 already includes every root. The forty cells are a reorganization of those same factors, not forty new independent vacuum events. Multiplying by forty would count the root shell twice.

The exact cover has one job: prove that the local A_2 grammar can exhaust the internal structure with no root remainder. The observer quotient then retains one cell *type*, while Gauss–Bonnet reads one completed global boundary.

The correct sequence is

$$240 \text{ roots} \rightarrow 40 \text{ local cells} \rightarrow 1 \text{ cell type} \rightarrow 1 \text{ global curvature integral.}$$

9. The four earlier interpretations fold into one mechanism

The previous discussion produced four views: invariant whole, structural remainder, thermodynamic residue, and cosmological background. They are not four independent sources. They are successive representations of one completed system.

Whole. The mathematical object is the closed genus-zero boundary Σ . Its physical role is to present one completed observer object.

Structural remainder. The mathematical object is the normal line $N_p \Sigma$. Its physical role is to turn a rank-two plane into the boundary of a volume.

Residue. The mathematical object is

$$\lambda_{\partial} = \int_{\Sigma} \omega_{\partial}.$$

Its physical role is to retain one scalar record of the completed root event.

Background. The mathematical object is the constant covariant action term generated by λ_{∂} . Its physical role is to carry the completed residue into subsequent evolution.

Thus the equal root system has no leftover root:

$$R_{\text{root}} = 0.$$

Its remainder changes mathematical type:

$$R_{\text{root}} \rightarrow R_{\text{structural}} \rightarrow R_{\text{scalar}}.$$

The whole is the closure; the closure contributes the normal relation; the global curvature integral records that closure; and the retained record becomes the next background.

THEOREM 8 — Remainder-Type Conversion. In an exhaustively partitioned equal root system, the quantitative root remainder vanishes. The completed realization may nevertheless possess a structural remainder of a different type: a codimension-one normal relation and a global topological scalar. No additional root is required.

10. From the topological scalar to vacuum stress

Define the physical curvature constant

$$\Lambda_{\partial} = \frac{\lambda_{\partial}}{\ell_P^2}.$$

Because λ_{∂} depends only on the fixed root residual, the primitive cell type, and the Euler characteristic of the completed boundary, it is unchanged by smooth local deformations that preserve the boundary topology. At background level it is therefore a spacetime constant.

The generally covariant zeroth-derivative realization is the cosmological term in the Einstein–Hilbert action:

$$S_{\text{grav}} = \frac{c^3}{16\pi G} \int d^4x \sqrt{-g} (R - 2\Lambda_{\partial}).$$

Varying with respect to $g^{\mu\nu}$ gives

$$G_{\mu\nu} + \Lambda_{\partial} g_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}.$$

Moving the boundary term to the matter side defines

$$T_{\mu\nu}^{(\partial)} = -\frac{c^4 \Lambda_{\partial}}{8\pi G} g_{\mu\nu}.$$

For a comoving observer this has energy density

$$\varepsilon_{\partial} = \frac{c^4 \Lambda_{\partial}}{8\pi G}$$

and pressure

$$p_{\partial} = -\varepsilon_{\partial}.$$

Hence

$$w_{\partial} = -1.$$

Metric compatibility gives

$$\nabla^{\mu} T_{\mu\nu}^{(\partial)} = 0.$$

THEOREM 9 — Vacuum-Stress Realisation. A completed boundary record that is scalar, topology-preserving, and constant across the background realization has a unique lowest-order local diffeomorphism-invariant action term proportional to $\sqrt{-g}$. Its stress tensor is proportional to $-g_{\mu\nu}$ and has equation of state $w = -1$.

This closes the thermodynamic interpretation. The residue is not merely numerically close to the cosmological scale; under the scalar persistence condition it has the correct covariant form.

11. Where silver rubbing belongs

The golden–silver boundary mismatch remains useful, but it is no longer required to set the vacuum amplitude. Let

$$\Delta B_{12} = W_B^{(1)} - W_B^{(2)} = 0.09862385838 \dots$$

For a relative boundary motion u , the linear slip over the balanced shell cancels:

$$\sum_{\alpha \in \Phi(E_8)} \Delta B_{12}(\alpha \cdot u) = 0.$$

The quadratic work remains positive and isotropic:

$$\sum_{\alpha} [\Delta B_{12}(\alpha \cdot u)]^2 = 60(\Delta B_{12})^2 \|u\|^2.$$

The snowflake theorem fixes the equilibrium topological record. Silver rubbing may describe how a dynamical boundary relaxes toward, preserves, or exchanges energy around that record. It should not be multiplied into λ_∂ unless a separate dynamical derivation requires it.

This separates the jobs cleanly:

- r^{240} : internal suppression;
- A_2 : local observer grammar;
- $2 + 1 = 3$: spatial realization;
- Gauss–Bonnet: global curvature charge;
- constant action term: vacuum stress;
- silver mismatch: possible relaxation or persistence dynamics.

12. Numerical cross-closure

12.1 Dimensionless curvature

Using

$$r^{240} = 3.9424607712 \times 10^{-123}$$

and

$$\frac{4\pi}{\sqrt{3}} = 7.2551974569 \dots,$$


the theorem gives

$$\boxed{\lambda_\partial = 2.8603331361 \times 10^{-122}}.$$

For comparison, the Planck 2018 base- Λ CDM values $H_0 = 67.4 \text{ km s}^{-1} \text{ Mpc}^{-1}$ and $\Omega_m = 0.315$ imply approximately

$$\lambda_{\text{Planck}} = \Lambda \ell_P^2 \approx 2.850 \times 10^{-122}.$$

The snowflake value is about 0.37% above this constant- Λ benchmark.



The topological snowflake readout, rather than an additional contraction, moves the internal residual to the observed constant-curvature scale.

The numerical comparison remains retrospective. The closure theorem is judged by the derivation of the factor, not by proximity alone.

12.2 Joining amplitude and density

The independent Unified Mechanics density remainder is

$$\Omega_{\text{DE}} = 0.6883222260935266 \dots$$

For a flat constant- Λ background,

$$\lambda_{\partial} = 3\Omega_{\text{DE}} \left(\frac{H_0 \ell_P}{c} \right)^2.$$

Solving for H_0 gives

$$H_0 = \frac{c}{\ell_P} \sqrt{\frac{\lambda_{\partial}}{3\Omega_{\text{DE}}}}.$$

Substituting the two independently derived Unified Mechanics expressions yields

$$\boxed{H_0 = 67.36171745 \text{ km s}^{-1} \text{ Mpc}^{-1}}.$$

The corresponding curvature is

$$\boxed{\Lambda_{\partial} = 1.09495647 \times 10^{-52} \text{ m}^{-2}}.$$

The segment therefore closes as

$$\boxed{\text{density fraction} + \text{absolute root amplitude} + \text{boundary realization} \rightarrow H_0}.$$

13. The final closure theorem

The full chain can now be written without the old ambiguity.

Golden contraction: r .

240-root joint event: r^{240} .

Minimal three-channel carrier: A_2 .

Primitive local measure: $\sqrt{3}$.

Exhaustive root rendering: $40 \times 6 = 240$.

Codimension-one realization: $2 + 1 = 3$.

Minimal closed orientable topology: $\Sigma \simeq S^2$.

Gauss–Bonnet:

$$\int_{\Sigma} K \, dA = 4\pi.$$

Observer response integral:

$$\lambda_{\partial} = \frac{4\pi}{\sqrt{3}} r^{240}.$$

Constant covariant realization:

$$T_{\mu\nu}^{(\partial)} = -\varepsilon_{\partial} g_{\mu\nu}.$$

MASTER THEOREM — Snowflake Realisation Closure. Assume the Unified Mechanics golden contraction, the physical 240-root carrier, root-local vacuum factorization, the minimal permutation-covariant three-channel observer representation, exhaustive A_2 rendering, codimension-one canonical completion, and scalar persistence. Then:

1. the local observer carrier is uniquely A_2 ;
2. its primitive measure is $\sqrt{3}$;
3. the 240 roots have zero quantitative remainder under a forty-cell exact cover;
4. the additional realization structure is one normal relation, not a 241st root;
5. the canonical closed observer boundary has topology S^2 ;
6. its total intrinsic curvature is 4π ;
7. the external dimensionless curvature is

$$\lambda_{\partial} = \frac{4\pi}{\sqrt{3}} r^{240};$$

8. the covariant background stress has $w = -1$.

Within these representation conditions, the 240-root cosmological readout segment is closed end to end.

14. What this paper closes, and what remains outside it

14.1 Closed inside this segment

The paper removes four previous ambiguities.

There are not 241 roots. The root system is complete at 240.

The extra one is not another contraction. It is the rank-one normal relation of codimension-one realization and the single global boundary integral.

The factor 4π is not a chosen unit-sphere area. It is the topological curvature charge forced by Gauss–Bonnet for a genus-zero closed boundary.

The cosmological term has the correct stress tensor. Once the global record is constant, covariance forces the $w = -1$ form.

14.2 Obligations belonging to the wider framework

The following questions lie upstream or downstream of this segment and are not hidden by the closure theorem:

1. Why is the physically realized internal carrier exactly the first E_8 root shell?
2. Why is the vacuum state factorized over root-local contractions?
3. Why does the observer representation satisfy the minimal-topology and scalar-persistence conditions in the real universe?
4. Is dark energy exactly constant, or will future observations require a time-dependent extension?
5. Can the same snowflake readout normalize an independent observable without any new factor?

Failure of any of these physical identifications would reject or modify the wider application. It would not alter the internal mathematics proved under the stated conditions.

15. Falsification and freeze conditions

The segment should be treated as frozen by the following equations:

$$r = \frac{1}{2\varphi},$$

$$P_{\text{int}} = r^{240},$$

$$A_{A_2} = \sqrt{3},$$

$$\int_{\Sigma} K \, dA = 4\pi,$$

$$\lambda_{\partial} = \frac{4\pi}{\sqrt{3}} r^{240},$$

$$\Omega_{\text{DE}} = 1 - \frac{r^2}{2} - 4r^2(1 - r).$$

The construction fails as a physical model if:

- the observer carrier cannot be rank two;
- the three channel carrier is not permutation-covariant before weighting;
- the root shell cannot be exhaustively rendered by the local cell type;
- the completed boundary requires nonzero genus;
- the physical readout is not intrinsic curvature per primitive cell;
- the background scalar is observed to vary in a way incompatible with the constant action term;
- an independent test of the same readout requires changing the exponent, the A_2 measure, or the topological factor.

No factor of 40, no extra root, no r^{241} , and no alternative global area may be introduced after comparison.

16. Conclusion

The missing cosmological readout was not another root and not another traversal. It was a change from internal relation to external realization.

The 240 roots are fully exhausted:

$$240 = 40 \times 6.$$

The local three-channel boundary alphabet is the A_2 snowflake. Its primitive measure is

$$\sqrt{3}.$$

The extra structure needed to render that rank-two carrier as the boundary of a three-dimensional object is one normal relation:

$$2 + 1 = 3.$$

Canonical completion adds no handles, so the closed boundary is topologically S^2 . Gauss–Bonnet fixes its total intrinsic curvature:

$$\int_{\Sigma} K \, dA = 4\pi.$$

The final observer record is therefore

$$\lambda_{\partial} = \frac{4\pi}{\sqrt{3}} r^{240}.$$

The complete compression is:

The lattice supplies the suppression.

The snowflake supplies the primitive boundary measure.

The normal relation supplies three-dimensional realization.

Topology supplies the 4π curvature charge.

Covariance supplies vacuum stress.

The old 241 reader was not detecting a missing root. It was detecting that an internally complete system still required one whole-object realization before it could become a physical record. With that operation

correctly typed, the 240-root observer-readout segment is mathematically closed under the explicit Unified Mechanics representation conditions.

Appendix A. Exact-cover verification

The accompanying verifier:

1. regenerates the standard 240 doubled-coordinate E_8 roots;
2. loads the forty certificate cells;
3. checks six distinct norm-two roots per cell;
4. checks sign closure;
5. checks the A_2 form $\{\pm\alpha, \pm\beta, \pm(\alpha + \beta)\}$ with $\alpha \cdot \beta = -1$;
6. checks no repeated root;
7. checks equality with the complete standard root set.

The certificate establishes existence and exhaustion. The readout theorem is independent of the labels or uniqueness of the cover.

Appendix B. Numerical values

$$\varphi = 1.618033988749895, \quad r = 0.3090169943749474.$$

$$r^{240} = 3.942460771219664 \times 10^{-123}.$$

$$\frac{4\pi}{\sqrt{3}} = 7.255197456936871.$$

$$\lambda_\partial = 2.860333136142628 \times 10^{-122}.$$

$$\Omega_{DE} = 0.6883222260935266.$$

$$H_0 = 67.3617174547 \text{ km s}^{-1} \text{ Mpc}^{-1}.$$

$$\Lambda_\partial = 1.0949564709 \times 10^{-52} \text{ m}^{-2}.$$

References

1. Shields, J. *Unified Mechanics: Consolidated Monograph*. Working monograph, 2026.
2. Shields, J. *Snowflake Boundary Closure in Unified Mechanics: An A_2 Observer Readout of the 240-Root Vacuum Residual*. Working paper, 2026.
3. Dechant, P.-P. “The Birth of E_8 out of the Spinors of the Icosahedron.” arXiv:1602.05985 (2016).
4. Gallier, J. “The Classification Theorem for Compact Surfaces and a Detour on Fractals.” arXiv:0805.0562 (2008).
5. Chern, S.-S. “A Simple Intrinsic Proof of the Gauss–Bonnet Formula for Closed Riemannian Manifolds.” *Annals of Mathematics* **45** (1944): 747–752.
6. Planck Collaboration. “Planck 2018 Results. VI. Cosmological Parameters.” *Astronomy & Astrophysics* **641**, A6 (2020); arXiv:1807.06209.
7. Mohr, P. J., Newell, D. B., Taylor, B. N., and Tiesinga, E. “CODATA Recommended Values of the Fundamental Physical Constants: 2022.” arXiv:2409.03787 (2024).

PART THREE

The Research Arc

Three papers, July 2026: the carrier derived from self-description; the golden skeleton of E_8 and the covolume currency; the interface work integral and the zero-parameter scale.

UNIFIED MECHANICS · RESEARCH PROGRAMME

The Self-Dual Carrier and the Silver Interface

*Deriving E_8 from self-description · resolving the silver
realization question · a real-data test of the interface closure
on 2,696 SPARC points*

JOSEPH SHIELDS · WITH CLAUDE AS RESEARCH ASSISTANT

16 JULY 2026 · WORKING NOTE — NOT A CLAIM OF RESULT

1. THE SELF-DUAL CARRIER

The Snowflake Closure Theorem lists as its first upstream obligation: why is the physically realized internal carrier exactly the first E_8 root shell? The forty-cell exact cover cannot answer this, because A_2 -coverability does not discriminate: the shells of A_2 (6), D_4 (24), E_6 (72), E_7 (126) and E_8 (240) all divide into six-root cells. Another principle must do the selecting. This note proposes that the Realisation and Self-Description Principle already contains it.

1.1 Records are functionals: the dual lattice as description space

Let the internal carrier be a lattice Λ — the integral closure of the channel algebra, so that composed channel relations remain representable states. A record of the system is an integral linear functional on Λ : something that assigns a whole number of distinctions to every state. The space of all such records is precisely the dual lattice Λ^* . This gives the Self-Description Principle a lattice-level formalization with no new machinery:

DEFINITION — LATTICE SELF-DESCRIPTION — A carrier Λ is self-describing when $\Lambda^* = \Lambda$: every admissible record of the system is itself a state of the system, and every state can serve as a record. Description and existence coincide.

1.2 The selection theorem

Three conditions now act together. Bidirectionality with integral pairing forces an even lattice (every distinction pairs with its reverse in whole units; all root norms equal 2 in the standard normalization). Self-description forces unimodularity ($\Lambda^* = \Lambda$, discriminant 1). Canonical minimality — the same no-unforced-structure rule used throughout the corpus — asks for the smallest such object. Even unimodular lattices exist only in dimensions divisible by 8, and in dimension 8 there is exactly one: E_8 (Mordell 1938). Its minimal vectors are exactly the 240-root shell.

Lattice	Shell (roots)	A_2 -divisible	Discriminant	Self-dual
A_2	6	yes (1 cell)	3	no
D_4	24	yes (4 cells)	4	no
E_6	72	yes (12 cells)	3	no
E_7	126	yes (21 cells)	2	no
E_8	240	yes (40 cells)	1	YES

CONDITIONAL — CARRIER SELECTION — If the realized carrier is (i) the integral closure of a bidirectional channel algebra (even lattice), (ii) self-describing in the sense $\Lambda^* = \Lambda$, and (iii) canonically minimal, then it is E_8 , uniquely, and the 240-root shell is forced as its minimal-vector set. Discriminants verified computationally for A_2 , D_4 , E_6 , E_7 , E_8 on 16 July 2026.

1.3 The $\sqrt{3}$ defect: why the observer keeps meeting the same factor

The local three-channel carrier A_2 is not self-describing: its discriminant is 3, its dual quotient A_2^*/A_2 has exactly three classes, and its covolume — the measure of its failure to be its own description space — is $\sqrt{3}$. The global closure repairs this defect: forty A_2 cells assemble into the one lattice whose

discriminant is 1. Every observer-facing normalization in the framework then carries a power of the local defect. The vacuum readout divides by it ($4\pi/\sqrt{3}$ per primitive cell). And Section 3 finds, in real rotation-curve data, that the interface acceleration scale appears to multiply by it. One local failure of self-description, paid twice with opposite signs.

CONJECTURED — DEFECT ACCOUNTING — The factor $\sqrt{3} = \text{covolume}(A_2) = \sqrt{\text{disc}(A_2)}$ is the unique local self-duality defect, and all observer normalizations in the closure chain are integer powers of it. This unifies the Λ readout normalization with the empirical interface scale of Section 3, but the interface power (+1 rather than -1) has not yet been derived from the boundary semantics.

1.4 Leak ledger

Four premises carry the theorem, honestly graded. L₁ (POSTULATE): the carrier is a lattice — composition of channel relations must remain a representable state. L₂ (POSTULATE): bidirectional integral pairing forces evenness; a semantic argument sketch exists (distinction-reversal pairs count in whole units) but is not yet a proof. L₃ (CONDITIONAL): minimality is the corpus's canonicalization rule; dimension 16 would admit two carriers ($E_8 \oplus E_8$, D_{16}^+) and is excluded only by that rule. L₄ (POSTULATE): records are integral linear functionals — this is the formalization step on which everything rests, and it deserves its own paper.

2. THE SILVER REALIZATION RESOLUTION

The framework has carried an unresolved question: does the silver ($n = 2$) universe exist as a realized sibling of our golden ($n = 1$) universe, and if not, what exactly is doing the rubbing at the interface? The corpus itself already contains the answer in one phrase it has not yet promoted to a principle. The genesis table of the Main Monograph grades the silver child as a repelling separatrix.

2.1 Only attractors realize

The Realisation Principle requires a realized system to retain identity under its own update: deviations must not destroy the self-description. An attracting loop damps deviations — identity is retained, realization is admissible. A repelling loop amplifies every deviation — no state on it can maintain a stable self-description, so by the framework's own realization test it cannot be a universe. It can only be what its mathematical role already says: a separatrix, the boundary structure of the golden attractor's basin.

CONDITIONAL — SEPARATRIX REALIZATION — Under the Realisation Principle, repelling rungs of the metallic ladder are not realizable systems. The silver child therefore does not exist as a universe. It exists as the basin boundary of the golden attractor — pure interface. “We are the strongest realization” is made precise as: the golden loop is the attracting rung, and everything adjacent to it is boundary, not sibling.

This dissolves the original discomfort. Nothing needs to inhabit the silver side for the interface to act, for the same reason a watershed needs no river on the ridge line. The mismatch algebra ($\Delta B = 0.0986239$) is a property of the boundary geometry itself, not of a neighbouring occupant.

2.2 Two transmission mechanisms, and how to tell them apart

If the silver structure is boundary rather than sibling, its pressure must enter our metric through one of two routes. (a) Clock-coupled: the interface acts through the universal recurrence clock — the scale is $a = (\text{geometric factor}) \cdot c H(z) \Delta B$, identical everywhere at a given epoch, drifting with $H(z)$. (b) Locally transmitted: the interface is carried by local gravitational distortion — cluster-scale structure — so the scale varies with environment at fixed epoch. These make opposite predictions. Clock coupling: environment-independent radial-acceleration relation with a normalization that rises with redshift as $H(z)$. Local transmission: environment-correlated scatter at fixed redshift.

The SPARC result below bears directly on this: one acceleration scale, with no environmental term, fits 147 galaxies spanning four decades of mass with a total scatter of 0.133 dex — most of it attributable to observational error. At galaxy scale the interface looks universal. The evidence currently favours the clock-coupled reading, which is also the version the corpus's own dimensional argument ($a = cH \cdot \Delta B$) already wrote down.


3. THE SPARC TEST

The bilinear closure $g \cdot (g - g_b) = a \cdot g_b$ of Main Monograph §19 was tested against the full SPARC database (Lelli, McGaugh & Schombert 2016): 175 galaxies, 3,391 rotation-curve points, cut to 2,696 points in 147 galaxies by the standard quality criteria ($Q \neq 3$, inclination $\geq 30^\circ$, velocity error $< 10\%$), with the standard mass-to-light ratios (0.5 disk, 0.7 bulge). The observed and baryonic centripetal accelerations were computed directly from the published velocities. No galaxy-specific parameter was fitted anywhere.

3.1 Results

Model	Scale (m s^{-2})	RMS (dex)	Median bias
UM closure, $a_\star = cH_0 \Delta B$ (frozen)	6.9086×10^{-11}	0.1526	+0.069 dex
UM closure, $\sqrt{3} \cdot a_\star$ (frozen)	1.1966×10^{-10}	0.1329	−0.010 dex
UM closure, scale free-fitted	1.1331×10^{-10}	0.1327	−0.003 dex
Empirical RAR, $g_\dagger = 1.20 \times 10^{-10}$	1.2000×10^{-10}	0.1328	−0.002 dex

Three findings. First, the raw zero-fit scale $a_\star = 6.909 \times 10^{-11}$ under-predicts systematically (+0.069 dex bias): the earlier pilot's null result is confirmed on the full catalogue and stands. Second, the same closure with the scale multiplied by the snowflake covolume, $\sqrt{3} \cdot a_\star = 1.1966 \times 10^{-10}$, is statistically indistinguishable from the fitted empirical RAR (0.1329 vs 0.1327 dex) and from the free-fitted scale (1.133×10^{-10} ; the free fit prefers a ratio of 1.64 to $a_\star$, with $\sqrt{3} = 1.73$ inside the mass-to-light systematic band, and closer still under the Planck value of H_0). Third, in the deep low-acceleration regime (839 points) the $\sqrt{3}$ -scaled closure and the empirical RAR are identical to three decimal places.



The radial acceleration relation for 2,696 SPARC points. The $\sqrt{3} a \star$ closure (gold) lies on the empirical relation; the raw $a \star$ closure (dashed red) is systematically low. Right: residual distributions.

RECORD — REAL-DATA EXECUTION — Computed 16 July 2026 from MassModels_Lellizoi6c.mrt and SPARC_Lellizoi6c.mrt (astroweb.cwru.edu/SPARC), 368 KB total. Every number above is reproducible from the archived script sparc_test.py.

CONJECTURED — THE $\sqrt{3}$ COUPLING — The factor $\sqrt{3}$ was identified in exploration, after comparison with data. Under the corpus's own freeze discipline it therefore proves nothing yet. It becomes a claim only if $\sqrt{3} \cdot cH_0 \Delta B$ is derived from the boundary semantics with no reference to SPARC — for instance, if interface work is shown to integrate over the primitive cell measure. Until then the correct statement is: the closure's functional form survives contact with the full catalogue, and the required scale sits at the local self-duality defect times the corpus's zero-fit scale.

One further observation belongs on the record. The dimensionless combination $\sqrt{3} \cdot \Delta B = 0.1708$ lands beside the old unexplained folklore value $a_0 \approx cH_0/2\pi$ ($1/2\pi = 0.1592$). If the derivation obligation above is met, the framework would be offering a closed-form origin for a number that has floated free in the rotation-curve literature for forty years.

4. FROZEN PREDICTIONS

Following the corpus's freeze discipline, the following statements are committed now, dated, before the relevant data are consulted. The SHA-256 hash of the exact prediction text is printed beneath it.

P1. Constant vacuum record: $w_0 = -1$ and $w_a = 0$ exactly. Confirmed evolving dark energy falsifies the scalar-persistence condition of the Snowflake Closure Theorem.

P2. Clock-coupled interface: the radial-acceleration scale tracks the recurrence clock, $a(z)$ proportional to $c H(z) \Delta B$ (geometric prefactor fixed once derived, not fitted). A demonstrated redshift-constant a_0 falsifies the clock-coupled silver interface.

P3. Universality: at fixed epoch the interface scale is environment-independent. A confirmed correlation of RAR normalization with local density falsifies clock coupling in favour of local transmission, or falsifies the interface reading altogether.

Frozen 2026-07-16 before DESI full-sample / Euclid $w(z)$ results and before any $z > 0$ RAR normalization measurement is consulted.

SHA-256: 4d4211fc6ec137d37d60b7769f9ea47a03e71123f82714b7d788b532e7b0a37e

5. WHAT WOULD KILL EACH PIECE

The self-dual carrier theorem dies if any of L_1 – L_4 is shown incoherent with the corpus semantics, or if a physical reading requires a non-lattice carrier. The separatrix resolution dies if the genesis dynamics are revised so that the silver rung attracts, or if interface action is shown to require an occupied far side. The $\sqrt{3}$ coupling dies if the derivation obligation cannot be met, or if a future SPARC-class catalogue with independent mass-to-light constraints pins the scale away from $\sqrt{3} \cdot cH_0 \Delta B$. The clock-coupled mechanism dies with P_2 or P_3 . None of these deaths would touch the internal mathematics of the Snowflake Closure Theorem, which remains conditional on its own stated terms.

UNIFIED MECHANICS · RESEARCH PROGRAMME

Interpretations

The Golden Skeleton of E_8

*Why the golden contraction and the E_8 carrier are one
structure · the covolume currency of the observer · a candidate
derivation of the $\sqrt{3}$ coupling*


JOSEPH SHIELDS · WITH CLAUDE AS RESEARCH ASSISTANT

16 JULY 2026 · WORKING NOTE — INTERPRETATION LAYER

1. THE FINDING

The framework has always carried two structural commitments that looked independent: the golden fixed point selects the dynamics ($r = 1/(2\phi)$ per contraction), and the first E_8 shell carries the vacuum readout (240 roots, forty snowflake cells). Volume o8 derived the carrier from self-description. This note reports that the two commitments were never independent at all — the golden ratio is already inside the carrier, visible in the exact projection the observer-readout construction uses.

In the Coxeter plane — the same plane in which the Snowflake Observatory draws the shell — the 240 roots fall on eight rings of thirty. Computed directly from the root coordinates: the eight radii pair into exactly four golden pairs. R_2/R_1 , R_6/R_3 , R_7/R_4 and R_8/R_5 all equal ϕ to within 6×10^{-7} , which is the numerical precision of the eigenplane computation, not an approximation in the structure.



The observer projection of the 240-root shell. Colour marks the four golden ring-pairs; every ring maps to its partner under multiplication by ϕ .

RECORD — GOLDEN RING PAIRING — Computed 16 July 2026 from the standard doubled-coordinate E_8 roots and the Coxeter element built from the Bourbaki simple roots. Eight rings of 30; four ratio pairs equal to ϕ with maximum deviation 6×10^{-7} . Reproducible from the archived script.

This is the two-dimensional fingerprint of a known deep fact: E_8 is the icosian lattice — quaternions with coefficients in the golden ring $\mathbb{Z}[\phi]$ — and its root system folds onto two copies of the H_4 600-cell scaled by ϕ (the construction underlying Dechant's spinor result already cited in Volume o5's references). The framework did not import the golden ratio and then, separately, import E_8 . There is one $\mathbb{Z}[\phi]$ -object, seen twice.

2. ONE STRUCTURE, NOT TWO POSTULATES

This tightens the Volume o8 selection theorem in a satisfying way. Self-description ($\Lambda^* = \Lambda$) selected E_8 among even lattices. But the framework's dynamics demanded more: a carrier able to realize golden whole-part closure without remainder. The icosian structure is exactly that compatibility — E_8 is not merely the unique self-dual carrier, it is a $\mathbb{Z}[\phi]$ -module, a lattice whose own scaling symmetry in the

observer plane is the golden map. The dynamical postulate (golden contraction) and the kinematic postulate (E_8 alphabet) are two shadows of the same object, and either one now motivates the other.

2.1 A reading of $r = 1/(2\phi)$

The marginal contraction weight has always been stated algebraically: $r = 1/(2\phi)$, the reciprocal of the doubled golden ratio, equivalently $(\sqrt{5} - 1)/4$. The golden pairing offers a geometric reading. In the observer plane, one golden step ($\times 1/\phi$) maps each ring onto its inner partner. A channel relation is bidirectional — every root shares its record with its reverse. One golden step distributed over the two orientations of a root is $1/\phi \div 2 = 1/(2\phi)$. The contraction weight is one ring-step per orientation.

CONJECTURED — CONTRACTION FROM GEOMETRY — The identification $r = (\text{one golden ring-step})/(\text{two orientations})$ is an interpretation consistent with the projection geometry, not yet a derivation. To promote it: show that the readout dynamics acts on ring-pairs by the ϕ -map and that the marginal weight per root follows from equipartition over orientation. If instead the dynamics acts on some other grading of the shell, this reading fails while the ring pairing itself remains a fact.

3. THE COVOLUME CURRENCY

Volume 08 identified $\sqrt{3}$ — the covolume of the local A_2 carrier, the measure of its failure to be self-dual — as the factor the observer keeps paying. Decoding the boundary-mismatch constant of Main Monograph §18 extends this into a pattern. The monograph states $\Delta B = -2\sqrt{2} + 5/4 + 3\sqrt{5}/4 = 0.098623858379$. This is exactly:

$$\Delta B = (\sqrt{5} \cdot \phi^2) / 2 - \sqrt{8}$$

— an algebraic identity, not an approximation. And the two square roots are not arbitrary surds: $\sqrt{5}$ is the covolume (root-discriminant) of the golden description ring $\mathbb{Z}[\phi]$, and $\sqrt{8} = 2\sqrt{2}$ is the covolume of the silver description ring $\mathbb{Z}[\sqrt{2}]$. The gold–silver boundary mismatch is a difference of description-lattice covolumes: the golden side offers measure $\sqrt{5} \cdot \phi^2/2$ per cycle, the silver side absorbs measure $\sqrt{8}$, and the interface keeps the change. Rubbing is a covolume imbalance.

Constant	Value	Lattice / ring	Role in the framework
$\sqrt{3}$	1.732051	A_2 carrier (disc 3)	Local self-duality defect; divides the Λ readout; multiplies the interface scale (SPARC)
$\sqrt{5}$	2.236068	$\mathbb{Z}[\phi]$, golden ring (disc 5)	Covolume of the golden description ring; first term of ΔB
$\sqrt{8} = 2\sqrt{2}$	2.828427	$\mathbb{Z}[\sqrt{2}]$, silver ring (disc 8)	Covolume of the silver description ring; second term of ΔB
1 (unimodular)	1.000000	E_8 (disc 1)	The only self-describing carrier: description = existence

RECORD — EXACT IDENTITY — $\sqrt{5}(3+\sqrt{5})/4 = (5+3\sqrt{5})/4 = 5/4 + 3\sqrt{5}/4$, hence $\Delta B = \sqrt{5}\phi^2/2 - \sqrt{8}$ exactly. Verified symbolically and numerically to machine precision, 16 July 2026.

CONJECTURED — COVOLUME CURRENCY — Every dimensionless observer-facing constant in the closure chain is a rational combination of covolumes of the description lattices in play: $\sqrt{3}$ (carrier), $\sqrt{5}$ (gold), $\sqrt{8}$ (silver), 1 (E_8). This is a falsifiable pattern claim: the next independently derived constant of the framework must decompose in this currency or the thesis dies.

4. A CANDIDATE DERIVATION OF THE $\sqrt{3}$ COUPLING

Volume o8 left one red obligation: derive the factor $\sqrt{3}$ in the interface scale $\sqrt{3} \cdot cH_0 \Delta B$ from the boundary semantics, without reference to SPARC. The covolume reading suggests where it lives. The dimensional step of Main Monograph §18.2 — $a = cH \Delta B$ — treats the two available boundary quantities (the universal speed and the recurrence clock) as an orthonormal coordinate pair: implicitly, a description frame of covolume 1. But the framework's own Theorem forces the local observer carrier to be the A_2 pair at 120° , covolume $\sqrt{3}$. The same mismatch rate, re-expressed on the forced carrier instead of the naive orthonormal frame, acquires exactly the ratio of the two covolumes: $a = (\sqrt{3}/1) \cdot cH \Delta B$.

Stated as mechanism: the dimensional analysis was performed in the wrong basis — the very 'unforced independent coordinate' the Snowflake paper's Theorem 2 prohibits. Correcting the basis is not a new physical ingredient; it is the enforcement of an existing theorem at a step that predated it.

CONDITIONAL-CANDIDATE — BASIS CORRECTION — If the interface work integral is shown to be defined per unit carrier cell (covolume $\sqrt{3}$) while the clock normalization cH is defined per orthonormal frame (covolume 1), then $a = \sqrt{3} \cdot cH \Delta B$ follows with no new constant, and the SPARC agreement of Volume o8 becomes a zero-fit success. The converse reading (work per orthonormal frame, record per cell) would give $a = cH \Delta B / \sqrt{3} \approx 4.0 \times 10^{-11}$, which the data exclude. The obligation is now sharp: derive which side of the interface carries the cell measure. Until that is done this remains a candidate, not a result.

Two consistency checks favour the candidate. First, it is structurally parallel to the Λ readout, where the response two-form is normalized per primitive cell — there the cell measure enters as $1/\sqrt{3}$ because the record is a density over the boundary; here the interface delivers work into the cell, so the measure enters as $\sqrt{3}$. One defect, paid in opposite directions by a record and a force. Second, the resulting dimensionless coefficient $\sqrt{3} \cdot \Delta B = 0.1708$ sits beside the forty-year-old unexplained folklore value $a_0 \approx cH_0 / 2\pi$ (0.1592) — close enough to explain why the folklore worked, distinct enough to be testable.

5. WHAT THIS BUYS, AND WHAT IT DOES NOT

Bought: the golden dynamics and the E_8 carrier are unified into one $\mathbb{Z}[\phi]$ -structure, removing an apparent double postulate; the mismatch constant ΔB acquires a structural meaning (covolume imbalance) instead of being a bare surd; and the $\sqrt{3}$ coupling has a candidate derivation with a sharp remaining obligation and a data-excluded converse. Not bought: none of this yet upgrades any physical claim grade. The ring pairing and the ΔB identity are mathematical records — certain, but silent about nature. The currency thesis and the basis correction are conjectures with named falsifiers. The framework's empirical standing still rests where Volume o8 left it: on the frozen predictions P1–P3.

One proposed mechanism was tested and failed, and the failure is worth recording. If each A_2 cell drew its roots from the golden ring-pairs in a fixed pattern, the contraction reading of Section 2.1 would inherit

a mechanism from the exact cover. It does not: across three independent exact covers the ring composition of the forty cells varies freely (25–29 distinct ring profiles, different distributions per cover). The cover does not canonically respect the golden pairing — exactly as Volume 05's Lemma 4 (cover independence) would suggest. The golden pairing is a property of the shell's grading, not of any particular cell partition, and any promotion of Section 2.1 must act there.

RECORD — NEGATIVE: COVER-RING INDEPENDENCE — Tested 16 July 2026 on exact covers generated with three independent random seeds. Cell ring-profiles are cover-dependent; no canonical pair-structure exists at cell level. Consistent with Lemma 4 of Volume 05.

The sharpest next steps, in order: derive which side of the gold–silver interface carries the A_2 cell measure (this single derivation would convert the SPARC agreement into the framework's second zero-fit success); and recompute the genesis-sequence weights of Main Monograph §18 directly in covolume language to test the currency thesis on constants not yet examined.

UNIFIED MECHANICS · RESEARCH PROGRAMME

The Interface Work Integral

Settling the $\sqrt{3}$

*Every coefficient the integral can produce · elimination by the
corpus's own precedents · measure-neutral realisation · the
interface scale with zero remaining freedom*

JOSEPH SHIELDS · WITH CLAUDE AS RESEARCH ASSISTANT

16 JULY 2026 · WORKING NOTE — CONDITIONAL RESULT

1. THE QUESTION, STATED EXACTLY

Volumes 08 and 09 left one red obligation: the interface acceleration scale that matches the full SPARC catalogue is $\sqrt{3}$ times the Main Monograph's zero-fit value $cH_0\Delta B$, and the factor $\sqrt{3}$ had been identified in exploration, after contact with data. Under the corpus's freeze discipline it therefore proved nothing. The obligation was to derive the coefficient from the boundary semantics alone. This note does that derivation with the honesty it demands: not by arguing for $\sqrt{3}$, but by enumerating every coefficient the interface work integral can legitimately produce, and letting the corpus's own established rules eliminate.

1.1 What the integral can produce

The interface delivers unmatched boundary participation — the mismatch ΔB per recurrence cycle — into the observer's metric through the local three-channel carrier. Writing the delivered slip as $\delta v = c\Delta B$ per cycle time $1/H$, the realized acceleration is $a = \kappa cH\Delta B$, and the entire question is the dimensionless κ . Four constructions exhaust the natural candidates. $\kappa = 1$: equate the loop-algebra scalar directly with a metric-frame quantity (the Monograph's original dimensional step). $\kappa = 3/2$: the quadratic work form of the three-channel carrier — three permutation-equivalent unit directions at 120° form a tight frame with frame constant $3/2$, so quadratic response multiplies by $3/2$. $\kappa = 3$: the same with bidirectional counting over all six roots. $\kappa = \sqrt{3}$: linear realization converting a lattice-counted quantity to a metric-read quantity through one power of the carrier covolume.

2. ELIMINATION BY THE CORPUS'S OWN RULES

2.1 The quadratic candidates die by §11

Volume 05, Section 11, already legislated this case. The silver-rubbing analysis proves that the linear slip cancels over the balanced shell (zero directional remainder) and that the surviving work is quadratic and isotropic — and then rules: silver rubbing may describe how a dynamical boundary relaxes toward, preserves, or exchanges energy around the record; it should not be multiplied into the amplitude unless a separate dynamical derivation requires it. Quadratic forms, in this framework, govern dissipation and relaxation about a record; they do not set amplitudes. $\kappa = 3/2$ and $\kappa = 3$ are thereby removed as amplitude-setters — they remain available, correctly, as candidate scatter and relaxation physics.

2.2 The realization map is linear, with one covolume power

The framework has exactly one previously executed realization of an internal scalar as an external field: the vacuum readout, $\omega\partial = (r^{240}/\sqrt{3}) \cdot K \text{ dA}$. Two of its properties are load-bearing here. It is linear in the internal scalar. And it converts between the lattice-counted side and the metric-read side through exactly one power of the local covolume $\sqrt{3}$. The interface realization, being an instance of the same map, must share both properties. That fixes $\kappa \in \{1/\sqrt{3}, 1, \sqrt{3}\}$ and reduces the whole question to direction: which way does the covolume Jacobian point?

2.3 $\kappa = 1$ is a type error

The mismatch ΔB is lattice-counted. Main Monograph §18.1 says so explicitly: interface work arrives as equal increments per multiplicative shell — shells indexed by the lattice, not measured by metric area.

An acceleration, by contrast, is a metric-frame quantity. Equating the lattice number ΔB directly with a metric coefficient, with no conversion, repeats the exact class of error that Volume 05's central correction removed from the 241st root: a representation carried across a type boundary without the operation that converts it. $\kappa = 1$ is not a modest default; it is the same mistake in a new location.

3. MEASURE-NEUTRAL REALISATION

One principle settles the direction, and it retrodicts the Λ normalization instead of borrowing it. Consider a complete realization cycle: the system acts on the metric (pushforward of an internal quantity into the physical field), and the observer records the result (pullback of the physical field into a description). If realization is measure-preserving — if a closed act-then-record cycle neither creates nor destroys description measure — then the two Jacobians must be inverse. The record side is already fixed by Volume 05: reading the boundary divides by the cell covolume, $1/\sqrt{3}$. Measure neutrality then forces the acting side to multiply by $\sqrt{3}$. The observer reads at $1/\sqrt{3}$; the world acts at $\sqrt{3}$; a closed cycle carries $\sqrt{3} \cdot (1/\sqrt{3}) = 1$, and no covolume leaks from iterated readout.

POSTULATE — MEASURE-NEUTRAL REALISATION — Realization is a measure-preserving pairing: the pushforward (system acts on the metric) and the pullback (observer records the boundary) carry inverse covolume Jacobians, $\sqrt{3}$ and $1/\sqrt{3}$, so that any closed act-record cycle conserves description measure. This postulate retrodicts the $\omega\partial$ normalization of Volume 05 and fixes the interface coefficient uniquely.

CONDITIONAL — THE SETTLED COEFFICIENT — Under §11's amplitude rule, the linearity and single-covolume-power of the established realization map, and Measure-Neutral Realisation, the interface scale is $a = \sqrt{3} \cdot c \cdot H \cdot \Delta B$, with $\kappa = \sqrt{3}$ forced and no alternative surviving. Upgraded from CONJECTURED (Volumes 08–09) to CONDITIONAL on the named postulate.

4. THE CLOCK BELONGS TO THE FRAMEWORK

One conditional remained in the Monograph's own §18.2: the choice of a late-time clock, $H_0 = 72.1$, was external. It never needed to be. Volume 05, §12.2, derives the framework's own clock by joining the snowflake amplitude to the independent density remainder: $\Lambda\partial$ and $\Omega_{DE} = 0.6883222261$ together give $H_0 = 67.3617174547 \text{ km s}^{-1} \text{ Mpc}^{-1}$. Using the framework's internal clock, every ingredient of the interface scale is now internal: $\sqrt{3}$ from measure neutrality, c the universal speed, H_0 from the Λ closure, $\Delta B = \sqrt{5}\phi^2/2 - \sqrt{8}$ from the loop algebra. Nothing is chosen; nothing is fitted.


$$a = \sqrt{3} \cdot c \cdot H_0 \cdot \Delta B = 1.1180 \times 10^{-10} \text{ m s}^{-2} \quad \sqrt{3} \cdot \Delta B = 0.170822$$

5. THE VERDICT ON 2,696 POINTS

All four candidates were run against the full SPARC sample of Volume 08 (2,696 points, 147 galaxies, standard cuts and mass-to-light ratios, nothing per-galaxy). The free-fit statistical band is far tighter than the mass-to-light systematic band, so candidates are judged against an honest $\pm 10\%$ systematic window around the free fit.

Coefficient κ	Mechanism	a (m s^{-2})	RMS (dex)	Median bias
1	no conversion (raw)	6.455×10^{-11}	0.1577	+0.079 — excluded
$3/2$	quadratic tight frame	9.682×10^{-11}	0.1349	+0.021 — disfavoured
$\sqrt{3}$	measure-neutral realisation	1.1180×10^{-10}	0.1327	-0.001
3	bidirectional quadratic	1.936×10^{-10}	0.1588	-0.079 — excluded
free fit	(2,696 points)	1.133×10^{-10}	0.1327	-0.003

The measure-neutral coefficient is the best frozen value on every metric: root-mean-square scatter 0.1327 dex — equal to the free fit itself — and a median bias of one one-thousandth of a dex across 2,696 points, with zero adjustable parameters. The raw and bidirectional coefficients are excluded; the tight-frame coefficient sits at the edge of the systematic window with a +0.021 dex bias, disfavoured and consistent with its corpus-assigned role as relaxation physics rather than amplitude.



Left: the settled zero-parameter scale (gold) against 2,696 SPARC points; the unconverted scale (dashed red) is excluded. Right: the four candidate coefficients against the free fit with its systematic band — only $\sqrt{3}$ lands inside.

A forty-year-old loose end also closes. The rotation-curve literature has long noted, without mechanism, that the empirical scale sits near $cH_0/2\pi$ (coefficient 0.159). The framework's coefficient is $\sqrt{3} \cdot \Delta B = 0.1708$ — close enough to explain why the folklore ever worked, distinct enough to test. If the measure-neutral derivation stands, the folklore number was a shadow of the covolume Jacobian acting on the gold–silver covolume imbalance.

6. EPISTEMIC STATUS, FROZEN

Honesty about the history: the coefficient family was narrowed with data in the loop (Volume o8 found $\sqrt{3} \cdot a$ empirically before the principle existed). The derivation above is therefore a reconstruction, and its dignity rests on what it now forbids: with the postulate named and the clock internal, there is no freedom left anywhere in the chain. The statement below is frozen against future, independent data —

higher-redshift rotation curves and catalogues with independent mass-to-light constraints — which is where it will be genuinely tested.

P2-prime (supersedes P2 of Volume 08). The interface acceleration scale is $a(z) = \sqrt{3} \cdot c \cdot H(z) \cdot dB$ with $dB = \sqrt{5} \cdot \phi^{2/2} - \sqrt{8}$ and $H_0 = 67.3617174547$ km/s/Mpc taken from the framework's own Lambda closure. At $z = 0$ this gives $a_0 = 1.1180e-10$ m/s² and the dimensionless coefficient $\sqrt{3} \cdot dB = 0.170822$, with no remaining freedom of any kind. Falsified if an independent catalogue with independent mass-to-light constraints pins the scale outside a 10 percent band around this value, or if the z -evolution fails to track $H(z)$.

Frozen 2026-07-16.

SHA-256: c29be7d1b6bb7688ado1ea2d49869e1784a8eec74f200288bo2oadoiab7a5687

6.1 Remaining obligations

Two, both sharp. First, prove Measure-Neutral Realisation from the loop algebra rather than postulating it — the natural route is to show that iterated act–record cycles with any non-unit net Jacobian would accumulate description measure with no distinction to pay for it, contradicting the conservation of description. Second, develop the deprecated quadratic form ($\kappa = 3/2$ family) into what §11 says it should be: a theory of scatter and relaxation about the radial acceleration relation, with its own testable signature. If the intrinsic RAR scatter, once mass-to-light noise is removed, carries the tight-frame constant, the same carrier will have signed both the amplitude and the noise.

PART FOUR

The End-to-End Closure

The five-item theorem queue executed as one dependency-preserving derivation, from loop description measure to the carrier-signed scatter kernel.

End-to-End Interface Closure

One theorem queue from loop description measure to the carrier-signed scatter kernel

Joseph Shields | Unified Mechanics Research Programme | 16 July 2026

Abstract


This paper executes the five-item closure queue as one dependency-preserving derivation. It replaces the no-unearned-measure postulate by a continuation-tree invariance theorem; constructs completed records as integral functionals through the Grothendieck completion of the loop monoid; shows that equal, reversible, three-channel closure forces the local A_2 quotient and its covolume $\sqrt{3}$; derives the unique lowest-order covariant stress of a constant completed boundary record; and freezes the A_2 tight-frame relaxation kernel with coefficient $3/2$. The result is not presented as established physics. Each theorem is graded as a formal consequence, a representation-conditioned theorem, a computational certificate, or an empirical prediction.

Current status: *The queue is closed mathematically at the level of explicit representation conditions. Physical membership and the frozen observational tests remain external verdicts.*

o. Claim grammar and non-negotiable rule

No coefficient is promoted because it matches a measurement. The theorem must fix the expression before the numerical comparison is opened.

Grade	Meaning
PROVED	Deduction from explicit definitions and stated hypotheses.
REPRESENTATION THEOREM	Proved after a named physical representation condition is adopted.
COMPUTATIONALLY VERIFIED	Finite certificate reproduced by supplied code or data.
MODEL DEFINITION	A declared map connecting the formal carrier to physical units or observables.
EMPIRICALLY CONSISTENT	A frozen calculation compared with data; never a proof.
OPEN / FALSIFIABLE	A mechanism or prediction with a stated kill condition.



One proof pass: each exit condition becomes the next theorem's input

Figure 1. The queue is followed in dependency order so that no later numerical success is used to justify an earlier theorem.

1. Formal core: loop distinctions and the physical quotient

Let D be a finite set of primitive oriented distinction generators with an involution $d \rightarrow d^{-1}$. Let $W(D)$ be the admissible word category generated by concatenation, and let reduction remove adjacent inverse pairs and all explicitly declared re-representation moves. The physical quotient is $Q = W(D)/\sim$. A point of Q is therefore a retained distinction class, not a spelling of that class.

$$Q = W(D) / \sim, \quad [w] = \text{physical distinction class of } w$$

The quotient carries an admissible one-step continuation relation $x \rightarrow y$. This relation records which new distinction classes can follow x without violating the loop grammar. For $n \geq 0$, $C_n(x)$ is the set of inequivalent n -step continuations from x , and $c_n(x) = |C_n(x)|$ when finite.

$$C_n(x) = \{ y \in Q : x \rightarrow^n y \}, \quad c_n(x) = |C_n(x)|$$

Definition 1.1 - Continuation description weight [DEFINED]

Choose any strictly positive summable sequence (α_n) and any bounded strictly increasing function f on the nonnegative integers. Define the weight of a class from its entire continuation profile, not from textual word length. A concrete bounded choice is $\alpha_n = 2^{-(n+1)}$ and $f(k) = k/(1+k)$. The construction remains valid for any frozen choice with the same invariance properties.

$$w(x) = \sum_{n \geq 0} \alpha_n f(c_n(x))$$

$$\mu(E) = \sum_{\{x \in E\}} w(x) \text{ for finite or countable } E \text{ subset } Q$$

Theorem 1.2 - Continuation invariance [PROVED]

Let $F: Q \rightarrow Q$ be a bijection that preserves the continuation relation in both directions. Then F induces a bijection $C_n(x) \rightarrow C_n(Fx)$ for every n . Hence $c_n(Fx) = c_n(x)$, $w(Fx) = w(x)$, and the weighted counting measure μ is invariant.

This theorem derives measure preservation from the loop transition structure. It does not assume a separate conservation-of-description principle.

$$F_*(\mu) = \mu$$

Proof. A length- n continuation path from x is mapped edge-by-edge to a length- n path from Fx . Because F and F^{-1} both preserve admissibility, this map is a bijection on continuation classes. The

continuation profile is unchanged at every depth, so the frozen weight and its additive measure are unchanged. QED.

Corollary 1.3 - Measure-neutral closed realisation [PROVED]

Let $A:I \rightarrow M$ be the act map and $R:M \rightarrow I$ the record map. If the closed cycle $F=R \circ A$ descends to a continuation-preserving automorphism of the physical quotient, then it preserves description measure. Any measure change therefore signals at least one of: a new continuation class, an identification of old classes, a non-invertible loss, or a change of the admissible continuation law.

$$(R \circ A)_*(\mu) = \mu$$

Corollary 1.4 - Reciprocal Radon-Nikodym factors [PROVED]

Suppose the quotient measures admit local absolutely continuous coordinate representations. Let J_A and J_R denote the Radon-Nikodym factors of act and record. Invariance of the closed cycle gives their product as unity almost everywhere. Ordinary determinant Jacobians are a differentiable special case.

$$J_R(Ax) J_A(x) = 1 \text{ almost everywhere}$$

Queue verdict 1

Exit criterion	Result
Derive description-measure invariance without assuming it	Discharged by continuation-tree isomorphism.
Show when measure may change	Only when the cycle ceases to be a quotient automorphism: creation, identification, erasure, or altered continuation.
Recover reciprocal act-record factors	Follows from the Radon-Nikodym chain rule.

2. Completed records as integral functionals

Let M be the commutative monoid of completed distinction chains under disjoint gluing. The identity is the null chain. The Grothendieck group $\Lambda = G(M)$ formally adjoins orientation reversal and subtraction. This is the internal distinction lattice before a metric pairing is imposed.

$$\Lambda = G(M), \quad [x + y] = [x] + [y], \quad [-x] = \text{reversed orientation}$$

Definition 2.1 - Completed record [DEFINED]

A completed record is a reduction-invariant additive map $\rho:M \rightarrow N$ measured in units of one primitive completed record. Additivity means that recording a glued completion returns the sum of the component records.

$$\rho(x + y) = \rho(x) + \rho(y)$$

Theorem 2.2 - Integral extension [PROVED]

Every additive monoid record $\rho:M \rightarrow N$ extends uniquely through the Grothendieck completion to an integer-valued group homomorphism $\bar{\rho}:\Lambda \rightarrow Z$. Thus every completed record is an integral functional on the distinction lattice.

$$\bar{\rho} \in \text{Hom}(\Lambda, Z) = \Lambda^*$$

Proof. The universal property of $G(M)$ gives a unique homomorphism $\bar{\rho}([x] - [y]) = \rho(x) - \rho(y)$. Reduction invariance makes this independent of the chosen representatives. QED.

Definition 2.3 - Record completeness [REPRESENTATION CONDITION]

Primitive coordinate records separate non-null distinction classes, and the record language is closed under finite integer linear combination. Equivalently: for each nonzero x in Λ there exists a completed record ρ with $\rho(x) \neq 0$, and every quotient-compatible integral functional can be assembled from primitive record operations.

$$\text{Rec}(\Lambda) = \Lambda^*$$

Theorem 2.4 - Record saturation [PROVED WITHIN THE RECORD MODEL]

If primitive coordinate records form a dual basis and the grammar permits integer composition and orientation reversal, then completed records exhaust Λ^* . Separation follows from the coordinate records; saturation follows because every integer functional is an integer combination of the dual basis.

$$\text{Rec}(\Lambda) = \Lambda^*$$

A crucial correction is required here. The fact that records are functionals gives Λ^* ; it does not by itself identify Λ with Λ^* . Self-duality needs a state-record correspondence, hence a pairing.

Definition 2.5 - Reciprocal state-record pairing [REPRESENTATION CONDITION]

Associate to each realised state y a completed record ρ_y and define $B(x,y)=\rho_y(x)$. Require reciprocity $B(x,y)=B(y,x)$, nondegeneracy, and bijectivity of $y \rightarrow \rho_y$.

$$\eta: \Lambda \rightarrow \Lambda^*, \quad \eta(y)(x) = B(x,y)$$

Theorem 2.6 - Unimodular dual closure [PROVED]

If η is an isomorphism of free abelian groups, then B is an integral unimodular bilinear form. Conversely, an integral nondegenerate pairing is unimodular exactly when η maps Λ onto the full integral dual.

$$\det \text{Gram}(B) = \pm 1$$

2.1 The rank-eight route, stated correctly

Three binary completion coordinates produce eight outcome labels. Cardinality alone does not force an eight-dimensional geometric embedding: a cube already places eight vertices in three dimensions. Rank eight follows only when UM uses the full regular record representation in which the eight outcomes are independent primitive idempotent record sectors.

$$\Omega = \{0,1\}^3, \quad A = \text{Fun}(\Omega, \mathbb{Z}), \quad \text{rank}(A) = |\Omega| = 8$$

Condition 2.7 - Full outcome faithfulness [REPRESENTATION CONDITION]

Every binary completion outcome is retained as an independent primitive record sector. No quotient identifies two outcomes, and the carrier represents the full function algebra on the eight-point outcome set.

$$\text{rank}(\Lambda) = 8$$

2.2 Evenness, positivity, and E8

If the norm counts oriented completion pairs, each non-null self-pairing is twice an integer count: $B(x,x)=2N(x)$. If $N(x)>0$ for non-null x , B is positive definite and even. If the completion action is indecomposable, the carrier has no proper orthogonal split preserving all record sectors.

Theorem 2.8 - Conditional E8 carrier [REPRESENTATION THEOREM]

Assume full outcome faithfulness, reciprocal record saturation, positive paired completion cost, even orientation counting, and indecomposability. Then Λ is a positive-definite even unimodular indecomposable lattice of rank eight. By the rank-eight classification, Λ is isometric to E_8 .

$$\Lambda \sim E_8$$

Queue verdict 2

Ledger item	Resolution
L4: records are integral functionals	Proved by Grothendieck extension.
L4: records exhaust the dual	Proved within the explicit primitive-dual-basis record model.
Self-duality	Requires reciprocal state-record pairing; no longer inferred from functionals alone.
Rank eight	Requires full regular representation of eight outcome sectors; cardinality alone is insufficient.
E8	Follows as a representation theorem once evenness, positivity, unimodularity, rank eight, and indecomposability are established.

3. The canonical local observer quotient is A_2

Three-channel equal closure forces the A_2 hexagon




Figure 2. Equal three-channel closure, orientation reversal, and minimal rank force the A_2 root hexagon up to an overall scale. Let u_L , u_B , and u_M be the three observer-channel vectors. The observer carrier is required to retain all three channels, treat them equally, reverse their orientation, and close without a fourth independent channel.

$$u_L + u_B + u_M = 0, \quad ||u_L||^2 = ||u_B||^2 = ||u_M||^2 = \text{ell}^2$$

Permutation symmetry makes every distinct pair have the same inner product d . Squaring the closure equation gives $0 = 3 \text{ell}^2 + 6d$, so $d = -\text{ell}^2/2$. The pairwise angle is therefore 120 degrees.

$$\langle u_i, u_j \rangle = -\text{ell}^2/2 \quad (i \neq j)$$

Theorem 3.1 - Three-channel forcing theorem [PROVED]

Any nondegenerate equal-norm three-vector carrier satisfying $u_L + u_B + u_M = 0$ is, up to orthogonal transformation and scale, the triangular A_2 carrier. Including orientation reversal produces the six-root hexagon $\{+/-u_L, +/-u_B, +/-u_M\}$.

Under the standard root normalization $\text{ell}^2=2$, the Gram matrix of two simple roots is $[[2,-1],[-1,2]]$, with determinant 3 and primitive covolume $\sqrt{3}$.

$$\begin{aligned} \text{Gram}(A_2) &= [[2,-1],[-1,2]] \\ \text{covol}(A_2) &= \sqrt{\det \text{Gram}} = \sqrt{3} \end{aligned}$$

3.1 Why a unique forty-cell cover is not required

The 240-root first shell admits a computationally certified exact cover by forty disjoint A_2 hexagons. That certificate proves atlas existence. The physical coefficient does not require a unique partition if the observer quotient identifies all admissible local A_2 cells as copies of the same quotient type.

$$240 \text{ roots} = 40 \text{ local } A_2 \text{ cells} \times 6 \text{ oriented roots per cell}$$

Theorem 3.2 - Cover-independent local normalisation [PROVED WITHIN THE QUOTIENT MODEL]

Every admissible observer chart satisfying the three-channel forcing theorem has the same A_2 Gram determinant and therefore the same local covolume $\sqrt{3}$. Different exact covers are different atlases of the internal shell, not different physical coefficients. The quotient type is canonical even when a particular cover is not unique.

$$J_R = 1/\sqrt{3}, \quad J_A = \sqrt{3}$$

This removes the strongest prior stop condition. UM no longer needs to prove that one exact cover is uniquely preferred. It needs only: (i) the local observer conditions are physically correct, and (ii) at least one exhaustive compatible atlas exists. The second item is supplied by the finite certificate; the first is the named three-channel representation condition.

Queue verdict 3

Question	Answer
Why A_2 ?	Equal, reversible, zero-sum three-channel closure forces it up to scale.
Why $\sqrt{3}$?	It is the determinant covolume under standard root normalization.
Must the forty-cell cover be unique?	No. Only the local quotient type and cover-independent normalization must be canonical.
What remains computational?	The existence and exhaustiveness of a forty-cell atlas on the E8 first shell.

4. Measure-neutral dual readouts

The continuation theorem gives measure neutrality; the A_2 theorem fixes the local measure ratio. A normalized record assigns one internal record unit to one metric A_2 carrier cell of covolume $\sqrt{3}$.

$$J_R = 1/\sqrt{3}, \quad J_A = \sqrt{3}, \quad J_R J_A = 1$$

Corollary 4.1 - Reciprocal interface coefficients [PROVED WITHIN THE NORMALIZED RECORD MODEL]

Recording is a pullback from metric cell measure to unit record measure and therefore carries $1/\sqrt{3}$. Acting is the inverse push-forward and therefore carries $\sqrt{3}$. The two factors are not independently chosen.

$$\begin{aligned} \text{record pullback: } & 1/\sqrt{3} \\ \text{act push-forward: } & \sqrt{3} \end{aligned}$$

4.1 The vacuum record

Let the internally frozen first-shell weight be r^{240} . The old 241 count is now interpreted architecturally: 240 internal contractions followed by one whole-boundary functional. The functional is not another root and does not append another factor r .

$$240 \text{ internal factors} + 1 \text{ boundary readout, not } 241 \text{ roots and not automatically } r^{241}$$

For a connected, orientable, minimal genus-zero observer boundary Σ , Gauss-Bonnet gives the curvature record 4π . Pulling this through one normalized A_2 record cell gives the dimensionless completed boundary record.

$$\text{integral}_\Sigma K \, dA = 4\pi, \quad \lambda_{\text{boundary}} = (4\pi/\sqrt{3}) r^{240}$$

Numerically, $r = 0.309016994374947$, $r^{240} = 3.942460771220e-123$, and $\lambda_{\text{boundary}} = 2.860333136143e-122$.

4.2 The interface act

The gold-silver boundary mismatch is linear, so the reciprocal act factor multiplies the clock acceleration cH rather than a quadratic frame constant.

$$\Delta B = \sqrt{5} \, \phi^2 / 2 - \sqrt{8}$$

$$a(z) = \sqrt{3} \, c \, H(z) \, \Delta B$$

At the frozen present value $H_0 = 67.3617174547 \text{ km s}^{-1} \text{ Mpc}^{-1}$, this gives $a_0 = 1.117959126141e-10 \text{ m s}^{-2}$.

5. Covariant vacuum-stress closure

The dimensionless boundary record becomes a physical energy density only after a dimensional realisation rule is declared. Let ϵ_* be the already fixed fundamental density unit of the physical

representation and define $\epsilon_{\text{boundary}} = \epsilon \cdot \lambda_{\text{boundary}}$. The theorem below concerns the stress form; it does not fit ϵ to cosmological data.

$$\epsilon_{\text{boundary}} = \epsilon \cdot \lambda_{\text{boundary}}$$

Theorem 5.1 - Unique lowest-order local action of a constant scalar record [PROVED]

Let $\epsilon_{\text{boundary}}$ be a spacetime-constant scalar completed record. Assume locality, diffeomorphism invariance, no derivatives of the constant record, and no additional tensor field. Up to an additive topological term and the fixed normalisation, the unique zero-derivative action contribution is the invariant volume integral.

$$S_{\text{boundary}}[g] = - \int d^4x \sqrt{-g} \epsilon_{\text{boundary}}$$

Variation uses $\delta \sqrt{-g} = -(1/2)\sqrt{-g} g_{mn} \delta g^{mn}$. With $T_{mn} = -(2/\sqrt{-g}) \delta S / \delta g^{mn}$,

$$T_{mn}^{\text{(boundary)}} = -\epsilon_{\text{boundary}} g_{mn}$$

$$\nabla^m T_{mn}^{\text{(boundary)}} = -\partial_n \epsilon_{\text{boundary}} = 0$$

Corollary 5.2 - Vacuum equation of state [PROVED]

In a comoving orthonormal frame, the constant scalar record has energy density $\rho = \epsilon_{\text{boundary}}$ and isotropic pressure $p = -\epsilon_{\text{boundary}}$. Therefore $w = p/\rho = -1$ exactly while the record remains constant.

$$p = -\rho, \quad w_0 = -1, \quad w_a = 0$$

If the boundary record evolves, the theorem no longer gives an exact cosmological constant. A robust measurement of evolving dark energy therefore falsifies the scalar-persistence representation, not the preceding lattice or A2 theorems.

Queue verdict 4

Exit criterion	Result
Obtain $T_{mn} = -\rho g_{mn}$	Derived by metric variation of the unique zero-derivative scalar volume term.
Obtain conservation	Follows from constant ρ and metric compatibility.
Avoid inserting the observed amplitude	The dimensionless record is fixed before data; the dimensional density unit is an explicit model definition.
Falsifiable consequence	Persistent record predicts $w_0=-1$ and $w_a=0$.

6. The A2 tight-frame scatter kernel

The rejected amplitude coefficient $3/2$ has an exact second-moment role. Let e_L , e_B , and e_M be the three unit A2 directions at 120 degrees. Their frame operator is isotropic.

$$\sum_i e_i e_i^T = (3/2) I_2$$

For a local carrier perturbation ξ in the observer plane, define the quadratic relaxation functional

$$E_{\text{rel}}(\xi) = (1/2) \sum_i (e_i \cdot \xi)^2 = (3/4) \|\xi\|^2$$

$$\text{grad } E_{\text{rel}} = (3/2) \xi$$

Theorem 6.1 - Carrier relaxation coefficient [PROVED]

The only isotropic quadratic form obtained by summing equal squared projections onto the three A2 channel directions is $(3/2)I$. Consequently the dimensionless gradient-flow relaxation generated by E_{rel} has fixed restoring coefficient $3/2$.

$$d\xi / d\tau = -(3/2) \xi$$

Use the cosmological clock variable τ with $d\tau = H(t) dt$. The deterministic memory and physical-time form are

$$\xi(\tau) = \exp[-3(\tau-\tau_0)/2] \xi_0$$

$$d\xi/dt = -(3/2) H(t) \xi$$

Definition 6.2 - Frozen stochastic kernel [MODEL DEFINITION / FALSIFIABLE]

Add isotropic unresolved forcing in dimensionless clock time without altering the mean interface amplitude. The diffusion level D is a nuisance scale; the relaxation exponent is fixed by the carrier.

$$d\xi = -(3/2)\xi d\tau + \sqrt{2D} dW_\tau$$

$$\text{Cov}[\xi(\tau), \xi(\tau_{\text{prime}})] = (2D/3) \exp[-3|\tau - \tau_{\text{prime}}|/2] I_2$$

For a scalar log-residual $\epsilon = b \cdot \xi + \text{measurement noise}$, the intrinsic kernel inherits the same fixed exponential shape. The amplitude may be marginalized, but the exponent $3/2$ may not be refitted in the primary test.

$$K_\epsilon(\Delta\tau) = \sigma_\infty^2 \exp[-3|\Delta\tau|/2]$$

$$\text{Var}_\epsilon(\tau) = \sigma_\infty^2 + (\sigma_{\text{initial}}^2 - \sigma_\infty^2) \exp[-3\Delta\tau]$$




Figure 3. The A_2 frame fixes the decay exponent: perturbation amplitude retains $\exp(-3\tau/2)$, while initial variance retains $\exp(-3\tau)$.

6.1 Frozen scatter tests

9. Keep the mean relation $a(z) = \sqrt{3}cH(z)\Delta B$ fixed. Do not let residual modelling refit the amplitude.
10. Compare the fixed exponent $3/2$ against a free-exponent relaxation kernel and against a constant-width null on held-out systems.
11. Use a predeclared settling-age or formation-age proxy to construct $\Delta\tau$. Do not derive the proxy from the residuals being tested.
12. Allow environment to change the disturbance injection D or measurement covariance, but not the mean acceleration scale at fixed epoch.
13. Reject the carrier-signed scatter representation if the free exponent is stably inconsistent with $3/2$, if no relaxation dependence survives held-out tests, or if the effect is absorbed entirely by known measurement covariance.

Queue verdict 5

Item	Status
A_2 frame operator	PROVED: $\sum e_i e_i^T = (3/2)I$.
Relaxation gradient	PROVED for the declared quadratic carrier energy.
Cosmological clock coupling	MODEL DEFINITION / physical representation.

Scatter covariance shape	FROZEN and falsifiable; amplitude remains a nuisance scale.
Empirical verdict	OPEN until held-out residual data are analysed.

7. Master end-to-end closure theorem

Theorem 7.1 - End-to-End Interface Closure [MASTER REPRESENTATION THEOREM]

Assume: (A) the loop quotient carries a finite continuation relation and closed act-record realisation is an automorphism of that relation; (B) completed records form the saturated integral dual through primitive record composition; (C) the eight binary outcomes are represented by the full faithful record algebra, with reciprocal positive even indecomposable pairing; (D) the observer readout retains three equal reversible channels with zero-sum closure; (E) the completed observer boundary is connected, orientable, minimal, and genus zero; (F) the constant record enters the lowest-order local diffeomorphism-invariant action; and (G) unresolved carrier perturbations relax by gradient flow in the cosmological clock.

Then: description measure is conserved by a closed act-record cycle; record and act Jacobians are reciprocal; the rank-eight self-dual carrier is E8; the local observer quotient is A2 with covolume $\sqrt{3}$; the completed vacuum record is $(4\pi/\sqrt{3})r^{240}$; its stress tensor is $-\epsilon_{\mu\nu}$ with $w=-1$; the linear interface acceleration is $\sqrt{3}cH\Delta B$; and the intrinsic carrier relaxation coefficient is $3/2$.

loop measure $\rightarrow$ integral records $\rightarrow$ E8 $\rightarrow$ A2 $\rightarrow$ reciprocal readout $\rightarrow$ vacuum stress + interface act $\rightarrow$ scatter kernel

$$\lambda_{\text{boundary}} = (4\pi/\sqrt{3}) r^{240}$$

$$a(z) = \sqrt{3}cH(z)\Delta B$$

$$d\xi/d\tau = -(3/2)\xi + \text{forcing}$$

7.1 Assumption compression

The theorem stack no longer contains five unrelated bridge choices. Its assumptions compress into three kinds:

Kind	Conditions	What they control
Information closure	Continuation automorphism; additive saturated records; reciprocal state-record pairing	Measure neutrality, integrality, self-duality
Observer geometry	Full outcome faithfulness; equal reversible three-channel closure; minimal genus-zero boundary	E8 carrier, A2 quotient, $\sqrt{3}$, 4π
Physical realisation	Fundamental density unit; local scalar action; cosmological gradient-flow clock	Vacuum units, acceleration units, scatter dynamics

8. Updated closure ledger

Arrow	New grade	Remaining external verdict
Loop grammar $\rightarrow$ description measure invariance	PROVED	Check that the chosen physical act-record map is a continuation automorphism.
Completed records $\rightarrow$ integral dual	PROVED within record model	Establish that the physical record grammar really contains the primitive dual basis and saturation operations.
Record self-duality $\rightarrow$ E8	REPRESENTATION THEOREM	Verify full eight-sector regular representation, even paired norm, and indecomposability.
Three-channel observer $\rightarrow$ A2 covolume	PROVED	Verify equal-channel and zero-sum observer conditions physically.
E8 first shell $\rightarrow$ forty A2 atlas	COMPUTATIONALLY VERIFIED	Independent certificate review; uniqueness is no longer required.
r^{240} boundary record $\rightarrow$ vacuum stress	PROVED form + model-defined units	P1 observational test and fundamental density-scale membership.
$\Delta B \rightarrow$ interface acceleration	CONDITIONALLY DERIVED; empirically reported	Clean SPARC reproduction, independent M/L catalogues, redshift and environment tests.

$3/2 \rightarrow$ intrinsic scatter	PROVED structural kernel; physical model open	Held-out likelihood test with frozen exponent.
-------------------------------------	---	--

9. Stop conditions and counterexamples

Failure	Consequence
Closed act-record cycle changes the continuation graph	Measure neutrality is inapplicable; J_RJ_A need not equal one.
Record operations do not saturate Lambda*	Unimodularity and the E8 selection route fail.
Eight outcomes are not independent regular record sectors	Rank eight is not forced.
Channel norms differ or the three-channel sum is nonzero	The local quotient is not standard A2 and $\sqrt{3}$ is not forced.
Observer boundary has nonzero genus	Gauss-Bonnet gives $4\pi(1-g)$, changing or nulling the vacuum readout.
Boundary record varies in time	$w=-1$ fails; the term becomes dynamical dark energy rather than a cosmological constant.
Residual relaxation exponent is not $3/2$	The A2 carrier may still set the mean amplitude, but it does not sign the scatter.
Frozen amplitude fails independent catalogues	The physical interface assignment fails even if the mathematics remains valid.

10. Frozen numerical ledger

Quantity	Expression	Value
phi	$(1+\sqrt{5})/2$	1.618033988749895
r	$1/(2\phi)$	0.309016994374947
DeltaB	$\sqrt{5}\phi^2/2 - \sqrt{8}$	0.098623858378652
r^{240}	internal first-shell suppression	3.942460771220e-123
lambda_boundary	$(4\pi/\sqrt{3})r^{240}$	2.860333136143e-122
Ho	frozen Lambda-closure value	67.3617174547 km s ⁻¹ Mpc ⁻¹
ao	$\sqrt{3}cHo\Delta B$	1.117959126141e-10 m s ⁻²

11. Final result of this closure pass

The five-item theorem queue has now been followed without branching into separate narratives. The no-unearned-measure statement has been replaced by an explicit continuation-invariance theorem. Records become integral functionals by universal algebra, while self-duality is correctly separated as a reciprocal pairing condition. The A2 quotient is forced locally by the three-channel grammar, so uniqueness of the forty-cell atlas is unnecessary. The constant boundary record has the covariant stress form of vacuum energy, and the quadratic 3/2 coefficient has been frozen in a relaxation kernel rather than reused as an amplitude.

The remaining work is not another conceptual bridge. It is membership and testing: show that the physical realisation satisfies the formal conditions, reproduce the archived empirical pipeline cleanly, and expose the frozen predictions to independent data.

Internal document dependencies

- Measure-Neutral Realisation (Working Paper 01).
- The Interface Work Integral (Working Paper 02).
- Records as Integral Functionals - E8 Leak Ledger (Working Paper 03).
- Carrier-Signed Scatter Theory (Working Paper 04).
- Unified Mechanics Closure Programme - Master Roadmap (Working Paper 05).
- Covolume Currency and Genesis Audit (Working Paper 06).
- Loop Algebra, Metallic Ladder, and Golden Coxeter Pairing (Working Paper 07).
- Frozen Predictions and Observational Test Protocol (Working Paper 08).
- Closure Dependency Ledger (Working Paper 09).
- Snowflake Realisation Closure Theorem (2026).

Claim-discipline note: this paper distinguishes formal theorem, representation theorem, model definition, finite computation, and empirical test. It does not claim that the physical representation has been independently established.

APPENDIX

The Proof Ledger

The controlling index: assumptions A_1 – A_{11} , the theorem dependency map, stop conditions, and the frozen predictions with their kill conditions.

Theorem Queue Proof Ledger

Definitions, assumptions, exit criteria, and kill conditions for the completed one-pass derivation

Joseph Shields | Unified Mechanics Research Programme | 16 July 2026

Abstract

This compact ledger accompanies the end-to-end closure paper. It records exactly which statements are theorems, which are representation conditions, which are computations, and which remain empirical tests. Its purpose is to prevent later summaries from collapsing distinct claim grades.

Current status: *Use this ledger as the controlling index when revising Volumes 08-10 and the final monograph.*

1. Queue summary

Priority	Theorem target	Exit result	Grade
1	Description-measure invariance	Continuation automorphisms preserve the full continuation profile and its induced measure.	PROVED
2	Integral-record theorem	Additive completed records extend to Λ^* ; saturation and reciprocal pairing yield unimodularity.	PROVED / representation-conditioned
3	Canonical A_2 quotient	Equal reversible zero-sum three-channel closure forces A_2 and covolume $\sqrt{3}$.	PROVED
4	Vacuum-stress variation	Constant scalar record gives $T_{mn} = -\rho g_{mn}$, conservation, and $w = -1$.	PROVED form / model-defined units
5	Scatter kernel	A_2 tight frame fixes restoring coefficient $3/2$ and exponential clock kernel.	PROVED structure / falsifiable model

2. Minimal assumptions

ID	Name	Exact statement	Controls
A1	Continuation automorphism	Closed act-record cycle is bijective and preserves admissible continuations in both directions.	Measure theorem
A2	Primitive integral record	One completed record unit exists; records add under gluing and reverse sign under orientation.	Integral dual
A3	Record saturation	Primitive coordinate records form a dual basis and integer record composition is allowed.	Λ^* exhaustion
A4	Reciprocal pairing	Every realised state has a reciprocal record and the state-record map is bijective.	Unimodularity
A5	Full outcome faithfulness	The eight binary outcomes are independent regular record sectors.	Rank eight
A6	Paired positive norm	Self-pairing counts orientation pairs and vanishes only for the null state.	Even positivity
A7	Indecomposable completion	No proper orthogonal subcarrier retains all completion and record sectors.	E8 selection
A8	Equal three-channel closure	Three observer vectors have equal norm, zero sum, and reversible orientation.	A_2 quotient
A9	Minimal genus-zero boundary	The completed observer boundary is connected, orientable, closed, and handle-free.	4π record
A10	Constant scalar persistence	The completed boundary record is spacetime constant in the background solution.	Vacuum stress
A11	Clock gradient flow	Unresolved carrier perturbations relax by the A_2 quadratic energy in $d\tau = H dt$.	Scatter kernel

3. Theorem dependency map

$A_1 \rightarrow \mu \text{ invariance} \rightarrow J_R J_A = 1$

$A_2 + A_3 + A_4 \rightarrow \Lambda \sim \Lambda^*$

$A_5 + A_6 + A_7 + \text{self-duality} \rightarrow E_8$

$A_8 \rightarrow A_2 \rightarrow \text{covolume } \sqrt{3} \rightarrow (1/\sqrt{3}, \sqrt{3})$

$A_9 + r^{240} \rightarrow \lambda_{\text{boundary}} = (4\pi/\sqrt{3})r^{240}$

$A_{10} \rightarrow T_{mn} = -\rho g_{mn} \rightarrow w = -1$

$A_8 + A_{11} \rightarrow d\xi/d\tau = -(3/2)\xi + \text{forcing}$

4. What is now closed and what is not

Statement	Current verdict
There are 241 E8 roots	FALSE. There are 240 roots. The +1 is a whole-boundary operation, not a root.

The exponent must be 241	NOT REQUIRED. The snowflake readout acts on r^{240} by a geometric functional.
A unique forty-cell partition must be proved	NO. The quotient type A_2 and its covolume are cover-independent; an exhaustive atlas must merely exist.
Description measure needs a conservation postulate	NO within the continuation model. Invariance follows from graph automorphism.
Records-as-functionals automatically imply self-duality	NO. A reciprocal saturated state-record pairing is additionally required.
The vacuum stress form is derived	YES under constant scalar, locality, and diffeomorphism invariance.
The physical theory is independently established	NO. Representation membership and empirical tests remain open.

5. Frozen predictions after the queue

ID	Prediction	Primary kill condition
P_1	$w_0=-1$, $w_a=0$ exactly while the completed scalar record persists.	Robust evolving dark energy across independent probes.
P_2 -prime	$a(z)=\sqrt[3]{c}H(z)\Delta B$; $a_0=1.1180e-10 \text{ m s}^{-2}$.	Independent catalogues outside frozen tolerance or failure of $H(z)$ tracking.
P_3	Mean acceleration scale is environment-independent at fixed epoch.	Repeatable matched environment offset.
S_1	Residual memory decays with exponent $3/2$ in cosmological clock time.	Held-out free-exponent kernel excludes $3/2$ or no relaxation signal exists.

6. Next operations - no new theorem branches

14. Audit the physical act-record map against A_1 rather than adding another measure principle.
15. Extract the primitive record basis and reciprocal pairing from the current loop algebra notation and test A_2 - A_4 line by line.
16. Verify the rank-eight regular representation and indecomposability conditions before using the word forced for E_8 .
17. Rerun the finite forty-cell certificate independently; treat alternative covers as atlas gauge unless they change the local Gram determinant.
18. Implement the fixed $3/2$ scatter kernel in the preregistered residual pipeline without refitting the mean amplitude.
19. Keep all failed membership tests and negative empirical results in the public ledger.