

HalaJob API Reference

Generated from the live route inventory and backend API markdown reference.

Generated: 2026-06-29 06:23:26 UTC

Source commit: 8562da41f8bd

Route Verification Summary

Raw Express endpoint entries: 2535

Unique method/path endpoints: 3991

Endpoints with detected auth/role guard: 3875

Known public/system endpoints: 116

Unguarded endpoints needing manual classification: 0

Reading Notes

This PDF is a generated handover copy of docs/api/HALAJOB_API_REFERENCE.md. For machine-readable integration, use HALAJOB_OPENAPI.yaml and the Postman collection.

Hala Job API Reference

Generated: 2026-06-29T06:20:45.733Z

Source: docs/api/HALAJOB_ROUTE_INVENTORY.json.

This is a route-level API reference skeleton. It documents the live Express route surface, authentication classification, and guard evidence. Detailed request bodies, response examples, validation schemas, audit events, and business rules still need to be filled route-by-route before the backend can be called fully documented.

Global Conventions

Item	Current rule	
---	---	
Authentication	`Authorization: Bearer <token>` for protected routes.	
Language	Preserve legacy `lan`; migrate clients toward `x-lang: en ar`.	
Content type	JSON by default; multipart for uploads.	
IDs	MongoDB ObjectId strings unless otherwise documented.	
Response envelope	Mixed legacy envelopes exist. New routes should standardize message/error keys without breaking old clients.	
Full inventory	`docs/api/HALAJOB_ROUTE_INVENTORY.json`	
OpenAPI skeleton	`docs/api/HALAJOB_OPENAPI.yaml`	
Postman collection	`docs/api/HALAJOB_POSTMAN_COLLECTION.json`	

Counts

Module	Endpoints	
---	---	
AI	12	
Admin	3328	
Analytics	5	
Campus	18	
Campus Student	51	
Company	181	
Files	1	
Health	3	
Jobs	2	
Legacy User	204	
Notifications	20	
Other	15	
Seeker	110	
Trust	4	
University	36	

AI

Method	Path	Auth	Guard source	Middleware/guards	
---	---	---	---	---	
POST	`/ai/v1/career-passport/score`	Bearer token	explicit	authUser, anonymous, validateRequest, refreshScore	
POST	`/ai/v1/career/copilot`	Bearer token	explicit	authUser, anonymous, validateRequest	
POST	`/ai/v1/company/jobs/:jobId/shortlist`	Bearer token	explicit	authUser, anonymous, validateRequest	
POST	`/ai/v1/company/jobs/generate`	Bearer token	explicit	authUser, anonymous, validateRequest	
POST	`/ai/v1/company/messages/generate`	Bearer token	explicit	authUser, anonymous, validateRequest	
POST	`/ai/v1/cv/rewrite`	Bearer token	explicit	authUser, anonymous, validateRequest	
POST	`/ai/v1/interview/practice`	Bearer token	explicit	authUser, anonymous, validateRequest	
POST	`/ai/v1/jobs/:jobId/cover-letter`	Bearer token	explicit	authUser, anonymous, validateRequest	
POST	`/ai/v1/jobs/:jobId/match`	Bearer token	explicit	authUser, anonymous, validateRequest	
POST	`/ai/v1/profile/score`	Bearer token	explicit	authUser, anonymous, validateRequest	
POST	`/ai/v1/translate/cv`	Bearer token	explicit	authUser, anonymous, validateRequest	
POST	`/ai/v1/translate/job/:jobId`	Bearer token	explicit	authUser, anonymous, validateRequest	

Admin

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

POST `/dash/v1/WorkTime/bulk-update` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
POST `/dash/v1/WorkTime/create` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
DELETE `/dash/v1/WorkTime/delete/:id` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
POST `/dash/v1/WorkTime/delete/:id` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
GET `/dash/v1/WorkTime/details/:id` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET `/dash/v1/WorkTime/get` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET `/dash/v1/WorkTime/get-one/:id` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET `/dash/v1/WorkTime/getOne` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET `/dash/v1/WorkTime/getOne/:id` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET `/dash/v1/WorkTime/list` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
PATCH `/dash/v1/WorkTime/reject/:id` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
POST `/dash/v1/WorkTime/reject/:id` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
PATCH `/dash/v1/WorkTime/update/:id` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
POST `/dash/v1/WorkTime/update/:id` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
PUT `/dash/v1/WorkTime/update/:id` Bearer token inferred-parent-mount inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous

Analytics

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	/analytics/v1/admin/cohorts`	Bearer token	inferred-parent-mount	inferred:authUser, adminCohorts
GET	/analytics/v1/admin/summary`	Bearer token	inferred-parent-mount	inferred:authUser, adminSummary
GET	/analytics/v1/events`	Bearer token	inferred-parent-mount	inferred:authUser, validateRequest, track
POST	/analytics/v1/events`	Bearer token	inferred-parent-mount	inferred:authUser, validateRequest, track
POST	/analytics/v1/track`	Bearer token	inferred-parent-mount	inferred:authUser, validateRequest, track

Campus

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	/campus/v1/admin/members`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, listUniversityMembers
POST	/campus/v1/admin/members`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, listUniversityMembers
DELETE	/campus/v1/admin/members/:memberId`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, updateUniversityMember
PATCH	/campus/v1/admin/members/:memberId`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, updateUniversityMember
GET	/campus/v1/admin/verifications`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, adminListVerifications
POST	/campus/v1/admin/verifications/:id/approve`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminApproveVerification
GET	/campus/v1/admin/verifications/:id/document`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, adminDownloadStudentVerificationDocument
POST	/campus/v1/admin/verifications/:id/reject`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminRejectVerification
POST	/campus/v1/admin/verifications/:id/request-info`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminRequestVerificationInfo
POST	/campus/v1/student-verifications`	Bearer token	explicit	inferred:authUser, authUser, multerMiddleware, validateRequest, startStudentVerification
GET	/campus/v1/student-verifications/:id/document`	Bearer token	explicit	inferred:authUser, authUser, downloadStudentVerificationDocument
POST	/campus/v1/student-verifications/:id/resubmit`	Bearer token	explicit	inferred:authUser, authUser, multerMiddleware, validateRequest, resubmitStudentVerification
GET	/campus/v1/student-verifications/me`	Bearer token	explicit	inferred:authUser, authUser, studentVerificationStatus
GET	/campus/v1/universities`	Public/system	none	listUniversities

GET `/campus/v1/universities/:id/campuses` Public/system none listUniversityCampuses
POST `/campus/v1/verification/confirm-email` Bearer token explicit inferred:authUser, authUser, multerMiddleware, validateRequest, confirmStudentVerificationEmail
POST `/campus/v1/verification/start` Bearer token explicit inferred:authUser, authUser, multerMiddleware, validateRequest, startStudentVerification
POST `/campus/v1/verification/upload-document` Bearer token explicit inferred:authUser, authUser, multerMiddleware, validateRequest, uploadStudentVerificationDocument

Campus Student

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	`/user/v1/campus/admin/verifications`	Bearer token	explicit	authUser, activeContextGuard, adminListVerifications
POST	`/user/v1/campus/admin/verifications/:id/approve`	Bearer token	explicit	authUser, activeContextGuard, multerMiddleware, validateRequest, adminApproveVerification
POST	`/user/v1/campus/admin/verifications/:id/reject`	Bearer token	explicit	authUser, activeContextGuard, multerMiddleware, validateRequest, adminRejectVerification
POST	`/user/v1/campus/admin/verifications/:id/request-info`	Bearer token	explicit	authUser, activeContextGuard, multerMiddleware, validateRequest, adminRequestVerificationInfo
GET	`/user/v1/campus/applications`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, applications
GET	`/user/v1/campus/applications/:id`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, applicationDetails
PATCH	`/user/v1/campus/applications/:id/cancel`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, cancelApplication
POST	`/user/v1/campus/applications/:id/cancel`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, cancelApplication
POST	`/user/v1/campus/applications/:id/messages`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, sendApplicationMessage
GET	`/user/v1/campus/content`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, content
GET	`/user/v1/campus/dashboard`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, dashboard
GET	`/user/v1/campus/dashboard/overview`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, dashboard
GET	`/user/v1/campus/events`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, events
PATCH	`/user/v1/campus/events/:eventId/cancel`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, cancelEventRegistration
POST	`/user/v1/campus/events/:eventId/cancel`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, cancelEventRegistration
POST	`/user/v1/campus/events/:eventId/register`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, registerEvent
GET	`/user/v1/campus/opportunities`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, opportunities
GET	`/user/v1/campus/opportunities/:id`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, opportunityDetails
POST	`/user/v1/campus/opportunities/:id/apply`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, requireCampusOpportunity, multerMiddleware, validateRequest, applyJob
POST	`/user/v1/campus/opportunities/:id/apply-external`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, requireCampusOpportunity, multerMiddleware, validateRequest, applyExternalOpportunity
GET	`/user/v1/campus/opportunities/:id/readiness`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, requireCampusOpportunity, getApplyReadiness
DELETE	`/user/v1/campus/opportunities/:id/save`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, saveOpportunity
POST	`/user/v1/campus/opportunities/:id/save`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, saveOpportunity
POST	`/user/v1/campus/opportunities/:id/toggle-save`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, toggleSaveOpportunity
GET	`/user/v1/campus/overview`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, overview
GET	`/user/v1/campus/profile`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, validateRequest, profile
PATCH	`/user/v1/campus/profile`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, validateRequest, profile
POST	`/user/v1/campus/profile`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, validateRequest, profile
PUT	`/user/v1/campus/profile`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, validateRequest, profile
GET	`/user/v1/campus/resources`	Bearer token	explicit	authUser, anonymous, requireCampusStudent, resources
GET	`/user/v1/campus/saved-searches`	Bearer token	explicit	authUser, anonymous, validateRequest, listSavedSearches
POST	`/user/v1/campus/saved-searches`	Bearer token	explicit	authUser, anonymous, validateRequest, listSavedSearches
DELETE	`/user/v1/campus/saved-searches/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, getSavedSearch

GET `/user/v1/campus/saved-searches/:id` Bearer token explicit authUser, anonymous, validateRequest, getSavedSearch
PATCH `/user/v1/campus/saved-searches/:id` Bearer token explicit authUser, anonymous, validateRequest, getSavedSearch
POST `/user/v1/campus/saved-searches/:id/run-now` Bearer token explicit authUser, anonymous, validateRequest, runSavedSearchNow
POST `/user/v1/campus/student-verifications` Bearer token explicit authUser, multerMiddleware, validateRequest, startStudentVerification
POST `/user/v1/campus/student-verifications/:id/resubmit` Bearer token explicit authUser, multerMiddleware, validateRequest, resubmitStudentVerification
GET `/user/v1/campus/student-verifications/me` Bearer token explicit authUser, studentVerificationStatus
GET `/user/v1/campus/talent-visibility` Bearer token explicit authUser, anonymous, requireCampusStudent, validateRequest, getTalentVisibility
PATCH `/user/v1/campus/talent-visibility` Bearer token explicit authUser, anonymous, requireCampusStudent, validateRequest, getTalentVisibility
GET `/user/v1/campus/universities` Public/system none listUniversities
GET `/user/v1/campus/universities/:id/campuses` Public/system none listUniversityCampuses
GET `/user/v1/campus/university/opportunities` Bearer token explicit authUser, activeContextGuard, validateRequest, userUniversityOpportunities
POST `/user/v1/campus/university/opportunities` Bearer token explicit authUser, activeContextGuard, validateRequest, userUniversityOpportunities
GET `/user/v1/campus/university/overview` Bearer token explicit authUser, activeContextGuard, userUniversityOverview
GET `/user/v1/campus/university/partners` Bearer token explicit authUser, activeContextGuard, userUniversityPartners
GET `/user/v1/campus/university/students` Bearer token explicit authUser, activeContextGuard, userUniversityStudents
POST `/user/v1/campus/verification/confirm-email` Bearer token explicit authUser, multerMiddleware, validateRequest, confirmStudentVerificationEmail
POST `/user/v1/campus/verification/start` Bearer token explicit authUser, multerMiddleware, validateRequest, startStudentVerification
POST `/user/v1/campus/verification/upload-document` Bearer token explicit authUser, multerMiddleware, validateRequest, uploadStudentVerificationDocument

Company

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
POST	`/company/v1/auth/forgot-password`	Public/system	none	forceCompanyWebAuthScope, multerMiddleware, validateRequest, forgotPassword
POST	`/company/v1/auth/login`	Public/system	none	multerMiddleware, validateRequest, login
POST	`/company/v1/auth/logout`	Public/system	none	multerMiddleware, validateRequest, logout
POST	`/company/v1/auth/logout-all`	Bearer token	explicit	authUser, activeContextGuard, anonymous, multerMiddleware, validateRequest, logoutAll
POST	`/company/v1/auth/passcode-forgot-password`	Public/system	none	forceCompanyWebAuthScope, multerMiddleware, validateRequest, passcodeVerify
POST	`/company/v1/auth/refresh`	Public/system	none	multerMiddleware, validateRequest, refresh
POST	`/company/v1/auth/refresh-token`	Public/system	none	multerMiddleware, validateRequest, refresh
POST	`/company/v1/auth/reset-password`	Public/system	none	forceCompanyWebAuthScope, multerMiddleware, validateRequest, resetPassword
POST	`/company/v1/auth/resetPassword`	Public/system	none	forceCompanyWebAuthScope, multerMiddleware, validateRequest, resetPassword
GET	`/company/v1/auth/sessions`	Bearer token	explicit	authUser, activeContextGuard, anonymous, listSessions
DELETE	`/company/v1/auth/sessions/:sessionId`	Bearer token	explicit	authUser, activeContextGuard, anonymous, validateRequest, revokeSession
GET	`/company/v1/campus/opportunities`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, companyOpportunities
POST	`/company/v1/campus/opportunities`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, companyOpportunities
GET	`/company/v1/campus/overview`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, universityOverview
GET	`/company/v1/campus/partners`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, partners
POST	`/company/v1/campus/partners`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, partners
GET	`/company/v1/campus/partners/:universityId`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, companyPartnerDetail
PATCH	`/company/v1/campus/partners/:universityId/cancel-request`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, cancelCompanyPartnerRequest
GET	`/company/v1/campus/students`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, students
GET	`/company/v1/campus/students/:employeeId`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, companyStudentDetail

GET	/company/v1/global	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, getCompanyDashboard
GET	/company/v1/global/analytics	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getCompanyAnalytics
GET	/company/v1/global/analytics/applications	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getApplicationsAnalytics
GET	/company/v1/global/analytics/jobs	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getJobsAnalytics
GET	/company/v1/global/analytics/profile	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getProfileAnalytics
GET	/company/v1/global/applications	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getAllApplications
GET	/company/v1/global/applications/:applicationId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getApplicationDetails
GET	/company/v1/global/applications/:applicationId/audit-logs	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getApplicationAuditLogs
POST	/company/v1/global/applications/:applicationId/note	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, addApplicationNote
POST	/company/v1/global/applications/:applicationId/rate	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, rateApplicant
PATCH	/company/v1/global/applications/:applicationId/status	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, changeApplicationStatus
GET	/company/v1/global/audit-logs	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getAuditLogs
GET	/company/v1/global/interviews	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, getCompanyInterviews
POST	/company/v1/global/interviews	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, getCompanyInterviews
DELETE	/company/v1/global/interviews/:interviewId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateInterview
PATCH	/company/v1/global/interviews/:interviewId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateInterview
GET	/company/v1/global/jobs	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobs
POST	/company/v1/global/jobs	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobs
DELETE	/company/v1/global/jobs/:jobId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobDetails
GET	/company/v1/global/jobs/:jobId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobDetails
PATCH	/company/v1/global/jobs/:jobId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobDetails
POST	/company/v1/global/jobs/:jobId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobDetails
PUT	/company/v1/global/jobs/:jobId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobDetails
GET	/company/v1/global/jobs/:jobId/applicants	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getJobApplicants
PATCH	/company/v1/global/jobs/:jobId/archive	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest
GET	/company/v1/global/jobs/:jobId/audit-logs	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getJobAuditLogs
POST	/company/v1/global/jobs/:jobId/clone	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, cloneJob
PATCH	/company/v1/global/jobs/:jobId/pause	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest
PATCH	/company/v1/global/jobs/:jobId/publish	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest
GET	/company/v1/global/jobs/:jobId/recommended-employees	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getRecommendedEmployeesForJob
PATCH	/company/v1/global/jobs/:jobId/restore	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest
PATCH	/company/v1/global/jobs/:jobId/status	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, changeJobStatus
PATCH	/company/v1/global/jobs/bulk	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, bulkUpdateJobs
GET	/company/v1/global/jobs/statistics	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getJobsStatistics
GET	/company/v1/global/me/basic-profile	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, validateRequest, getMyBasicCompanyProfile
PUT	/company/v1/global/me/basic-profile	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, validateRequest, getMyBasicCompanyProfile
PUT	/company/v1/global/me/image	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, validateRequest, updateMyCompanyUserProfile
GET	/company/v1/global/members	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, listMembers

POST `/company/v1/global/members` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listMembers
DELETE `/company/v1/global/members/:memberId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateMember
PATCH `/company/v1/global/members/:memberId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateMember
GET `/company/v1/global/message-templates` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listTemplates
POST `/company/v1/global/message-templates` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listTemplates
DELETE `/company/v1/global/message-templates/:templateId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateTemplate
PATCH `/company/v1/global/message-templates/:templateId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateTemplate
GET `/company/v1/global/profile` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMyCompanyProfile
PUT `/company/v1/global/profile` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMyCompanyProfile
GET `/company/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMySection
POST `/company/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMySection
PUT `/company/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMySection
DELETE `/company/v1/global/profile/:section/:itemId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateSectionItem
PATCH `/company/v1/global/profile/:section/:itemId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateSectionItem
PUT `/company/v1/global/profile/about` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateCompanyAbout
GET `/company/v1/global/profile/completion` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyCompanyCompletion
PUT `/company/v1/global/profile/contact` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateCompanyContact
GET `/company/v1/global/profile/files` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, listCompanyFiles
POST `/company/v1/global/profile/files` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, listCompanyFiles
DELETE `/company/v1/global/profile/files/:filename` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, deleteCompanyFile
GET `/company/v1/global/profile/files/:filename/download` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, downloadCompanyFile
PUT `/company/v1/global/profile/location` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateCompanyLocation
PUT `/company/v1/global/profile/media` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateCompanyMedia
POST `/company/v1/global/profile/rebuild-search-filters` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, rebuildMyCompanySearchFilters
GET `/company/v1/global/question-library` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listQuestions
POST `/company/v1/global/question-library` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listQuestions
DELETE `/company/v1/global/question-library/:questionId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateQuestion
PATCH `/company/v1/global/question-library/:questionId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateQuestion
GET `/company/v1/global/subscription` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMySubscription
GET `/company/v1/global/subscription/billing-summary` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getBillingSummary
GET `/company/v1/global/subscription/current` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMySubscription
GET `/company/v1/global/subscription/invoices` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyInvoices
GET `/company/v1/global/subscription/invoices/:invoiceId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyInvoiceDetails
POST `/company/v1/global/subscription/request` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, requestPlanChange
GET `/company/v1/global/support-tickets` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listTickets
POST `/company/v1/global/support-tickets` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listTickets
GET `/company/v1/global/support-tickets/:ticketId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getTicketDetails
POST `/company/v1/global/support-tickets/:ticketId/messages` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, addTicketMessage

GET	/company/v1/helper/cities	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, cities
GET	/company/v1/helper/currencies	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, getCurrencies
GET	/company/v1/helper/education-level	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, educationLevel
GET	/company/v1/helper/experience-level	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, experienceLevel
GET	/company/v1/helper/industry	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, industry
GET	/company/v1/helper/job-name	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, anonymous
GET	/company/v1/helper/job-types	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, getJobType
GET	/company/v1/helper/languages	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, getLanguages
GET	/company/v1/helper/salaries	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, salaryType
GET	/company/v1/helper/services	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, services
GET	/company/v1/helper/skills	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, skills
GET	/company/v1/helper/work-mode	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, workMode
GET	/company/v1/helper/work-time	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, workTime
GET	/company/v1/interviews	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, getInterviews
POST	/company/v1/interviews	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, getInterviews
GET	/company/v1/interviews/:interviewId	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, getInterviewDetails
PATCH	/company/v1/interviews/:interviewId	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, getInterviewDetails
POST	/company/v1/interviews/:interviewId/cancel	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, cancelInterview
POST	/company/v1/interviews/:interviewId/feedback	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, submitInterviewFeedback
POST	/company/v1/interviews/:interviewId/mark-no-show	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, markInterviewNoShow
POST	/company/v1/interviews/:interviewId/send-reminder	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, sendInterviewReminder
PATCH	/company/v1/interviews/:interviewId/status	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, changeInterviewStatus
GET	/company/v1/jobs/hiring/:jobId/applicants	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicants
GET	/company/v1/jobs/hiring/:jobId/applications	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobApplications
POST	/company/v1/jobs/hiring/:jobId/invitations	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, sendJobInvitation
GET	/company/v1/jobs/hiring/applicants	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicants
GET	/company/v1/jobs/hiring/applications	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobApplications
GET	/company/v1/jobs/hiring/applications/:applicationId	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicationDetails
PATCH	/company/v1/jobs/hiring/applications/:applicationId/block-applicant	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, blockApplicationApplicant
GET	/company/v1/jobs/hiring/applications/:applicationId/cv	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicationCv
POST	/company/v1/jobs/hiring/applications/:applicationId/interviews	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, createInterview
POST	/company/v1/jobs/hiring/applications/:applicationId/messages	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, sendApplicationMessage
PATCH	/company/v1/jobs/hiring/applications/:applicationId/restore	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, restoreApplication
PATCH	/company/v1/jobs/hiring/applications/:applicationId/status	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateApplicationStatus
POST	/company/v1/jobs/hiring/applications/bulk-cv	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, bulkApplicationCvs
POST	/company/v1/jobs/hiring/applications/bulk-export	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, bulkExportApplications
GET	/company/v1/jobs/hiring/interviews	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, createInterview
POST	/company/v1/jobs/hiring/interviews	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, createInterview

| GET | `/company/v1/jobs/hiring/interviews/:interviewId` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, getInterviewDetails |

| PATCH | `/company/v1/jobs/hiring/interviews/:interviewId` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, getInterviewDetails |

| POST | `/company/v1/jobs/hiring/interviews/:interviewId/cancel` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, cancelInterview |

| POST | `/company/v1/jobs/hiring/interviews/:interviewId/feedback` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, submitInterviewFeedback |

| POST | `/company/v1/jobs/hiring/interviews/:interviewId/mark-no-show` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, markInterviewNoShow |

| POST | `/company/v1/jobs/hiring/interviews/:interviewId/send-reminder` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, sendInterviewReminder |

| PATCH | `/company/v1/jobs/hiring/interviews/:interviewId/status` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, changeInterviewStatus |

| GET | `/company/v1/jobs/hiring/invitations` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, sendJobInvitation |

| POST | `/company/v1/jobs/hiring/invitations` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, sendJobInvitation |

| GET | `/company/v1/jobs/hiring/invitations/:invitationId` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, getJobInvitationDetails |

| PATCH | `/company/v1/jobs/hiring/invitations/:invitationId/cancel` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, cancelJobInvitation |

| GET | `/company/v1/jobs/hiring/pipeline` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, getAtsPipeline |

| GET | `/company/v1/jobs/hiring/reviews` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, getCompanyJobReviews |

| GET | `/company/v1/jobs/hiring/summary` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, getHiringSummary |

| GET | `/company/v1/jobs/hiring/talent-pool` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, getTalentPool |

| GET | `/company/v1/jobs/talent/:jobId/employees/:employeeId/match` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, matchEmployeeWithJob |

| GET | `/company/v1/jobs/talent/:jobId/help-requests` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, requestJobZainTalentHelp |

| POST | `/company/v1/jobs/talent/:jobId/help-requests` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, requestJobZainTalentHelp |

| GET | `/company/v1/jobs/talent/:jobId/smart-employees` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, getSmartEmployeesForJob |

| POST | `/company/v1/jobs/talent/:jobId/smart-employees/generate` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, generateSmartEmployeesForJob |

| GET | `/company/v1/jobs/talent/employees` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, searchEmployees |

| GET | `/company/v1/jobs/talent/employees/:employeeId` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, getEmployeeDetails |

| GET | `/company/v1/jobs/talent/help-requests` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, requestJobZainTalentHelp |

| POST | `/company/v1/jobs/talent/help-requests` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, requestJobZainTalentHelp |

| GET | `/company/v1/jobs/talent/help-requests/:requestId` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobZainTalentRequestDetails |

| PATCH | `/company/v1/jobs/talent/help-requests/:requestId/cancel` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, cancelJobZainTalentRequest |

| GET | `/company/v1/profile/public` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, validateRequest, getPublicProfile |

| PATCH | `/company/v1/profile/public` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, validateRequest, getPublicProfile |

| POST | `/company/v1/profile/public/preview` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, previewPublicProfile |

| POST | `/company/v1/profile/public/submit-review` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, submitPublicProfileReview |

| POST | `/company/v1/salary-insights/check` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, jsonParser, validateRequest, companyCheck |

| GET | `/company/v1/salary-insights/suggest` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, validateRequest, companySuggest |

| GET | `/company/v1/settings` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, validateRequest, getCompanySettings |

| PATCH | `/company/v1/settings` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, validateRequest, getCompanySettings |

| PUT | `/company/v1/settings` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, validateRequest, getCompanySettings |

| GET | `/company/v1/talent-pool` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, listTalentPool |

| POST | `/company/v1/talent-pool/candidates` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, saveCandidate |

| DELETE | `/company/v1/talent-pool/candidates/:id` | Bearer token | inferred-parent-mount | inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, getCandidateDetails |

GET `/company/v1/talent-pool/candidates/:id` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, getCandidateDetails
PATCH `/company/v1/talent-pool/candidates/:id` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, getCandidateDetails
POST `/company/v1/talent-pool/candidates/:id/do-not-contact` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, markDoNotContact
POST `/company/v1/talent-pool/candidates/:id/invite-to-job` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, inviteCandidateToJob
GET `/company/v1/talent-pool/candidates/:id/notes` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, addCandidateNote
POST `/company/v1/talent-pool/candidates/:id/notes` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, addCandidateNote
POST `/company/v1/talent-pool/candidates/:id/tags` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, addCandidateTags
DELETE `/company/v1/talent-pool/candidates/:id/tags/:tag` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, removeCandidateTag
GET `/company/v1/talent-pool/search` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, listTalentPool

Files

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	/cv/generated/:fileName`	Public/system	none	anonymous

Health

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	/health`	Public/system	none	protectHealth, anonymous
GET	/health/live`	Public/system	none	anonymous
GET	/health/ready`	Public/system	none	anonymous

Jobs

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	/jobs/v1:jobId/translations/:lang`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, saveJobTranslation
PUT	/jobs/v1:jobId/translations/:lang`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, saveJobTranslation

Legacy User

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
POST	/user/v1/account/delete-request`	Bearer token	explicit	authUser, jsonParser, validateRequest, requestAccountDeletion
POST	/user/v1/account/delete-request/cancel`	Bearer token	explicit	authUser, validateRequest, cancelAccountDeletion
GET	/user/v1/account/export`	Bearer token	explicit	authUser, exportMyData
GET	/user/v1/app/dashboard`	Bearer token	explicit	authUser, getMyAppDashboardOverview
GET	/user/v1/app/dashboard/overview`	Bearer token	explicit	authUser, getMyAppDashboardOverview
GET	/user/v1/applying-job/get`	Bearer token	explicit	authUser, anonymous, getAppliedJobs
POST	/user/v1/applying-job/insert/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, applyJob
GET	/user/v1/applying-job/readiness/:id`	Bearer token	explicit	authUser, anonymous, getApplyReadiness
POST	/user/v1/auth/campus/register`	Public/system	none	multerMiddleware, validateRequest, campusRegister
POST	/user/v1/auth/campus/university-login`	Public/system	none	multerMiddleware, validateRequest, universityLogin
POST	/user/v1/auth/forgot-password`	Public/system	none	validateRequest, forgotPassword
POST	/user/v1/auth/login`	Public/system	none	multerMiddleware, validateRequest, login
POST	/user/v1/auth/logout`	Public/system	none	multerMiddleware, validateRequest, logout
POST	/user/v1/auth/logout-all`	Bearer token	explicit	authUser, multerMiddleware, validateRequest, logoutAll
POST	/user/v1/auth/passcode-forgot-password`	Public/system	none	validateRequest, passcodeVerify
POST	/user/v1/auth/passcode-verify`	Public/system	none	validateRequest, passcodeVerify
POST	/user/v1/auth/refresh-token`	Public/system	none	multerMiddleware, validateRequest, refreshToken

	POST		`/user/v1/auth/register`		Public/system		none		multerMiddleware, validateRequest, register	
	POST		`/user/v1/auth/resend-otp`		Public/system		none		validateRequest, resendOtp	
	POST		`/user/v1/auth/resetPassword`		Public/system		none		validateRequest, resetPassword	
	POST		`/user/v1/auth/update-image`		Bearer token		explicit		authUser, multerMiddleware, validateRequest, updateImage	
	POST		`/user/v1/auth/update-profile`		Bearer token		explicit		authUser, validateRequest, updateProfile	
	GET		`/user/v1/banner/get`		Public/system		none		get	
	GET		`/user/v1/career-passport`		Bearer token		explicit		authUser, anonymous, validateRequest, get	
	PUT		`/user/v1/career-passport`		Bearer token		explicit		authUser, anonymous, validateRequest, get	
	POST		`/user/v1/career-passport/share`		Bearer token		explicit		authUser, anonymous, jsonParser, validateRequest, share	
	GET		`/user/v1/career-passport/share/:token`		Public/system		none		shared	
	POST		`/user/v1/communication/manual-whatsapp-link`		Bearer token		inferred-parent-mount		inferred:authUser, jsonParser, validateRequest, createManualWhatsappLink	
	GET		`/user/v1/communication/preferences`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, getPreferences	
	PATCH		`/user/v1/communication/preferences`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, getPreferences	
	PUT		`/user/v1/communication/preferences`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, getPreferences	
	GET		`/user/v1/company-jobs-profile/job-details/:id`		Bearer token		explicit		authUser, anonymous, getJobDetails	
	GET		`/user/v1/company-jobs-profile/profile-jobs`		Bearer token		explicit		authUser, anonymous, companyData	
	POST		`/user/v1/company/delete-file`		Bearer token		explicit		authUser, validateRequest, deleteFile	
	GET		`/user/v1/company/download-file`		Bearer token		explicit		authUser, downloadFile	
	GET		`/user/v1/company/get-files`		Bearer token		explicit		authUser, getFileLinks	
	POST		`/user/v1/company/join-request`		Bearer token		explicit		authUser, multerMiddleware, validateRequest, joinRequest	
	GET		`/user/v1/company/my-company`		Bearer token		explicit		authUser, get	
	GET		`/user/v1/company/public/:companyId`		Public/system		none		companyDetails	
	POST		`/user/v1/company/update-my-company`		Bearer token		explicit		authUser, validateRequest, update	
	POST		`/user/v1/company/update-my-company-image`		Bearer token		explicit		authUser, multerMiddleware, validateRequest, updateImage	
	POST		`/user/v1/company/upload-file`		Bearer token		explicit		authUser, multerMiddleware, validateRequest, uploadFile	
	GET		`/user/v1/cv/translations/:lang`		Bearer token		explicit		authUser, anonymous, multerMiddleware, validateRequest, saveCvTranslation	
	PUT		`/user/v1/cv/translations/:lang`		Bearer token		explicit		authUser, anonymous, multerMiddleware, validateRequest, saveCvTranslation	
	GET		`/user/v1/employee/profile-get`		Bearer token		explicit		authUser, anonymous, multerMiddleware, profile	
	POST		`/user/v1/employee/profile-update`		Bearer token		explicit		authUser, anonymous, multerMiddleware, validateRequest, update	
	POST		`/user/v1/fcm/delete-tokens/:id`		Bearer token		explicit		authUser, validateRequest, deleteToken	
	GET		`/user/v1/fcm/tokens`		Bearer token		explicit		authUser, validateRequest, listTokens	
	POST		`/user/v1/fcm/tokens`		Bearer token		explicit		authUser, validateRequest, listTokens	
	POST		`/user/v1/fcm/update-tokens/:id`		Bearer token		explicit		authUser, jsonParser, validateRequest, updateToken	
	GET		`/user/v1/global/cities`		Public/system		none		countries	
	GET		`/user/v1/global/countries`		Public/system		none		countries	
	GET		`/user/v1/global/currencies`		Public/system		none		currencies	
	GET		`/user/v1/global/currency`		Public/system		none		currencies	
	GET		`/user/v1/global/work-mode`		Public/system		none		workModes	
	GET		`/user/v1/global/work-modes`		Public/system		none		workModes	
	POST		`/user/v1/handle-applied-job/change-job-status/:id`		Bearer token		explicit		authUser, anonymous, validateRequest, changeStatus	
	POST		`/user/v1/handle-applied-job/send-interview/:id`		Bearer token		explicit		authUser, anonymous, validateRequest, SendInterview	
	GET		`/user/v1/helper/cities`		Public/system		none		anonymous	
	GET		`/user/v1/helper/city-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/countries`		Public/system		none		anonymous	
	GET		`/user/v1/helper/country`		Public/system		none		anonymous	
	GET		`/user/v1/helper/country-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/country-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currencies`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currency`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currency-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currency-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/education-level`		Public/system		none		anonymous	
	GET		`/user/v1/helper/education-levels`		Public/system		none		anonymous	
	GET		`/user/v1/helper/experience-level`		Public/system		none		anonymous	

GET	`/user/v1/helper/experience-levels`	Public/system	none	anonymous	
GET	`/user/v1/helper/industries`	Public/system	none	anonymous	
GET	`/user/v1/helper/industry`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-location`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-location-get`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-name`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-names`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-salaries`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-salary`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-salary-get`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-search`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-service`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-service-get`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-services`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-time`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-time-get`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-type`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-type-get`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-types`	Public/system	none	anonymous	
GET	`/user/v1/helper/language`	Public/system	none	anonymous	
GET	`/user/v1/helper/language-search`	Public/system	none	anonymous	
GET	`/user/v1/helper/languages`	Public/system	none	anonymous	
GET	`/user/v1/helper/salaries`	Public/system	none	anonymous	
GET	`/user/v1/helper/services`	Public/system	none	anonymous	
GET	`/user/v1/helper/skill`	Public/system	none	anonymous	
GET	`/user/v1/helper/skill-search`	Public/system	none	anonymous	
GET	`/user/v1/helper/skills`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-location`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-locations`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-mode`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-modes`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-time`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-times`	Public/system	none	anonymous	
GET	`/user/v1/interview-prep`	Bearer token	explicit	authUser, anonymous, validateRequest, overview	
PATCH	`/user/v1/interview-prep/checklists/:id/progress`	Bearer token	explicit	authUser, anonymous, validateRequest, updateChecklistProgress	
GET	`/user/v1/interview-prep/jobs/:jobId`	Bearer token	explicit	authUser, anonymous, validateRequest, jobPrep	
GET	`/user/v1/interview-prep/questions`	Bearer token	explicit	authUser, anonymous, validateRequest, questions	
POST	`/user/v1/interview-prep/questions/:id/save-note`	Bearer token	explicit	authUser, anonymous, validateRequest, saveQuestionNote	
GET	`/user/v1/job-alerts/logs`	Bearer token	explicit	authUser, anonymous, validateRequest, listAlertLogs	
POST	`/user/v1/job-information/apply-outside/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, applyOutsideJob	
GET	`/user/v1/job-information/list-job-reviews/:id`	Public/system	none	listJobReviews	
GET	`/user/v1/job-information/list-job-savers/:id`	Bearer token	explicit	authUser, anonymous, listJobSavers	
POST	`/user/v1/job-information/rate-job/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, rateJob	
GET	`/user/v1/job-information/recompute-job-rating-breakdown/:id`	Bearer token	explicit	authUser, anonymous, recomputeJobRatingBreakdown	
POST	`/user/v1/job-information/report-job/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, reportJob	
POST	`/user/v1/job-information/review-job/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, reviewJob	
POST	`/user/v1/job-information/toggle-save-job/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, toggleSaveJob	
GET	`/user/v1/job-profile/get-applied-jobs`	Bearer token	explicit	authUser, anonymous, getAppliedJobs	
GET	`/user/v1/job-profile/get-interviewed-jobs`	Bearer token	explicit	authUser, anonymous, getInterviewedJobs	
GET	`/user/v1/job-profile/get-saved-job`	Bearer token	explicit	authUser, anonymous, getSavedJob	
GET	`/user/v1/job-profile/get-user-job-counts`	Bearer token	explicit	authUser, anonymous, getUserJobCounts	
GET	`/user/v1/job-result/get-by-id/:id`	Bearer token	explicit	authUser, anonymous, getJobById	
GET	`/user/v1/job-result/get-created-job`	Bearer token	explicit	authUser, anonymous, getCreatedJobs	
GET	`/user/v1/job-result/get-job-applicant/:id`	Bearer token	explicit	authUser, anonymous, getJobApplicants	
GET	`/user/v1/job-result/get-job-rating/:id`	Bearer token	explicit	authUser, anonymous, getJobRatingStats	
GET	`/user/v1/job-result/get-job-review/:id`	Bearer token	explicit	authUser, anonymous, getJobReviews	

GET	/user/v1/job-result/get-job-savers/:id`	Bearer token	explicit	authUser, anonymous, getJobSavers	
POST	/user/v1/job/create`	Bearer token	explicit	authUser, anonymous, validateRequest, create	
GET	/user/v1/job/get`	Public/system	none	optionalAuthUser, get	
GET	/user/v1/job/get-by-id/:id`	Public/system	none	optionalAuthUser, getById	
GET	/user/v1/job/get-filters`	Public/system	none	optionalAuthUser, getFilters	
GET	/user/v1/job/get-popular`	Public/system	none	optionalAuthUser, get	
GET	/user/v1/job/get-single-job/:id`	Public/system	none	optionalAuthUser, getById	
GET	/user/v1/job/job-role`	Bearer token	explicit	authUser, anonymous, whatIsMyRole	
POST	/user/v1/job/update/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, update	
GET	/user/v1/keyword/get`	Public/system	none	get	
GET	/user/v1/legal-reports`	Public/system	none	optionalAuthUser, jsonParser, validateRequest, createReport	
POST	/user/v1/legal-reports`	Public/system	none	optionalAuthUser, jsonParser, validateRequest, createReport	
GET	/user/v1/legal-reports/:id`	Bearer token	explicit	authUser, getReport	
POST	/user/v1/me/active-context`	Bearer token	explicit	authUser, jsonParser, validateRequest, setActiveContext	
GET	/user/v1/me/contexts`	Bearer token	explicit	authUser, listContexts	
GET	/user/v1/me/permissions`	Bearer token	explicit	authUser, permissions	
GET	/user/v1/notification`	Bearer token	explicit	authUser, list	
DELETE	/user/v1/notification/:id`	Bearer token	explicit	authUser, validateRequest, remove	
POST	/user/v1/notification/:id/delete`	Bearer token	explicit	authUser, validateRequest, remove	
PATCH	/user/v1/notification/:id/read`	Bearer token	explicit	authUser, validateRequest, markRead	
POST	/user/v1/notification/:id/read`	Bearer token	explicit	authUser, validateRequest, markRead	
PATCH	/user/v1/notification/:id/unread`	Bearer token	explicit	authUser, validateRequest, markUnread	
POST	/user/v1/notification/:id/unread`	Bearer token	explicit	authUser, validateRequest, markUnread	
GET	/user/v1/notification/get`	Bearer token	explicit	authUser, list	
GET	/user/v1/notification/preferences`	Bearer token	explicit	authUser, validateRequest, getPreferences	
PATCH	/user/v1/notification/preferences`	Bearer token	explicit	authUser, validateRequest, getPreferences	
PUT	/user/v1/notification/preferences`	Bearer token	explicit	authUser, validateRequest, getPreferences	
PATCH	/user/v1/notification/read-all`	Bearer token	explicit	authUser, validateRequest, markAllRead	
POST	/user/v1/notification/read-all`	Bearer token	explicit	authUser, validateRequest, markAllRead	
GET	/user/v1/notification/unread-count`	Bearer token	explicit	authUser, unreadCount	
GET	/user/v1/notifications`	Bearer token	explicit	authUser, list	
DELETE	/user/v1/notifications/:id`	Bearer token	explicit	authUser, validateRequest, remove	
POST	/user/v1/notifications/:id/delete`	Bearer token	explicit	authUser, validateRequest, remove	
PATCH	/user/v1/notifications/:id/read`	Bearer token	explicit	authUser, validateRequest, markRead	
POST	/user/v1/notifications/:id/read`	Bearer token	explicit	authUser, validateRequest, markRead	
PATCH	/user/v1/notifications/:id/unread`	Bearer token	explicit	authUser, validateRequest, markUnread	
POST	/user/v1/notifications/:id/unread`	Bearer token	explicit	authUser, validateRequest, markUnread	
GET	/user/v1/notifications/get`	Bearer token	explicit	authUser, list	
GET	/user/v1/notifications/preferences`	Bearer token	explicit	authUser, validateRequest, getPreferences	
PATCH	/user/v1/notifications/preferences`	Bearer token	explicit	authUser, validateRequest, getPreferences	
PUT	/user/v1/notifications/preferences`	Bearer token	explicit	authUser, validateRequest, getPreferences	
PATCH	/user/v1/notifications/read-all`	Bearer token	explicit	authUser, validateRequest, markAllRead	
POST	/user/v1/notifications/read-all`	Bearer token	explicit	authUser, validateRequest, markAllRead	
GET	/user/v1/notifications/unread-count`	Bearer token	explicit	authUser, unreadCount	
GET	/user/v1/page/details/:key`	Public/system	none	details	
GET	/user/v1/page/get`	Public/system	none	get	
POST	/user/v1/privacy/accessibility`	Public/system	none	optionalAuthUser, jsonParser, validateRequest, createAccessibilityRequest	
GET	/user/v1/privacy/consents`	Bearer token	explicit	authUser, listConsents	
POST	/user/v1/privacy/consents/:pageKey/acknowledge`	Bearer token	explicit	authUser, jsonParser, validateRequest, acknowledgePolicy	
POST	/user/v1/privacy/consents/:purpose`	Bearer token	explicit	authUser, jsonParser, validateRequest, setConsent	
GET	/user/v1/privacy/requests`	Bearer token	explicit	authUser, jsonParser, validateRequest, createPrivacyRequest	
POST	/user/v1/privacy/requests`	Bearer token	explicit	authUser, jsonParser, validateRequest, createPrivacyRequest	
GET	/user/v1/resources`	Bearer token	explicit	authUser, anonymous, validateRequest, listResources	
POST	/user/v1/resources/:id/complete`	Bearer token	explicit	authUser, anonymous, validateRequest, completeResource	
PATCH	/user/v1/resources/:id/progress`	Bearer token	explicit	authUser, anonymous, validateRequest, updateProgress	
DELETE	/user/v1/resources/:id/save`	Bearer token	explicit	authUser, anonymous, validateRequest, saveResource	
POST	/user/v1/resources/:id/save`	Bearer token	explicit	authUser, anonymous, validateRequest, saveResource	

GET `/user/v1/resources/:idOrSlug` Bearer token explicit authUser, anonymous, validateRequest, getResource
GET `/user/v1/resources/me/progress` Bearer token explicit authUser, anonymous, validateRequest, myProgress
GET `/user/v1/resources/recommended` Bearer token explicit authUser, anonymous, validateRequest, recommendedResources
GET `/user/v1/salary-insights` Bearer token inferred-parent-mount inferred:authUser, validateRequest, userInsight
GET `/user/v1/salary-insights/jobs/:jobId` Bearer token inferred-parent-mount inferred:authUser, validateRequest, userJobInsight
GET `/user/v1/saved-searches` Bearer token explicit authUser, anonymous, validateRequest, listSavedSearches
POST `/user/v1/saved-searches` Bearer token explicit authUser, anonymous, validateRequest, listSavedSearches
DELETE `/user/v1/saved-searches/:id` Bearer token explicit authUser, anonymous, validateRequest, getSavedSearch
GET `/user/v1/saved-searches/:id` Bearer token explicit authUser, anonymous, validateRequest, getSavedSearch
PATCH `/user/v1/saved-searches/:id` Bearer token explicit authUser, anonymous, validateRequest, getSavedSearch
POST `/user/v1/saved-searches/:id/run-now` Bearer token explicit authUser, anonymous, validateRequest, runSavedSearchNow
GET `/user/v1/settings` Bearer token explicit authUser, validateRequest, getUserSettings
PATCH `/user/v1/settings` Bearer token explicit authUser, validateRequest, getUserSettings
PUT `/user/v1/settings` Bearer token explicit authUser, validateRequest, getUserSettings
GET `/user/v1/support/tickets` Bearer token explicit authUser, jsonParser, validateRequest, createTicket
POST `/user/v1/support/tickets` Bearer token explicit authUser, jsonParser, validateRequest, createTicket
GET `/user/v1/support/tickets/:id` Bearer token explicit authUser, getTicket
PATCH `/user/v1/support/tickets/:id/close` Bearer token explicit authUser, validateRequest, closeTicket
POST `/user/v1/support/tickets/:id/close` Bearer token explicit authUser, validateRequest, closeTicket
POST `/user/v1/support/tickets/:id/messages` Bearer token explicit authUser, jsonParser, validateRequest, addMessage

Notifications

Method Path Auth Guard source Middleware/guards
--- --- --- --- ---
GET `/notifications/v1` Bearer token inferred-parent-mount inferred:authUser, list
DELETE `/notifications/v1/:id` Bearer token inferred-parent-mount inferred:authUser, validateRequest, remove
POST `/notifications/v1/:id/delete` Bearer token inferred-parent-mount inferred:authUser, validateRequest, remove
PATCH `/notifications/v1/:id/read` Bearer token inferred-parent-mount inferred:authUser, validateRequest, markRead
POST `/notifications/v1/:id/read` Bearer token inferred-parent-mount inferred:authUser, validateRequest, markRead
PATCH `/notifications/v1/:id/unread` Bearer token inferred-parent-mount inferred:authUser, validateRequest, markUnread
POST `/notifications/v1/:id/unread` Bearer token inferred-parent-mount inferred:authUser, validateRequest, markUnread
DELETE `/notifications/v1/device-token` Bearer token inferred-parent-mount inferred:authUser, jsonParser, validateRequest, registerToken
POST `/notifications/v1/device-token` Bearer token inferred-parent-mount inferred:authUser, jsonParser, validateRequest, registerToken
DELETE `/notifications/v1/device-token/:id` Bearer token inferred-parent-mount inferred:authUser, validateRequest, deleteDeviceToken
POST `/notifications/v1/device-token/delete` Bearer token inferred-parent-mount inferred:authUser, jsonParser, validateRequest, deleteDeviceToken
GET `/notifications/v1/list` Bearer token inferred-parent-mount inferred:authUser, list
GET `/notifications/v1/preferences` Bearer token inferred-parent-mount inferred:authUser, validateRequest, getPreferences
PATCH `/notifications/v1/preferences` Bearer token inferred-parent-mount inferred:authUser, validateRequest, getPreferences
PUT `/notifications/v1/preferences` Bearer token inferred-parent-mount inferred:authUser, validateRequest, getPreferences
PATCH `/notifications/v1/read` Bearer token inferred-parent-mount inferred:authUser, validateRequest, markRead
POST `/notifications/v1/read` Bearer token inferred-parent-mount inferred:authUser, validateRequest, markRead
PATCH `/notifications/v1/read-all` Bearer token inferred-parent-mount inferred:authUser, validateRequest, markRead
POST `/notifications/v1/read-all` Bearer token inferred-parent-mount inferred:authUser, validateRequest, markRead
GET `/notifications/v1/unread-count` Bearer token inferred-parent-mount inferred:authUser, unreadCount

Other

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	`/public/v1/client-settings`	Public/system	none	getClientSettings
GET	`/public/v1/companies`	Public/system	none	listCompanies
GET	`/public/v1/companies/:slugOrId`	Public/system	none	getCompany
GET	`/public/v1/companies/:slugOrId/jobs`	Public/system	none	getCompanyJobs
GET	`/public/v1/companies/:slugOrId/reviews`	Public/system	none	getCompanyReviews
GET	`/public/v1/content/pages`	Public/system	none	listPages
GET	`/public/v1/content/pages/:key`	Public/system	none	getPage
GET	`/public/v1/faq`	Public/system	none	listFaq
GET	`/public/v1/help/articles`	Public/system	none	listHelpArticles
GET	`/public/v1/help/articles/:key`	Public/system	none	getHelpArticle
GET	`/public/v1/help/categories`	Public/system	none	listHelpCategories
GET	`/public/v1/legal/:key`	Public/system	none	getPage
GET	`/public/v1/salary-insights`	Public/system	none	publicInsight
GET	`/public/v1/salary-insights/:titleSlug`	Public/system	none	publicInsightByTitle
GET	`/public/v1/settings/client`	Public/system	none	getClientSettings

Seeker

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	`/employee/v1/applications`	Bearer token	explicit	authUser, anonymous, myApplications
GET	`/employee/v1/applications/:applicationId`	Bearer token	explicit	authUser, anonymous, getMyApplicationDetails
PATCH	`/employee/v1/applications/:applicationId/cancel`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, cancelMyApplication
POST	`/employee/v1/applications/:applicationId/cancel`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, cancelMyApplication
POST	`/employee/v1/applications/:applicationId/messages`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, addApplicationMessage
GET	`/employee/v1/applications/interviews`	Bearer token	explicit	authUser, anonymous, myInterviews
GET	`/employee/v1/applications/interviews/:interviewId`	Bearer token	explicit	authUser, anonymous, validateRequest, getMyInterviewDetails
POST	`/employee/v1/applications/interviews/:interviewId/reschedule-request`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, requestInterviewReschedule
PATCH	`/employee/v1/applications/interviews/:interviewId/respond`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, respondToInterview
POST	`/employee/v1/applications/interviews/:interviewId/respond`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, respondToInterview
GET	`/employee/v1/applications/offers`	Bearer token	explicit	authUser, anonymous, myJobInvitations
PATCH	`/employee/v1/applications/offers/:invitationId/respond`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, respondToJobInvitation
POST	`/employee/v1/applications/offers/:invitationId/respond`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, respondToJobInvitation
POST	`/employee/v1/auth/login`	Public/system	none	multerMiddleware, validateRequest, login
GET	`/employee/v1/companies`	Bearer token	explicit	authUser, anonymous, browseCompanies
GET	`/employee/v1/companies/:companyId`	Bearer token	explicit	authUser, anonymous, companyDetails
POST	`/employee/v1/companies/:companyId/review`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, reviewCompany
GET	`/employee/v1/companies/activity`	Bearer token	explicit	authUser, anonymous, companiesFromMyActivity
GET	`/employee/v1/companies/applied`	Bearer token	explicit	authUser, anonymous, companiesIAppliedTo
GET	`/employee/v1/companies/saved-jobs`	Bearer token	explicit	authUser, anonymous, companiesFromSavedJobs
GET	`/employee/v1/companies/viewed`	Bearer token	explicit	authUser, anonymous, companiesViewedByMe
POST	`/employee/v1/cv/:cvId/cover-letter/download`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, downloadCoverLetter
POST	`/employee/v1/cv/:cvId/cover-letter/preview`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, previewCoverLetter
GET	`/employee/v1/cv/:cvId/cover-letter/templates`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, getCoverLetterTemplates
POST	`/employee/v1/cv/:cvId/duplicate`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, duplicateCv
POST	`/employee/v1/cv/:cvId/quality-score`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, scoreCvQuality
POST	`/employee/v1/cv/:cvId/set-default`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, setDefaultCv

PATCH `/employee/v1/cv/:cvId/visibility` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, updateVisibility
GET `/employee/v1/cv/download/:cvId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, downloadSavedCv
POST `/employee/v1/cv/generate/download` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, downloadMyCv
POST `/employee/v1/cv/generate/download-url` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, createMyCvDownloadUrl
POST `/employee/v1/cv/generate/preview` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, previewMyCv
POST `/employee/v1/cv/generate/save` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, saveMyCvSettings
GET `/employee/v1/cv/generate/templates` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getCvTemplatesPublic
GET `/employee/v1/cv/parse/jobs/:jobId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, getParseJob
POST `/employee/v1/cv/parse/jobs/:jobId/confirm` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, confirmParseJob
GET `/employee/v1/cv/parse/jobs/:jobId/preview` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, previewParseJob
POST `/employee/v1/cv/parse/jobs/:jobId/reject` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, rejectParseJob
POST `/employee/v1/cv/parse/upload` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, parseUpload
POST `/employee/v1/cv/upload` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, uploadMyCv
PUT `/employee/v1/cv/upload/:cvId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, setActiveCv
GET `/employee/v1/cv/uploaded` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyUploadedCvs
DELETE `/employee/v1/cv/uploaded/:cvId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, deleteMyUploadedCv
GET `/employee/v1/global` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getEmployeeDashboard
GET `/employee/v1/global/applications` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myApplications
GET `/employee/v1/global/applications/:applicationId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyApplicationDetails
PATCH `/employee/v1/global/applications/:applicationId/cancel` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, cancelMyApplication
POST `/employee/v1/global/applications/:applicationId/messages` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, addApplicationMessage
GET `/employee/v1/global/applications/applied` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myApplications
GET `/employee/v1/global/applications/interviews` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myInterviews
GET `/employee/v1/global/applications/interviews/:interviewId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, getMyInterviewDetails
POST `/employee/v1/global/applications/interviews/:interviewId/reschedule-request` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, requestInterviewReschedule
PATCH `/employee/v1/global/applications/interviews/:interviewId/respond` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, respondToInterview
GET `/employee/v1/global/applications/offers` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myJobInvitations
GET `/employee/v1/global/applications/offers/:invitationId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyJobInvitationDetails
PATCH `/employee/v1/global/applications/offers/:invitationId/reject` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, anonymous
PATCH `/employee/v1/global/applications/offers/:invitationId/respond` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, respondToJobInvitation
GET `/employee/v1/global/applications/rejected` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myRejectedApplications
GET `/employee/v1/global/applications/status` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myApplications
GET `/employee/v1/global/companies` Bearer token inferred-parent-mount inferred:employeeAccountGuard, browseCompanies
GET `/employee/v1/global/companies/:companyId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companyDetails
POST `/employee/v1/global/companies/:companyId/review` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, reviewCompany
GET `/employee/v1/global/companies/activity` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesFromMyActivity
GET `/employee/v1/global/companies/applied` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesIAppliedTo
GET `/employee/v1/global/companies/saved-jobs` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesFromSavedJobs

GET `/employee/v1/global/companies/viewed` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesViewedByMe
GET `/employee/v1/global/jobs` Bearer token inferred-parent-mount inferred:employeeAccountGuard, browseJobs
GET `/employee/v1/global/jobs/:jobId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getJobDetails
POST `/employee/v1/global/jobs/:jobId/apply` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, applyToJob
POST `/employee/v1/global/jobs/:jobId/rate` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, rateJob
POST `/employee/v1/global/jobs/:jobId/review` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, reviewJob
DELETE `/employee/v1/global/jobs/:jobId/save` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, saveJob
POST `/employee/v1/global/jobs/:jobId/save` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, saveJob
GET `/employee/v1/global/jobs/recommended` Bearer token inferred-parent-mount inferred:employeeAccountGuard, recommendedJobs
GET `/employee/v1/global/jobs/saved` Bearer token inferred-parent-mount inferred:employeeAccountGuard, savedJobs
GET `/employee/v1/global/me/basic-profile` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, getMyBasicProfile
PUT `/employee/v1/global/me/basic-profile` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, getMyBasicProfile
GET `/employee/v1/global/profile` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, getMyEmployeeProfile
PUT `/employee/v1/global/profile` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, getMyEmployeeProfile
GET `/employee/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, getMySection
POST `/employee/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, getMySection
PUT `/employee/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:employeeAccountGuard, validateRequest, getMySection
DELETE `/employee/v1/global/profile/:section/:itemId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, updateSectionItem
PATCH `/employee/v1/global/profile/:section/:itemId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, updateSectionItem
PUT `/employee/v1/global/profile/about-me` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, updateAboutMe
GET `/employee/v1/global/profile/completion` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyEmployeeCompletion
PUT `/employee/v1/global/profile/job-names` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, replaceJobNames
PUT `/employee/v1/global/profile/job-types` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, replaceJobTypes
PUT `/employee/v1/global/profile/latest-work-experience` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, updateLatestWorkExperience
PUT `/employee/v1/global/profile/min-salary` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, replaceMinSalary
POST `/employee/v1/global/profile/rebuild-search-filters` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, rebuildMySearchFilters
PUT `/employee/v1/global/profile/work-preferences` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, validateRequest, updateWorkPreferences
GET `/employee/v1/helper/cities` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, cities
GET `/employee/v1/helper/currencies` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, getCurrencies
GET `/employee/v1/helper/education-level` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, educationLevel
GET `/employee/v1/helper/experience-level` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, experienceLevel
GET `/employee/v1/helper/industry` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, industry
GET `/employee/v1/helper/job-name` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, anonymous
GET `/employee/v1/helper/job-types` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, getJobType
GET `/employee/v1/helper/languages` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, getLanguages
GET `/employee/v1/helper/salaries` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, salaryType
GET `/employee/v1/helper/services` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, services
GET `/employee/v1/helper/skills` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, skills

GET	`/employee/v1/helper/work-mode`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, workMode
GET	`/employee/v1/helper/work-time`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, workTime
POST	`/employee/v1/jobs/:jobId/apply`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, applyToJob
POST	`/employee/v1/jobs/:jobId/rate`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, rateJob
POST	`/employee/v1/jobs/:jobId/review`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, reviewJob
DELETE	`/employee/v1/jobs/:jobId/save`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, saveJob
POST	`/employee/v1/jobs/:jobId/save`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, saveJob

Trust

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
PATCH	`/trust/v1/jobs/:jobId/documents`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, submitJobDocuments
POST	`/trust/v1/jobs/:jobId/documents`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, submitJobDocuments
POST	`/trust/v1/jobs/:jobId/report`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, reportJob
POST	`/trust/v1/jobs/:jobId/score`	Bearer token	explicit	authUser, anonymous, multerMiddleware, validateRequest, scoreJob

University

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	`/university/v1/analytics/employability`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityEmployabilityAnalytics
GET	`/university/v1/analytics/outcomes`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOutcomeReport
GET	`/university/v1/analytics/readiness`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityEmployabilityAnalytics
GET	`/university/v1/analytics/resources`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, universityResourceAnalytics
GET	`/university/v1/dashboard`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview
GET	`/university/v1/dashboard/overview`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview
GET	`/university/v1/employer-partners`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityPartners
GET	`/university/v1/members`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, listUniversityMembers
POST	`/university/v1/members`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, listUniversityMembers
DELETE	`/university/v1/members/:memberId`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, updateUniversityMember
PATCH	`/university/v1/members/:memberId`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, updateUniversityMember
GET	`/university/v1/opportunities`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, validateRequest, userUniversityOpportunities
POST	`/university/v1/opportunities`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, validateRequest, userUniversityOpportunities
GET	`/university/v1/overview`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview
GET	`/university/v1/partners`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityPartners
PATCH	`/university/v1/partners/:partnerId/approve`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, anonymous
PATCH	`/university/v1/partners/:partnerId/reject`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, anonymous
PATCH	`/university/v1/partners/:partnerId/suspend`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, anonymous
GET	`/university/v1/reports/outcomes`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOutcomeReport
GET	`/university/v1/resources`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, listUniversityResources
POST	`/university/v1/resources`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, listUniversityResources

DELETE `/university/v1/resources/:id` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, updateUniversityResource
PATCH `/university/v1/resources/:id` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, updateUniversityResource
POST `/university/v1/resources/:id/assign` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, assignUniversityResource
GET `/university/v1/resources/analytics` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, universityResourceAnalytics
GET `/university/v1/settings` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, validateRequest, getUniversitySettings
PATCH `/university/v1/settings` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, validateRequest, getUniversitySettings
PUT `/university/v1/settings` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, validateRequest, getUniversitySettings
GET `/university/v1/students` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityStudents
GET `/university/v1/students/:studentId` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, validateRequest, userUniversityStudentDetail
GET `/university/v1/students/:studentId/career-passport` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, validateRequest, userUniversityStudentCareerPassport
GET `/university/v1/verifications` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, adminListVerifications
POST `/university/v1/verifications/:id/approve` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminApproveVerification
GET `/university/v1/verifications/:id/document` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, adminDownloadStudentVerificationDocument
POST `/university/v1/verifications/:id/reject` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminRejectVerification
POST `/university/v1/verifications/:id/request-info` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminRequestVerificationInfo