

HalaJob API Reference

Generated from the live route inventory and backend API markdown reference.

Generated: 2026-06-28 08:10:32 UTC

Source commit: ce3cb2fa17e5

Route Verification Summary

Raw Express endpoint entries: 2154

Unique method/path endpoints: 3401

Endpoints with detected auth/role guard: 3310

Known public/system endpoints: 91

Unguarded endpoints needing manual classification: 0

Reading Notes

This PDF is a generated handover copy of docs/api/HALAJOB_API_REFERENCE.md. For machine-readable integration, use HALAJOB_OPENAPI.yaml and the Postman collection.

HalaJob API Reference

Generated: 2026-06-28T08:10:32.189Z

Source: docs/api/HALAJOB_ROUTE_INVENTORY.json.

This is a route-level API reference skeleton. It documents the live Express route surface, authentication classification, and guard evidence. Detailed request bodies, response examples, validation schemas, audit events, and business rules still need to be filled route-by-route before the backend can be called fully documented.

Global Conventions

Item Current rule
--- ---
Authentication `Authorization: Bearer <token>` for protected routes.
Language Preserve legacy `lan`; migrate clients toward `x-lang: en ar`.
Content type JSON by default; multipart for uploads.
IDs MongoDB ObjectId strings unless otherwise documented.
Response envelope Mixed legacy envelopes exist. New routes should standardize message/error keys without breaking old clients.
Full inventory `docs/api/HALAJOB_ROUTE_INVENTORY.json`
OpenAPI skeleton `docs/api/HALAJOB_OPENAPI.yaml`
Postman collection `docs/api/HALAJOB_POSTMAN_COLLECTION.json`

Counts

Module Endpoints
--- ---
AI 12
Admin 2889
Analytics 5
Campus 18
Campus Student 43
Company 134
Files 1
Health 3
Jobs 2
Legacy User 159
Notifications 16
Seeker 94
Trust 4
University 20

AI

Method Path Auth Guard source Middleware/guards
--- --- --- --- ---
POST `/ai/v1/career-passport/score` Bearer token explicit authUser, anonymous, validateRequest, refreshScore
POST `/ai/v1/career/copilot` Bearer token explicit authUser, anonymous, validateRequest
POST `/ai/v1/company/jobs/:jobId/shortlist` Bearer token explicit authUser, anonymous, validateRequest
POST `/ai/v1/company/jobs/generate` Bearer token explicit authUser, anonymous, validateRequest
POST `/ai/v1/company/messages/generate` Bearer token explicit authUser, anonymous, validateRequest
POST `/ai/v1/cv/rewrite` Bearer token explicit authUser, anonymous, validateRequest
POST `/ai/v1/interview/practice` Bearer token explicit authUser, anonymous, validateRequest
POST `/ai/v1/jobs/:jobId/cover-letter` Bearer token explicit authUser, anonymous, validateRequest
POST `/ai/v1/jobs/:jobId/match` Bearer token explicit authUser, anonymous, validateRequest
POST `/ai/v1/profile/score` Bearer token explicit authUser, anonymous, validateRequest
POST `/ai/v1/translate/cv` Bearer token explicit authUser, anonymous, validateRequest
POST `/ai/v1/translate/job/:jobId` Bearer token explicit authUser, anonymous, validateRequest

Admin

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
PATCH	`/admin/v1/trust/jobs/:jobId/mark-safe`	Bearer token	inferred-parent-mount	inferred:isAdmin, multerMiddleware, validateRequest, markJobSafe
POST	`/admin/v1/trust/jobs/:jobId/mark-safe`	Bearer token	inferred-parent-mount	inferred:isAdmin, multerMiddleware, validateRequest, markJobSafe
PATCH	`/admin/v1/trust/jobs/:jobId/request-documents`	Bearer token	inferred-parent-mount	inferred:isAdmin, multerMiddleware, validateRequest, requestDocuments
POST	`/admin/v1/trust/jobs/:jobId/request-documents`	Bearer token	inferred-parent-mount	inferred:isAdmin, multerMiddleware, validateRequest, requestDocuments
PATCH	`/admin/v1/trust/jobs/:jobId/suspend`	Bearer token	inferred-parent-mount	inferred:isAdmin, multerMiddleware, validateRequest, suspendJob
POST	`/admin/v1/trust/jobs/:jobId/suspend`	Bearer token	inferred-parent-mount	inferred:isAdmin, multerMiddleware, validateRequest, suspendJob
GET	`/admin/v1/trust/review-queue`	Bearer token	inferred-parent-mount	inferred:isAdmin, reviewQueue
GET	`/dash/v1/activity`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, tracking
GET	`/dash/v1/Admin`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
POST	`/dash/v1/Admin`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
DELETE	`/dash/v1/Admin/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET	`/dash/v1/Admin/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
PATCH	`/dash/v1/Admin/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
PUT	`/dash/v1/Admin/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
PATCH	`/dash/v1/Admin/approve/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
POST	`/dash/v1/Admin/approve/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
PATCH	`/dash/v1/Admin/bulk-update`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
POST	`/dash/v1/Admin/bulk-update`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
POST	`/dash/v1/Admin/create`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
DELETE	`/dash/v1/Admin/delete/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
POST	`/dash/v1/Admin/delete/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
GET	`/dash/v1/Admin/details/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET	`/dash/v1/Admin/get`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET	`/dash/v1/Admin/get-one/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET	`/dash/v1/Admin/getOne`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET	`/dash/v1/Admin/getOne/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET	`/dash/v1/Admin/list`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
PATCH	`/dash/v1/Admin/reject/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
POST	`/dash/v1/Admin/reject/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
PATCH	`/dash/v1/Admin/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
POST	`/dash/v1/Admin/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
PUT	`/dash/v1/Admin/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, validateRequest, anonymous
GET	`/dash/v1/admins`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
POST	`/dash/v1/admins`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
GET	`/dash/v1/Admins`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
POST	`/dash/v1/Admins`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous
DELETE	`/dash/v1/admins/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, validateRequest, anonymous

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Campus

Method	Path	Auth	Guard source	Middleware/guards
GET	"/campus/v1/admin/members"	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, listUniversityMembers
POST	"/campus/v1/admin/members"	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, listUniversityMembers
DELETE	"/campus/v1/admin/members/:memberId"	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, updateUniversityMember
PATCH	"/campus/v1/admin/members/:memberId"	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, updateUniversityMember
GET	"/campus/v1/admin/verifications"	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, adminListVerifications
POST	"/campus/v1/admin/verifications/:id/approve"	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminApproveVerification
GET	"/campus/v1/admin/verifications/:id/document"	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, adminDownloadStudentVerificationDocument
POST	"/campus/v1/admin/verifications/:id/reject"	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminRejectVerification
POST	"/campus/v1/admin/verifications/:id/request-info"	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminRequestVerificationInfo
POST	"/campus/v1/student-verifications"	Bearer token	explicit	inferred:authUser, authUser, multerMiddleware, validateRequest, startStudentVerification
GET	"/campus/v1/student-verifications/:id/document"	Bearer token	explicit	inferred:authUser, authUser, downloadStudentVerificationDocument
POST	"/campus/v1/student-verifications/:id/resubmit"	Bearer token	explicit	inferred:authUser, authUser, multerMiddleware, validateRequest, resubmitStudentVerification
GET	"/campus/v1/student-verifications/me"	Bearer token	explicit	inferred:authUser, authUser, studentVerificationStatus
GET	"/campus/v1/universities"	Public/system	none	listUniversities
GET	"/campus/v1/universities/:id/campuses"	Public/system	none	listUniversityCampuses
POST	"/campus/v1/verification/confirm-email"	Bearer token	explicit	inferred:authUser, authUser, multerMiddleware, validateRequest, confirmStudentVerificationEmail
POST	"/campus/v1/verification/start"	Bearer token	explicit	inferred:authUser, authUser, multerMiddleware, validateRequest, startStudentVerification
POST	"/campus/v1/verification/upload-document"	Bearer token	explicit	inferred:authUser, authUser, multerMiddleware, validateRequest, uploadStudentVerificationDocument

Campus Student

Method	Path	Auth	Guard source	Middleware/guards
GET	"/user/v1/campus/admin/verifications"	Bearer token	explicit	authUser, activeContextGuard, adminListVerifications
POST	"/user/v1/campus/admin/verifications/:id/approve"	Bearer token	explicit	authUser, activeContextGuard, multerMiddleware, validateRequest, adminApproveVerification
POST	"/user/v1/campus/admin/verifications/:id/reject"	Bearer token	explicit	authUser, activeContextGuard, multerMiddleware, validateRequest, adminRejectVerification
POST	"/user/v1/campus/admin/verifications/:id/request-info"	Bearer token	explicit	authUser, activeContextGuard, multerMiddleware, validateRequest, adminRequestVerificationInfo
GET	"/user/v1/campus/applications"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, applications
GET	"/user/v1/campus/applications/:id"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, applicationDetails
PATCH	"/user/v1/campus/applications/:id/cancel"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, cancelApplication
POST	"/user/v1/campus/applications/:id/cancel"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, cancelApplication
POST	"/user/v1/campus/applications/:id/messages"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, sendApplicationMessage
GET	"/user/v1/campus/content"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, content
GET	"/user/v1/campus/dashboard"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, dashboard
GET	"/user/v1/campus/dashboard/overview"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, dashboard
GET	"/user/v1/campus/events"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, events
PATCH	"/user/v1/campus/events/:eventId/cancel"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, cancelEventRegistration
POST	"/user/v1/campus/events/:eventId/cancel"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, cancelEventRegistration
POST	"/user/v1/campus/events/:eventId/register"	Bearer token	explicit	authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, registerEvent

GET `/user/v1/campus/opportunities` Bearer token explicit authUser, anonymous, requireCampusStudent, opportunities
GET `/user/v1/campus/opportunities/:id` Bearer token explicit authUser, anonymous, requireCampusStudent, opportunityDetails
POST `/user/v1/campus/opportunities/:id/apply` Bearer token explicit authUser, anonymous, requireCampusStudent, requireCampusOpportunity, multerMiddleware, validateRequest, applyJob
POST `/user/v1/campus/opportunities/:id/apply-external` Bearer token explicit authUser, anonymous, requireCampusStudent, requireCampusOpportunity, multerMiddleware, validateRequest, applyExternalOpportunity
GET `/user/v1/campus/opportunities/:id/readiness` Bearer token explicit authUser, anonymous, requireCampusStudent, requireCampusOpportunity, getApplyReadiness
DELETE `/user/v1/campus/opportunities/:id/save` Bearer token explicit authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, saveOpportunity
POST `/user/v1/campus/opportunities/:id/save` Bearer token explicit authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, saveOpportunity
POST `/user/v1/campus/opportunities/:id/toggle-save` Bearer token explicit authUser, anonymous, requireCampusStudent, multerMiddleware, validateRequest, toggleSaveOpportunity
GET `/user/v1/campus/overview` Bearer token explicit authUser, anonymous, requireCampusStudent, overview
GET `/user/v1/campus/profile` Bearer token explicit authUser, anonymous, requireCampusStudent, validateRequest, profile
PATCH `/user/v1/campus/profile` Bearer token explicit authUser, anonymous, requireCampusStudent, validateRequest, profile
POST `/user/v1/campus/profile` Bearer token explicit authUser, anonymous, requireCampusStudent, validateRequest, profile
PUT `/user/v1/campus/profile` Bearer token explicit authUser, anonymous, requireCampusStudent, validateRequest, profile
GET `/user/v1/campus/resources` Bearer token explicit authUser, anonymous, requireCampusStudent, resources
POST `/user/v1/campus/student-verifications` Bearer token explicit authUser, multerMiddleware, validateRequest, startStudentVerification
POST `/user/v1/campus/student-verifications/:id/resubmit` Bearer token explicit authUser, multerMiddleware, validateRequest, resubmitStudentVerification
GET `/user/v1/campus/student-verifications/me` Bearer token explicit authUser, studentVerificationStatus
GET `/user/v1/campus/universities` Public/system none listUniversities
GET `/user/v1/campus/universities/:id/campuses` Public/system none listUniversityCampuses
GET `/user/v1/campus/university/opportunities` Bearer token explicit authUser, activeContextGuard, validateRequest, userUniversityOpportunities
POST `/user/v1/campus/university/opportunities` Bearer token explicit authUser, activeContextGuard, validateRequest, userUniversityOpportunities
GET `/user/v1/campus/university/overview` Bearer token explicit authUser, activeContextGuard, userUniversityOverview
GET `/user/v1/campus/university/partners` Bearer token explicit authUser, activeContextGuard, userUniversityPartners
GET `/user/v1/campus/university/students` Bearer token explicit authUser, activeContextGuard, userUniversityStudents
POST `/user/v1/campus/verification/confirm-email` Bearer token explicit authUser, multerMiddleware, validateRequest, confirmStudentVerificationEmail
POST `/user/v1/campus/verification/start` Bearer token explicit authUser, multerMiddleware, validateRequest, startStudentVerification
POST `/user/v1/campus/verification/upload-document` Bearer token explicit authUser, multerMiddleware, validateRequest, uploadStudentVerificationDocument

Company

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
POST	`/company/v1/auth/login`	Public/system	none	multerMiddleware, validateRequest, login
POST	`/company/v1/auth/logout`	Public/system	none	multerMiddleware, validateRequest, logout
GET	`/company/v1/campus/opportunities`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, companyOpportunities
POST	`/company/v1/campus/opportunities`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, companyOpportunities
GET	`/company/v1/campus/overview`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, universityOverview
GET	`/company/v1/campus/partners`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, partners
POST	`/company/v1/campus/partners`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, validateRequest, partners
GET	`/company/v1/campus/students`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, students
GET	`/company/v1/global`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, getCompanyDashboard
GET	`/company/v1/global/analytics`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getCompanyAnalytics
GET	`/company/v1/global/analytics/applications`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getApplicationsAnalytics

GET	/company/v1/global/analytics/jobs`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobsAnalytics
GET	/company/v1/global/analytics/profile`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getProfileAnalytics
GET	/company/v1/global/applications`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getAllApplications
GET	/company/v1/global/applications/:applicationId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getApplicationDetails
GET	/company/v1/global/applications/:applicationId/audit-logs`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getApplicationAuditLogs
POST	/company/v1/global/applications/:applicationId/note`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, addApplicationNote
POST	/company/v1/global/applications/:applicationId/rate`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, rateApplicant
PATCH	/company/v1/global/applications/:applicationId/status`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, changeApplicationStatus
GET	/company/v1/global/audit-logs`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getAuditLogs
GET	/company/v1/global/interviews`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, getCompanyInterviews
POST	/company/v1/global/interviews`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, getCompanyInterviews
DELETE	/company/v1/global/interviews/:interviewId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateInterview
PATCH	/company/v1/global/interviews/:interviewId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateInterview
GET	/company/v1/global/jobs`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobs
POST	/company/v1/global/jobs`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobs
DELETE	/company/v1/global/jobs/:jobId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobDetails
GET	/company/v1/global/jobs/:jobId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobDetails
PATCH	/company/v1/global/jobs/:jobId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobDetails
POST	/company/v1/global/jobs/:jobId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobDetails
PUT	/company/v1/global/jobs/:jobId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, getMyJobDetails
GET	/company/v1/global/jobs/:jobId/applicants`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobApplicants
PATCH	/company/v1/global/jobs/:jobId/archive`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest
GET	/company/v1/global/jobs/:jobId/audit-logs`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobAuditLogs
POST	/company/v1/global/jobs/:jobId/clone`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, cloneJob
PATCH	/company/v1/global/jobs/:jobId/pause`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest
PATCH	/company/v1/global/jobs/:jobId/publish`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest
GET	/company/v1/global/jobs/:jobId/recommended-employees`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getRecommendedEmployeesForJob
PATCH	/company/v1/global/jobs/:jobId/restore`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest
PATCH	/company/v1/global/jobs/:jobId/status`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, changeJobStatus
PATCH	/company/v1/global/jobs/bulk`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, bulkUpdateJobs
GET	/company/v1/global/jobs/statistics`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobsStatistics
GET	/company/v1/global/me/basic-profile`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMyBasicCompanyProfile
PUT	/company/v1/global/me/basic-profile`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMyBasicCompanyProfile
PUT	/company/v1/global/me/image`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, validateRequest, updateMyCompanyUserProfile
GET	/company/v1/global/members`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listMembers
POST	/company/v1/global/members`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listMembers
DELETE	/company/v1/global/members/:memberId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateMember
PATCH	/company/v1/global/members/:memberId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateMember

GET	/company/v1/global/message-templates`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listTemplates
POST	/company/v1/global/message-templates`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listTemplates
DELETE	/company/v1/global/message-templates/:templateId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateTemplate
PATCH	/company/v1/global/message-templates/:templateId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateTemplate
GET	/company/v1/global/profile`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMyCompanyProfile
PUT	/company/v1/global/profile`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMyCompanyProfile
GET	/company/v1/global/profile/:section`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMySection
POST	/company/v1/global/profile/:section`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMySection
PUT	/company/v1/global/profile/:section`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, getMySection
DELETE	/company/v1/global/profile/:section/:itemId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateSectionItem
PATCH	/company/v1/global/profile/:section/:itemId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateSectionItem
PUT	/company/v1/global/profile/about`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateCompanyAbout
GET	/company/v1/global/profile/completion`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyCompanyCompletion
PUT	/company/v1/global/profile/contact`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateCompanyContact
GET	/company/v1/global/profile/files`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, listCompanyFiles
POST	/company/v1/global/profile/files`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, validateRequest, listCompanyFiles
DELETE	/company/v1/global/profile/files/:filename`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, deleteCompanyFile
GET	/company/v1/global/profile/files/:filename/download`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, downloadCompanyFile
PUT	/company/v1/global/profile/location`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateCompanyLocation
PUT	/company/v1/global/profile/media`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateCompanyMedia
POST	/company/v1/global/profile/rebuild-search-filters`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, rebuildMyCompanySearchFilters
GET	/company/v1/global/question-library`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listQuestions
POST	/company/v1/global/question-library`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listQuestions
DELETE	/company/v1/global/question-library/:questionId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateQuestion
PATCH	/company/v1/global/question-library/:questionId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateQuestion
GET	/company/v1/global/subscription`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMySubscription
GET	/company/v1/global/subscription/billing-summary`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getBillingSummary
GET	/company/v1/global/subscription/current`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMySubscription
GET	/company/v1/global/subscription/invoices`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyInvoices
GET	/company/v1/global/subscription/invoices/:invoiceId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyInvoiceDetails
POST	/company/v1/global/subscription/request`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, requestPlanChange
GET	/company/v1/global/support-tickets`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listTickets
POST	/company/v1/global/support-tickets`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, validateRequest, listTickets
GET	/company/v1/global/support-tickets/:ticketId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getTicketDetails
POST	/company/v1/global/support-tickets/:ticketId/messages`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, addTicketMessage
GET	/company/v1/helper/cities`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, getCities
GET	/company/v1/helper/currencies`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, getCurrencies
GET	/company/v1/helper/education-level`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, getEducationLevel

GET	/company/v1/helper/experience-level	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, experienceLevel
GET	/company/v1/helper/industry	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, industry
GET	/company/v1/helper/job-name	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, anonymous
GET	/company/v1/helper/job-types	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, getJobType
GET	/company/v1/helper/languages	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, getLanguages
GET	/company/v1/helper/salaries	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, salaryType
GET	/company/v1/helper/services	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, services
GET	/company/v1/helper/skills	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, skills
GET	/company/v1/helper/work-mode	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, workMode
GET	/company/v1/helper/work-time	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, workTime
GET	/company/v1/jobs/hiring/:jobId/applicants	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicants
GET	/company/v1/jobs/hiring/:jobId/applications	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobApplications
POST	/company/v1/jobs/hiring/:jobId/invitations	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, sendJobInvitation
GET	/company/v1/jobs/hiring/applicants	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicants
GET	/company/v1/jobs/hiring/applications	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobApplications
GET	/company/v1/jobs/hiring/applications/:applicationId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicationDetails
PATCH	/company/v1/jobs/hiring/applications/:applicationId/block-applicant	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, blockApplicationApplicant
GET	/company/v1/jobs/hiring/applications/:applicationId/cv	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicationCv
POST	/company/v1/jobs/hiring/applications/:applicationId/interviews	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, createInterview
POST	/company/v1/jobs/hiring/applications/:applicationId/messages	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, sendApplicationMessage
PATCH	/company/v1/jobs/hiring/applications/:applicationId/restore	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, restoreApplication
PATCH	/company/v1/jobs/hiring/applications/:applicationId/status	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateApplicationStatus
POST	/company/v1/jobs/hiring/applications/bulk-cv	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, bulkApplicationCvs
POST	/company/v1/jobs/hiring/applications/bulk-export	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, bulkExportApplications
GET	/company/v1/jobs/hiring/interviews	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, createInterview
POST	/company/v1/jobs/hiring/interviews	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, createInterview
PATCH	/company/v1/jobs/hiring/interviews/:interviewId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, updateInterview
PATCH	/company/v1/jobs/hiring/interviews/:interviewId/status	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, changeInterviewStatus
GET	/company/v1/jobs/hiring/invitations	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, sendJobInvitation
POST	/company/v1/jobs/hiring/invitations	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, sendJobInvitation
GET	/company/v1/jobs/hiring/invitations/:invitationId	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobInvitationDetails
PATCH	/company/v1/jobs/hiring/invitations/:invitationId/cancel	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, cancelJobInvitation
GET	/company/v1/jobs/hiring/pipeline	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getAtsPipeline
GET	/company/v1/jobs/hiring/reviews	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getCompanyJobReviews
GET	/company/v1/jobs/hiring/summary	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getHiringSummary
GET	/company/v1/jobs/hiring/talent-pool	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getTalentPool
GET	/company/v1/jobs/talent/:jobId/employees/:employeeId/match	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, matchEmployeeWithJob
GET	/company/v1/jobs/talent/:jobId/help-requests	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, requestJobZainTalentHelp

	POST		`/company/v1/jobs/talent/:jobId/help-requests`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, requestJobZainTalentHelp	
	GET		`/company/v1/jobs/talent/:jobId/smart-employees`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, multerMiddleware, getSmartEmployeesForJob	
	POST		`/company/v1/jobs/talent/:jobId/smart-employees/generate`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, generateSmartEmployeesForJob	
	GET		`/company/v1/jobs/talent/employees`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, multerMiddleware, searchEmployees	
	GET		`/company/v1/jobs/talent/employees/:employeeId`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, multerMiddleware, getEmployeeDetails	
	GET		`/company/v1/jobs/talent/help-requests`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, requestJobZainTalentHelp	
	POST		`/company/v1/jobs/talent/help-requests`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, requestJobZainTalentHelp	
	GET		`/company/v1/jobs/talent/help-requests/:requestId`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobZainTalentRequestDetails	
	PATCH		`/company/v1/jobs/talent/help-requests/:requestId/cancel`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, multerMiddleware, validateRequest, cancelJobZainTalentRequest	

Files

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/cv/generated/:fileName`		Public/system		none		anonymous	

Health

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/health`		Public/system		none		protectHealth, anonymous	
	GET		`/health/live`		Public/system		none		anonymous	
	GET		`/health/ready`		Public/system		none		anonymous	

Jobs

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/jobs/v1/:jobId/translations/:lang`		Bearer token		explicit		authUser, anonymous, multerMiddleware, validateRequest, saveJobTranslation	
	PUT		`/jobs/v1/:jobId/translations/:lang`		Bearer token		explicit		authUser, anonymous, multerMiddleware, validateRequest, saveJobTranslation	

Legacy User

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	POST		`/user/v1/account/delete-request`		Bearer token		explicit		authUser, jsonParser, validateRequest, requestAccountDeletion	
	POST		`/user/v1/account/delete-request/cancel`		Bearer token		explicit		authUser, validateRequest, cancelAccountDeletion	
	GET		`/user/v1/account/export`		Bearer token		explicit		authUser, exportMyData	
	GET		`/user/v1/app/dashboard`		Bearer token		explicit		authUser, getMyAppDashboardOverview	
	GET		`/user/v1/app/dashboard/overview`		Bearer token		explicit		authUser, getMyAppDashboardOverview	
	GET		`/user/v1/applying-job/get`		Bearer token		explicit		authUser, anonymous, getAppliedJobs	
	POST		`/user/v1/applying-job/insert/:id`		Bearer token		explicit		authUser, anonymous, validateRequest, applyJob	
	GET		`/user/v1/applying-job/readiness/:id`		Bearer token		explicit		authUser, anonymous, getApplyReadiness	
	POST		`/user/v1/auth/campus/register`		Public/system		none		multerMiddleware, validateRequest, campusRegister	
	POST		`/user/v1/auth/campus/university-login`		Public/system		none		multerMiddleware, validateRequest, universityLogin	
	POST		`/user/v1/auth/forgot-password`		Public/system		none		validateRequest, forgotPassword	
	POST		`/user/v1/auth/login`		Public/system		none		multerMiddleware, validateRequest, login	
	POST		`/user/v1/auth/logout`		Public/system		none		multerMiddleware, validateRequest, logout	
	POST		`/user/v1/auth/logout-all`		Bearer token		explicit		authUser, multerMiddleware, validateRequest, logoutAll	
	POST		`/user/v1/auth/passcode-forgot-password`		Public/system		none		validateRequest, passcodeVerify	
	POST		`/user/v1/auth/passcode-verify`		Public/system		none		validateRequest, passcodeVerify	
	POST		`/user/v1/auth/refresh-token`		Public/system		none		multerMiddleware, validateRequest, refreshToken	

	POST		`/user/v1/auth/register`		Public/system		none		multerMiddleware, validateRequest, register	
	POST		`/user/v1/auth/resend-otp`		Public/system		none		validateRequest, resendOtp	
	POST		`/user/v1/auth/resetPassword`		Public/system		none		validateRequest, resetPassword	
	POST		`/user/v1/auth/update-image`		Bearer token		explicit		authUser, multerMiddleware, validateRequest, updateImage	
	POST		`/user/v1/auth/update-profile`		Bearer token		explicit		authUser, validateRequest, updateProfile	
	GET		`/user/v1/banner/get`		Public/system		none		get	
	GET		`/user/v1/career-passport`		Bearer token		explicit		authUser, anonymous, validateRequest, get	
	PUT		`/user/v1/career-passport`		Bearer token		explicit		authUser, anonymous, validateRequest, get	
	POST		`/user/v1/career-passport/share`		Bearer token		explicit		authUser, anonymous, jsonParser, validateRequest, share	
	GET		`/user/v1/career-passport/share/:token`		Public/system		none		shared	
	GET		`/user/v1/company-jobs-profile/job-details/:id`		Bearer token		explicit		authUser, anonymous, getJobDetails	
	GET		`/user/v1/company-jobs-profile/profile-jobs`		Bearer token		explicit		authUser, anonymous, companyData	
	POST		`/user/v1/company/delete-file`		Bearer token		explicit		authUser, validateRequest, deleteFile	
	GET		`/user/v1/company/download-file`		Bearer token		explicit		authUser, downloadFile	
	GET		`/user/v1/company/get-files`		Bearer token		explicit		authUser, getFileLinks	
	POST		`/user/v1/company/join-request`		Bearer token		explicit		authUser, multerMiddleware, validateRequest, joinRequest	
	GET		`/user/v1/company/my-company`		Bearer token		explicit		authUser, get	
	POST		`/user/v1/company/update-my-company`		Bearer token		explicit		authUser, validateRequest, update	
	POST		`/user/v1/company/update-my-company-image`		Bearer token		explicit		authUser, multerMiddleware, validateRequest, updateImage	
	POST		`/user/v1/company/upload-file`		Bearer token		explicit		authUser, multerMiddleware, validateRequest, uploadFile	
	GET		`/user/v1/cv/translations/:lang`		Bearer token		explicit		authUser, anonymous, multerMiddleware, validateRequest, saveCvTranslation	
	PUT		`/user/v1/cv/translations/:lang`		Bearer token		explicit		authUser, anonymous, multerMiddleware, validateRequest, saveCvTranslation	
	GET		`/user/v1/employee/profile-get`		Bearer token		explicit		authUser, anonymous, multerMiddleware, profile	
	POST		`/user/v1/employee/profile-update`		Bearer token		explicit		authUser, anonymous, multerMiddleware, validateRequest, update	
	POST		`/user/v1/fcm/delete-tokens/:id`		Bearer token		explicit		authUser, validateRequest, deleteToken	
	GET		`/user/v1/fcm/tokens`		Bearer token		explicit		authUser, validateRequest, listTokens	
	POST		`/user/v1/fcm/tokens`		Bearer token		explicit		authUser, validateRequest, listTokens	
	POST		`/user/v1/fcm/update-tokens/:id`		Bearer token		explicit		authUser, jsonParser, validateRequest, updateToken	
	GET		`/user/v1/global/cities`		Public/system		none		countries	
	GET		`/user/v1/global/countries`		Public/system		none		countries	
	GET		`/user/v1/global/currencies`		Public/system		none		currencies	
	GET		`/user/v1/global/currency`		Public/system		none		currencies	
	GET		`/user/v1/global/work-mode`		Public/system		none		workModes	
	GET		`/user/v1/global/work-modes`		Public/system		none		workModes	
	POST		`/user/v1/handle-applied-job/change-job-status/:id`		Bearer token		explicit		authUser, anonymous, validateRequest, changeStatus	
	POST		`/user/v1/handle-applied-job/send-interview/:id`		Bearer token		explicit		authUser, anonymous, validateRequest, SendInterview	
	GET		`/user/v1/helper/cities`		Public/system		none		anonymous	
	GET		`/user/v1/helper/city-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/countries`		Public/system		none		anonymous	
	GET		`/user/v1/helper/country`		Public/system		none		anonymous	
	GET		`/user/v1/helper/country-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/country-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currencies`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currency`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currency-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currency-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/education-level`		Public/system		none		anonymous	
	GET		`/user/v1/helper/education-levels`		Public/system		none		anonymous	
	GET		`/user/v1/helper/experience-level`		Public/system		none		anonymous	
	GET		`/user/v1/helper/experience-levels`		Public/system		none		anonymous	
	GET		`/user/v1/helper/industries`		Public/system		none		anonymous	
	GET		`/user/v1/helper/industry`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-location`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-location-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-name`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-names`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-salaries`		Public/system		none		anonymous	

GET	`/user/v1/helper/job-salary`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-salary-get`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-search`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-service`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-service-get`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-services`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-time`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-time-get`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-type`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-type-get`	Public/system	none	anonymous	
GET	`/user/v1/helper/job-types`	Public/system	none	anonymous	
GET	`/user/v1/helper/language`	Public/system	none	anonymous	
GET	`/user/v1/helper/language-search`	Public/system	none	anonymous	
GET	`/user/v1/helper/languages`	Public/system	none	anonymous	
GET	`/user/v1/helper/salaries`	Public/system	none	anonymous	
GET	`/user/v1/helper/services`	Public/system	none	anonymous	
GET	`/user/v1/helper/skill`	Public/system	none	anonymous	
GET	`/user/v1/helper/skill-search`	Public/system	none	anonymous	
GET	`/user/v1/helper/skills`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-location`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-locations`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-mode`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-modes`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-time`	Public/system	none	anonymous	
GET	`/user/v1/helper/work-times`	Public/system	none	anonymous	
POST	`/user/v1/job-information/apply-outside/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, applyOutsideJob	
GET	`/user/v1/job-information/list-job-reviews/:id`	Public/system	none	listJobReviews	
GET	`/user/v1/job-information/list-job-savers/:id`	Bearer token	explicit	authUser, anonymous, listJobSavers	
POST	`/user/v1/job-information/rate-job/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, rateJob	
GET	`/user/v1/job-information/recompute-job-rating-breakdown/:id`	Bearer token	explicit	authUser, anonymous, recomputeJobRatingBreakdown	
POST	`/user/v1/job-information/report-job/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, reportJob	
POST	`/user/v1/job-information/review-job/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, reviewJob	
POST	`/user/v1/job-information/toggle-save-job/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, toggleSaveJob	
GET	`/user/v1/job-profile/get-applied-jobs`	Bearer token	explicit	authUser, anonymous, getAppliedJobs	
GET	`/user/v1/job-profile/get-interviewed-jobs`	Bearer token	explicit	authUser, anonymous, getInterviewedJobs	
GET	`/user/v1/job-profile/get-saved-job`	Bearer token	explicit	authUser, anonymous, getSavedJob	
GET	`/user/v1/job-profile/get-user-job-counts`	Bearer token	explicit	authUser, anonymous, getUserJobCounts	
GET	`/user/v1/job-result/get-by-id/:id`	Bearer token	explicit	authUser, anonymous, getJobById	
GET	`/user/v1/job-result/get-created-job`	Bearer token	explicit	authUser, anonymous, getCreatedJobs	
GET	`/user/v1/job-result/get-job-applicant/:id`	Bearer token	explicit	authUser, anonymous, getJobApplicants	
GET	`/user/v1/job-result/get-job-rating/:id`	Bearer token	explicit	authUser, anonymous, getJobRatingStats	
GET	`/user/v1/job-result/get-job-review/:id`	Bearer token	explicit	authUser, anonymous, getJobReviews	
GET	`/user/v1/job-result/get-job-savers/:id`	Bearer token	explicit	authUser, anonymous, getJobSavers	
POST	`/user/v1/job/create`	Bearer token	explicit	authUser, anonymous, validateRequest, create	
GET	`/user/v1/job/get`	Public/system	none	optionalAuthUser, get	
GET	`/user/v1/job/get-by-id/:id`	Public/system	none	optionalAuthUser, getById	
GET	`/user/v1/job/get-filters`	Public/system	none	optionalAuthUser, getFilters	
GET	`/user/v1/job/get-popular`	Public/system	none	optionalAuthUser, get	
GET	`/user/v1/job/get-single-job/:id`	Public/system	none	optionalAuthUser, getById	
GET	`/user/v1/job/job-role`	Bearer token	explicit	authUser, anonymous, whatIsMyRole	
POST	`/user/v1/job/update/:id`	Bearer token	explicit	authUser, anonymous, validateRequest, update	
GET	`/user/v1/keyword/get`	Public/system	none	get	
POST	`/user/v1/me/active-context`	Bearer token	explicit	authUser, jsonParser, validateRequest, setActiveContext	
GET	`/user/v1/me/contexts`	Bearer token	explicit	authUser, listContexts	
GET	`/user/v1/me/permissions`	Bearer token	explicit	authUser, permissions	
GET	`/user/v1/notification`	Bearer token	explicit	authUser, list	
DELETE	`/user/v1/notification/:id`	Bearer token	explicit	authUser, validateRequest, remove	
POST	`/user/v1/notification/:id/delete`	Bearer token	explicit	authUser, validateRequest, remove	

	PATCH		`/user/v1/notification/:id/read`		Bearer token		explicit		authUser, validateRequest, markRead	
	POST		`/user/v1/notification/:id/read`		Bearer token		explicit		authUser, validateRequest, markRead	
	PATCH		`/user/v1/notification/:id/unread`		Bearer token		explicit		authUser, validateRequest, markUnread	
	POST		`/user/v1/notification/:id/unread`		Bearer token		explicit		authUser, validateRequest, markUnread	
	GET		`/user/v1/notification/get`		Bearer token		explicit		authUser, list	
	GET		`/user/v1/notification/preferences`		Bearer token		explicit		authUser, validateRequest, getPreferences	
	PATCH		`/user/v1/notification/preferences`		Bearer token		explicit		authUser, validateRequest, getPreferences	
	PUT		`/user/v1/notification/preferences`		Bearer token		explicit		authUser, validateRequest, getPreferences	
	PATCH		`/user/v1/notification/read-all`		Bearer token		explicit		authUser, validateRequest, markAllRead	
	POST		`/user/v1/notification/read-all`		Bearer token		explicit		authUser, validateRequest, markAllRead	
	GET		`/user/v1/notification/unread-count`		Bearer token		explicit		authUser, unreadCount	
	GET		`/user/v1/notifications`		Bearer token		explicit		authUser, list	
	DELETE		`/user/v1/notifications/:id`		Bearer token		explicit		authUser, validateRequest, remove	
	POST		`/user/v1/notifications/:id/delete`		Bearer token		explicit		authUser, validateRequest, remove	
	PATCH		`/user/v1/notifications/:id/read`		Bearer token		explicit		authUser, validateRequest, markRead	
	POST		`/user/v1/notifications/:id/read`		Bearer token		explicit		authUser, validateRequest, markRead	
	PATCH		`/user/v1/notifications/:id/unread`		Bearer token		explicit		authUser, validateRequest, markUnread	
	POST		`/user/v1/notifications/:id/unread`		Bearer token		explicit		authUser, validateRequest, markUnread	
	GET		`/user/v1/notifications/get`		Bearer token		explicit		authUser, list	
	GET		`/user/v1/notifications/preferences`		Bearer token		explicit		authUser, validateRequest, getPreferences	
	PATCH		`/user/v1/notifications/preferences`		Bearer token		explicit		authUser, validateRequest, getPreferences	
	PUT		`/user/v1/notifications/preferences`		Bearer token		explicit		authUser, validateRequest, getPreferences	
	PATCH		`/user/v1/notifications/read-all`		Bearer token		explicit		authUser, validateRequest, markAllRead	
	POST		`/user/v1/notifications/read-all`		Bearer token		explicit		authUser, validateRequest, markAllRead	
	GET		`/user/v1/notifications/unread-count`		Bearer token		explicit		authUser, unreadCount	
	GET		`/user/v1/page/details/:key`		Public/system		none		details	
	GET		`/user/v1/page/get`		Public/system		none		get	

Notifications

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/notifications/v1`		Bearer token		inferred-parent-mount		inferred:authUser, list	
	PATCH		`/notifications/v1/:id/read`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, markRead	
	POST		`/notifications/v1/:id/read`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, markRead	
	DELETE		`/notifications/v1/device-token`		Bearer token		inferred-parent-mount		inferred:authUser, jsonParser, validateRequest, registerToken	
	POST		`/notifications/v1/device-token`		Bearer token		inferred-parent-mount		inferred:authUser, jsonParser, validateRequest, registerToken	
	DELETE		`/notifications/v1/device-token/:id`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, deleteDeviceToken	
	POST		`/notifications/v1/device-token/delete`		Bearer token		inferred-parent-mount		inferred:authUser, jsonParser, validateRequest, deleteDeviceToken	
	GET		`/notifications/v1/list`		Bearer token		inferred-parent-mount		inferred:authUser, list	
	GET		`/notifications/v1/preferences`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, getPreferences	
	PATCH		`/notifications/v1/preferences`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, getPreferences	
	PUT		`/notifications/v1/preferences`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, getPreferences	
	PATCH		`/notifications/v1/read`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, markRead	
	POST		`/notifications/v1/read`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, markRead	
	PATCH		`/notifications/v1/read-all`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, markRead	
	POST		`/notifications/v1/read-all`		Bearer token		inferred-parent-mount		inferred:authUser, validateRequest, markRead	
	GET		`/notifications/v1/unread-count`		Bearer token		inferred-parent-mount		inferred:authUser, unreadCount	

Seeker

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/employee/v1/applications`		Bearer token		explicit		authUser, anonymous, myApplications	
	GET		`/employee/v1/applications/:applicationId`		Bearer token		explicit		authUser, anonymous, getMyApplicationDetails	

| PATCH | `/employee/v1/applications/:applicationId/cancel` | Bearer token | explicit | authUser, anonymous, multerMiddleware, validateRequest, cancelMyApplication |

| POST | `/employee/v1/applications/:applicationId/cancel` | Bearer token | explicit | authUser, anonymous, multerMiddleware, validateRequest, cancelMyApplication |

| POST | `/employee/v1/applications/:applicationId/messages` | Bearer token | explicit | authUser, anonymous, multerMiddleware, validateRequest, addApplicationMessage |

| GET | `/employee/v1/applications/interviews` | Bearer token | explicit | authUser, anonymous, myInterviews |

| PATCH | `/employee/v1/applications/interviews/:interviewId/respond` | Bearer token | explicit | authUser, anonymous, multerMiddleware, validateRequest, respondToInterview |

| POST | `/employee/v1/applications/interviews/:interviewId/respond` | Bearer token | explicit | authUser, anonymous, multerMiddleware, validateRequest, respondToInterview |

| GET | `/employee/v1/applications/offers` | Bearer token | explicit | authUser, anonymous, myJobInvitations |

| PATCH | `/employee/v1/applications/offers/:invitationId/respond` | Bearer token | explicit | authUser, anonymous, multerMiddleware, validateRequest, respondToJobInvitation |

| POST | `/employee/v1/applications/offers/:invitationId/respond` | Bearer token | explicit | authUser, anonymous, multerMiddleware, validateRequest, respondToJobInvitation |

| POST | `/employee/v1/auth/login` | Public/system | none | multerMiddleware, validateRequest, login |

| GET | `/employee/v1/companies` | Bearer token | explicit | authUser, anonymous, browseCompanies |

| GET | `/employee/v1/companies/:companyId` | Bearer token | explicit | authUser, anonymous, companyDetails |

| POST | `/employee/v1/companies/:companyId/review` | Bearer token | explicit | authUser, anonymous, multerMiddleware, validateRequest, reviewCompany |

| GET | `/employee/v1/companies/activity` | Bearer token | explicit | authUser, anonymous, companiesFromMyActivity |

| GET | `/employee/v1/companies/applied` | Bearer token | explicit | authUser, anonymous, companiesIAppliedTo |

| GET | `/employee/v1/companies/saved-jobs` | Bearer token | explicit | authUser, anonymous, companiesFromSavedJobs |

| GET | `/employee/v1/companies/viewed` | Bearer token | explicit | authUser, anonymous, companiesViewedByMe |

| GET | `/employee/v1/cv/download/:cvId` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, downloadSavedCv |

| POST | `/employee/v1/cv/generate/download` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, validateRequest, downloadMyCv |

| POST | `/employee/v1/cv/generate/download-url` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, validateRequest, createMyCvDownloadUrl |

| POST | `/employee/v1/cv/generate/preview` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, validateRequest, previewMyCv |

| POST | `/employee/v1/cv/generate/save` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, validateRequest, saveMyCvSettings |

| GET | `/employee/v1/cv/generate/templates` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, getCvTemplatesPublic |

| POST | `/employee/v1/cv/upload` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, multerMiddleware, validateRequest, uploadMyCv |

| PUT | `/employee/v1/cv/upload/:cvId` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, validateRequest, setActiveCv |

| GET | `/employee/v1/cv/uploaded` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, getMyUploadedCvs |

| DELETE | `/employee/v1/cv/uploaded/:cvId` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, validateRequest, deleteMyUploadedCv |

| GET | `/employee/v1/global` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, getEmployeeDashboard |

| GET | `/employee/v1/global/applications` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, myApplications |

| GET | `/employee/v1/global/applications/:applicationId` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, getMyApplicationDetails |

| PATCH | `/employee/v1/global/applications/:applicationId/cancel` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, multerMiddleware, validateRequest, cancelMyApplication |

| POST | `/employee/v1/global/applications/:applicationId/messages` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, multerMiddleware, validateRequest, addApplicationMessage |

| GET | `/employee/v1/global/applications/applied` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, myApplications |

| GET | `/employee/v1/global/applications/interviews` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, myInterviews |

| PATCH | `/employee/v1/global/applications/interviews/:interviewId/respond` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, multerMiddleware, validateRequest, respondToInterview |

| GET | `/employee/v1/global/applications/offers` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, myJobInvitations |

| GET | `/employee/v1/global/applications/offers/:invitationId` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, getMyJobInvitationDetails |

| PATCH | `/employee/v1/global/applications/offers/:invitationId/reject` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, multerMiddleware, validateRequest, anonymous |

| PATCH | `/employee/v1/global/applications/offers/:invitationId/respond` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, multerMiddleware, validateRequest, respondToJobInvitation |

| GET | `/employee/v1/global/applications/rejected` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, myRejectedApplications |

| GET | `/employee/v1/global/applications/status` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, myApplications |

| GET | `/employee/v1/global/companies` | Bearer token | inferred-parent-mount | inferred:employeeAccountGuard, browseCompanies |

GET	/employee/v1/global/companies/:companyId	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, companyDetails
POST	/employee/v1/global/companies/:companyId/review	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, reviewCompany
GET	/employee/v1/global/companies/activity	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, companiesFromMyActivity
GET	/employee/v1/global/companies/applied	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, companiesIAppliedTo
GET	/employee/v1/global/companies/saved-jobs	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, companiesFromSavedJobs
GET	/employee/v1/global/companies/viewed	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, companiesViewedByMe
GET	/employee/v1/global/jobs	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, browseJobs
GET	/employee/v1/global/jobs/:jobId	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, getJobDetails
POST	/employee/v1/global/jobs/:jobId/apply	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, applyToJob
POST	/employee/v1/global/jobs/:jobId/rate	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, rateJob
POST	/employee/v1/global/jobs/:jobId/review	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, reviewJob
DELETE	/employee/v1/global/jobs/:jobId/save	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, saveJob
POST	/employee/v1/global/jobs/:jobId/save	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, saveJob
GET	/employee/v1/global/jobs/recommended	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, recommendedJobs
GET	/employee/v1/global/jobs/saved	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, savedJobs
GET	/employee/v1/global/me/basic-profile	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, getMyBasicProfile
PUT	/employee/v1/global/me/basic-profile	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, getMyBasicProfile
GET	/employee/v1/global/profile	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, getMyEmployeeProfile
PUT	/employee/v1/global/profile	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, getMyEmployeeProfile
GET	/employee/v1/global/profile/:section	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, getMySection
POST	/employee/v1/global/profile/:section	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, getMySection
PUT	/employee/v1/global/profile/:section	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, validateRequest, getMySection
DELETE	/employee/v1/global/profile/:section/:itemId	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, updateSectionItem
PATCH	/employee/v1/global/profile/:section/:itemId	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, updateSectionItem
PUT	/employee/v1/global/profile/about-me	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, updateAboutMe
GET	/employee/v1/global/profile/completion	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, getMyEmployeeCompletion
PUT	/employee/v1/global/profile/job-names	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, replaceJobNames
PUT	/employee/v1/global/profile/job-types	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, replaceJobTypes
PUT	/employee/v1/global/profile/latest-work-experience	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, updateLatestWorkExperience
PUT	/employee/v1/global/profile/min-salary	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, replaceMinSalary
POST	/employee/v1/global/profile/rebuild-search-filters	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, rebuildMySearchFilters
PUT	/employee/v1/global/profile/work-preferences	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, validateRequest, updateWorkPreferences
GET	/employee/v1/helper/cities	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, cities
GET	/employee/v1/helper/currencies	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, getCurrencies
GET	/employee/v1/helper/education-level	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, educationLevel
GET	/employee/v1/helper/experience-level	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, experienceLevel
GET	/employee/v1/helper/industry	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, industry
GET	/employee/v1/helper/job-name	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, anonymous

GET `/employee/v1/helper/job-types` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, getJobType
GET `/employee/v1/helper/languages` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, getLanguages
GET `/employee/v1/helper/salaries` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, salaryType
GET `/employee/v1/helper/services` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, services
GET `/employee/v1/helper/skills` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, skills
GET `/employee/v1/helper/work-mode` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, workMode
GET `/employee/v1/helper/work-time` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, workTime
POST `/employee/v1/jobs/:jobId/apply` Bearer token explicit authUser, anonymous, multerMiddleware, validateRequest, applyToJob
POST `/employee/v1/jobs/:jobId/rate` Bearer token explicit authUser, anonymous, multerMiddleware, validateRequest, rateJob
POST `/employee/v1/jobs/:jobId/review` Bearer token explicit authUser, anonymous, multerMiddleware, validateRequest, reviewJob
DELETE `/employee/v1/jobs/:jobId/save` Bearer token explicit authUser, anonymous, multerMiddleware, validateRequest, saveJob
POST `/employee/v1/jobs/:jobId/save` Bearer token explicit authUser, anonymous, multerMiddleware, validateRequest, saveJob

Trust

Method Path Auth Guard source Middleware/guards
--- --- --- --- ---
PATCH `/trust/v1/jobs/:jobId/documents` Bearer token explicit authUser, anonymous, multerMiddleware, validateRequest, submitJobDocuments
POST `/trust/v1/jobs/:jobId/documents` Bearer token explicit authUser, anonymous, multerMiddleware, validateRequest, submitJobDocuments
POST `/trust/v1/jobs/:jobId/report` Bearer token explicit authUser, anonymous, multerMiddleware, validateRequest, reportJob
POST `/trust/v1/jobs/:jobId/score` Bearer token explicit authUser, anonymous, multerMiddleware, validateRequest, scoreJob

University

Method Path Auth Guard source Middleware/guards
--- --- --- --- ---
GET `/university/v1/analytics/employability` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityEmployabilityAnalytics
GET `/university/v1/dashboard` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview
GET `/university/v1/dashboard/overview` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview
GET `/university/v1/employer-partners` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityPartners
GET `/university/v1/members` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, listUniversityMembers
POST `/university/v1/members` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, validateRequest, listUniversityMembers
DELETE `/university/v1/members/:memberId` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, updateUniversityMember
PATCH `/university/v1/members/:memberId` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, activeContextPermissionGuard, multerMiddleware, validateRequest, updateUniversityMember
GET `/university/v1/opportunities` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, validateRequest, userUniversityOpportunities
POST `/university/v1/opportunities` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, validateRequest, userUniversityOpportunities
GET `/university/v1/overview` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview
GET `/university/v1/partners` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityPartners
GET `/university/v1/reports/outcomes` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOutcomeReport
GET `/university/v1/students` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityStudents
GET `/university/v1/students/:studentId/career-passport` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityStudentCareerPassport
GET `/university/v1/verifications` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, adminListVerifications

POST `/university/v1/verifications/:id/approve` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminApproveVerification
GET `/university/v1/verifications/:id/document` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, adminDownloadStudentVerificationDocument
POST `/university/v1/verifications/:id/reject` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminRejectVerification
POST `/university/v1/verifications/:id/request-info` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, validateRequest, adminRequestVerificationInfo